

काभ्रेपलाञ्चोक जिल्लाको
ज्याला तथा निर्माण सामग्रीहरुको
दररेट



आ.ब. ०८३ / ०८४



जिल्ला प्रशासन कार्यालय
काभ्रेपलाञ्चोक

२०८३ असार



आज मिति २०८३ साल असार ३१ गते मंगलबार बिहान १०:०० बजे प्रमुख जिल्ला अधिकारी एवम् जिल्ला दररेट निर्धारण समितिका अध्यक्ष श्री गोपाल कुमार अधिकारीज्यूको अध्यक्षतामा देहाय बमोजिमका पदाधिकारीहरुको उपस्थितिमा जिल्ला दररेट निर्धारण समितिको बैठक बसी मिति २०८३ असार ५ गते गठित उपसमितिले पेश गरेको दररेट प्रतिवेदन समेतका आधारमा निम्न बमोजिम दर रेट कायम गर्ने निर्णय गरियो।

उपस्थिति:

- १) अध्यक्ष प्र.जि.अ. श्री गोपाल कुमार अधिकारी
- २) सदस्य जि.स.स. ~~सदस्य~~ श्री ~~दिपक~~ **गौतम**
- ३) सदस्य जि.स.अ. श्री शिव प्रसाद हुमेगाई
- ४) सदस्य प्र.को.नि. श्री रुद्र कोइराला
- ५) सदस्य श्री कृष्ण लाल श्रेष्ठ
- ६) सदस्य श्री प्रदिप गौतम
- ७) सदस्य सचिव सि.डि.ई. श्री वीरेन्द्र कुमार बज्राचार्य

आमन्त्रित:

- १) सि.डी.ई. श्री सृष्टी खालापाला
- २) सि.डी.ई. श्री राजकुमार तण्डुकार
- ३) श्री का.प्र. कुल प्रसाद दवाडी
- ४) व.अ. श्री चिमकाजी श्रेष्ठ
- ५) प्र.ना.उ. श्री रविन विष्ट
- ६) श्री ~~मन्मथ~~ सिंह डांगा
- ७) श्री प्रवेश आचार्य
- ८) ई. श्री डिकेश प्रजापती
- ९) ई. श्री दिवस भण्डारी
- १०) ई. श्री भुपेन्द्र कोइराला
- ११) सुदिप गौतम
- १२) राम प्रसाद अधिकारी
- १३) हरि चन्द्र लामिछाने
- १४) सगर बस्नेत
- १५) सुनिल कर्मचार्य

जिल्ला प्रशासन कार्यालय, काभ्रेपलाञ्चोक
जिल्ला समन्वय समिति, काभ्रेपलाञ्चोक
जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक
कोष तथा लेखा नियन्त्रक कार्यालय, काभ्रेपलाञ्चोक
काभ्रे उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक
निर्माण व्यवसायी संघ, काभ्रेपलाञ्चोक
पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक

खानेपानी तथा सरसफाई डिभिजन नं.३, सिन्धुपाल्चोक
जलस्रोत तथा सिंचाई विकास डिभिजन, काभ्रेपलाञ्चोक
जिल्ला कृषि विकास कार्यालय, काभ्रेपलाञ्चोक
डिभिजन वन कार्यालय, काभ्रेपलाञ्चोक
जिल्ला प्रहरी कार्यालय, काभ्रेपलाञ्चोक
ईन्जिनियर, सहरी विकास तथा भवन कार्यालय, काभ्रेपलाञ्चोक
ईन्जिनियर, जिल्ला समन्वय समितिको कार्यालय, काभ्रेपलाञ्चोक
धूलिखेल नगरपालिकाको कार्यालय, काभ्रेपलाञ्चोक
पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक
पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोक
निर्माण व्यवसायी
कृषि ईन्जिनियर, जिल्ला कृषि विकास कार्यालय
सब-ईन्जिनियर, धूलिखेल नगरपालिकाको कार्यालय
डिभिजन वन कार्यालय, काभ्रेपलाञ्चोक
काभ्रे उद्योग वाणिज्य संघ, काभ्रेपलाञ्चोक

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



निर्णयहरू:

आर्थिक वर्ष २०८३/८४ को लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि जिल्ला दररेट निर्धारण समितिको निर्देशन बमोजिम पूर्वाधार विकास कार्यालय, काभ्रेपलाञ्चोकबाट जिल्ला स्थित सबै सरोकारवालाहरूसँग समन्वयमा तयार गरी पेश हुन आएको कामदारहरूको ज्यालादर, Civil Works, Sanitary Works, Electrical works सम्बन्धी प्रतिवेदन बैठकमा छलफल भयो। उक्त कार्यको लागि बजार सर्वेक्षण, चालु आ.व. को दररेट तथा सरोकारवाला निकायहरूको सुझावलाई समेत आधार मानी देहाय बमोजिम दररेट निर्धारण गर्ने निर्णय गरियो।

निर्णय नं. १ कामदारको ज्याला दर, मेशीन तथा उपकरण र ढुवानी दर निर्धारण गर्ने।

निर्णय नं. २ सिभिल कार्य सम्बन्धी दर रेट निर्धारण गर्ने।

निर्णय नं. ३ ईलेक्ट्रिकल कार्यको दर रेट निर्धारण गर्ने।

निर्णय नं. ४ स्यानिटरी कार्य सम्बन्धीको दर रेट निर्धारण गर्ने।

निर्णय नं. ५ (घर र जग्गा भाडा, तथा क्षतिपूर्ति मुआब्जा निर्धारण सम्बन्धी) दररेट पुस्तिकामा उल्लेख गरिएको।

निर्णय नं. ६ पेट्रोलियम पदार्थ र लुब्रिकेन्ट्स प्रोडक्ट सम्बन्धमा नेपाल आयल निगमले तोके अनुसारको दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ७ सदरमुकाम धुलिखेल र नगरपालिकाहरूको बजार क्षेत्र र कालोपत्रे सडक बाहेकका स्थानहरूमा तोकिएको जिल्ला दररेटमा नियम अनुसार ढुवानी थप गरि दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ८ आर्थिक वर्ष ०८३/०८४ मा काभ्रेपलाञ्चोक जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिभिल कार्य /स्यानिटरी कार्य र ईलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो । बजारबाट खरिद गरिने निर्माण सामग्रीको लागि नजिकको बजार क्षेत्रलाई र Natural Sand/ Aggregate/ Stone/Sub-base and Base material लगायतका सामग्रीका लागि नजिकको खानी,नजिकको खोला,नदी (इन्द्रावती नदि, सुनकोशी नदि, रोशी खोला) लगायतका अन्य नदी क्षेत्रलाई आधार मानि दर कायम गरिएको छ ।

निर्णय नं. ९ स्थानीय निर्माण सामग्री खानी तथा खोलाबाट Collection गर्ने सकिने अवस्थामा Norms अनुसार Collection र Transportation थप गरि दररेट कायम गर्ने सक्ने निर्णय गरियो।

निर्णय नं. १० झोलुंगेपुलमा प्रयोग गरिने फलामे सामग्रीहरूको फेब्रिकेशन तथा ग्याल्भनाईजेशन सम्बन्धमा आवश्यक पर्ने ज्यामी, कच्चा पदार्थहरूको दररेट नेपाल सरकारका केन्द्रीय निकाय (स्थानीय पूर्वाधार विभाग आदि) ले निर्धारण गरेको दररेटलाई नै कायम गर्ने निर्णय गरियो।

गोपबन्धु कुमार अधिकारी
जिल्ला अधिकारी



निर्णय नं. ११ यसमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामग्रीहरूको हकमा लागत अनुमान तयार गर्ने प्रयोजनका लागि जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालयबाटै नेपाल सरकारको स्वामित्वमा रहेको संघ संस्था बाट दर उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको प्रचलित बजारभाउ सर्वेक्षण गरि कार्यान्वयन गराउने निर्णय गरियो।

निर्णय नं. १२ जिल्ला दररेटमा उल्लेख भएका विभिन्न निर्माण सामग्रीहरू बाहेक कार्यालयले आफ्नो कार्य प्रकृति अनुसार खास प्रयोजनको लागि विशेष प्रकारको निर्माण सामग्री प्रयोग गरि निर्माण कार्य गर्नु परेमा सम्बन्धित निकायसँग नै यस्तो बिषयमा प्राविधिक बिशेषज्ञता हुने हुँदा उल्लेखित विशेष प्रकारको निर्माण कार्यको नर्मस तथा स्ट्याण्डर्स, दर र सो कामसँग सम्बन्धित बिशेष जनशक्तिको ज्याला दर समेत सम्बन्धित निकाय बाट नै तयार गरि निर्णय कार्यान्वयन गर्ने गराउने।

निर्णय नं. १३ निर्माण कार्य गरिने आयोजनाहरूमा श्रमिक/मजदुरहरूको व्यवसायजन्य सुरक्षा र स्वास्थ्यको आवश्यक ब्यवस्था गर्नुको साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बिमा लगायतका अन्य सुरक्षाका प्रावधान समेत सम्बन्धित ज्यालादर प्रयोग गर्ने निकायले अनिवार्य रुपमा कार्यान्वयन गर्ने निर्णय गरियो।

निर्णय नं. १४ मन्दिर गुम्बा लगायतका पुरातात्विक तथा कलात्मक निर्माण कार्यमा प्रयोग हुने कालीगढ कामदारको ज्याला पुरातत्व विभागले स्वीकृत गरेको दर रेट प्रयोग गर्ने निर्णय गरियो।

निर्णय नं. १५ काभ्रेपलाञ्चोक जिल्लाको आ.ब. २०८३/८४ को दररेटमा पनि कुनै पनि सामग्रीको दर रेट समावेश नभएको खण्डमा काठमाडौं तथा अन्य जिल्लाको आ.ब. २०८३/८४ को निर्धारित दर रेटमा दुवानी भाडा समायोजन गरी दररेट कायम गर्ने निर्णय गरियो

निर्णय नं. १६ मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धमा मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्सभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै कायम गर्ने निर्णय गरियो ।

निर्णय नं. १७ माथि निर्धारण भए अनुसारको दररेटमा छुट हुन गएका अन्य निर्माण सामग्रीहरूको दररेटको हकमा प्रचलित ऐन नियम अनुसार गर्ने निर्णय गरियो।

[Handwritten signatures and stamps]

गोपाल बमर अधिकारी
प्रमुख जिल्ला अधिकारी

ज्याला दर रेट

काभ्रेपलाञ्चोक

आ.ब. ०८३/०८४



निर्णय नं.: १ सार्वजनिक खरिद (पछिल्लो संशोधन) नियमावली २०६४ को नियम १४८ बमोजिम काभ्रेपलाञ्चोक जिल्लाको आ.व. ०८३/०८४ को लागि निम्न अनुसारका कामदारहरूको लागि निम्न अनुसारको ज्याला दर र मेशीन तथा उपकरण र ढुवानी सम्बन्धि निम्नअनुसारको भाडादर निर्धारण गर्ने निर्णय गरियो ।
(पाना नं १ देखी २ सम्म)

श्रमिकहरूको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरू, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरू) पक्षहरू सँगको परामर्श, नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मूल्य र श्रमिकहरूको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार आ.व.०८३/०८४ का लागि काभ्रेपलाञ्चोक जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरूको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	इकाई	०८१/०८२ को दर (रु)	०८२/०८३ को दर (रु)	०८३/०८४ को दर (रु)	वैफियत
१	ज्यामी (कुली)	प्रति दिन प्रति जवान	८५६.००	८७०.००	९२५.००	
२	उच्च पहाडी क्षेत्रमा कामगर्ने ज्यामी	प्रति दिन प्रति जवान	८५६.००	८७०.००	९२५.००	
३	भरिया (४०के.जि.प्रति/४कोष सम्मको बोकि लाने)	प्रति दिन प्रति जवान	८५६.००	८७०.००	९२५.००	
४	ज्यामी र भरिया को नाइके	प्रति दिन प्रति जवान	८५६.००	८७०.००	९२५.००	
५	दक्ष कामदार : (सिकर्मी, डकर्मी, बज्जकर्मी, नकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकानिक्स)	प्रति दिन प्रति जवान	११६६.००	११८५.००	१२६५.००	
६	अर्धदक्षकामदार: (सिकर्मी, डकर्मी, बज्जकर्मी, नकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकानिक्स, हल्का सवारी चालक)	प्रति दिन प्रति जवान	९७४.००	९९०.००	१०५५.००	
७	हेभिइक्वीमेन्ट अपरेटर	प्रति दिन प्रति जवान	१०३८.००	१०५५.००	११२५.००	
८	सर्वेहेल्पर, हेल्पर, लाइनमेन, क्याम्पहेल्पर, टेपमेन, चेनमेन, ब्लीनर	प्रति दिन प्रति जवान	८४५.००	८५९.००	९१५.००	
९	पाले, पियन, चौकिदार	प्रति दिन प्रति जवान	८४५.००	८५९.००	९१५.००	
१०	सडक सुपरभाइजर	प्रति दिन प्रति जवान	९०९.००	९२४.००	९८५.००	
११	लेन म्यान (लेन्य वर्कर) (सडक हेरालु)	प्रति दिन प्रति जवान	७११.००	७२३.००	७७०.००	
१२	सुपरभाइजर, सहजकर्ता, उत्प्रेरक आदि (ज्यालादारीमा)					
१३	नाइट वाचमेन	प्रति दिन प्रति जवान	८२९.००	८४३.००	८९५.००	
१४	सर्भेयर (ओभरसियर सरह) प्राविधिक	प्रति दिन प्रति जवान	१२८१.००	१३०२.००	१३८५.००	
१५	सर्भे हेल्पर	प्रति दिन प्रति जवान	८२९.००	८४३.००	८९५.००	
१६	चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस	प्रति दिन प्रति जवान	९९२.००	१००८.००	१०७०.००	
१७	स्ट्रीपर, मेहत्तर	प्रति दिन प्रति जवान	६६१.००	६७२.००	७१५.००	
१८	साधारण मेसिन अपरेटर, वायर बाइण्डर	प्रति दिन प्रति जवान	१००८.००	१०२५.००	१०९०.००	
१९	वेल्डर सहायक	प्रति दिन प्रति जवान	८६१.००	८७५.००	९३०.००	
२०	आर्किटेक्ट / इन्जिनियर	प्रति दिन प्रति जवान	१४९१.००	१५१५.००		
२१	सब इन्जिनियर, ड्राफ्ट मेन, अमिन, नासु (प्राविधिक)	प्रति दिन प्रति जवान	१२३९.००	१२५९.००		
२२	अ. सब इन्जिनियर, ड्राफ्टमेन, अमिन, खरिदार (प्राविधिक)	प्रति दिन प्रति जवान	१०५५.००	१०७२.००		
२३	पिच स्प्रेयर	प्रति दिन प्रति जवान	७०८.००	७२०.००	७६६.००	
२४	पिच व्यायलर	प्रति दिन प्रति जवान	७०८.००	७२०.००	७६६.००	
२५	नर्सरी नाईके	प्रति दिन प्रति जवान	७७१.००	७८४.००	८३४.००	
	<u>ढुवानी भाडा सम्बन्धमा</u>					
क)	गाडी द्वारा गराइने ढुवानी भाडा					
	अ) नफुटने समान (सजिलो)					
	पक्क सडक	प्रति टन / प्रति किलोमिटर	३३.००	३४.००	३५.७०	
	ग्राभेल सडक	प्रति टन / प्रति किलोमिटर	४१.००	४२.००	४४.१०	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



सि.नं.	विवरण	इकाई	०८१/०८२ को दर (रु)	०८२/०८३ को दर (रु)	०८३/०८४ को दर (रु)	कैफियत
	कच्ची सडक	प्रति टन / प्रति किलोमिटर	७४.००	७६.००	७९.८०	
आ) फुटने समान (असजिलो र आयतन ठूलो भएका हलुका सामग्री)						
	पक्की सडक	प्रति टन / प्रति किलोमिटर	३८.००	३९.००	४०.९५	
	ग्राभेल सडक	प्रति टन / प्रति किलोमिटर	४५.००	४६.००	४८.३०	
	कच्ची सडक	प्रति टन / प्रति किलोमिटर	७८.००	८०.००	८४.००	
आ) हयुमपाइप, एच.डि.पि.पाइप तथा लहरा						
	पक्की सडक	प्रति टन / प्रति किलोमिटर	८१.००	८३.००	८७.१५	
	ग्राभेल सडक	प्रति टन / प्रति किलोमिटर	१२०.००	१२२.००	१२८.१०	
	कच्ची सडक	प्रति टन / प्रति किलोमिटर	२०८.००	२१२.००	२२२.६०	
इ) इन्धन, सुत्रिकेटस बाहेक सामग्री ढुवानीमा वा दैनिक प्रयोग गर्नु परेमा (८ घण्टाको)						
	ठूलो ट्रक, ट्रिपर	प्रति दिन ८ घण्टाको	१०६७२.००	१०८४३.००	११३८५.१५	
	मिनी ट्रक, ठूलो ट्र्याक्टर	प्रति दिन ८ घण्टाको	६६७०.००	६७७७.००	७११५.८५	
	कच्ची वाटो	प्रति दिन ८ घण्टाको	६९५०.००	७०६२.००	७४१५.१०	
	ट्याक्स / टाटा मोबाइल तथा मिनि टाटा द्वारा ढुवानी	प्रति दिन ८ घण्टाको	५३३६.००	५४२२.००	५६९३.१०	
ब) मानिस द्वारा ढुवानी भाडा						
	सजिलो समान	प्रति के.जि. / प्रति कोष	५.००	५.५०	५.८६	
	असजिलो समान	प्रति के.जि. / प्रति कोष	६.००	६.६०	७.०३	
ग) तौल कम र आयतन बढी हुने औषधि र उपचार सामग्री ढुवानी गराउदा						
	पक्की सडक	प्रति टन / प्रति किलोमिटर	६५.००	६६.३०	७०.६१	
	ग्राभेल सडक	प्रति टन / प्रति किलोमिटर	६८.००	६९.३६	७३.८७	
	कच्ची सडक	प्रति टन / प्रति किलोमिटर	८०.००	८१.६०	८६.९०	
	अस्पतालको फिज, डिफ्रिज ढुवानी गराउदा	प्रति किलो / प्रति कोष	६.७०	६.८३	७.२८	
घ) ज्यामी द्वारा लोड अनलोड दुवै गर्ने कार्य		प्रति क्विन्टल	२७.००	२७.५४	२९.३३	

नोट : १. असजिलो सामान भन्नाले पशुपक्षी, बोटबिरुवा, तारजाली, शिशा, पाईप, बिजुलीको पोल आदिलाई जनाउने ।

२. नेपाल सरकारबाट तलबमान निर्धारण भएका प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा लिनु परेमा प्रतिदिन ज्याला निर्धारण गर्दा सो पदको शुरु तलबमानलाई २६ दिन ले भाग गरि हुन आउने रकमलाई प्रतिदिनको ज्याला दर कायम गर्ने निर्णय गरियो ।

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआब्जा
निर्धारण सम्बन्धमा

काभ्रेपलाञ्चोक

आ.ब. ०८३/०८४



निर्णय नं. ५ : घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआवजा निर्धारण सम्बन्धमा:

घर र जग्गा भाडा तथा क्षतिपूर्ति / मुआवजा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावटको आधारमा तालिका बमोजिम दर कायम गर्ने निर्णय गरियो। (पाना नं १)

सि न	घरको बनावट	इकाई	आ.व २०७१/०८० को दर (रु)	आ.व २०८०/०८१ को दर (रु)	आ.व २०८१/०८२ को दर (रु)	आ.व २०८२/०८३ को दर (रु)	आ.व २०८३/०८४ को दर (रु)
१	भवनको निर्माण भित्र काँचो बाहिर पाको ईटामा माटोको जोडाइ भई छाना जस्ता, झिगटी, टायल, एसबेसटस सिट।	ब.फु.					
२	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई छाना जस्ता, झिगटी, टायल, एसबेसटस सिट।	ब.फु.	१३१०४०	१३५०१००	१३५०१००	१३५०१००	१३५०१००
३	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई बाहिर भित्र सिमेन्ट प्लास्टर भई छाना जस्ता, झिगटी, टायल।	ब.फु.	१५७१३६	१६१५१००	१६१५१००	१६१५१००	१६१५१००
४	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई भित्र सिमेन्ट प्लास्टर भई छाना आर.वि.सी./आर.सी.सी।	ब.फु.	१८७३१२०	१९३०१००	१९३०१००	१९३०१००	१९३०१००
५	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई बाहिर भित्र सिमेन्ट प्लास्टर भई छाना, झिगटी, टायल एसबेसटस सिट।	ब.फु.	१९६९१२०	२०३०१००	२०३०१००	२०३०१००	२०३०१००
६	भवनको निर्माण भित्र बाहिर पाको ईटामा खप्पको जोडाइ र भित्र बाहिर सिमेन्ट प्लास्टर भई छाना जस्ता, झिगटी, टायल, एसबेसटस सिट।	ब.फु.	१९२२४०	१९८०१००	१९८०१००	१९८०१००	१९८०१००
७	भवनको निर्माण भित्र बाहिर पाको ईटामा माटोको जोडाइ भई भित्र सिमेन्ट प्लास्टर भई छाना आर.वि.सी./आर.सी.सी।	ब.फु.	२०९०४०	२१५३१००	२१५३१००	२१५३१००	२१५३१००
८	भवनको निर्माण भित्र बाहिर पाको ईटामा सिमेन्टको जोडाइ भई छाना, झिगटी, टायल एसबेसटस सिट।	ब.फु.	२१७५१६०	२२४०१००	२२४०१००	२२४०१००	२२४०१००
९	भवनको निर्माण भित्र बाहिर पाको ईटामा सिमेन्ट जोडाइ भई भई छाना आर.वि.सी./आर.सी.सी।	ब.फु.	२१०७२०	२१७०१००	२१७०१००	२१७०१००	२१७०१००
१०	आर.वि.सी.फ्रेम स्टक्कर भवन।	ब.फु.	२१८११६०	२२४७१००	२२४७१००	२२४७१००	२२४७१००
११	काँठकाठको भवन भई छाना जस्ता, झिगटी, टायल, एसबेसटस सिट।	ब.फु.	२३०४१००	२३७३१००	२३७३१००	२३७३१००	२३७३१००
१२	सि.जि.आई सिट प्रयोग गरी निर्माण भएको टहरा	ब.फु.	२०१६१००	२०७६१००	२०७६१००	२०७६१००	२०७६१००

नोट : भवनको बनावट र किमिविधि तथा सामान / उपकरण जडान बारे बर्गिकरण

क) भवनको भित्र wall putty गरि इमलसन् पेन्टिङ्ग गरेको।

ख) भवनको बाहिर weather coat painting भएको।

ग) L.R जडान भएको।

घ) विद्युतिकरण लागि उच्च स्तरीय सामग्रीको प्रयोग भएको

ङ. प्यासेज, भर्षाग, मार्बल, पार्केटिङ्ग भएको

च शौचालयमा टायल फिक्सर र सी पी फिटिङ्ग उच्च स्तरीय प्रयोग भएको

छ (अग्नि नियन्त्रण प्रविधि) Fire House Reel / Extinguisher) जडान भएको।

ज बेसमेन्टमा पार्किङ्ग सुविधा भएको।

झ Raft foundation भएको।

उल्लेखित माथिका सबै सुविधा भएको भए क बर्ग र कम्तीमा ७ गाटा सुविधा भएको ख बर्ग अन्यथा ग बर्ग मानीने छ। उल्ल यस अनुसार वर्गीकृत गरिएको भवन को हकमा निम्नानुसारको दर कायम हुने छ :

अ) (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर कायम हुने छ।

आ) (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ।

इ) (बर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ।

घरभाडा मुल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायो र बायाँ निर्माण भएका घरहरुको हकमा Internal Rate of Return (IRR) ८ प्रतिशत र जग्गाको हकमा IRR ४ प्रतिशत कायम गर्ने र मुख्य सडक संग जोडिएका सहायक सडक र सो सहायक सडक बाट हाँगा फाटेका सडकको दायो र बायाँ निर्माण भएका घरहरुको हकमा IRR क्रमश घटाउँदै : ४ प्रतिशत सम्म कायम गर्ने तथा जग्गा को हकमा IRR क्रमश घटाउँदै : २ प्रतिशत कायम गर्ने निर्णय गरियो।

मुख्य सडकहरु:

१) अरनिको राजमार्ग, बि.पि. राजमार्ग अन्तर्गत पर्ने धुलिखेल र बनेपा भित्रका सडकहरु

२) बनेपा पानीती सडक

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

Civil Works

काभ्रेपलाञ्चोक

आ.ब. ०८३/०८४



निर्णय नं.: २ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रहरूमा बा.व. ०८३/८४ को लागि सिभिल निर्माण कार्यसम्बन्धी निम्न

अनुसारका निर्माण सामग्रीहरूको निम्नानुसारको दररेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरियो । (पाना नं १ देखी ३७ सम्म)


सिभिल कार्यहरू (Civil works)						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	कैफियत
1	विभिन्न किसिमको ईटा					
	क) मेशिनबाट उत्पादित ईटा	हजार	19,000.00	19,000.00	19,380.00	
	ख) चिमनी भट्टाको १ नं.ईटा	"	15,000.00	15,000.00	15,300.00	
	ग) तेलिया ईटा					
	घातराई को १ नं.ईटा	हजार	16,000.00	16,000.00	16,320.00	
	(ङ) सीमेण्ट को ईटा					
	BK108N	"	15,450.00	15,450.00	15,759.00	
	BK118As	"	16,274.00	16,274.00	16,599.48	
	(च) ईटा Concrete Block					
	Size 16x6x8	गोटा	37.00	37.00	37.74	
	Size 16x4x8	गोटा	32.00	32.00	32.64	
	size (39"14"19) cm(Ocm or equivalent)	गोटा	50.00	50.00	51.00	
	(छ) असल ईटा (२३०*११०*६० mm)	गोटा	12.40	12.40	12.65	
	(ज) EPS Block					
	size (18" * 9" * 4.5")	गोटा	123.90	123.90	126.38	
	size (18" * 9" * 6")	गोटा	159.30	159.30	162.49	
	size (18" * 9" * 8")	गोटा	199.10	199.10	203.08	
	size (18" * 9" * 9")	गोटा	230.10	230.10	234.70	
	CSEB (Non fired Machine made 9"*4.5" Size Brick	गोटा	14.00	14.00	14.28	
	Autoclaved Aerated Concrete Blocks(Sand based)					
	Size 2"8"4"	गोटा	137.00	137.00	139.74	
	Size 2"8"6"	गोटा	205.00	205.00	209.10	
	Size 2"8"8"	गोटा	276.00	276.00	281.52	
2	छाना छान्ने टायलहरू					
	क) मेशिनबाट उत्पादित टायल	गोटा	18.00	18.00	18.00	
	ख) चिमनी भट्टाको टायल	"	16.00	16.00	16.00	
	ग) मेशिनबाट उत्पादित घुरी	"	32.00	32.00	32.00	
	घ) चिमनी भट्टाको घुरी	"	26.00	26.00	26.00	
2.1	भुईँमा/ कौसीमा छान्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10.00	10.00	10.00	
	ख) चिमनी भट्टाको क्ले टायल	"	9.00	9.00	9.00	
3	ढुंगाको काम (Rubble Stone)					
	(क) ढुंगा खोलाको	घ.मी.	2,050.00	2,050.00	2,091.00	
	(ख) ढुंगा खानीको	"	2,250.00	2,250.00	2,295.00	
4	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	(क)खोलाको ग्राभेल (Local)	घ.मी.	1,850.00	1,850.00	1,887.00	
	(ख) स्थानीय खानी, को ग्राभेल (Local)	घ.मी.	850.00	850.00	867.00	
	(ग) Granular Sub-base material (River Bed)	"	1,900.00	1,900.00	1,938.00	
	(ग) Base-course को लागि मिक्स सोलिड (WBM) गर्ने कार्य	घ.मी.	2,450.00	2,450.00	2,499.00	
	(घ) ढुंगाको धुलो (Stone dust)	घ.मी.	1,000.00	1,000.00	1,020.00	
5	कसुरबाट उत्पादित रोडा					
	(क) ६-१० मी. मी. साइजका	घ.मी.	3,150.00	3,150.00	3,213.00	
	(ख) १०-२० मी. मी. साइजका	घ.मी.	3,150.00	3,150.00	3,213.00	
	(ग) २०-४० मी. मी. साइजको	घ.मी.	3,150.00	3,150.00	3,213.00	
	(घ) ६ मि.मि. down	घ.मी.	3,150.00	3,150.00	3,213.00	
6	विभिन्न साइजका खोला तथा खानी को Screening गरेको Gravel					



सिभिल कार्यहरु (Civil works)

वि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	वा.व. ०८१/०८२	वा.व. ०८२/०८३	वा.व. ०८३/०८४	वैफियत
	क) ४०- ८० मी.मी	घ.मी				
	ख) २०- ४० मी.मी	"	2,350.00	2,350.00	2,397.00	
	ग) १०- २० मी.मी	"	2,350.00	2,350.00	2,397.00	
	घ) ५- १० मी.मी	"	2,350.00	2,350.00	2,397.00	
	ड) ०- ७५ मी.मी Capping Layer	"	2,350.00	2,350.00	2,397.00	
	च) सब बेसको लागि 60 mm down कसर रत गामेल	घ.मी	2,150.00	2,150.00	2,193.00	
	हातले फुटालेको ढुङ्गाको गिट्टी		2,150.00	2,150.00	2,193.00	
	क) सबै साइजको रोडा, ढुङ्गा फुटालेको गिट्टी	घ.मी				
7	फिल्टर सामग्री		2,800.00	2,800.00	2,996.00	
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.मी				
8	छापने ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.मी	1,000.00	1,000.00	1,020.00	
	ख) १ 1/2" सम्म बाक्ला " "	"	1,150.00	1,150.00	1,173.00	
	ग) २" सम्म बाक्लो ढुङ्गा " "	"	1,360.00	1,360.00	1,387.20	
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	1,470.00	1,470.00	1,499.40	
	ड) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा " "	"	1,830.00	1,830.00	1,866.60	
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"				
9	विभिन्न प्रकारको बालुवा					
	क) खोलाको नचालेको खसो बालुवा Washing	घ.मी	2,900.00	2,900.00	2,958.00	
	Non Washing	"	2,200.00	2,200.00	2,244.00	
	ख) खानीको नचालेको बालुवा	"	2,200.00	2,200.00	2,244.00	
	ग) खानीको चालेको र पखालेको बालुवा	"	2,800.00	2,800.00	2,856.00	
	घ) भवनको भुईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	2,350.00	2,350.00	2,397.00	
10	सडक कालो पत्रे गर्ने कामको लागी					
	i) VG-10 ग्रेडको बिटुमीन	के.जी	107.00			
	ii) VG-30 ग्रेडको बिटुमीन	के.जी	110.00			
	iii) सडक कालोपत्रे गर्दा बिटुमीन नउत्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	510.00			
	iv) कालोपत्रेमा बिटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"				
	v) Packed bitumen emulsion को काम	"				
	छिटो जम्ने (RS60%)	"	102.00			
	मध्यम जम्ने (MS 65%)	"	108.00			
	दीलो जम्ने (SS60%)	"	104.00			
	v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	34.00			
	ड) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	i) B.S. Grade	"	194.00			
	ii) Most Grade	"	215.00			
	iii) Glass beads	"	176.00			
	vi) CRMB-DIGO 55 Bitumen	"	87.00			
	Rubber Seal- 5mm Thick 150mm wide (for Expansion Joint)	र. मी.				
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु (NS Standard)					
	क) हेटौडा सिमेन्ट (OPC)	ब्याग				
	ख) उदयपुर सिमेन्ट (OPC)	"				
	नेपाल बाट उत्पादित विभिन्न (OPC) सिमेन्टहरु	"				
	५३ ग्रेड		620.00	682.00	696.00	
	४३ ग्रेड		610.00	671.00	684.00	

अधिक बर्ष २०८३/८४
को काठमाण्डौ जिल्लाको
दफ्तर कायम हुने



सिभिल कार्यहरू (Civil works)						
वि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	(ग) नेपाल बाट उत्पादीत अन्य सिमेन्टहरू (PPC)	"	520.00	572.00	583.00	
	घ) सेलो सिमेन्ट (४० के.जी.)	"	1,100.00	1,100.00	1,122.00	
12	कलामको डण्डीहरू (Reinforcement Steel) :					
	(क) विभिन्न साइजका TMT Bar Fe-500 (NS)					
	a) 4.75, 7 mm dia	के.जी	97.00	97.00	99.00	
	b) 8 mm dia	"	97.00	97.00	99.00	
	c) 10,12,16,20 mm dia	"	95.00	95.00	97.00	
	d) 25,28,32 mm dia	"	97.00	97.00	99.00	
	(ख) विभिन्न साइजको TOR Steel Fe-415 (NS)					
	a) 8mm dia TOR steel	के.जी	95.00	95.00	97.00	
	b) 10-20mm TOR steel	"	94.00	94.00	96.00	
	c) 25-32mm TOR steel	"	95.00	95.00	97.00	
	(ग) विभिन्न साइजको Torcarea					
	a) 4.75, 7 mm dia	के.जी	102.00	102.00	104.00	
	(घ) Binding Wire (डण्डी बाँध्नेतार)	के.जी	123.00	123.00	125.00	
	ड० Cable विभिन्न साइजका लट्टा	र.मि				अधिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको रेट अनुसार हुने
13	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate (Structural Steel)					
	i) Iron Square Pipe	के.जी	104.00	104.00	106.00	
	ii) विभिन्न साइजको MS Angle	"	106.00	106.00	108.00	
	iii) विभिन्न साइजको Black Pipe	"	104.00	104.00	106.00	
	iv) विभिन्न साइजको Channel	"	108.00	108.00	110.00	
	v) विभिन्न साइजको I-Beam	"	110.00	110.00	112.00	
	vi) विभिन्न साइजको MS plate	"	104.00	104.00	106.00	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	"	106.00	106.00	108.00	
	viii) विभिन्न मोटाइको Black sheet	"	106.00	106.00	108.00	
14	G.I. Wire					
	i) a 8 gauge light class	के.जी	118.00	118.00	120.00	
	b) 8 gauge medium class	"	125.00	125.00	128.00	
	c) 8 gauge heavy duty	"	131.00	131.00	134.00	
	d) 8 gauge Commercial	"	118.00	118.00	120.00	
	ii) a) 10 gauge light class	"	118.00	118.00	120.00	
	b) 10 gauge medium class	"	125.00	125.00	128.00	
	c) 10 gauge heavy duty	"	131.00	131.00	134.00	
	d) 10 gauge Commercial	"	119.00	119.00	121.00	
	iii) a) 12 gauge light class	"	120.00	120.00	122.00	
	b) 12 gauge medium class	"	126.00	126.00	129.00	
	c) 12 gauge heavy duty	"	131.00	131.00	134.00	
	d) 12 gauge Commercial	"	120.00	120.00	122.00	
15	Barbed Wire (कडितार)					
	a) Barbed Wire, Medium duty	के.जी	120.00	120.00	122.00	
	b) U-hook for barbed wire fencing	रोटा	1.05	1.05	1.07	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	वर्ग मी.	866.00	866.00	883.00	
	1.5"x1.5" 12 guage	"	810.00	810.00	826.00	
	2"x2" 10 guage	"	642.00	642.00	655.00	
	3"x3" 10 guage	"	526.00	526.00	537.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	कैफियत
	4"x4" 10 guage	"	419.00	419.00	427.00	
16	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
१	a) 30 गेज Light (0.2 mm)	वण्डल	5,685.00	5,685.00	5,799.00	
२	b) 30 गेज Medium (0.22 mm)	"	6,230.00	6,230.00	6,355.00	
३	c) 30 गेज Heavy (0.24 mm)	"	6,650.00	6,650.00	6,783.00	
४	a) 28 गेज Light (0.26 mm)	"	7,005.00	7,005.00	7,145.00	
५	b) 28 गेज Medium (0.28 mm)	"	7,465.00	7,465.00	7,614.00	
६	c) 28 गेज Heavy (0.31 mm)	"	8,160.00	8,160.00	8,323.00	
७	a) 26 गेज Light (0.35 mm)	"	9,040.00	9,040.00	9,221.00	
८	b) 26 गेज Medium (0.38 mm)	"	9,490.00	9,490.00	9,680.00	
९	c) 26 गेज Heavy (0.41 mm)	"	10,395.00	10,395.00	10,603.00	
१०	a) 24 गेज Light (0.45 mm)	"	11,280.00	11,280.00	11,506.00	
११	b) 24 गेज Medium (0.50 mm)	"	12,405.00	12,405.00	12,653.00	
१२	c) 24 गेज Heavy (0.52 mm)	"	12,840.00	12,840.00	13,097.00	
१३	Heavy 0.75 mm	"	18,435.00	18,435.00	18,804.00	
	(ख) रंगिन कोल्टेड जस्तापाता					
१४	a) 30 गेज Light (0.2 mm)	वण्डल	7,190.00	7,190.00	7,334.00	
१५	b) 30 गेज Medium (0.22 mm)	"	7,660.00	7,660.00	7,813.00	
१६	c) 30 गेज Heavy (0.24 mm)	"	8,105.00	8,105.00	8,267.00	
१७	a) 28 गेज Light (0.26 mm)	"	8,540.00	8,540.00	8,711.00	
१८	b) 28 गेज Medium (0.28 mm)	"	9,035.00	9,035.00	9,216.00	
१९	c) 28 गेज Heavy (0.31 mm)	"	9,715.00	9,715.00	9,909.00	
२०	a) 26 गेज Light (0.35 mm)	"	10,735.00	10,735.00	10,950.00	
२१	b) 26 गेज Medium (0.38 mm)	"	11,260.00	11,260.00	11,485.00	
२२	c) 26 गेज Heavy (0.41 mm)	वण्डल	12,200.00	12,200.00	12,444.00	
२३	a) 24 गेज Light (0.45 mm)	"	13,090.00	13,090.00	13,352.00	
२४	b) 24 गेज Medium (0.50 mm)	"	14,225.00	14,225.00	14,510.00	
२५	c) 24 गेज Heavy (0.52 mm)	"	14,710.00	14,710.00	15,004.00	
२६	d) 0.75 mm	"	20,645.00	20,645.00	21,058.00	
	(ग) ग्याल्भानाइज्ड कोल्टेड जस्तापाता (CGI Sheet)					
१	a) 30 गेज Light (0.2 mm)	वण्डल	5,685.00	5,685.00	5,799.00	
२	b) 30 गेज Medium (0.22 mm)	"	6,160.00	6,160.00	6,283.00	
३	c) 30 गेज Heavy (0.24 mm)	"	6,585.00	6,585.00	6,717.00	
४	a) 28 गेज Light (0.26 mm)	"	6,925.00	6,925.00	7,064.00	
५	b) 28 गेज Medium (0.28 mm)	"	7,385.00	7,385.00	7,533.00	
६	c) 28 गेज Heavy (0.31 mm)	"	8,075.00	8,075.00	8,237.00	
७	a) 26 गेज Light (0.35 mm)	"	8,970.00	8,970.00	9,149.00	
८	b) 26 गेज Medium (0.38 mm)	"	9,420.00	9,420.00	9,608.00	
९	c) 26 गेज Heavy (0.41 mm)	"	10,315.00	10,315.00	10,521.00	
१०	a) 24 गेज Light (0.45 mm)	"	11,200.00	11,200.00	11,424.00	
११	b) 24 गेज Medium (0.50 mm)	"	12,325.00	12,325.00	12,572.00	
१२	c) 24 गेज Heavy (0.52 mm)	"	12,760.00	12,760.00	13,015.00	
१३	d) 0.75 mm	"	16,910.00	16,910.00	17,248.00	
	घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal. (length=8' & width=1'-4")					
	सादा जस्ता पाता					
१	a) 30 गेज Light (0.2 mm)	वण्डल	1,940.00	1,940.00	1,979.00	
२	b) 30 गेज Medium (0.22 mm)	"	2,115.00	2,115.00	2,157.00	
३	c) 30 गेज Heavy (0.24 mm)	"	2,255.00	2,255.00	2,300.00	
४	a) 28 गेज Light (0.26 mm)	"	2,360.00	2,360.00	2,407.00	
५	b) 28 गेज Medium (0.28 mm)	"	2,525.00	2,525.00	2,576.00	




सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	कैफियत
६	c) 28 गेज Heavy (0.31mm)	"	2,740.00	2,740.00	2,795.00	
७	a) 26 गेज Light (0.35 mm)	"	3,040.00	3,040.00	3,101.00	
८	b) 26 गेज Medium (0.38 mm)	"	3,190.00	3,190.00	3,254.00	
९	c) 26 गेज Heavy (0.41mm)	"	3,490.00	3,490.00	3,560.00	
	४ फिट * ८ फिट को जि.आई. प्लेन सिट					
१	आ) ०.२८ मि.मि मोटाईका	पिस	1,140.00	1,140.00	1,163.00	
२	आ) ०.३० मि.मि मोटाईका	"	1,210.00	1,210.00	1,234.00	
३	आ) ०.३५ मि.मि मोटाईका	"	1,370.00	1,370.00	1,397.00	
४	आ) ०.३७ मि.मि मोटाईका	"	1,440.00	1,440.00	1,469.00	
५	आ) ०.४० मि.मि मोटाईका	"	1,550.00	1,550.00	1,581.00	
६	आ) ०.४५ मि.मि मोटाईका	"	1,725.00	1,725.00	1,760.00	
७	आ) ०.४८ मि.मि मोटाईका	"	1,820.00	1,820.00	1,856.00	
८	आ) ०.५० मि.मि मोटाईका (12.05 Kg.)	"	1,885.00	1,885.00	1,923.00	
९	आ) ०.५५ मि.मि मोटाईका	पिस	2,080.00	2,080.00	2,122.00	
१०	आ) ०.६२ मि.मि मोटाईका	"	2,310.00	2,310.00	2,356.00	
११	ई) ०.७० मि.मि मोटाईका	"	2,580.00	2,580.00	2,632.00	
१२	ई) ०.७५ मि.मि मोटाईका	"	2,770.00	2,770.00	2,825.00	
१३	उ) ०.८० मि.मि मोटाईका	"	2,945.00	2,945.00	3,004.00	
१४	का) ०.९० मि.मि मोटाईका	"	3,260.00	3,260.00	3,325.00	
१५	का) १.१० मि.मि मोटाईका	"	3,935.00	3,935.00	4,014.00	
	४ फिट * ८ फिट को रजिन प्लेन सिट					
१	०.९० मि.मि मोटाईका	पिस	3,450.00	3,450.00	3,519.00	
२	०.८० मि.मि मोटाईका	"	3,125.00	3,125.00	3,188.00	
३	०.७५ मि.मि मोटाईका	"	2,980.00	2,980.00	3,040.00	
४	०.७० मि.मि मोटाईका	"	2,840.00	2,840.00	2,897.00	
५	०.६२ मि.मि मोटाईका	"	2,550.00	2,550.00	2,601.00	
६	०.५५ मि.मि मोटाईका	"	2,300.00	2,300.00	2,346.00	
७	०.५० मि.मि मोटाईका	"	2,120.00	2,120.00	2,162.00	
८	०.४८ मि.मि मोटाईका	"	2,015.00	2,015.00	2,055.00	
९	०.४५ मि.मि मोटाईका	"	1,945.00	1,945.00	1,984.00	
१०	०.४० मि.मि मोटाईका	"	1,780.00	1,780.00	1,816.00	
११	०.३७ मि.मि मोटाईका	"	1,645.00	1,645.00	1,678.00	
१२	०.३५ मि.मि मोटाईका	"	1,580.00	1,580.00	1,612.00	
१३	०.३० मि.मि मोटाईका	"	1,400.00	1,400.00	1,428.00	
१४	०.२८ मि.मि मोटाईका	"	1,335.00	1,335.00	1,362.00	
	GI EXPANDED METAL MESH					
१	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	175.00	175.00	179.00	
२	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	245.00	245.00	250.00	
३	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	150.00	150.00	153.00	
४	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	205.00	205.00	209.00	
५	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	135.00	135.00	138.00	
६	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	610.00	610.00	622.00	
	UPVC Roofing Sheet (3mm thick)					
	PMMA coating & Mesh (Regular)	ब.मि.	1,506.00	1,506.00	1,536.00	
	Stone coated (18 inch* 4 feet)	ब.मि.	1,200.00	1,200.00	1,224.00	
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1,925.00	1,925.00	1,964.00	
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	1,925.00	1,925.00	1,964.00	
	UPVC Clip	गोटा	26.00	26.00	27.00	
	self tapping screw 3"	गोटा	30.00	30.00	31.00	
	self tapping screw 2.2"	गोटा	20.00	20.00	20.00	
	self tapping screw 2"	गोटा	11.00	11.00	11.00	
	self tapping screw 1.5"	गोटा	8.50	8.50	9.00	
	Eco-UPVC Roofing Sheet (Ultra Modern Technology)					
	Corrugated sheets(2mm)	ब.फि.	66.37	66.37	68.00	
	Corrugated ridge (2mm) (3"1.4')	गोटा	745.13	745.13	760.00	
	Corrugated ridge side(2mm)(3"1.4')	गोटा	447.79	447.79	457.00	




सिभिल कार्यहरु (Civil works)					
क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४
	Spanish tile without fiber mesh(3mm)	व.फि.	101.77	101.77	104.00
	Spanish tile with fiber mesh(3mm)	व.फि.	110.62	110.62	113.00
	Spanish ridge(3mm)(3'x1.4')	गोटा	1,343.36	1,343.36	1,370.00
	Spanish ridge side(3mm)	गोटा	745.13	745.13	760.00
	Spanish tile iripod(3mm)	गोटा	996.46	996.46	1,016.00
	Clip Set	गोटा	8.85	8.85	9.00
17	Aluminium Sheet	व.फि.	33.00	33.00	34.00
	(क) २६ गेज	"	31.00	31.00	32.00
	(ख) ३० गेज	"			
18	विभिन्न प्रकारको जालीहरु (Netting)	व.मी	137.00	137.00	140.00
	(क) पसिमो खालको Mosquito proof जाली	"	143.00	143.00	146.00
	(ख) बाबुवा घाले जाली	"	87.00	87.00	89.00
	(ग) कुबुरे जाली (Chicken wire mesh)	"	224.00	224.00	228.00
	(घ) ब्रास क्रसिङ्ग जाली	"	181.00	181.00	185.00
	(ङ) स्टील जाली	"	311.00	311.00	317.00
	(च) पसिमो खालको steel Mosquito proof जाली	"			
19	फलामबाट निर्मित सामानहरु	के.जी	174.00	174.00	177.00
	a) M.S. Grill बनाई जडान गर्ने	व.मी	6,569.00	6,569.00	6,700.00
	b) कोल्याप्सीवल गेट बनाई जडान गर्ने	व.मी	4,676.00	4,676.00	4,770.00
	c) १६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	"	5,885.00	5,885.00	6,003.00
	d) फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्याल भएको	"	6,690.00	6,690.00	6,824.00
	e) फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"			
	f) १६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (१० X १० X ५ mm) को फ्रेम समेत)	व.मी	8,704.00	8,704.00	8,878.00
	g) ३"-४" व्यासको Iron Black Pipeमा एडल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ड्याङ्ग (Spiral Staircase-Heavy) तयार गरी जडान समेत (भन्ड्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3,793.00	3,793.00	3,869.00
	h) Black Pipe Tubular Truss Fabrication, fitting & fixing work All Complete.	के.जी.	236.00	236.00	241.00
	i) फलामे सामग्रीको फोर्बिडेशन तथा जडान कार्य	के.जी	55.00	55.00	56.00
20	विभिन्न किसिमका काठहरु				
	काठ	घ.मी.	187,000.00	187,000.00	187,000.00
	(१) ३' देखि ८' सम्मको तयारी सालकाठ	घ.मी.	200,000.00	200,000.00	200,000.00
	(२) ८' देखि १२' सम्मको सालकाठ	घ.मी.	217,000.00	217,000.00	217,000.00
	(३) १२' देखि माथिको सालकाठ	घ.मी.	91,000.00	91,000.00	91,000.00
	(ख) स्थानीय सालकाठ	"	90,000.00	90,000.00	90,000.00
	(ग) साज काठ	"	25,000.00	25,000.00	25,000.00
	(ङ) सल्लाको काठ तथा स्थानीय कुकाठ	"	85,000.00	85,000.00	85,000.00
	(च) स्थानीय सिसौ काठ	"	20.00	20.00	20.00
	(छ) काठ दाउरा	के.जी			
21	२३.१ विभिन्न मोटाईको प्लाइउडहरु				
	Commercial	व.मी	254.00	254.00	254.00
	(क) ३ मी.मी	"	291.00	291.00	291.00
	३.५ मी.मी	"	302.00	302.00	302.00
	(ख) ४ मी.मी	"	480.00	480.00	480.00
	(ग) ६ मी.मी	"	534.00	534.00	534.00
	(घ) ८ मी.मी	"	815.00	815.00	815.00
	(ङ) १२ मी.मी	"	1,187.00	1,187.00	1,187.00
	(च) १६ मी.मी B/B	"	1,225.00	1,225.00	1,225.00
	(छ) १८ मी.मी Ply	"			
	Water Proof	व.मी	556.00	556.00	556.00
	(क) ४ मी.मी	व.मी	771.00	771.00	771.00
	(ख) ६ मी.मी				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	केन्द्रियत
	ख) ८ सी.मी.	"	836.00	836.00	836.00	
	ख) ९ सी.मी.	"	917.00	917.00	917.00	
	घ) १२ सी.मी.	"	1,057.00	1,057.00	1,057.00	
	घ) १९ सी.मी.	"	1,813.00	1,813.00	1,813.00	
	(घ) १९ सी.मी B/B	"	1,467.00	1,467.00	1,467.00	
	23.2 Natural Teak Plywood					
	One side lamination					
	(क) ३ सी.मी.	व.मी.	673.00	673.00	673.00	
	(ख) ४ सी.मी (Regular)	"	882.00	882.00	882.00	
	(ख) ४ सी.मी (Crown)	"	766.00	766.00	766.00	
	(ख) ४ सी.मी (Beri)	"	510.00	510.00	510.00	
	(ख) ४ सी.मी (Whitest Line)	"	581.00	581.00	581.00	
	(ख) ४ सी.मी (Beach)	"	464.00	464.00	464.00	
	(ख) ४ सी.मी (Recon 18 No)	"	545.00	545.00	545.00	
	(घ) ६ सी.मी.	"	429.00	429.00	429.00	
22	Prelaminated Particle Board					
	Plain Particle Board (Exteriors Grade)					
	(क) ९ सी.मी.	व.मी.	429.00	429.00	429.00	
	(ख) १२ सी.मी.	"	476.00	476.00	476.00	
	(घ) १८ सी.मी.	"	615.00	615.00	615.00	
	(घ) २५ सी.मी.	"	823.00	823.00	823.00	
	One side lamination Melaminated faced (Exteriors Grade)					
	(क) ९ सी.मी.	व.मी.	859.00	859.00	859.00	
	(ख) १२ सी.मी.	"	964.00	964.00	964.00	
	(घ) १८ सी.मी.	"	1,137.00	1,137.00	1,137.00	
	(घ) २५ सी.मी.	"	1,474.00	1,474.00	1,474.00	
	Both side lamination Melaminated faced (Exteriors Grade)					
	(क) ९ सी.मी.	व.मी.	964.00	964.00	964.00	
	(ख) १२ सी.मी.	"	1,103.00	1,103.00	1,103.00	
	(घ) १८ सी.मी.	"	1,276.00	1,276.00	1,276.00	
	(घ) २५ सी.मी.	"	1,613.00	1,613.00	1,613.00	
	Plain Particle Board (Interiors Grade)					
	(क) ९ सी.मी.	व.मी.	313.00	313.00	313.00	
	(ख) १२ सी.मी.	"	359.00	359.00	359.00	
	(घ) १८ सी.मी.	"	533.00	533.00	533.00	
	(घ) २५ सी.मी.	"	684.00	684.00	684.00	
	One side lamination Melaminated faced (Interiors Grade)					
	(क) ३ सी.मी.	व.मी.	464.00	464.00	464.00	
	(ख) ६ सी.मी.	"	661.00	661.00	661.00	
	(घ) ९ सी.मी.	"	754.00	754.00	754.00	
	(घ) १२ सी.मी.	"	859.00	859.00	859.00	
	(ड) १८ सी.मी.	"	998.00	998.00	998.00	
	(घ) २५ सी.मी.	"	1,242.00	1,242.00	1,242.00	
	Both side lamination Melaminated faced (Interiors Grade)					
	(क) ३ सी.मी.	व.मी.	533.00	533.00	533.00	
	(ख) ६ सी.मी.	"	720.00	720.00	720.00	
	(घ) ९ सी.मी.	"	859.00	859.00	859.00	
	One side lamination Melaminated faced (Interiors Grade)MDF					
	(क) ३ सी.मी.	व.मी.	533.00	533.00	533.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



सिभिल कार्यहरू (Civil works)						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	(ख) ४ मी.मी	"	615.00	615.00	615.00	
	(ग) ६ मी.मी	"	754.00	754.00	754.00	
	(घ) ९ मी.मी	"	986.00	986.00	986.00	
	Both side lamination Melaminated faced (Interiors Grade)MDF					
	(क) ३ मी.मी	व.मी.	615.00	615.00	615.00	
	(ख) ४ मी.मी	"	684.00	684.00	684.00	
	(ग) ६ मी.मी	"	847.00	847.00	847.00	
	(घ) ९ मी.मी	"	1,055.00	1,055.00	1,055.00	
	Other Hard Board/Sunmica & Formica					
	(क) सनमाईका (4' x 8')	पाता	524.00	524.00	524.00	
	(ख) फोरमाईका	व.मी	871.00	871.00	871.00	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	510.00	510.00	510.00	
23.0	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	197.00	197.00	197.00	
	Readymade door shutter Recon, Special (1 side teak)	Sqft	268.00	268.00	268.00	
	If Oneside water proof ply fitting					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	226.00	226.00	226.00	
	Readymade door shutter Recon, Special (1 side teak)	Sqft	303.00	303.00	303.00	
	Wooden Listy					
	1/2" wide	र.फि.	15.00	15.00	15.00	
	3/4" wide	र.फि.	19.00	19.00	19.00	
	Wooden Listy 3/4" wide decorative	र.फि.				
	1.5" wide	र.फि.	31.00	31.00	31.00	
	Decorative	र.फि.	43.00	43.00	43.00	
24	Glass सीसा					
	Plain सादा (सेतो)					
	(क) ३ मी.मी.	व.मी.	610.00	610.00	610.00	
	(ख) ४ मी.मी.	व.मी.	675.00	675.00	675.00	
	(ग) ५ मी.मी.	व.मी.	1,040.00	1,040.00	1,040.00	
	(घ) ६ मी.मी.	व.मी.	1,205.00	1,205.00	1,205.00	
	Printed Glass (बुट्टेदार सिसा)					
	(क) ३ मी.मी.	व.मी.	550.00	550.00	550.00	
	(ख) ४ मी.मी	व.मी.	645.00	645.00	645.00	
	Poly Fibre Glass					
	(क) ०६ मी.मी.	व.मी.	1,680.00	1,680.00	1,680.00	
	Black Color Glass					
	(क) ३ मी.मी.	व.मी.	1,040.00	1,040.00	1,040.00	
	(ख) ४ मी.मी.	व.मी.	1,125.00	1,125.00	1,125.00	
	(ग) ५ मी.मी.	"	1,280.00	1,280.00	1,280.00	
	(घ) ६ मी.मी.	"	1,760.00	1,760.00	1,760.00	
	(ङ) ८ मी.मी.	"	2,570.00	2,570.00	2,570.00	
	(च) १० मी.मी	"	3,685.00	3,685.00	3,685.00	
	(छ) १२ मी.मी	"	4,160.00	4,160.00	4,160.00	
	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	(क) ५ मि.मि बाक्लो	व.मी.	1,250.00	1,250.00	1,250.00	
	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture					
	(क) विभिन्न मोटाईको	व.मि.	5,985.00	5,985.00	5,985.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	वैधियत
	विभिन्न रंगको Reflector Glass(शिरा)					
	५ मी.मी. मोटो	व.मी.	1,915.00	1,915.00	1,915.00	
	Note: ४ फिट * ८ फिट भन्दा ठुलो साइजको सिक्का भएमा ५०% थप रकम लाग्ने छ।					
25	Corrugated/Plain Fiber Glass Sheet					
	(क) ०.८ मी. मी. मोटो (P.F.G Sheet)	व.मी.	1,255.00	1,255.00	1,255.00	
	०.८ मी. मी. मोटो कोरुगेटेड	व.मी.	1,400.00	1,400.00	1,400.00	
	(ख) १.२ मी.मी. मोटो प्लेन	"	1,400.00	1,400.00	1,400.00	
	१.२ मी.मी. मोटो कोरुगेटेड	"	1,600.00	1,600.00	1,600.00	
	(ग) २ मी.मी. मोटो प्लेन	"	2,370.00	2,370.00	2,370.00	
	२ मी.मी. मोटो कोरुगेटेड	"	2,800.00	2,800.00	2,800.00	
	(घ) ३ मी. मी. मोटो प्लेन	"	3,210.00	3,210.00	3,210.00	
	३ मी.मी. मोटो कोरुगेटेड	"	4,195.00	4,195.00	4,195.00	
	(ङ) Fiber Glass छाप्नाको लागि Aluminium strip (25 mm x 1.5 mm)	Rm	70.00	70.00	70.00	
	(च) Fiber Glass छाप्नाको लागि Ribet nut	no.	7.00	7.00	7.00	
26	झुवाल ढोकाको लागि Fixture हरू					
	Iron बाट बनेका					
	Hinge (कब्जा)					
	(क) ३" साइज	गोटा	17.00	17.00	17.00	
	(ख) ४" साइज	"	30.00	30.00	30.00	
	(ग) ५" साइज	"	45.00	45.00	45.00	
	(घ) ६" साइज	"	57.00	57.00	57.00	
	Locking Set (L-drop)					
	300 mm	गोटा	265.00	265.00	265.00	
	225 mm		230.00	230.00	230.00	
	150 mm		197.00	197.00	197.00	
	Aluminum बाट बनेका					
	Towerbolt (छेल्कीनी)					
	(क) ३" लामो	गोटा	21.00	21.00	21.00	
	(ख) ४" लामो	"	42.00	42.00	42.00	
	(ग) ६" लामो	"	68.00	68.00	68.00	
	(घ) ८" लामो	"	81.00	81.00	81.00	
	(ङ) १०" लामो	"	95.00	95.00	95.00	
	(च) १२" लामो	"	108.00	108.00	108.00	
	Handle (हतकल)					
	Ordinary	गोटा	33.00	33.00	33.00	
	Special	"	48.00	48.00	48.00	
	Brass बाट बनेका					
	Hinge (कब्जा)					
	2" x 1/2"	गोटा	65.00	65.00	65.00	
	2 1/2" x 3/4"	"	75.00	75.00	75.00	
	3" x 3/4"	"	90.00	90.00	90.00	
	2" x 3/4"	"	75.00	75.00	75.00	
	2 1/2" x 3/4"	"	80.00	80.00	80.00	
	3" x 3/4"	"	90.00	90.00	90.00	
	3" x 1"	"	190.00	190.00	190.00	
	4" x 1"	"	285.00	285.00	285.00	
	5" x 1"	"	380.00	380.00	380.00	
	6" x 1"	"	465.00	465.00	465.00	
	Towerbolt (छेल्कीनी)					
	(क) ३" लामो	गोटा	145.00	145.00	145.00	



सिभिल कार्यहरु (Civil works)					
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४
	(ख) ४" लामो	"	190.00	190.00	190.00
	(ग) ६" लामो	"	286.00	286.00	286.00
	(घ) ८" लामो	"	382.00	382.00	382.00
	(ङ) १०" लामो	"	480.00	480.00	480.00
	(च) १२" लामो	"	575.00	575.00	575.00
	Handle (हतकल)				
	6" गोटा		155.00	155.00	155.00
	8" "		465.00	465.00	465.00
	10" "		960.00	960.00	960.00
	12" "				
	Brsss 5"		145.00	145.00	145.00
	Brsss 6"		225.00	225.00	225.00
	Locking Set (L-drop)				
	गोटा		960.00	960.00	960.00
	(क) ८" लामो	"	1,580.00	1,580.00	1,580.00
	(ख) १०" लामो	"	1,755.00	1,755.00	1,755.00
	(ग) १२" लामो	"			
	Special Fittings				
	एल ड्रप :-	गोटा	1,075.00	1,075.00	1,075.00
	८" लामो	"	1,210.00	1,210.00	1,210.00
	१०" लामो	"	1,260.00	1,260.00	1,260.00
	१२" लामो	"			
	ह्याण्डल :-	"	1,260.00	1,260.00	1,260.00
	८" लामो	"			
	टावर बोल्ट :-	"	230.00	230.00	230.00
	६" लामो	"	300.00	300.00	300.00
	८" लामो	"	380.00	380.00	380.00
	१०" लामो	"			
	डबल कलर (गोल्ड सिल्वर/ब्ल्याक सिल्वर)				
	एल ड्रप :-	गोटा	900.00	900.00	900.00
	८" लामो	"	1,140.00	1,140.00	1,140.00
	१०" लामो	"	1,260.00	1,260.00	1,260.00
	१२" लामो	"			
	ह्याण्डल :-	"	255.00	255.00	255.00
	६" लामो	"	385.00	385.00	385.00
	८" लामो	"			
	Mortice Lock	गोटा	630.00	630.00	630.00
	Ordinary	"	420.00	420.00	420.00
	Chinese	"	2,580.00	2,580.00	2,580.00
	Indian Godrej Company	"	1,140.00	1,140.00	1,140.00
	Brass	"			
	Door Spring (Door Closer)	गोटा	180.00	180.00	180.00
	Ordinary	"	1,890.00	1,890.00	1,890.00
	hydraulic	"			
	Other Door/Windows fixtures	गोटा	19.00	19.00	19.00
	Window I-hook				
	Gate Hook	4" गोटा	32.00	32.00	32.00
		5" "	35.00	35.00	35.00
		6" "	43.00	43.00	43.00
		Brass "	76.00	76.00	76.00
	Door stopper	Diamond गोटा			



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	केफियत
	Butterfly	"	150.00	150.00	150.00	
	Bell catch 2" size	"	200.00	200.00	200.00	
	C.P. handle	"	430.00	430.00	430.00	
	Power coated handle	"	410.00	410.00	410.00	
	Brass coated handle	"	885.00	885.00	885.00	
	Door stopper, single brass stopper	सेट	100.00	100.00	100.00	
	Door stopper double brass stopper	"	180.00	180.00	180.00	
27	विभिन्न सामग्रीहरु					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	150.00	150.00	150.00	
	Nails (different sizes)	के.जी.	135.00	135.00	135.00	
	Nut and Bolts	गोटा	36.00	36.00	36.00	
	Nut and Bolts (different sizes)	के.जी.	201.00	201.00	201.00	
	Sandpaper (खासो)	गोटा	8.00	8.00	8.00	
	विभिन्न साईजको जे-हुक, यु-हुक	के.जी.	166.00	166.00	166.00	
	२" साईज स्क्रिप्ट नेल्स	गोटा	9.00	9.00	9.00	
	३" साईज स्क्रिप्ट नेल्स	"	12.00	12.00	12.00	
	Screw Brass	"				
	20mm	"	3.00	3.00	3.00	
	25mm	"	4.00	4.00	4.00	
	35mm	"	5.00	5.00	5.00	
	50mm	"	15.00	15.00	15.00	
	75mm	"	18.00	18.00	18.00	
	Screw Steel	"				
	20mm	"	1.00	1.00	1.00	
	25mm	"	2.00	2.00	2.00	
	35mm	"	2.00	2.00	2.00	
	50mm	"	9.00	9.00	9.00	
	75mm	"	10.00	10.00	10.00	
	बिटुमीन वासर	गोटा	3.00	3.00	3.00	
	Roofing bitumen (स्क्रिप्ट थलकना)	के.जी.	107.00	107.00	107.00	
	१०० गेज प्लास्टिक सिट	व.फि.	36.00	36.00	36.00	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2,843.00	2,843.00	2,843.00	
	Plasticfelt (२०मी. × १मी.)	"	2,666.00	2,666.00	2,666.00	
	बॉस तराईको २० फिट भन्दा बढी	प्रति धान	200.00	200.00	200.00	
	बॉस स्थानीय २० फिट भन्दा बढी (तार, मालू आदि)	प्रति धान	250.00	250.00	250.00	
	मैन पायिलस	के.जि.	206.00	206.00	206.00	
	अवजालिक एसिड	"	118.00	118.00	118.00	
	जुट वा पोलिएथिनको खाली बोरा	गोटा	18.00	18.00	18.00	
	माटो	घ.मि.	268.00	268.00	268.00	
	माटोसबरेडमा राख्ने माटो-In Capping layer Granular soil	घ.मि.	464.00	464.00	464.00	
	भुस	के.जि.	5.00	5.00	5.00	
	गोबर	के.जि.	5.00	5.00	5.00	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93.00	93.00	93.00	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98.00	98.00	98.00	
	Tarpoline sheet	व.फि.	9.00	9.00	9.00	
	Water	लिट्र	0.35	0.35	0.35	
	स्टेनलेस स्टील पाइप(234/kg)					
	३/४" व्यास भएको २.६५ मी.मी.	मी.	291.00	291.00	296.00	



सिभिल कार्यहरु (Civil works)					
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४
	१" व्यास भएको २.६५ मी.मी.	मी.	366.00	366.00	373.00
	१ १/४" व्यास भएको २.६५ मी.मी.	मी.	466.00	466.00	475.00
	१ १/२" व्यास भएको २.६५ मी.मी.	मी.	565.00	565.00	576.00
	२" व्यास भएको २.६५ मी.मी.	मी.	758.00	758.00	773.00
	स्टील रेलिङ तथा बार लगाउने (2" Pipe)	र. फी.	1,739.00	1,739.00	1,773.00
	स्टेनलेस स्टील पाइप(257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	292.00	292.00	297.00
	१" व्यास भएको १६ गेज मोटाई	मी.	367.00	367.00	374.00
	१ १/४" व्यास भएको १६ गेज मोटाई	मी.	466.00	466.00	475.00
	१ १/२" व्यास भएको १६ गेज मोटाई	मी.	565.00	565.00	576.00
	२" व्यास भएको १६ गेज मोटाई	मी.	764.00	764.00	779.00
	स्टील रेलिङ (Steel Railing) को बार लगाउने कार्य (२ इन्च पाइपका vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र. फी.	1,739.00	1,739.00	1,773.00
28	Marble Chips				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	187.00	187.00	190.00
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	187.00	187.00	190.00
	(ग) केजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	200.00	200.00	204.00
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	170.00	170.00	173.00
29	Godabari Marble in different sizes				
	पलिस गरेको । (मिरर पोलिस्ट)				
	(क) १०×१० से.मि.	व.मी.			
	(ख) १०×१५ से.मि.	"			
	(ग) १०×२० से.मि.	"			
	(घ) १०×३० से.मि.	"			
	(ङ) १५×१५ से.मि.	"			
	(च) १५×२० से.मि.	"			
	(छ) १५×३० से.मि.	"			
	(ज) २०×२० से.मि.	"			
	(झ) २०×३० से.मि.	"			
	(ञ) ३०×३० से.मि.	"			
	(ट) ३०×६० से.मि.	"			
	(ठ) ६०×६० से.मि.	"			
	(ड) ६०×९० से.मि.	"			
	पलिस नगरेको । (क्लासिक मार्बल)				
	(क) १०×१० से.मि.	व.मी.			
	(ख) १०×१५ से.मि.	"			
	(ग) १०×२० से.मि.	"			
	(घ) १०×३० से.मि.	"			
	(ङ) १५×१५ से.मि.	"			
	(च) १५×२० से.मि.	"			
	(छ) १५×३० से.मि.	"			
	(ज) २०×२० से.मि.	"			
	(झ) २०×३० से.मि.	"			
	(ञ) ३०×३० से.मि.	"			
	(ट) ३०×६० से.मि.	"			
	(ठ) ६०×६० से.मि.	"			
	(ड) ६०×९० से.मि.	"			
	Marble Rajasthani				
	१६ मी.मी बाक्लो राजस्थानी	व.मी.	1,940.00	1,940.00	1,940.00
	१३ मी.मी बाक्लो राजस्थानी	व.फी.	175.00	175.00	175.00
	१६ मी.मी बाक्लो राजस्थानी wonder marble	व.मी.			



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	१६ मी.मी. बाक्लो शेनाइट	ब.मी.	3,580.00	3,580.00	3,580.00	
	१९ मी.मी. बाक्लो शेनाइट	ब.मी.	4,000.00	4,000.00	4,000.00	
	१२ मी.मी. बाक्लो शेनाइट	ब.फि.	325.00	325.00	325.00	
30	Porcelain Glazed/Terrazo Mosaic Tiles					
	Terrazo Mosaic Tiles	ब.मी.				
	Porcelain Glazed Tiles					
	खोज टायल्स (१२ " X ") सम्मको ।	ब.मी.	540.00	540.00	540.00	
	खोज टायल्स (१२ " X १२ ") माथिको ।	ब.मी.	600.00	600.00	600.00	
	Cotto Tiles	ब.फि.	132.00	132.00	132.00	
	Border Tile (२ " X ")	र.फि.	45.00	45.00	45.00	
	Spanish Ceramic Wall Tile (31*45cm)	ब.मी.				
	Spanish Ceramic Border Tile (31*45cm)	ब.मी.				
	Spanish Ceramic Floor Tile (31*45cm)	ब.मी.				
	Indian Ceramic Wall Tile (31*45cm)	ब.मी.	2,032.00	2,032.00	2,032.00	
	Indian Ceramic Border Tile	ब.मी.	2,032.00	2,032.00	2,032.00	
	Indian Ceramic Floor Tile (31*45cm)	ब.मी.	1,700.00	1,700.00	1,700.00	
	LG Floors Tiles					
	L.G. Deluxe Tiles (300x300x2mm)	चोटा	77.00	77.00	77.00	
	L.G. Deco Tiles (450x450x3mm)	"	315.00	315.00	315.00	
	L.G. Deco Wood (100x920x3mm)	"	117.00	117.00	117.00	
	Fittings for Tiles	ब.फि.	15.00	15.00	15.00	
	Fittings for Tiles on stairs	ब.फि.	17.00	17.00	17.00	
	Dendrite for tiles	लि.	390.00	390.00	390.00	
31	रंगरोयनका सामानहरु					
	(क) कृषि चुनघाट उत्पादित सेतो चुन	के.जि.	19.60	19.60	19.60	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36.30	36.30	36.30	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	40.20	40.20	40.20	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	75.50	75.50	75.50	
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	535.10	535.10	535.10	
	च) नेपाल रेडको म्याट फिनिश	लिटर	515.50	515.50	515.50	
	छ) उड प्राइमर (Wood Primer)	लिटर	383.20	383.20	383.20	
	(ज) कोरुगेटेड रुफ Paint	"	485.10	485.10	485.10	
	(झ) तयारी अल्मुनियम पेन्ट	"	556.60	556.60	556.60	
	(ञ) तयारी वार्नेस	"	448.80	448.80	448.80	
	(ट) तयारी वार्नेर सेन्थेटिक	"	346.90	346.90	346.90	
	(ठ) भारतीय थिनर	"	234.20	234.20	234.20	
	ड) उड एण्ड फ्लास पुटिन	के.जी.	337.10	337.10	337.10	
	ड) सेटल पुटिन	"	157.80	157.80	157.80	
	ण) चुना पेन्ट गर्न राख्ने गम	"	206.80	206.80	206.80	
	त) नेपाली थिनर	लिटर	222.50	222.50	222.50	
	(थ) सिमेन्ट प्राइमर सेतो	"	273.40	273.40	273.40	
	(द) तारपिन तेल	"	218.50	218.50	218.50	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	266.60	266.60	266.60	
	न) उड प्रिजरभेटिभ पेन्ट	"	232.30	232.30	232.30	
	(प) Black japan Paint	"	291.10	291.10	291.10	
	(फ) राम तिलक	के.जि.	56.80	56.80	56.80	
	(ब) रातो माटो (गह रंग)	के.जि.	139.20	139.20	139.20	
	(भ) चप्रा पालिस	के.जि.	933.90	933.90	933.90	
	(म) तयारी बाथेबल डिस्टेम्पर	लि.	227.40	227.40	227.40	
	य) तयारी प्लास्टिक्स इन्टर्नल पेन्ट (Interior)	लि.	536.10	536.10	536.10	
	र) तयारी प्लास्टिक्स इन्टर्नल पेन्ट (Exterior)	लि.	-	-	-	
	ल) तयारी वेयर कोट पेन्ट (Exterior)		642.90	642.90	642.90	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	क्षेत्रियता
	(र) Road Marking Paint	"	590.00	590.00	590.00	
	(क) लिन्सिड आयल (linsed Oil)	"	199.90	199.90	199.90	
	(ख) स्थानीय स्पीट	लि.	120.50	120.50	120.50	
	(ग) मॉयिकल / केविकल	के.जि.	266.60	266.60	266.60	
	(घ) Tata Red Oxide Paint	"	266.60	266.60	266.60	
	(ङ) गड्डा चुन (इण्डियन)	"	22.50	22.50	22.50	
	(च) Wall putty Asian, Berger & other company.	के.जि.	70.60	70.60	70.60	
	(छ) Plaster of Parish (POP)	के.जि.	23.50	23.50	23.50	
	(ज) नाइलन डोरी	के.जि.	259.70	259.70	259.70	
32	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.	।	-	-	-	
	a) POP Molding 1" to 1½"	र.मि	-	-	-	
	b) Up to 5" wide	र.मि	-	-	-	
	c) Up to 8" wide	र.मि	-	-	-	
	d) Above 8" wide	र.मि	-	-	-	
33	Thai gypsum board बाट उत्पादन भएको सामानहरु		-	-	-	
	i) फल्स सिलिङ गर्ने	व.मी.	243.00	243.00	243.00	
	ii) Water resistant false ceiling	"	336.10	336.10	336.10	
	iii) Wall partation	"	1,254.40	1,254.40	1,254.40	
	iv) Wall paneling	"	833.00	833.00	833.00	
	v) 12.5mm thick Gypsum Board False ceiling including all necessary material	"	737.90	737.90	737.90	
34	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	व.फि	98.00	98.00	98.00	
	ii) Heritage flakes	व.फि	121.50	121.50	121.50	
	iii) Heritage granite finish	"	105.80	105.80	105.80	
	iv) Heritage roller coat,	"	107.80	107.80	107.80	
	v) Heritage Top coat (plastic lamination)	"	28.40	28.40	28.40	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1,279.90	1,279.90	1,279.90	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2,040.40	2,040.40	2,040.40	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3,614.20	3,614.20	3,614.20	
	Epoxy Paint for Operation theater	"	11,278.80	11,278.80	11,278.80	
	Cement flexy board False celling work					
	Celling work 6mm thick	व.मी.				
	Floring board 25mm*8ft*4ft	गोटा				
	Wooden Plank 8*150*3000mm	"				
	Skirting 8*50*300mm	"				
	Texture board 6mm*8ft*4ft	"				
	Solid infill wall 3"	व.मी.				
	Laminated safety glass 6.38mm	"				
	Structure glazing with lamonated saftey glass 6.38	"				
	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	1,211.30	1,211.30	1,211.30	
	Fittings for wall paper	व.फि	6.90	6.90	6.90	
	White glue for wall paper	लि.	105.80	105.80	105.80	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	वैक्यत
35	Interlocking Cement Concrete Block					
	a) 60 mm inter locking cement concrete block M- 30 grade घरको passage मा छानाको लागि	व.फि				
	b) 70 mm inter locking cement conc. Block M- 30 grade	"				
	c) 60 mm inter locking cement concrete block M- 30 grade घरको passage मा छानाको लागि	"				
	d) 70 mm inter locking cement conc. Block M- 30 grade	"				
	25 mm thick C.C. Tile (Grey color)					
	Burfi Checker	Sqft	60.00	60.00	61.00	
	Round Checker	"	60.00	60.00	61.00	
	Boby Checker	"	60.00	60.00	61.00	
	25 mm thick C.C. Tile (Red color)					
	Burfi Checker	Sqft	62.00	62.00	63.00	
	Round Checker	"	62.00	62.00	63.00	
	Boby Checker	"	62.00	62.00	63.00	
	50 mm thick CC Block (Grey color)					
	Cosmix	Sqft	70.00	70.00	71.00	
	Hexagon	"	70.00	70.00	71.00	
	Threehex	"	70.00	70.00	71.00	
	Royal tone Interlock	"	70.00	70.00	71.00	
	I-Interlock	"	70.00	70.00	71.00	
	Plus Interlock	"	70.00	70.00	71.00	
	50 mm thick CC Block (Red color)					
	Cosmix	Sqft	70.00	70.00	71.00	
	Hexagon	"	70.00	70.00	71.00	
	Threehex	"	70.00	70.00	71.00	
	Royal tone Interlock	"	70.00	70.00	71.00	
	I-Interlock	"	70.00	70.00	71.00	
	Plus Interlock	"	70.00	70.00	71.00	
	60 mm thick CC Block (Grey color)					
	Cosmix	Sqft	72.00	72.00	73.00	
	Hexagon	"	72.00	72.00	73.00	
	Threehex	"	72.00	72.00	73.00	
	Royal tone Interlock	"	72.00	72.00	73.00	
	I-Interlock	"	72.00	72.00	73.00	
	Plus Interlock	"	72.00	72.00	73.00	
	60 mm thick CC Block (Red color)					
	Cosmix	Sqft	73.00	73.00	74.00	
	Hexagon	"	73.00	73.00	74.00	
	Threehex	"	73.00	73.00	74.00	
	Royal tone Interlock	"	73.00	73.00	74.00	
	I-Interlock	"	73.00	73.00	74.00	
	Plus Interlock	"	73.00	73.00	74.00	
	60 mm thick CC Block (Oem or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	10.00	10.00	10.00	
	Hexagon (22*22 cm) non colour	"	23.00	23.00	23.00	
	Hexagon (22*22 cm) colour	"	25.00	25.00	25.00	
	Squire paver (30*30*4.5cm)non colour	"	32.00	32.00	32.00	
	Squire paver (30*30*4.5cm)colour	"	34.00	34.00	34.00	




सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	inter block(24*13*6cm)	"	14.00	14.00	14.00	
	Isave paver (20*16*6cm)	"	16.00	16.00	16.00	
36	कुदिएको काठको काम तयारी					
	i) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसो काठको हुक्का (2'-6"x3"x3")	गोटा	860.00	860.00	877.00	
	ii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसो काठको हुक्का (2'-6"x3"x3")	गोटा	940.00	940.00	958.00	
	iii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको सीसो काठको हेण्ड रेल (3"x4")	र.फि.	780.00	780.00	795.00	
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुदिएको सीसो काठको गोचो हेण्ड रेल (3"x4")	गोटा	3,440.00	3,440.00	3,508.00	
	v) देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"x८") साल काठमा टुँडाल बनाउने काम	"	10,950.00	10,950.00	11,169.00	
	vi) देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"x८") साल काठमा टुँडाल बनाउने काम	"	12,500.00	12,500.00	12,750.00	
	vii) विभिन्न वुडा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.भि. देखि ५० मि.भि. सम्म)	व.फि.	2,350.00	2,350.00	2,397.00	
	viii) घोडाको आफुति गरि कुदिएको ४"x५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम।	गोटा	5,480.00	5,480.00	5,589.00	
	ix) सामान्य प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	780.00	780.00	795.00	
	x) मध्यम प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	1,100.00	1,100.00	1,122.00	
	xi) विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लफ सहित	व.फि.	2,350.00	2,350.00	2,397.00	
	xii) विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लफ तन्धएको	व.फि.	1,480.00	1,480.00	1,509.00	
	xiii) ३"x५.५" साइजको सालको काठको कुदिएको पली तयारी गर्ने काम	र.फि.	550.00	550.00	561.00	
	xiii) कुदिएको विभिन्न वुडा राखी बनाएको साल काठको ४"x५"को फार्नेस विम आदि तयारी गर्ने कार्य	र.फि.	940.00	940.00	958.00	
	xiv) ४"x५"को साल काठको नाथ वुडा कुँदै तयारी गरी जडान गर्ने कार्य	र.फि.	780.00	780.00	795.00	
37	परम्परागत निर्माण सामग्रीहरु :-					
	१) दचि अपा ठूलो ८"x२-३/८"x५"	गोटा	29.00	29.00	29.00	
	२) दचि अपा सानो ८३/८"x२-१/८"x४-१/४"	"	22.00	22.00	22.00	
	३) दचिअपा ठूलोको कुँ	"	35.00	35.00	35.00	
	४) दचिअपा सानोको कुँ अपा	"	29.00	29.00	29.00	
	५) माँ अपा ठूलो ८-७/८"x२-१/४"x५-३/४"	"				
	६) माँ अपा ठूलो 241x60x158 mm	"	35.00	35.00	35.00	
	७) मा अपा सानो ८-३/८"x२"x५"	"	21.00	21.00	21.00	
	८) धुरी चाङ्ग ठूलो ९-३/८"x५-१/२"x३/४	"	31.00	31.00	31.00	
	९) धुरी 230x295x25 mm	"				
	१०) धुरी चाङ्ग सानो	"	25.00	25.00	25.00	
	११) फिगटी नयाँ ८-३/४"x४"	गोटा	15.00	15.00	15.00	
	१२) फिगटी पुरानो	गोटा	10.00	10.00	10.00	
	१३) हुकु	गोटा	53.00	53.00	54.00	
	१६) गोगचा					
	क) साना	"	150.00	150.00	153.00	
	ख) ठूलो	"	303.00	303.00	309.00	
	१७) पेटीकोबागि ढुङ्गा					
	क) १८"x१०"x५"	"				
	ख) १८"x१०"x४"		769.00	769.00	784.00	
	१८) नागोल ईटा	गोटा	26.00	26.00	26.00	
	१९) लोह अपा १५"x९"x३"	"				
	२०) फाल्लोह अपा ठूलो 375x225x100mm	"	227.00	227.00	231.00	



सिभिल कार्यहरु (Civil works)						
क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
२१)	फालोह अपा सानो 254x229x102mm	"	190.00	190.00	193.00	
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	20.00	20.00	20.00	
२३)	तीनकुनै तेलिया ईटा (६"×६"×१"	"	14.00	14.00	14.00	
२४)	चारकुनै तेलिया ईटा (८"×८"	"	26.00	26.00	26.00	
२५)	तेलिया ईटा (६"×६"	"	20.00	20.00	20.00	
२६)	बुट्टेदारी कर्मिश इटा (काशीमोहरु)	"	38.00	38.00	38.00	
२७)	बुट्टेदारी कर्मिश इटा कुना	"	58.00	58.00	59.00	
२८)	बुट्टेदारी कर्मिश इटा ठूलो 222x273x76mm	"	227.00	227.00	231.00	
२९)	भयाल माथिको कर्मिश इटा बुट्टेदारी	"	47.00	47.00	47.00	
३०)	काठको कर्मिश माथिको इटा ११×६×२.५"	"	76.00	76.00	77.00	
३१)	गोटा	गोटा	303.00	303.00		
३२)	तामा पाता (नेपाली)	केजि	1,452.00	1,452.00		
३३)	तामा पाता (Indian)		1,646.00	1,646.00		
३४)	पित्तल पाता	केजि	114.00	114.00		
३५)	पाटो	ग्राम	227.00	227.00		
३६)	सुर्कि इटा कटि घुलो बनाएको	टन	1,815.00	1,815.00	1,851.00	
३७)	Wind bell हवा घण्टी ४"	गोटा	621.00	621.00	633.00	
३८)	Snake body brick traditional	गोटा	35.00	35.00	35.00	
३९)	Snake neck brick	गोटा	99.00	99.00	100.00	
४०)	Snake head brick	गोटा	194.00	194.00	197.00	
४१)	Yellow mud (clay) for roofing/B/W	घ.मी.				
४२)	Lime for traditional work	केजि				
४३)	श्री गणेश	गोटा	1,507.00	1,507.00	1,537.00	
४४)	कुमार	गोटा	1,507.00	1,507.00	1,537.00	
४५)	हुँदै धारा	गोटा	1,507.00	1,507.00	1,537.00	
४६)	पंच वद	गोटा				
४७)	नागबेली बुझा	गोटा	35.00	35.00	35.00	
४८)	नागबेली बुझा कुना	गोटा	50.00	50.00	51.00	
४९)	स्वा बुझा	गोटा	35.00	35.00	35.00	
५०)	चीर बुझा	गोटा	35.00	35.00	35.00	
५१)	कानैस फयो	गोटा	29.00	29.00	29.00	
५२)	कानैस गजुर पली	गोटा	47.00	47.00	47.00	
५३)	ठूलो कलश	गोटा	227.00	227.00	231.00	
५४)	चालेको सुर्कि	टन	17,303.00	17,303.00	17,649.00	
५५)	तेलिया मेशीन प्रेश ६ लाइन	गोटा				
58)	लोकल अपा (साइज 320x65x100)	गोटा				
59)	भा अपा (साइज 200x50x130)	"	21.00	21.00	21.00	
60)	दचि अपा (साइज 200x55x100)	"	25.00	25.00	25.00	
61)	त्वा अपा (साइज 110x55x180)	"	25.00	25.00	25.00	
62)	गोल अपा (साइज 120x55x80)	"	25.00	25.00	25.00	
63)	गणेश अपा (साइज 200x250x35)	"	455.00	455.00	464.00	
64)	कुमार अपा (साइज 200x250x35)	"	455.00	455.00	464.00	
65)	तारा अपा (साइज 200x250x55)	"	455.00	455.00	464.00	
66)	पञ्च बुझा अपा (साइज 170x230x55)	"	455.00	455.00	464.00	
67)	कलश अपा (साइज 100x140x40)	"	76.00	76.00	77.00	
68)	नागोल अपा (साइज 140x52x120)	"	27.00	27.00	27.00	
69)	कसिमो अपा (साइज 230x55x100)	"	39.00	39.00	39.00	
70)	सकली अपा (साइज 140x55x115)	"	35.00	35.00	35.00	
71)	पानबुझा अपा (साइज 140x55x115)	"	35.00	35.00	35.00	
72)	सानो फ बुझा अपा (साइज 180x55x30)	"	39.00	39.00	39.00	
73)	ठूलो फ बुझा अपा (साइज 230x55x110)	"	39.00	39.00	39.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

सिभिल कार्यहरु (Civil works)						
वि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८२/०८३	भा.व. ०८३/०८४	केफिन्स	
74	नयाँ क बुझा अपा (साइज 230x55x110)	"	39.00	39.00	39.00	
75	साना ग बुझा अपा (साइज 140x50x110)	"	35.00	35.00	35.00	
76	ठूलो ग बुझा अपा (साइज 230x55x90)	"	39.00	39.00	39.00	
77	पुम्हा बुझा अपा (साइज 180x55x70)	"	39.00	39.00	39.00	
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	39.00	39.00	39.00	
79	तिनकुने पलि अपा (साइज 200x550x90)	"	39.00	39.00	39.00	
80	साना स्वाँ अपा (साइज 140x50x110)	"	35.00	35.00	35.00	
81	ठूलो स्वाँ अपा (साइज 2300x55x90)	"	39.00	39.00	39.00	
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	189.00	189.00	192.00	
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	99.00	99.00	100.00	
84	नाग जीउ (साइज 140x60x70)	"	35.00	35.00	35.00	
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	751.00	751.00	766.00	
86	खाल नागोल (साइज 130x55x120)	"	27.00	27.00	27.00	
87	खाल फयो (साइज 130x55x135)	"	27.00	27.00	27.00	
88	लहरा बुझा (साइज 125x45x140)	"	35.00	35.00	35.00	
89	नग वेनी (साइज 140x55x120)	"	35.00	35.00	35.00	
90	मिखाफुसी (साइज 140x55x120)	"	47.00	47.00	47.00	
91	पलियो दायाँ/बायाँ (साइज 130x55x120)	"	35.00	35.00	35.00	
92	नयाँ पलियो (साइज 185x52x80)	"	39.00	39.00	39.00	
93	सिधा पलियो (साइज 190x55x90)	"	39.00	39.00	39.00	
94	२" सिंह (साइज 95x50x10)	"	47.00	47.00	47.00	
95	२"गरुड (साइज 95x50x100)	"	47.00	47.00	47.00	
96	ग्रलिखा (साइज 95x50x100)	"	47.00	47.00	47.00	
97	श्रीयन्त्र (साइज 70x700x80)	"	61.00	61.00	62.00	
98	त्वा फयो (साइज 140x55x120)	"	27.00	27.00	27.00	
99	तारा बुझा पुरानो (साइज 180x55x80)	"	32.00	32.00	32.00	
100	तारा बुझा नयाँ (साइज 230x70x90)	"	38.00	38.00	38.00	
101	स्वाँको तारा (साइज 220x55x90)	"	38.00	38.00	38.00	
102	सिक्की बुझा (साइज 220x55x80)	"	38.00	38.00	38.00	
103	न्याय बुझा सानो (साइज 140x65x130)	"	38.00	38.00	38.00	
104	न्याय बुझा ठूलो (साइज 140x100x130)	"	38.00	38.00	38.00	
105	न्योल नमोल (साइज 2000x55x90)	"	26.00	26.00	26.00	
106	छी बुझा (साइज 210x55x75)	"	38.00	38.00	38.00	
107	सानो/ठूलो (साइज)	"	38.00	38.00	38.00	
108	चुना प्रति के.जि.	के.जि.	19.00	19.00	19.00	
38	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile Sliding Window frame 80x50 mm white colour, sliding window sash 55x36 mm with galvanized steel reinforcement of 1.5 mm, 5 mm thick clear glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks drainage cover etc. as per specification of Korean Standard.					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7,431.00	7,431.00	7,579.00	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	6,863.00	6,863.00	7,000.00	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7,717.00	7,717.00	7,871.00	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7,717.00	7,717.00	7,871.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैलियत
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8,460.00	8,460.00	8,629.00	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	8,577.00	8,577.00	8,748.00	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	9,150.00	9,150.00	9,333.00	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	9,150.00	9,150.00	9,333.00	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	8,864.00	8,864.00	9,041.00	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	10,290.00	10,290.00	10,495.00	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8,884.00	8,884.00	9,061.00	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	10,089.00	10,089.00	10,290.00	
12	UPVC 110x64mm x9mmthick board and 5mm thick glass pannel white colour	"	10,663.00	10,663.00	10,876.00	
12	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	"	11,038.00	11,038.00	11,258.00	
13	UPVC 60x60mm white colour swing door with 5mm glass pannel	"	6,928.00	6,928.00	7,066.00	
	g) Vertical sliding	"				
	ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9,718.00	9,718.00	9,912.00	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	9,203.00	9,203.00	9,387.00	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	10,009.00	10,009.00	10,209.00	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	10,009.00	10,009.00	10,209.00	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10,752.00	10,752.00	10,967.00	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10,863.00	10,863.00	11,080.00	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	11,436.00	11,436.00	11,664.00	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	11,149.00	11,149.00	11,371.00	
9	Supply & fixing of 80*50 mm white colour casement window	"	9,899.00	9,899.00	10,096.00	
	g) Vertical sliding	"	9,579.00	9,579.00	9,770.00	
	Supplying and installation of UPVC Partition frame 60x60 mm with 5 mm thick clear glass or with 9 mm thick both side laminated particle board all complete with all accessories as per specification of Korean Standard.					
	i) Single glazing					
	Full glass partition	Sqm				
	Full partition with half glass and laminated particle board	"				
	Full ht. partition with top and bottom laminated particle board and centre with glass	"				
	Full ht. partition with top and bottom laminated particle board	"				
	Supplying and installation of UPVC Profile Sliding Window frame 50x80 mm, sash 58*36mm, sliding door frame 52*88, sash 80*42, casement window frame 60*60mm: sash 60*78mm, casement door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: gaskets, brush seal, moon locks, Push locks, drainage cover etc.					
39	Alternative Profile Company को UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु (Certified by ISO 9001:2000, ISO 14001:2004, ISO 527-2:1993, ISO 178:2001, iec 60695-2-11:2001, ASTM D4226-00, 91/338/EEC)					



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	केफियत
	UPVC Casement Window 60*60 mm White Colour With 5mm Glass	Sqm				
	UPVC Double Glazing Casement Window 60*60 mm Frame White Colour With 5mm Glass	"				
	UPVC Sliding Window With 50*80 mm White Colour And 5mm Glass With Aluminium Sliding Track	"				
	UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With UPVC Panel Luever Fixed	"				
	UPVC Casement Window 60*60 mm Frame White Colour With 5mm Glass With Adjustable Glass Panel Luever	"				
	UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Luever	"				
	UPVC Sliding Window With 50*80 mm White Colour With Aluminium Sliding Track And 5mm Glass With Adjustable Glass Panel Luever	"				
	UPVC Door 100mm*60mm White Colour With Top Glass 5mm And Bottom UPVC Panel	"				
	UPVC Door 100mm*60mm White Colour With Top Glass 5mm Glass And Bottom 9mm Nepal Board	"				
	UPVC Door 100mm*60mm White Colour With Top And Bottom UPVC Panel	"				
	UPVC 60*60 mm Partition With Half Board 9mm And Other Half 5mm Glass	"				
	UPVC 100mm*60mm Swing Door With Top 5mm Glass And Bottom UPVC Panel	"				
39	Aerocon/Rapicon prefab Panel for Partition wall					
	Supply and erection of aerocon/rapicon prefab panel in partition wall.					
	75 mm thick	Sqft				
	50 mm thick	Sqft				
	40 mm thick	Sqft				
	Supply and fixing of aerocon/rapicon prefab panel cubical partition wall all complete.					
	40 mm thick	Sqft				
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft				
40	Prefab Panel for wall Partition Everest solid wall pannel (ESWP) or equivalent					
	Supply and erection of prefab panel wall partition					
	75 mm thick	Sqft				
	50 mm thick	Sqft				
	Supply and fixing of aerocon/rapicon prefab panel cubical partition wall all complete.					
	40 mm thick	Sqft	177.00	177.00	180.00	
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft				
41	Slope, flat roof, sunken slab र basement मा पानी चह्रेको स्थानमा Perma Construction Co - बाट उत्पादित निर्माण सामग्रीहरु					
	Mention rates are including supplying of necessary chemicals, labour and applying as per manufacturer specifications or as per consultant's direction.					
	Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor)	व.फि				



सिभिल कार्यहरु (Civil works)						
वि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	वा.व. ०८१/०८२	वा.व. ०८२/०८३	वा.व. ०८३/०८४	कैफियत
	Water proofing treatment by Perma Guard coating (Elastomeric Polymer Coating) all complete. (roof top, sunken slab, basement, terrace)	व.फि				
	Water proofing treatment by using perma Shield / AR coating (Semi Flexible Polymer Coating System) all Complete (roof top, sunk slab, basement)	व.फि	45.00	45.00	45.00	
	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete. (watertank basement)	व.फि	55.00	55.00	55.00	
	Providing and applying SBR Mortar on the RCC slab minor crack with making "V" shaped groove cutting and polymer coating of 1 ft wide area from groove all complete.	र.फि	225.00	225.00	225.00	
	Major crack treatment on Rcc slab by Perma Polyseal	र.फि	455.00	455.00	455.00	
	Providing and applying Perma treat or Perma clear seal (colorless solvent silicon based liquid) for water repellent on bricks, tiles from fungus and algae growth (exposed surface).	व.फि	25.00	25.00	25.00	
	Wall Putty Providing & applying 1.5mm thickness of perma plaster putty on plaster, Rcc, Brick or Block all complete work.	व.फि	22.00	22.00	22.00	
	Expansion Joint Works: - Providing and chipping and plaster with mixing Perma Bond SBR modified mortar up to 40 mm wide on levelling all complete. Providing and laying thermacol in the hole, Providing masking tape on thermacol applying sealant primer, 40mm x 25 mm Polyseal filling on joints with fixing 8" wide 18 gauge Aluminum sheets fixing from top and bottom all complete.	र.फि	1,650.00	1,650.00	1,650.00	
	Epoxy coating		-	-	-	
	Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor 2mm thick as per specification all complete. (for pharmaceutical and hospitals floor)	व.फि	355.00	355.00	355.00	
	Functional and High builds epoxy coating on floor 400 micron (for pharmaceutical and hospitals floor)	व.फि	170.00	170.00	170.00	
	Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor)	व.फि	140.00	140.00	140.00	
	Providing and applying Dustban/Permise chemicals for Anti Termite Treatment all complete.	व.फि	43.00	43.00	43.00	
	Providing and applying of Perma Wall Guard Coating (for colorful flexi exterior waterproof coating) all complete	व.फि	45.00	45.00	45.00	
42	Waterproofing treatment					
	G.s.Anti termite & water proofing					
1.0	Super Plasticizers and Plasticizers					
1.1	Providing & Mixing COREPLAST P1 for M20 G. plasticizers (dosages 100ml - 250ml per bag of cement) for high strength of concrete, as per specification and instruction of Site in-charge all complete	KG	165.00	165.00	165.00	
1.2	Porviding & Mixing COREPLAST SP2 for M25-30 G superplasticizers (dosages 250ml - 750ml per bag of cement) as per specificatio and instruction of site in-charge all complete	KG	125.00	125.00	125.00	
1.3	Providing & Mixing COREPLAST SP2(SRE) for M20-30 superplasticizers, slump retainer with retarding effect for pumple concrete (Dosages 200-500 ml) per bag of cement , as per specification and instruction of site engineer	KG	122.00	122.00	122.00	
42.0	Bonding Agent for Old & New Concrete					
42.1	Providing and applying COREBOND EP bonding chemical for old to new concrete, as per specification and instruction of site -incharge	kg	530.00	530.00	530.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
42.2	Providing and applying CORECOAT WP polymer bonding chemicals for old to new concrete, as per specification and instruction of site-incharge	Ltr	555.00	555.00	555.00	
43.0	Waterproofing Coating on Basement, Roof, Toilet.					
	Acrylic Polymer Waterproofing Coating					
43.1	Providing & applying 2 coat acrylic polymer coating CORECOAT WP with 10 yr warranty, as per specification and instruction of site incharge	Sqm	380.00	380.00	380.00	
	Crystallization Waterproofing Coating		380.00	380.00	380.00	
43.2	Providing & Applying 1 coat horizontal and 2 coat vertical crystalline waterproofing coating CORECOAT CWP with 10 yr warranty, as per specification and instruction of site-incharge	Sqm	425.00	425.00	425.00	
	Bituminous Waterproofing Coating					
43.3	Providing and applying Bitumen Modified Waterproofing coating CORECOAT FLEXBIT with 10 yr warranty, as per specification and instruction of site engineer	Sqm	480.00	480.00	480.00	
	PRESSURE INJECTION GROUTING on basement share wall		480.00	480.00	480.00	
43.4	Providing and applying Injection Pressure Grout on wall basement with COREGROUT IG, as per specification and instruction of site engineer	Sqm	360.00	360.00	360.00	
44.0	Water Repellent silicone paint Coating					
4.1	Providing and applying water repellent silicone paint CORECOAT SN on brick, tile and marble cladding, as per specification and instruction of site engineer		145.00	145.00	145.00	
45.0	Expansion & Contraction Movement Joint Treatment					
	For ceiling and Vertical (Aluminium Plate)					
45.1	Providing, fixing and installation movement joint in structural	Rm	2,800.00	2,800.00	2,800.00	
	movement , expansion and contraction joint in vertical & ceiling					
	with 18 gauge aluminium sheet folded to the required shape	Rm	3,000.00	3,000.00	3,000.00	
	, fixing with 3M screws at 300 c/c and site filled by latex putty.					
	all complete work , as per specification of site engineer.	Rm	3,500.00	3,500.00	3,500.00	
	Expansion & Contraction Movement Joint Treatment					
	For Top floor & Ground floor (Stainless Steel Plate)					
45.2	Providing, fixing and installation movement joint in structural	Rm	5,500.00	5,500.00	5,500.00	
	movement , expansion and contraction joint in Top floor and Ground floor					
	with 18 gauge stainless steel folded to the required shape	Rm	5,800.00	5,800.00	5,800.00	
	, fixing with 3M screws at 300 c/c making mortar level in floor finish					
	and filling with thermocoal or filling materials seal with 80/100 Grade	Rm	6,200.00	6,200.00	6,200.00	
	bitumean mixing with sand and side corner filled by polysulphide sealant					
	all complete work , as per specification of site engineer.					
46.0	Epoxy Coating on Hospital					
46.1	Epoxy Coating on Wall					
	Providing and Applying primer coat solvent free low viscosity epoxy					
	resin primer (FLORSEAL-WBP or COREPRIME 150 OR specification	Sqm	380.00	380.00	380.00	
	before applying Epoxy Coating or approval of site engineer					
46.2	Providing and applying WALGARD-WB or CORECOAT-FC 150					
	wall epoxy coating or as per specification or approval of site engineer	Sqm	380.00	380.00	380.00	
46.3	Epoxy Coating on Floor					
	Providing and applying FIORGARD SL or CORECOAT-FC 150	Sqm				



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	वैफित्व
	Epoxy Coating on Floor or as per specification or approval of site engineer	व.फि.	560.00	560.00	560.00	
	Providing and applying Water Proofing Membrane with mixing of bonding agent (Perma Bond SBR) fresh grey cement and fine sand paste for basement floor and wall, rooftop waterproofing as per specifications all complete	व.फि.	135.00	135.00	135.00	
47	Water proofing & add Concrete mixture (BASF)					
	Poly propylene polymer compound waterproofing membrane (PPPCWM) series 115,400 grades (400 grams/ Sqm.) for basement, Shear wall, tunnels, top roof, terrace gradening.	व.फि.				
	BASF Waterproofing protection tretment with application of polyurethane floor epoxy coating system(Two coats) of Mastertop TC-467-C over the mosaic / Marble finishing floor topping.	व.फि.				
	BASF (Inland coating) Waterproofing protection tretment with 100% Synthetic Rubber coating system of RC 2000/2200 thermally stable and resists cracking and peeling due to weather extremes and ultra violent exposer : for concrete / metallic roof surfaces and other bituminous surfaces etc.	व.फि.	140.00	140.00	140.00	
	BASF Waterproofing protection tretment and sealing of building expansion joint /construction joint with high performance flexible tape Masterflex-3000: for all types of wide expansion joint specially for irregular building expansion/ construction joint (with all materials)	र.मि.	5,200.00	5,200.00	5,200.00	
	Epoxy bounding agent Concessive - 1414: Two component epoxy bonding agent old to new concrete	के.जी.	1,400.00	1,400.00	1,400.00	
	BASF Concrete Admixtures					
	A) Rheobuild sp -1 :High range water reducing superplsticsizer for concrete	के.जी.	120.00	120.00	120.00	
	B) Rheobuild sp -1i : High range water reducing & retarding superplstisizer for ready mix concrete	के.जी.	120.00	120.00	120.00	
	C) Rheobuild sp -1100 High performance , range water reducing superplstisizer:	के.जी.	150.00	150.00	150.00	
	D) Glnium - sky 584:New Generation , Polycarboxylic Eather (PCE) based superplstisiser for High grade ready mix concrete using total A performance control	के.जी.	400.00	400.00	400.00	
	E) Glnium - stream- 2: Viscosity modifying agent for producing self compacting , pumpable concrete	के.जी.	235.00	235.00	235.00	
48	Concrete Admixtures					
1	Rheobuild SP-1: High range water reducing superplstisizer for concrete :	के.जी.	115.00	115.00	117.00	
2	Pozzolith 300R: High range water reducing & retarding superplstisizer for ready mix concrete :	के.जी.	115.00	115.00	117.00	
3	Rheobuild 1100: High performance ,range water reducing superplstisizer	के.जी.	160.00	160.00	163.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	कैफियत
4	Rheobuild I100i: Retarding & high range water reducing superplastisizer for High performance concrete:	के.जी.	155.00	155.00	158.00	
5	GLNIUM-SKY 584: New Generation , Polycarboxylic Ether(PCE) based Superplastisizer for High Grade ready mix concrete using Total Performance control.	के.जी.	400.00	400.00	408.00	
6	GLNIUM-STREAM-2: Viscosity modifying agent for producing self compacting, pumpable concrete.	के.जी.	230.00	230.00	234.00	
7	Rheoplus-77R :New Generation , Polycarboxylic Ether(PCE) based Economical version Superplastisizer for High Grade ready mix concrete using	के.जी.	325.00	325.00	331.00	
8	GLNIUM-ACE-30: New Generation , Polycarboxylic Ether(PCE) based Superplastisizer for High EARLY STRENGTH concrete (M20on at 24 Hr. of casting)	के.जी.	500.00	500.00	510.00	
9	GLENIUM-141 SURETEC : New Generation , Polycarboxylic Ether(PCE) based Superplastisizer for LONG HAUL , long slum retention (about 2-3 hr)	के.जी.	400.00	400.00	408.00	
10	Silica Cement Admixtures	के.जी.	300.00	300.00	306.00	
49	पानी चुहेको स्थानमा water proofing गर्न OPAL - बाट उत्पादित निर्माण सामग्रीहरु					
	OPAL - KREET					
	It is a single component white liquid acrylic polymer admixture for water proofing, cementitious coating in slurry form as well as cement mortar form. It is to be mixed with cement/mortar for excellent water proof coating.	sq.ft	40.00	40.00	40.00	
	OPAL - GUARD					
	It is as polymer modified cementitious coating acrylic water proofing system for a varied number of applications in water proofing and corrosion control. This is two pack systems, which when applied after mixing, gives a flexible coating. Very effective heavy duty water proof coating.	sq.ft	41.00	41.00	41.00	
	OPAL - BOND REPAIR					
	It is a polymer, based on styrene-butadiene rubber, specially formulated for use with cement formulations. Highly recommended for structural rehabilitation, concrete repair etc.	sq.ft	45.00	45.00	45.00	
	OPAL - SEAL					
	An excellent admixture for water proofing sunken portions in buildings such as bath rooms, terraces etc.	sq.ft	38.00	38.00	38.00	
	OPAL - FEX					
	A very effective water proof polymer based coating for heavy duty jobs. Two coats are recommended with a fiber mesh layer in between, to enhance strength and bond.	sq.ft.	38.00	38.00	38.00	
	WAPCOT					
	A silicone based water repellant. It is to be sprayed on dry walls to check seepage, fungus growth, salt-peter actions etc. Remains effective over the years.	sq.ft	15.00	15.00	15.00	
	OPAL - GROUT					
	An excellent grouting material for injection grouting under pressure through nozzles using a 30 psi pump. Very effective in concrete /masonry works.	sq.ft	38.00	38.00	38.00	
	OPAL - PROOF:					
	It is a concrete/mortar admixture in liquid form that acts as a highly efficient plasticizer and water proofing compound. It conforms to IS:2645:1975	ltr.	315.00	315.00	315.00	
	OPAL - XCEL					



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	It is an organic based polyimer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform IS: 9103:1979 and ASTM C494. Excellent in winter or cold climate.	ltr	260.00	260.00	260.00	
	OPAL - PLASTMASTER					
	It is an additive for plaster of walls. Gives excellent workability and smooth finish. Check seepage of water/moisture.	ltr	390.00	390.00	390.00	
	OPAL - SPI01					
	It is a super plasticizer for concrete. It is a high range water reducing admixture for concrete. It is based on sulphonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flowing concrete.	ltr	260.00	260.00	260.00	
	OPAL - RETARDPLAST					
	It is modified sulphonated naphthalene formaldehyde plasticizer-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	Sq.ft.	260.00	260.00	260.00	
	OPAL - CEMCURE					
	It is water based emulsion to be applied by brush or spray on fresh concrete surface to remain water in concrete. Suitable for use where curing by water is not possible, or in hot climate.	ltr	9.00	9.00	9.00	
	OPAL - AE PLAST					
	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	ltr	410.00	410.00	410.00	
	OPAL - TILEBOND LIQUID					
	A unique single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	ltr	390.00	390.00	390.00	
	OPAL - TILE MASTER					
	Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing proportions for the laying of ceramic, mosaic or glazed tiles on the floors and wall. It improves adhesion chemical resistance flexibility, resistant to impact and thermal shock.	ltr	390.00	390.00	390.00	
	OPAL - CONCOAT					
	Protective Coating for reinforced concrete. It is protective coating, which is extremely useful in increasing the life of reinforced cement concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air.	Sq.ft.	28.00	28.00	28.00	
	OPAL JOINT SET					
	POLY - SULPHIDE SEALANT					
	It is a two pack poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through cross linking process. Joint Set (G) gun applied for non - sag type for vertical and inclined expansion contraction joints and (P) pouring type for horizontal joints. BS 4254:1983	kg	1,540.00	1,540.00	1,540.00	
	OPAL JOINT SET PRIMER					
	It is a recommended for surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, timber and rigid PVC etc.	ltr	1,380.00	1,380.00	1,380.00	
	OPAL RMP					
	ROAD MARKING PAINTS					
	Road marking paints are versatile for marking on the metalled and concrete surface of roads, air stripe etc. They are two type water based and spirit based white and golden yellow colour.	ltr	399.00	399.00	399.00	
50	Water proofing (chemicals & Treatment)works					
1	CONCRETE ADMIXTURES (Chemical)					
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based]	Kg.	150.00	150.00	150.00	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formaldehyde Based]	Kg.	225.00	225.00	225.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based]	Kg.	450.00	450.00	450.00	
1.5	Integral Waterproofing Additive for Concrete & Plaster	Kg.	275.00	275.00	275.00	
1.6	Integral Crystalline Waterproofing Powder Admixture	Kg.	850.00	850.00	850.00	
1.7	Integral Crystalline Waterproofing Liquid Admixture	Kg.	850.00	850.00	850.00	
1.8	Integral Waterproofing Powder Admixture	Kg.	1,250.00	1,250.00	1,250.00	
1.9	Integral Waterproofing Powder Admixture for Mortars	Kg.	150.00	150.00	150.00	
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	250.00	250.00	250.00	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	350.00	350.00	350.00	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	300.00	300.00	300.00	
1.13	Retarding Superplasticizer for Concrete [Napthalene Based]	Kg.	225.00	225.00	225.00	
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based]	Kg.	450.00	450.00	450.00	
51	CONCRETE ADMIXTURES (Mineral)					
	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete	Kg.	370.90	370.90	370.90	
	Processed FA Based Mineral Additives	Kg.	93.50	93.50	93.50	
52	Aluminium Door & Windows					
52.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	व.फि	663.00	663.00	676.00	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	757.00	757.00	772.00	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	557.00	557.00	568.00	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	178.00	178.00	181.00	
	90 series windows					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	624.00	624.00	636.00	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	"	658.00	658.00	671.00	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	524.00	524.00	534.00	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'X4'6")	"	178.00	178.00	181.00	
	78 series windows	व.फि				
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X4'6" or avg area 27 sqft per window)	व.फि	547.00	547.00	557.00	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft per window)	व.फि	584.00	584.00	595.00	



सिभिल कार्यहरु (Civil works)						
सि.न.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	490.00	490.00	499.00	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'4'6")	"	161.00	161.00	164.00	
	Casement window and doors		-	-	-	
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	641.00	641.00	653.00	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	696.00	696.00	709.00	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	885.00	885.00	902.00	
	Partation work		-	-	-	
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	419.00	419.00	427.00	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	444.00	444.00	452.00	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	478.00	478.00	487.00	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	597.00	597.00	608.00	
	Structure glazing		-	-	-	
	Providing and fixing aluminium structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	व.फि	667.00	667.00	680.00	
	Providing and fixing aluminium structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	व.फि	774.00	774.00	789.00	
	Providing and fixing aluminium structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	942.00	942.00	960.00	
	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing AL strong, PRIME BOND,ALUTUF OR INDO BOND		-	-	-	
	3 mm , .20 mm black core	व.फि	424.00	424.00	432.00	
	3 mm , .25 mm black core	"	435.00	435.00	443.00	
	3 mm , .30 mm black core	"	451.00	451.00	460.00	
	4 mm , .25 mm black core	"	461.00	461.00	470.00	
	4 mm , .30 mm black core	"	451.00	451.00	460.00	
	4 mm , .50 mm black core	"	476.00	476.00	485.00	
	4 mm , .25 mm Vergin core	"	488.00	488.00	497.00	
	4 mm , .30 mm vergin core	"	451.00	451.00	460.00	
	4 mm , .50 mm vergin core	"	488.00	488.00	497.00	
53	Aluminium Composite Panel Sheet supplying & and fitting all complete work		-	-	-	
	Aluminium Composite Panel Sheet supplying & and fitting all complete work		-	-	-	
	ALTRONG Brand		-	-	-	
	3mm .20 Black core	व.फि	533.00	533.00	543.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	3mm .25 Black core	"	546.00	546.00	556.00	
	3mm .30 Black core	"	566.00	566.00	577.00	
	4mm .25 Black core	"	579.00	579.00	590.00	
	4mm .30Black core	"	566.00	566.00	577.00	
	4mm .50 Black core	"	600.00	600.00	612.00	
	4mm .25 Vergin core	"	613.00	613.00	625.00	
	4mm .30Vergin core	"	566.00	566.00	577.00	
	4mm .50 Vergin core	"	613.00	613.00	625.00	
53.1	Aluminium Door & Window		-	-		
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	615.00	615.00	627.00	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	662.00	662.00	675.00	
	Aluminum sliding windows without ventilator from section (101×45×1.20) mm and 5 mm glass.	व.फि	694.00	694.00	707.00	
	Aluminum sliding windows with ventilator from section (101×45×1.20) mm and 5 mm glass.	व.फि	716.00	716.00	730.00	
	Aluminum sliding Door Section (101×45×1.20) mm with Sash 40×45×1.1 mm and 5 mm glass.	व.फि	716.00	716.00	730.00	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.20)mm with sash (38×34×1.20)mm & 5 mm glass.	व.फि	606.00	606.00	618.00	
	Aluminium casement Door Section size (101×45×1.20)mm, (40×45×1.20)mm & 5 mm glass.	व.फि	551.00	551.00	562.00	
	Aluminium swing Door Section size (101×45×1.20)mm, 5 mm glass.	व.फि	771.00	771.00	786.00	
	Aluminium fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.20)mm	व.फि	727.00	727.00	741.00	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	646.00	646.00	658.00	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	693.00	693.00	706.00	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	797.00	797.00	812.00	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	615.00	615.00	627.00	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	754.00	754.00	769.00	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	754.00	754.00	769.00	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	585.00	585.00	596.00	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	585.00	585.00	596.00	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	585.00	585.00	596.00	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	555.00	555.00	566.00	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८४×४०×१.२० मी.मी.) शिशा ५ मी.मी समेत साथ	व.फि	608.00	608.00	620.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X२०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	670.00	670.00	683.00	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X२०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (खापा)	"	670.00	670.00	683.00	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X२०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	608.00	608.00	620.00	
A	EPS Sandwich panel work (metal sheet based) including fitting					
1	Providing and fitting EPS Sandwich Panel, FR 3 rated. Exterior & interior Skin of 0.3 -0.4mm PPGL with flame retardant EPS core insulation,Base Metal 1105mm and effective width 1,000mm, length 2m- 13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)	sqft				
A	Ivory color/white color Flat partition and exterior wall					
	Thickness					
i	50 mm	sqft	328	328	334.00	
ii	75 mm	sqft	380	380	387.00	
iii	100 mm	sqft	429	429	437.00	
iv	125 mm	sqft	470	470	479.00	
v	150 mm	sqft	530	530	540.00	
B	Gray Color RP wall panel					
	Thickness					
i	50 mm	sqft	364	364	371.00	
ii	75 mm	sqft	412	412	420.00	
iii	100 mm	sqft	499	499	508.00	
iv	125 mm	sqft	513	513	523.00	
v	150 mm	sqft	562	562	573.00	
C	Wooden Color Siding Wall Panel					
	Thickness					
i	75 mm	sqft	458	458	467.00	
ii	100 mm	sqft	508	508	518.00	
iii	125 mm	sqft	565	565	576.00	
iv	150 mm	sqft	596	596	607.00	
D	Blue, Orange & Maroon Roof Panel					
	Thickness					
i	50 mm	sqft	381	381	388.00	
ii	75 mm	sqft	430	430	438.00	
iii	100 mm	sqft	520	520	530.00	
iv	125 mm	sqft	528	528	538.00	
v	150 mm	sqft	578	578	589.00	
E	Zinc panel (combat and black color)					
	Thickness					
i	50 mm	sqft	470	470	479.00	
ii	75 mm	sqft	504	504	514.00	
iii	100 mm	sqft	594	594	605.00	
iv	125 mm	sqft	613	613	625.00	
v	150 mm	sqft	644	644	656.00	
B	Sandwich PUF panel work(metal sheet based) including fitting	sqft				



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	बा.व. ०८१/०८२	बा.व. ०८२/०८३	बा.व. ०८३/०८४	कैफियत
1	Providing and Fitting PUF sandwich Ivory/white color Wall Panel, Exterior & Interior Skin of 0.4~0.5mm PPGI with PUF core insulation of density 45-50 kg/m ³ , Base Metal width 1105mm and effective width 1,000mm, length 2m~ 13m of approved color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)					
A	Ivory Color/ white color flat puf wall					
	Thickness					
i	40 mm	sqft	376	376	383.00	
ii	50 mm	sqft	398	398	405.00	
iii	75 mm	sqft	459	459	468.00	
iv	100 mm	sqft	522	522	532.00	
B	Puff Panel Roof(Orange/Blue/Black/Green)					
i	30 mm	sqft	360	360	367.00	
ii	40 mm	sqft	379	379	386.00	
iii	50 mm	sqft	409	409	417.00	
iv	75 mm	sqft	477	477	486.00	
v	100 mm	sqft	546	546	556.00	
C	Steel Door					
1	Providing and fitting 30 minute fire-resistance steel door with all complete set of frames 106 mm EGI Steel, leaf 0.8-0.5 mm EGI Steel, core insulation Honey comb, 50 mm thickness of steel door	sqft	1003	1003	1,023.00	
D	Panel Door					
1	Providing and fitting steel Panel door all complete set of frames 0.4 mm Aluminum, leaf Nonburn EPS Panel framed by 0.4 mm Aluminum	sqft	661	661	674.00	
E	UPVC Window					
1	Providing and fitting 115 mm thick multi-chamber frame thick UPVC window all complete set along with frame having wall thickness of 2.0 mm -3.0 mm and 1.5 (+0.2)mm thick galvanized mild steel section.Fitting materials and accessories for window, sliding windows with stainless insect screen.	sqft	812	812	828.00	
F	Cold Room Door					
1	Providing and fitting 75 mm thick	sqft	2970	2970	3,029.00	
54	Pressure Grouting					
	i) Providing material & applying pressure grouting on Rec roof slab.	व.फि	40.00	40.00	40.00	
	ii) Do but on basement	व.फि	45.00	45.00	45.00	
	iii) Providing material and applying pressure grouting on Rec slab, basement and water tank 2 coats	"	50.00	50.00	50.00	
	iii) Do but sealing Rec slab crack	व.फि	52.00	52.00	52.00	
	iv) Do but Rec column	Point	330.00	330.00	330.00	
55	Eradication of peepal & other plants					
a)	Stem up to 1" thickness	गोटा	375.00	375.00	375.00	
b)	Stem up to 1"-2" thickness	"	680.00	680.00	680.00	
c)	Stem up to 2"-3" thickness	"	1,300.00	1,300.00	1,300.00	
d)	Stem up to 3"-4" thickness	"	2,480.00	2,480.00	2,480.00	
56	Miscellaneous Item					
	Water proof of terrace & roof garden					



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	वैकल्पिक
	Supplying and laying of 2 pack polymer modified cementitious water proofing coatings (Acrocote) all complete.	व.मी.	735.00	735.00	735.00	
	Pabbles cladding work	व.मी.	460.00	460.00	460.00	
57	Carbon/glass Fiber lamination, wrapping fo retrofitting and strengthening					
	Composite Flexural & Shear strenghtening of RCC/wood structures with Carbon Fiber Lamination& carbon fiber /glass fiber wrapping with MBrace Composite FRP Strengthening System for seismic retrofitting& other structural					
1	Providing and application of Mbrace CFRP Laminates (50/1.4mm) including ,surface preparation works with tools and equipments ,surface priming with Mbrace Primer , surface leveling with three components epoxy repair putty Concessive-2200i and laminate adhesive all complete works on the RCC beam ,slab& other structure for seismic retrofitting /structural strengthening works as per drawing and Material data sheet.	Rm	12,000.00	12,000.00	12,000.00	
2	Providing and application of Mbrace Carbon Fiber (MBrace CF-240(430gsm) 300mm width including 0.45m lapping for each strip ,surface preparation works with tools and equipments , surface priming, surface leveling with three components epoxy repair putty Concessive-2200i and application of Mbrace saturant, top coat all complete works on RCC/wooden structure for shear strengthening (seismic retrofitting and other structural strengthening) works as per drawing and application /material data sheet .	Sqm	18,100.00	18,100.00	18,100.00	
3	Providing and application of Mbrace Glass Fiber (Mbrace G-Sheet EG-750 width 500mm 750GSM including 0.15m lapping for each strip andSurface preparation works with tools and equipments , surface priming with Mbrace Primer , surface leveling with three components epoxy repair putty Concessive-2200i and application of Mbrace saturant, top coat all complete works on RCC/wooden structure for shear strengthening (seismic retrofitting and other structural strengthening works as per drawing and application /material data sheet	Sqm	15,500.00	15,500.00	15,500.00	
58	Ready made Door					
	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft				
	Readymade door shutter Recon, Special (1 side teak)	Sqft				
	If Oneside water proof ply fitting					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft				
	Readymade door shutter Recon, Special (1 side teak)	Sqft				
58	Machine Made and Mechanically Selvedged Double Twist Hexagonal Wire Mesh Products					
	A) MBG/10x12/3.0/3.9/2.4/ZN					
	1.5x1x0.5/0	गोटा				
	2x1x0.5/1	"				
	3x1x0.5/2	"				
	4x1x0.5/3	"				
	1.5x1x1/0	गोटा				
	2x1x1/1	"				
	3x1x1/2	"				
	4x1x1/3	"				
	B) MBG/10x12/2.7/3.4/2.2/ZN					
	1.5x1x0.5/0	गोटा				
	2x1x0.5/1	"				
	3x1x0.5/2	"				
	4x1x0.5/3	"				
	1.5x1x1/0	"				
	2x1x1/1	"				
	3x1x1/2	"				



सिभिल कार्यहरू (Civil works)						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	4x1x1/3	"				
	C) MBG/10x12/2.7/3.4/2.2/ZN+PVC(1mm thick)					
	1.5x1x0.5/0	गोटा				
	2x1x0.5/1	"				
	3x1x0.5/2	"				
	4x1x0.5/3	"				
	1.5x1x1/0	"				
	2x1x1/1	"				
	3x1x1/2	"				
	4x1x1/3	"				
	D) MJG/10x12/3.0/3.9/2.4/ZN					
	3x1.5x0.5/2	गोटा				
	4x1.5x0.5/3	"				
	5x1.5x0.5/4	"				
	6x1.5x0.5/5	"				
	3x1.5x1/2	"				
	4x1.5x1/3	"				
	5x1.5x1/4	"				
	6x1.5x1/5	"				
	3x2x0.5/2	"				
	4x2x0.5/3	"				
	5x2x0.5/4	"				
	6x2x0.5/5	"				
	3x2x1/2	"				
	4x2x1/3	"				
	5x2x1/4	"				
	6x2x1/5	"				
	E) MJG/10x12/2.7/3.4/2.2/ZN					
	3x1.5x0.5/2	गोटा				
	4x1.5x0.5/3	"				
	5x1.5x0.5/4	"				
	6x1.5x0.5/5	"				
	3x1.5x1/2	"				
	4x1.5x1/3	"				
	5x1.5x1/4	"				
	6x1.5x1/5	"				
	3x2x0.5/2	"				
	4x2x0.5/3	"				
	5x2x0.5/4	"				
	6x2x0.5/5	"				
	3x2x1/2	"				
	4x2x1/3	"				
	5x2x1/4	"				
	6x2x1/5	"				
	F) MJG/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)					
	3x1.5x0.5/2	गोटा				
	4x1.5x0.5/3	"				
	5x1.5x0.5/4	"				
	6x1.5x0.5/5	"				
	3x1.5x1/2	"				
	4x1.5x1/3	"				
	5x1.5x1/4	"				
	6x1.5x1/5	"				



सिभिल कार्यहरु (Civil works)			काभ्रेपलाञ्चोक			
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	3x2x0.5/2	"				
	4x2x0.5/3	"				
	5x2x0.5/4	"				
	6x2x0.5/5	"				
	3x2x1/2	"				
	4x2x1/3	"				
	5x2x1/4	"				
	6x2x1/5	"				
	G) Sack Gabions/Cylindrical Gabions					
	1.5x0.74dia (SG/10x12/3.0/3.9/2.4/ZN)	गोटा				
	1.5x0.74dia (SG/10x12/2.7/3.4/2.2/ZN)	"				
	1.5x0.74dia (SG/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick))	"				
	H) Wire Mesh Nettings					
	WMN/10x12/3.0/3.9/2.4/ZN	व.मी.				
	WMN/10x12/2.7/3.4/2.2/ZN	"				
	WMN/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)	"				
	I) MTS/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)					
	3x2x0.5	गोटा				
	3x2x0.5	"				
	J) MGTS/10x12/2.7/3.4/2.2/ZN+PVC (1mm thick)					
	3x2x0.63	गोटा				
	3x2x0.61	"				
	3x2x0.76	"				
	3x2x0.80	"				
	3x2x0.60	"				
	3x2x0.83	"				
	3x2x0.91	"				
	K) MRM/6x8/2.2/2.7/2.2/ZN					
	3x2x0.17	गोटा				
	4x2x0.17	"				
	5x2x0.17	"				
	6x2x0.17	"				
	3x2x0.23	"				
	4x2x0.23	"				
	5x2x0.23	"				
	6x2x0.23	"				
	3x2x0.30	"				
	4x2x0.30	"				
	5x2x0.30	"				
	6x2x0.23	"				
	मेकानिकल बुनिङ्ग, Mechanically selvedged double Twist wire mesh को हेमि जिङ्ग कोटेड तयारी मेकानिकल बाक्स mesh type-10x12 , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मी.	275.00	275.00	280.00	
	Note:					
	MBG = Maccaferi Box Gabion					
	MJG = Maccaferi Jumbo Gabion					
	MRM = Maccaferi Reno Mattress					
	WMN = Wire Mesh Netting					
	MTS=Maccaferi Terramesh System					
	MGTS=Maccaferi Gremm Terramesh System					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					



सिभिल कार्यहरु (Civil works)			आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	केफियत
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई				
	PVC = PVC coated					
59	Equipment Hired Rate Based on DoR (shall be as below until DoR rate is not updated)					
	a) Asphalt Plant* (Upto 10 ton)	Per hr.	As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate		
	b) Asphalt Plant* (Bram millar upto 10 ton/hr)	"				
	b) Asphalt Plant* (40 ton/ hour)	"				
	c) Asphalt Paver	"				
	d) Asphalt, Mixer (Bel mix)	"				
	e) Broom Road, Towed	"				
	f) Boring Rig	"				
	g) Air compressor 150 to 275 CPM	"				
	h) Crane Mobile 5 to 10 ton	"				
	i) Crane Mobile (10+ to 15 ton)	"				
	j) Crusher Stone (50 to 100HP)	"				
	k) Cutter Concrete	"				
	l) Dozer Wheel (150+ to 230 HP) HonomagD66c D66d	"				
	l) Dozer Wheel (150+ to 225 HP)	"				
	m) Dozer, Track (120 to 180 HP)	"				
	n) Dozer, Track (180+ to 240 H)	"				
	o) Bitumin Distributer (4 to 6 KL)	"				
	p) Rock Drill (Engine)	"	As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate	
	q) Rock Drill (Pneumatic)	"				
	r) Mini Dumper (Upto 1CUM)	"				
	s) Mini Dumper (1 CUM+)	"				
	t) Excavator, Wheel (Upto 110 HP)	"				
	u) Excavator, Track (Upto 110 HP)	"				
	v) Fork Lift Truck (Upto 2.5 ton)	"				
	w) Generaor* (Upto 10 KVA)	"				
	x) Generator* (10+ to 30 KVA)	"				
	y) Generator* (30 to 50 KVA)	"				
	z) Generator* (420 KVA)	"				
	aa) Grador motor (80 to 145 HP)	"				
	bb) Hopper Gritter	"				
	cc) Chips spreader tail gate mounted	"				
	dd) Bitumin heater (Upto 2 KL)	"				
	ee) Loader, Wheel (1 to 1.75 CUM)-JCB	"				
	ff) Loader, Wheel (1.75+ to 2.5 Cum)	"				
	gg) Back Hoe Loader (Upto 85 HP)	"				
	hh) Mixer Concrete	"				
	ii) Maintainer (Upto 75 HP)	"				
	jj) Water Pump (Upto 6" DIA)	Per hr.				
	kk) Pile Driver* (up to 10 ton)	Per hr.				
	ll) Roller 3, Wheel (Upto 12 ton)	Per hr.				
	mm) Roller, Pneumatic (Upto 20 ton)	Per hr.				
	nn) Roller, Vib Pedestrian (Upto 0.5 ton)	"				
	oo) Roller, Vib Sheep Foot (Upto 10 ton)	"				
	pp) Roller, Vib, Self Prop (Upto 3 ton)	"				
	qq) Roller, Vib, Self Prop (3 ton+)	"				
	rr) Roller, Vib, towed (Upto 7 ton)	"				
	ss) Spreader chips, Self propeeled	"				
	tt) Sprayer, Emulsion (Upto 1 KL)	"				
	uu) Truck, Flat Bed/ Crane (Upto 7 ton)	"				
	vv) Truck, Flat Bed (Upto 150HP)	"				
	ww) Truck, Tipper (Upto 150 HP)	"				
	xx) Truck Tipper (From 150 HP+)	"				
	yy) Mini Truck	"				
	zz) Trailer, Tractor (10+ to 25 ton)	"				
	aaa) Trailer, Tractor (25 ton+)	"				
	bbb) Water Tanker (Upto 8 KL)	"				
	ccc) Trailer	"				
	ddd) Tractor (Upto 85 HP)	"				
	Tractor with triler	"				
	eee) Vibrator (Engine)	"	As per DOR Equipment Hire	As per DOR Equipment Hire		



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	भा.व. ०८१/०८२	भा.व. ०८२/०८३	भा.व. ०८३/०८४	कैफियत
	(ff) Compactor, Hand Towed (Upto 200 Kg)	"	Rate	Rate		
	(ggg) Compactor, Hand Towed (350 to 450 Kg)	"				
	(hhh) Welding, Arc (10 to 30 KVA)	"				
60 Road furniture/goods/other materials from DoR						
	i) Retro-reflective traffic sign	Sqm	21,867.00	21,867.00	21,867.00	
	ii) Painted traffic sign	"	6,429.00	6,429.00	6,429.00	
	iii) Normal cats eye	no.	1,117.00	1,117.00	1,117.00	
	iv) Solar power road stud	"	4,449.00	4,449.00	4,449.00	
	v) Traffic signal (Circular or Arrow)	"				
	vi) Traffic signal control unit	"				
	vii) Thermoplastic road paint	Kg.	248.00	248.00	248.00	
	viii) Glass bead	Kg.	239.00	239.00	239.00	
	ix) Traffic Jacket	no.	3,000.00	3,000.00	3,000.00	
	x) Traffic cone	no.	1,500.00	1,500.00	1,500.00	
	xi) Planting Board	Sqm	500.00	500.00	500.00	
	xii) Traffic reflective signage (Price without stand pipe)	Sqm	16,907.00	16,907.00	16,907.00	
	xiii) Super bond XS (Anti-stripping agent)	Kg.	600.00	600.00	600.00	
	xiv) Special additive CZ-500	Kg.	710.00	710.00	710.00	
	xv) Safety Helmate (special)	no.	300.00	300.00	300.00	
	xvi) Safety Helmate (General)	no.	150.00	150.00	150.00	
	xvii) Gumboot	pair	1,050.00	1,050.00	1,050.00	
	xviii) Reflector Jacket	no.	500.00	500.00	500.00	
Geosynthetics						
A) Geo-textile (Needle Punched Nonwoven)						
1	MacTex: MXC N20.2 (120g/sqm)	Sqm	71.00	71.00	71.00	
2	MacTex: MXC N30.2 (150g/sqm)	Sqm	78.00	78.00	78.00	
3	MacTex: MXC N40.2 (200g/sqm)	Sqm	115.00	115.00	115.00	
4	Geobags (MacBags) 1m x 0.7m (300g/sqm)	Sqm	250.00	250.00	250.00	
B) Geomembrane: High Density Polythlene Geo-membrane						
1	Machine SDH-100 (Thickness: 1mm)	Sqm	633.00	633.00	633.00	
2	Machine SDH-200 (Thickness: 2mm)	Sqm	1,265.00	1,265.00		
C) Drainage Composite						
1	MACDRAIN W110M Specification: Thickness (at 2kPa): 10mm One side non woven geotextile and otherside polymeric geomembrane	Sqm	1,487.00	1,487.00	1,487.00	
2	MACDRAIN W1061 Specification: Thickness (at 2kPa): 7mm both sides non woven geotextile	Sqm	1,185.00	1,185.00	1,185.00	
D) Erosion Control Blanket: BioMat						
	BIOMAC CC 045 (450g/sqm)	Sqm	266.00	266.00	266.00	
	BIOMAC CC 060 (600g/sqm)	Sqm	305.00	305.00	305.00	
E) Geo Mat						
	MACMAT 12.1 (280g/sqm) Polymer: Polypropylene; Thickness: 12mm	Sqm	629.00	629.00	629.00	
	MacMat R1 6822 GN (Steel Reinforced Geo Mat)	Sqm	1,996.00	1,996.00	1,996.00	
	MacMat R1 6822 GO (Steel Reinforced Geo Mat)	Sqm	2,347.00	2,347.00	2,347.00	
F) Geogrid: Strip Bonded GeoGrids With High Tenacity Polyester Core						
	Paralink 100 (UTS: 100 kN/m)	Sqm	414.00	414.00	414.00	
	Paralink 200 (UTS: 200 kN/m)	Sqm	517.00	517.00	517.00	
	Paralink 300 (UTS: 300 kN/m)	Sqm	705.00	705.00	705.00	
	Paralink 400 (UTS: 400 kN/m)	Sqm	882.00	882.00	882.00	
	Paralink 500 (UTS: 500 kN/m)	Sqm	1,078.00	1,078.00	1,078.00	
	Paralink 600 (UTS: 600 kN/m)	Sqm	1,303.00	1,303.00	1,303.00	
	Paralink 700 (UTS: 700 kN/m)	Sqm	1,719.00	1,719.00	1,719.00	
	Paralink 800 (UTS: 800 kN/m)	Sqm	2,082.00	2,082.00	2,082.00	
	Paralink 900 (UTS: 900 kN/m)	Sqm	2,544.00	2,544.00	2,544.00	
	Paralink 1000 (UTS: 1000 kN/m)	Sqm	2,845.00	2,845.00	2,845.00	
	Paralink 1200 (UTS: 1200 kN/m)	Sqm	3,572.00	3,572.00	3,572.00	
61 Concrete Pillar (Size 4" x 4") Readymade						
	Length 7'	गोटा	1,200.00	1,200.00	1,200.00	
	Length 5'	गोटा	600.00	600.00	600.00	



सिभिल कार्यहरू (Civil works)						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सा.व. ०८१/०८२	सा.व. ०८२/०८३	सा.व. ०८३/०८४	कैफियत
	Length 3'	गोटा	300.00	300.00	300.00	
62	Security System					
	Steel Security Gate supply					
	Metal detector (black Scorpion Company)	गोटा	16,995.00	16,995.00	16,995.00	
	Access Controller (Taiwanese)	गोटा	28,840.00	28,840.00	28,840.00	
	Access Controller (Chainese)	गोटा	13,905.00	13,905.00	13,905.00	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8,683.00	8,683.00	8,683.00	
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	9,930.00	9,930.00	9,930.00	
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	10,419.00	10,419.00	10,419.00	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34,333.00	34,333.00	34,333.00	
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (बफिस तथा व्यापारिक सुरक्षा प्रविधि)	गोटा				
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20,600.00	20,600.00	20,600.00	
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12,875.00	12,875.00	12,875.00	
	v) Finger print access system with software	गोटा	36,050.00	36,050.00	36,050.00	
	vi) Security from Panic Alarm	गोटा	36,050.00	36,050.00	36,050.00	
	vii) GPS (Global Positioning System) Device with software	गोटा	25,749.00	25,749.00	25,749.00	
63	Bridge Materials					
	i) Elastometric bearing Pad					
	Fix Type	no.	20,554.00	20,554.00	20,554.00	
	Free Type	no.	48,489.00	48,489.00	48,489.00	
	v) Expansion Joint Works					
	Single strip seal	m	9,328.00	9,328.00	9,328.00	
	Slab seal (320*50)	m	19,277.00	19,277.00	19,277.00	
	Rubber seal (5mm thick, 150mm wide)	m	310.00	310.00	310.00	
	vi) Φ 26 mm thimble	Pc	361.00	361.00	361.00	
	vii) Φ 32 mm thimble	Pc	618.00	618.00	618.00	
	viii) Φ 36 mm thimble	Pc	1,326.00	1,326.00	1,326.00	
	viii) Φ 40 mm thimble	Pc	1,545.00	1,545.00	1,545.00	
	ix) Φ 13 mm Bulldog grip	Pc	72.00	72.00	72.00	
	x) Φ 26 mm Bulldog grip	Pc	361.00	361.00	361.00	
	xi) Φ 32 mm Bulldog grip	Pc	541.00	541.00	541.00	
	xii) Φ 36 mm Bulldog grip	Pc	670.00	670.00	670.00	
	xiii) Φ 40 mm Bulldog grip	Pc	670.00	670.00	670.00	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m ²	412.00	412.00	412.00	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6,695.00	6,695.00	6,695.00	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258.00	258.00	258.00	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	361.00	361.00	361.00	
	High tensile friction grip nut bolts	kg	335.00	335.00	335.00	
	Galvanization					
	Zinc Above 98.5% purity	kg	309.00	309.00	309.00	



सिभिल कार्यहरु (Civil works)						
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	वैधियत
	Premix of Zinc amonium chloride	kg	595.00	595.00	595.00	
	Hydraucloic acid	Lit	41.00	41.00	41.00	
64	डोजर /Excavator ले माटो खान्ने कार्य					
1	Ordinary soil/ Hard Soil/ Boulder Mix Soil	CuM	As per DOR Equipment Hire Rate	As per DOR Equipment Hire Rate		
2	Ordinary Rock/ Soft Rock	CuM				
3	Medium Rock	CuM				
4	Hard Rock	CuM				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

P

P



P

P


P

P

बन, कृषि र पशुपंक्षी कार्यसम्बन्धी

काभ्रेपलाञ्चोक

आ.ब. ०८३/०८४



निर्णय नं.: २ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रहरूको आ.व. ०८३/८४ को लागि बन, कृषि र पशुपंक्षी कार्यसम्बन्धी निम्न अनुसारका निर्माण सामग्रीहरूको निम्नानुसारको दररेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरियो । (पान नं १ देखी ९ सम्म)

१ वन क्षेत्रको कार्यक्रम सम्बन्धी	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	
क नर्सरी सम्बन्धी					
१ २०० गेजको विरुवा उमार्ने कालो चार प्वाल भएको विभिन्न साइजको पोलिथिन थैला	के जी	३८५.००	३८५.००	३८५.००	वैफियत
२ ब्याड छोप्ने प्लाष्टिक	के जी	२९०.००	२९०.००	२९०.००	
३ स्थापोलियन प्लाष्टिक	के जी	१,०००.००	१,०००.००	१,०००.००	
४ नर्सरी नाइके ज्यस्ता प्रति सहिना	व्यक्ति	१५,०००.००	१५,०००.००		
ख वन बिउ-प्रोपाग्यूल खरिद सम्बन्धी					
१ शिरिष	के जी	१,१००.००	१,१००.००	१,१००.००	
२ खयर	के जी	१,७५०.००	१,७५०.००	१,७५०.००	
३ उत्तिस	के जी	१,६५०.००	१,६५०.००	१,६५०.००	
४ मसला	के जी	३,५५०.००	३,५५०.००	३,५५०.००	
५ टिक	के जी	१,०००.००	१,०००.००	१,०००.००	
६ गोब्रेसल्ला	के जी	४,९००.००	४,९००.००	४,९००.००	
७ चाँप	के जी	५५०.००	५५०.००	५५०.००	
८ चिलाउने	के जी	३,५००.००	३,५००.००	३,५००.००	
९ पैयू	के जी	९२०.००	९२०.००	९२०.००	
१० खोटेसल्ला	के जी	४,६००.००	४,६००.००	४,६००.००	
११ लाकुरी	के जी	२,७००.००	२,७००.००	२,७००.००	
१२ पाटेसल्ला	के जी	४,३५०.००	४,३५०.००	४,३५०.००	
१३ सिर्छो	के जी	८००.००	८००.००	८००.००	
१४ कदम	के जी	५,५००.००	५,५००.००	५,५००.००	
१५ सिमल	के जी	३,३००.००	३,३००.००	३,३००.००	
१६ तेजपात	के जी	१,६००.००	१,६००.००	१,६००.००	
१७ सतिसाल	के जी	१,९५०.००	१,९५०.००	१,९५०.००	
१८ विजयसाल	के जी	३,०००.००	३,०००.००	३,०००.००	
१९ अन्य वन प्रजाति रुख	के जी	१,०००.००	१,०००.००	१,०००.००	
२० देवदार	के जी	१२,०००.००	१२,०००.००	१२,०००.००	
२१ मयूरपखी धुपी	के जी	५,०००.००	५,०००.००	५,०००.००	
२२ धुपीसल्ला	के जी	४,५००.००	४,५००.००	४,५००.००	
२३ विरेन्द्रफूल	के जी	५,५००.००	५,५००.००	५,५००.००	
२४ कागियो	के जी	५,५००.००	५,५००.००	५,५००.००	
२५ कल्की	के जी	५,५००.००	५,५००.००	५,५००.००	
२६ अशोक	के जी	२,७५०.००	२,७५०.००	२,७५०.००	
२७ गोलुडमोहर	के जी	९००.००	९००.००	९००.००	
२८ सुगन्धकोकिला	के जी	२,२००.००	२,२००.००	२,२००.००	
२९ अक्षगन्ध	के जी	४,९५०.००	४,९५०.००	४,९५०.००	
३० रुद्राक्ष	के जी	५००.००	५००.००	५००.००	
३१ श्रीखण्ड	के जी	७,०००.००	७,०००.००	७,०००.००	
३२ कपुर	के जी	४,९००.००	४,९००.००	४,९००.००	
३३ रक्तचन्दन	के जी	७,०००.००	७,०००.००	७,०००.००	
३४ सजिवन	के जी	१,१००.००	१,१००.००	१,१००.००	
३५ लप्सी	के जी	१,०००.००	१,०००.००	१,०००.००	
३६ हाडेओखर	के जी	७७५.००	७७५.००	७७५.००	



३७	दातेओखर	के जी	१,३००.००	१,३००.००	१,३००.००
३८	बाँस/निगालो	के जी	६,३००.००	६,३००.००	६,३००.००
३९	कुरिलो	के जी	६,४००.००	६,४००.००	६,४००.००
४०	चिराईतो	के जी	१५,०१५.००	१५,०१५.००	१५,०१५.००
४१	हरो/वरो	के जी	९५०.००	९५०.००	९५०.००
४२	रिद्धा	के जी	५५०.००	५५०.००	५५०.००
४३	राजवृक्ष	के जी	८२५.००	८२५.००	८२५.००
४४	निम	के जी	७००.००	७००.००	७००.००
४५	अन्य जडीबुटी तथा रोहकास्ट	के जी	५,५००.००	५,५००.००	५,५००.००
४६	अमला	के जी	६,०००.००	६,०००.००	६,०००.००
४७	टिम्पुर	के जी	७,१००.००	७,१००.००	७,१००.००
४८	जैतुन	के जी	१७,२००.००	१७,२००.००	१७,२००.००
४९	बोधिवित्त	के जी	१३५.००	१,०००.००	१,०००.००
५०	जामुन	के जी	५००.००	५००.००	५००.००
५१	लौठसल्ला	के जी	१०,०००.००	१०,०००.००	१०,०००.००
५२	लौठसल्ला कटिग	प्रति कटिग	५.००	५.००	५.००
५३	टिमुन कटिग	प्रति कटिग	५.००	५.००	५.००
५४	किम्बु कटिग	प्रति कटिग	२.००	२.००	२.००
५५	गुर्जो कटिग	प्रति कटिग	३.००	३.००	३.००
५६	जडिबुटी अन्य प्रजाति कटिग	प्रति कटिग	२.००	२.००	२.००
५७	जडिबुटी बाहेक अन्य वन प्रजाति कटिग	प्रति कटिग	२.००	२.००	२.००
५८	धेचा	के जी	३७५.००	३७५.००	३७५.००
५९	स्टाइलो	के जी	१,१५५.००	१,१५५.००	१,१५५.००
६०	मलासेस	के जी	८६५.००	८६५.००	८६५.००
६१	जैघोस	के जी	११५.००	११५.००	११५.००
६२	अन्य भुईघोस	के जी	८७५.००	८७५.००	८७५.००
६३	कागती	के जी	१२,०००.००	२०,०००.००	२०,०००.००
६४	जुनार	के जी	१२,०००.००	२०,०००.००	२०,०००.००
६५	हुन्तला	के जी	१३,०००.००	२०,०००.००	२०,०००.००
६६	अम्बा	के जी	२०,०००.००	२०,०००.००	२०,०००.००
६७	वडहर	के जी	३३०.००	५००.००	५००.००
६८	बोहोरी	के जी	३,२५०.००	३,२५०.००	३,२५०.००
६९	कोईरालो	के जी	१,०००.००	१,०००.००	१,०००.००
७०	टोकी	के जी	१,०००.००	१,०००.००	१,०००.००
७१	राईखन्यू	के जी	८,६५०.००	८,६५०.००	८,६५०.००
७२	निमारो	के जी	५,५००.००	५,५००.००	५,५००.००
७३	हुधिलो	के जी	८,२००.००	८,२००.००	८,२००.००
७४	ईपिल ईपिल	के जी	५५०.००	५५०.००	५५०.००
७५	भटमास	के जी	१,५५०.००	१,५५०.००	१,५५०.००
७६	अन्य डालेघोस	के जी	२,२३०.००	२,२३०.००	२,२३०.००
७७	चिउरी	के जी	४५०.००	७००.००	७००.००
७८	कालीकाठ	के जी	-	५,०००.००	५,०००.००
ग	बिरुवा खरिद सम्बन्धी				
ग.अ.	वन जन्य				
१	काष्ठजन्य बिरुवाहरु कामतमा ३ बष (कामतमा ३ फिट भन्दा)	प्रति बिरुवा	७०.००	७७.००	७७.००



२	काष्ठजन्य विरुवाहरु कम्तिमा २ बर्ष (कम्तिमा २ फिट अग्लो)	प्रति विरुवा	५०.००	५५.००	५५.००
३	काष्ठजन्य विरुवाहरु कम्तिमा १ बर्ष (कम्तिमा १ फिट अग्लो)	प्रति विरुवा	४०.००	४४.००	४४.००
४	काष्ठजन्य अन्य विरुवाहरु १४ बर्ष भन्दा बढी उमेरका २ कम्तिमा ३ फिट अग्लो)	प्रति विरुवा	१००.००	११०.००	११०.००
५	कदम, सिमल (कम्तिमा आधा फिट अग्लो)	प्रति विरुवा	२५.००	२५.००	२५.००
६	चाँप, निम, आदि	प्रति विरुवा	३०.००	३३.००	३३.००
७	पोलोनिया थैलामा	प्रति विरुवा	५०.००	५५.००	५५.००
८	सतिसाल/विजय साल	प्रति विरुवा	५०.००	५५.००	५५.००
९	देवदार (पोलिब्याग) १-२ बर्ष	प्रति विरुवा	२७५.००	३०२.००	३०२.००
१०	अन्य वनजन्य विरुवा (उत्तिस, चिलाउने, बकाइनो, सल्ला, सिसौ, मसला)	प्रति विरुवा	३०.००	४५.००	४५.००
११	माथिको मापवण्डमा नपरेका जुनसुकै प्रकारका ५ फिट भन्दा अग्ला वन विरुवा		-	५००.००	५००.००
ग.आ. सौन्दर्य मुलक					
१	सिजनल फुल ८ इन्च पोली थैलो	प्रति विरुवा	३०.००	३०.००	३०.००
२	गुलाब फुल ८ इन्च पोली थैलो	प्रति विरुवा	२००.००	२००.००	२००.००
३	पारिजात	प्रति विरुवा	३०.००	३०.००	३०.००
४	जिन्को बाइलोवा थैलामा ३ बर्ष	प्रति विरुवा	१,०००.००	१,०००.००	१,०००.००
५	जाम्बिया सो प्लान्ट	गोटा	४,५००.००	४,५००.००	४,५००.००
६	रेक्सोना	गोटा	५,०००.००	५,०००.००	५,०००.००
७	रेबिज पाल्म	गोटा	३,५००.००	३,५००.००	३,५००.००
८	एरिका पाल्म	गोटा	५,०००.००	५,०००.००	५,०००.००
९	टुपिडेन्टस्	गोटा	३,०००.००	३,०००.००	३,०००.००
१०	सिल्वरयूका	गोटा	२,५००.००	२,५००.००	२,५००.००
११	जनाडो	गोटा	३,५००.००	३,५००.००	३,५००.००
१२	फिलोडन	गोटा	२,५००.००	२,५००.००	२,५००.००
१३	ड्रेसिना	गोटा	२,५००.००	२,५००.००	२,५००.००
१४	सिपोटिया	गोटा	३,५००.००	३,५००.००	३,५००.००
१५	रेड ड्रेसिना	गोटा	२,५००.००	२,५००.००	२,५००.००
१६	गोल्डक्रिस धुपी	गोटा	८००.००	८००.००	८००.००
१७	क्यामेलिया	गोटा	८००.००	८००.००	८००.००
१८	साइकस (कम्तिमा ५ फिट अग्लो)	गोटा	७,०००.००	७,०००.००	७,०००.००
१९	क्रिसमस ट्री (कम्तिमा ५ फिट अग्लो)	गोटा	४,०००.००	४,०००.००	४,०००.००
२०	रुद्राक्ष कम्तिमा २ फिट अग्लो	गोटा	१३०.००	१३०.००	१३०.००
२१	कपुर कम्तिमा २ फिट अग्लो	गोटा	११५.००	११५.००	११५.००
२२	वीरेन्द्रफुल कम्तिमा २ फिट अग्लो ।	गोटा	७५.००	८२.००	८२.००
२३	कल्किफुल कम्तिमा २ फिट अग्लो ।	गोटा	५०.००	५५.००	५५.००
२४	गोल्डमोहर कम्तिमा २ फिट अग्लो ।	गोटा	५०.००	५५.००	५५.००
२५	धुपी कम्तिमा २ फिट अग्लो ।	गोटा	२५०.००	२५०.००	२५०.००
२६	क्रिसमस ट्री कम्तिमा २ फिट अग्लो ।	गोटा	३५०.००	३५०.००	३५०.००
२७	चेरी ब्लुसम (कम्तिमा २ फिट अग्लो)	गोटा			
२८	रुद्राक्ष कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	२५०.००	२५०.००	२५०.००
२९	कपुर कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	२३०.००	२३०.००	२३०.००
३०	वीरेन्द्रफुल कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	१५०.००	१६०.००	१६०.००
३१	कल्किफुल कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	१००.००	११०.००	११०.००
३२	गोल्डमोहर कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	१००.००	११०.००	११०.००



३३	चेरी ब्लुसम (कम्तिमा ४ फिट अग्लो)				
३४	धुपी कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	४००.००	४००.००	४००.००
३५	रुद्राक्ष कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा	१,०००.००	१,०००.००	१,०००.००
३६	कपुर कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा	७००.००	७००.००	७००.००
३७	वीरेन्द्रफुल कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा	५००.००	५५०.००	५५०.००
३८	कल्किफुल कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा	४००.००	४४०.००	४४०.००
३९	गोल्डमोहर कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा	४००.००	४४०.००	४४०.००
४०	धुपी कम्तिमा ८ फिट अग्लो थैलामा ।	गोटा	९००.००	९००.००	९००.००
४१	चेरी ब्लुसम कम्तिमा ६ फिट अग्लो थैलामा ।	गोटा	-	७५०.००	७५०.००
४२	अशोक कम्तिमा ५ फिट अग्लो थैलामा ।				-
४३	अन्य सौन्दर्यपरक विरुवा कम्तिमा २ फिट भन्दा अग्लो थैलामा ।	गोटा	२००.००	२२०.००	२२०.००
४४	अन्य सौन्दर्यपरक विरुवा कम्तिमा ४ फिट अग्लो थैलामा ।	गोटा	३००.००	३३०.००	३३०.००
४५	अन्य सौन्दर्यपरक विरुवा कम्तिमा ८ फिट वा सो भन्दा बढी अग्लो थैलामा ।	गोटा	५५०.००	६००.००	६००.००
४६	माथिको मापदण्डमा नपरेका जुनसुकै प्रकारका ५ फिट भन्दा अग्ला सौन्दर्यपरक विरुवा	गोटा	-	५५०.००	५५०.००
४७	चपरी सहित दुबो	बर्ग.फिट		५०.००	५०.००
४८	चपरी सहित दुबो लगाउने	बर्ग.फिट		२०.००	२०.००
ग.इ.	गैह्रकाष्ठ वन पैदावार जन्य				-
१	बाँस गानो (राइजोम)	प्रति विरुवा	४५०.००	४५०.००	४५०.००
२	बाँस कटिग विरुवा (नाङ्गो)	प्रति विरुवा	२७५.००	२७५.००	२७५.००
३	नेपाली बाँसको बिजु विरुवा (२ वर्ष भन्दा बढी उमेरको र १.५ फि. वा सो भन्दा बढी अग्लो)	प्रति विरुवा	१०६.००	११०.००	११०.००
४	चाईनिज भोसो बाँसको बिजु विरुवा (२ वर्ष भन्दा बढी उमेरको)	गोटा	३५०.००	३५०.००	३५०.००
५	चाईनिज भोसो बाँसको गानो	गोटा	४५०.००	४५०.००	४५०.००
६	चाईनिज भोसो बाँसको जरा कटिग विरुवा (२ वर्ष भन्दा बढी उमेरको र १.५ फि. वा सो भन्दा बढी अग्लो)	गोटा	५५०.००	५५०.००	५५०.००
७	निगालो राइजोम (नाङ्गो)	प्रति विरुवा	६०.००	६५.००	६५.००
८	निगालो बिजु थैलामा (१.५ फिट भन्दा अग्लो)	प्रति विरुवा	४०.००	४३.००	४३.००
९	अलैची गानो (२ सुट)	प्रति विरुवा	२०.००	२२.००	२२.००
१०	अलैची विरुवा (१ सुट)	प्रति विरुवा	२५.००	२७.००	२७.००
११	अम्रिसो राइजोम (३ सुट)	प्रति विरुवा	१५.००	१६.००	१६.००
१२	कुरिलो (तरकारी खाने)	प्रति विरुवा	२०.००	२०.००	२०.००
१३	वन कुरिलो जरा प्रयोग हुने थैला रहित	प्रति विरुवा	१५.००	१५.००	१५.००
१४	कुरिलो जरा प्रयोग हुने थैला सहित	प्रति विरुवा	२५.००	२५.००	२५.००
१५	चिराइतो, अश्वगन्धा थैला रहित	प्रति विरुवा	१०.००	११.००	११.००
१६	चिराइतो थैला सहित	प्रति विरुवा	२०.००	२०.००	२०.००
१७	लप्सी ग्राफिटिङ	प्रति विरुवा	७०.००	१००.००	१००.००
१८	लप्सी विरुवा थैलामा (१ वर्ष)	प्रति विरुवा	३०.००	३०.००	३०.००
१९	ओखर दाते, थैलामा विउबाट	प्रति विरुवा	५०.००	१२०.००	१२०.००
२०	ओखर हाडे, थैलामा	प्रति विरुवा	४५.००	५०.००	५०.००
२१	बेल विरुवा दुइ वर्ष	प्रति विरुवा	६०.००	६०.००	६०.००
२२	अमला दुइ वर्ष थैलामा विउबाट	प्रति विरुवा	५०.००	५५.००	५५.००
२३	अमला दुइ वर्ष थैलामा हाडबिड	प्रति विरुवा	१२५.००	१२५.००	१२५.००
२४	लोक्ता, अग्ली कटिङ	प्रति विरुवा	२०.००	२०.००	२०.००
२५	लोक्ता, अग्ली विउबाट	प्रति विरुवा	३५.००	३५.००	३५.००



२६	सुगन्धबाल, जटामसी विजबाट (नाङ्गो)	प्रति बिस्वा	१०.००	११.००	११.००
२७	बेत	प्रति बिस्वा	३०.००	३२.००	३२.००
२८	चन्दन रातो (रक्तचन्दन)	प्रति बिस्वा	२५०.००	२७५.००	२७५.००
२९	चन्दन सेतो (श्रीखण्ड)	प्रति बिस्वा	१५०.००	१५०.००	१५०.००
३०	सुगन्ध कोकिला	प्रति बिस्वा	५०.००	५०.००	५०.००
३१	तेजपात	प्रति बिस्वा	५०.००	५५.००	५५.००
३२	जैतुन बिस्वा (विजबाट) थैलामा	प्रति बिस्वा	६०.००	६५.००	६५.००
३३	जैतुन बिस्वा (प्रतिफिट) थैलामा २ फिट भन्दा अग्लो	प्रति बिस्वा	४००.००	४००.००	४००.००
३४	टिमुर (बीज, कटिङ्ग) थैलामा	प्रति बिस्वा	८०.००	८५.००	८५.००
३५	अन्य जडिबुटी तथा गैहकाष्ठ बिस्वा (हर्रो, बर्रो, मलालो, रिझा, मजिठो, ठूलो ओखती आदि)	प्रति बिस्वा	२५.००	३०.००	३०.००
३६	बोधिचित्त (कम्तिमा १ फिट अग्लो)	प्रति बिस्वा	२००.००	२२०.००	२२०.००
३७	लौठ सल्ला २ वा सो भन्दा बढी वर्ष, कम्तिमा १ फिट अग्लो(बीजबाट)	प्रति बिस्वा	१३५.००	१४०.००	१४०.००
३८	लौठ सल्ला २ वा सो भन्दा बढी वर्ष, कम्तिमा १.५ फिट (कटिङ्ग)	प्रति बिस्वा	१००.००	१००.००	१००.००
३९	सतुवा बिस्वा (बीजबाट)	प्रति बिस्वा	८०.००	८०.००	८०.००
४०	सतुवा बिस्वा (राइजोम) (कम्तिमा १.५ से.मी. व्यास र ४ से.मी लम्बाई)	प्रति बिस्वा	७०.००	७५.००	७५.००
४१	किम्बु कटिङ्ग बिस्वा नाङ्गो	प्रति बिस्वा	१०.००	१०.००	१०.००
४२	किम्बु कटिङ्ग बिस्वा थैला	प्रति बिस्वा	१५.००	१६.००	१६.००
४३	बिष	प्रति बिस्वा	५०.००	५५.००	५५.००
४४	अलैची राइजोम	गोटा	१३.००	१३.००	१३.००
४५	अलैची बिजु बिस्वा	गोटा	१४.००	१५.००	१५.००
४६	कालि काठको बिस्वा थैलामा (१.५ फिट सम्म अग्लो)	गोटा	-	१५०.००	१५०.००
४७	बाँस	घना			१७०.००
४८	Treated बाँस (३"-Dia)	र.मि			४८.००
४९	Treated बाँस (२.५"-Dia)	र.मि			४५.००
५०	Treated बाँस (२"-Dia)	र.मि			४२.००
५१	बाँसको चिवा ४ फिट * ६ फिट	गोटा			२००.००
५४	बाँसको मान्द्रो ६ फिट * ६ फिट	गोटा			३६५.००
ग.इ.	डाले घास र भुइँघाँस जन्य				
१	डाले घाँस (बडहर, सिरिस, टाँकी, दवदवे, निमारो, कोइरालो, ठोदने, राइखन्यू, गिदेरी, काभ्रे आदि) कम्तिमा १ फिट अग्लो थैलामा	प्रति बिस्वा	३०.००	५०.००	५०.००
२	डाले घाँस (बडहर, सिरिस, टाँकी, दवदवे, निमारो, कोइरालो, ठोदने, राइखन्यू, गिदेरी, काभ्रे आदि) कम्तिमा ३ फिट अग्लो थैलामा	प्रति बिस्वा	-	२००.००	२००.००
३	हेब ८ इन्च सम्म पोली थैलो	प्रति बिस्वा	६०.००	६०.००	६०.००
४	मलाटोघाँस	स्लिप	२.५०	२.५०	२.५०
५	नेपियर कटिङ्ग (नाङ्गो)	प्रति बिस्वा	८.००	९.००	९.००
ग.उ.	फलफुल जन्य				
१	झागनफुट (१ फिट सम्म अग्लो)	गोटा	२००.००	२००.००	२००.००
२	सुन्तला लोकल कम्तिमा १ वर्ष	प्रति बिस्वा	५०.००	७०.००	७०.००
३	सुन्तला कटिङ्ग, लेयारिङ बिस्वा (२ वर्ष भन्दा बढी उमेरको)	प्रति बिस्वा	१६०.००	१७५.००	१७५.००
४	अंगुर	गोटा	१००.००	१००.००	१००.००
५	अम्बा लोकल	प्रति बिस्वा	४०.००	४५.००	४५.००
६	अम्बा कलमी बिकास	प्रति बिस्वा	२००.००	२००.००	२००.००
७	आरु, आरुबखडा १ वर्ष	प्रति बिस्वा	५०.००	५०.००	५०.००



८	ओखर दाँते २ फिट वा सो भन्दा बढी अग्लो		२४०.००	२४०.००	२४०.००
९	ओखर हाडे (२ फिट सम्म अग्लो)	गोटा	६५.००	७०.००	७०.००
१०	आप (अन्नपाली, माल्दह, दशहरी २ वर्षे ग्राफिटिंग)	प्रति बिरुवा	१३०.००	१३०.००	१३०.००
११	आप लोकल	प्रति बिरुवा	६५.००	७०.००	७०.००
१२	अनार १ वर्षे लोकल	प्रति बिरुवा	५०.००	५०.००	५०.००
१३	अनार बिजु (२ फिट सम्म अग्लो)	गोटा	७०.००	७०.००	७०.००
१४	अनार कलमी २ वर्षे	प्रति बिरुवा	१५०.००	१५०.००	१५०.००
१५	अन्य फलफुल बिरुवा	गोटा	६०.००	६०.००	६०.००
१६	अगरउड (३ फिट भन्दा अग्लो)	गोटा	३५०.००	३५०.००	३५०.००
१७	मेकाडामिया (२ वर्षे भन्दा बढी उमेरको १.५ फिट वा सो भन्दा अग्लो)	गोटा	१५०.००	१६०.००	१६०.००
१८	मेकाडामिया (२ फिट वा सो भन्दा अग्लो)	गोटा	१८०.००	१९०.००	१९०.००
१९	मुन्तला	प्रति बिरुवा	६०.००	७०.००	७०.००
२०	नासपती, हलुवावेद स्थानीय बीउ/कलमी	प्रति बिरुवा	५०.००	७०.००	७०.००
२१	नासपती, हलुवावेद स्थानीय ग्राफटेड	प्रति बिरुवा	७५.००	९०.००	९०.००
२२	जामुन	प्रति बिरुवा	१२५.००	१२५.००	१२५.००
२३	जपानिज नास्पति (२ फिट सम्म अग्लो)	गोटा	२००.००	२२०.००	२२०.००
२४	जुनार (१.५ फिट सम्म अग्लो)	गोटा	९०.००	९०.००	९०.००
२५	जुनार लोकल (बीउबाट)	प्रति बिरुवा	५०.००	५५.००	५५.००
२६	जुनार कलमी (२ वर्षे वा सो भन्दा बढी)	प्रति बिरुवा	१००.००	११०.००	११०.००
२७	पिकानट (२ फिट सो भन्दा अग्लो) २ वर्षी वा वा सो भन्दा बढी	गोटा	३५०.००	३५०.००	३५०.००
२८	पिकानट (१ देखी १.५ वर्ष सम्मको, कम्तिमा १ फिट अग्लो)	प्रति बिरुवा	३००.००	३००.००	३००.००
२९	लिची बिजु (१.५ फिट सम्म अग्लो)	गोटा	९०.००	९०.००	९०.००
३०	लिची ग्राफिटिंग (२ फिट सम्म अग्लो)	गोटा	१३०.००	१३०.००	१३०.००
३१	किम्बु कटिंग (१ फिट सम्म अग्लो)	गोटा	१०.००	१०.००	१०.००
३२	किवि १ वर्षे (१ भाले ३ पोथी)	प्रति बिरुवा	१२५.००	१२५.००	१२५.००
३३	किवि २ वर्षे (१ भाले ३ पोथी)	प्रति बिरुवा	२००.००	२००.००	२००.००
३४	एभोकाडो (२.५ फिट सम्म अग्लो, २ वर्षे)	गोटा	२००.००	२००.००	२००.००
३५	एप्पल वयर	प्रति बिरुवा	१५०.००	१५०.००	१५०.००
३६	कागती बिजु बिरुवा (१ वर्षे उमेरको)	प्रति बिरुवा	५५.००	५५.००	५५.००
३७	कागती कटिंग, लेयारिंग बिरुवा २ वर्षे भन्दा बढी उमेरको)	गोटा	१५०.००	१५०.००	१५०.००
३८	कागती कलमी २ वर्षे बाह्रमासे	प्रति बिरुवा	२००.००	२००.००	२००.००
३९	कफि	प्रति बिरुवा	२२.००	२३.००	२३.००
४०	अन्य फलफुल बिरुवा	प्रति बिरुवा	३०.००	३५.००	३५.००
४१	नेपालमा दररेट कायम नभएका विदेशी बिरुवाहरु	प्रति बिरुवा	-	-	-
६५	जिल्ला वन कार्यालयबाट गरिने कार्यहरु				
क	वन समूहको कार्ययोजना सम्बन्धि				
१	तथ्यांक प्रविष्ट गर्ने कार्य	पेज	१००.००	१००.००	१००.००
२	तथ्यांक विश्लेषण	कार्ययोजना	५,०००.००	५,०००.००	५,०००.००
३	कार्ययोजना लेखन हस्तलिपी तयार	कार्ययोजना	१०,०००.००	१०,०००.००	१०,०००.००
४	कार्ययोजना खेसा चेक तथा पृष्ठपोषण	कार्ययोजना	५,०००.००	५,०००.००	५,०००.००
६६	गोलिया काठ र दाउरा कटान मुछान, दररेट				
१	कटान मुछान	प्रति क्यु.फिट	३०.००	३०.००	३०.००
१.१.	जोखिमयुक्त रुख (कार्यालय परिसर, वस्ती वरिपरी रहेका, आदि) रुख कटानमुछान	प्रति क्यु.फिट			१०५.००



२	बोका तारने				
२.१	बोका ताछी रिग बनाउने	प्रति गोलिया		१०.००	१०.००
२.२	बोका माथ छिल्ले (पुरै गोलियाको)	प्रति क्यु.फिट		२०.००	२०.००
२.३	काठको पलास सहित बोका छिल्ले (खयर आदि)	प्रति क्यु.फिट		४०.००	४०.००
३	ताप्रे	प्रति क्यु.फिट	३०.००	३५.००	३५.००
४	लोडिङ	प्रति क्यु.फिट	२०.००	२०.००	२०.००
५	अनलोडिङ	प्रति क्यु.फिट	१०.००	१०.००	१०.००
६	पाईलिङ	प्रति क्यु.फिट	२०.००	२३.००	२३.००
६७	काठ, दाउरा दुवानी (घाटगद्दि प्रयोजनका लागि)				
	गाडीद्वारा दुवानी				
१	पक्की सडक (३ कि.मि सम्म)	प्रति क्यु.फिट	२०.००	२५.००	२५.००
२	पक्की सडक (३ कि.मि भन्दा बढी)	प्रति क्यु.फिट	३०.००	३५.००	३५.००
३	ग्राभेल सडक (३ कि.मि सम्म)	प्रति क्यु.फिट	२५.००	२८.००	२८.००
४	ग्राभेल सडक (३ कि.मि भन्दा बढी)	प्रति क्यु.फिट	३५.००	४०.००	४०.००
५	कच्ची सडक (३ कि.मि सम्म)	प्रति क्यु.फिट	३०.००	३५.००	३५.००
६	कच्ची सडक ((३ कि.मि भन्दा बढी)	प्रति क्यु.फिट	४०.००	४५.००	४५.००
६८.१०	दाउरा संकलन, दुवानी चट्टा निर्माण (२० फिट ह ५ फिट ह ५ फिट)				
१	संकलन कटान मुख्य	चट्टा	३,४००.००	३,४००.००	३,४००.००
२	लोडिङ	चट्टा	२,७००.००	३,०००.००	३,०००.००
३	अनलोडिङ	चट्टा	१,४००.००	१,४००.००	१,४००.००
४	चट्टा निर्माण	चट्टा	१,४००.००	१,५००.००	१,५००.००
६८.२	दाउरा दुवानी (घाटगद्दि प्रयोजनको लागि)				
१	पक्की सडक (३ कि.मि सम्म)	प्रति चट्टा	-	३,०००.००	३,०००.००
२	पक्की सडक (३ कि.मि भन्दा बढी)	प्रति चट्टा	-	३,५००.००	३,५००.००
३	ग्राभेल सडक (३ कि.मि सम्म)	प्रति चट्टा	-	३,५००.००	३,५००.००
४	ग्राभेल सडक (३ कि.मि भन्दा बढी)	प्रति चट्टा	-	४,०००.००	४,०००.००
५	कच्ची सडक (३ कि.मि सम्म)	प्रति चट्टा	-	४,०००.००	४,०००.००
६	कच्ची सडक (३ कि.मि भन्दा बढी)	प्रति चट्टा	-	४,५००.००	४,५००.००
नोट: भौगोलिक विकटता तथा अन्य असहजताले गर्दा माथि उल्लेखित मापदण्ड र दर रेटमा कार्य सम्पन्न गर्न सम्भव नभएमा सम्बन्धित गा.पा./न.पा.को दररेटलाई आधार मान्न सकिनेछ ।					
२	कृषि तथा पशुसेवा कार्यालय सम्बन्धी				
	घाँसका विउवेर्नाहरू	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४
१	जै	के.जि.	१००.००	१००.००	१००.००
२	भैँच	के.जि.	१५०.००	१५०.००	१५०.००
३	केराउ	के.जि.	१३०.००	१३०.००	१३०.००
४	मिन्दुला	के.जि.	३७५.००	३७५.००	३७५.००
५	टियोसेन्टि	के.जि.	१५०.००	१५०.००	१५०.००
६	स्टाइलो	के.जि.	८५०.००	८५०.००	८५०.००
७	मोलासेस	के.जि.	३७५.००	३७५.००	३७५.००
८	भटमासे	के.जि.	१,४२५.००	१,४२५.००	१,४२५.००
	स्लिप तथा वेर्नाहरू				
१	डाँलेघाँसका बोट विरुवा	गोटा	१२.००	१२.००	१२.००
२	भुइँघाँसका स्लिप तथा सेटस	सेट/स्लिप	६.००	६.००	६.००
३	अधिसो गाना	गाना	७.००	७.००	७.००
४	नेपीएर कटिड	विरुवा	९.००	९.००	९.००



५	सुपर नेपियर	गोटा	१२.००	१२.००	१२.००
६	किम्बूको कटिंग बिरुवा	गोटा	१०.००	१०.००	१०.००
	पशुपन्धी सम्बन्धी				-
१	कर्मसियल १ दिने चल्ता	गोटा	९०.००	९०.००	९०.००
२	ब्रोइलर १ दिने चल्ता	गोटा	८०.००	८०.००	८०.००
३	गिरिराज चल्ता ४ हप्ते	गोटा	२००.००	२००.००	२००.००
४	स्थानीय कुखुरा भाले	गोटा	१,०००.००	१,०००.००	१,०००.००
५	स्थानीय कुखुरा पोथी	गोटा	८००.००	८००.००	८००.००
६	प्रजननको स्थानीय बोका	के.जि.	१,०००.००	१,०००.००	१,०००.००
७	प्रजननको ५०% कस बोयर बोका	के.जि.	२,०००.००	२,०००.००	२,०००.००
८	प्रजननको ७५% कस बोयर बोका	के.जि.	२,५००.००	२,५००.००	२,५००.००
९	प्रजननको ७५% भन्दा माथी कस बोयर बोका	के.जि.	३,०००.००	३,०००.००	३,०००.००
१०	प्रजननको स्थानीय खरी बाख्रा	के.जि.	५६०.००	५६०.००	५६०.००
११	प्रजननको पाठी खरी बाख्रा	के.जि.	६००.००	६००.००	६००.००
१२	प्रजननको जमुनापारी कस बाख्रा	के.जि.	६००.००	६००.००	६००.००
१३	प्रजननयोग्य साँढे	गोटा	५०,०००.००	५०,०००.००	५०,०००.००
१४	प्रजननको रोगो मुराकस	गोटा	१५०,०००.००	१५०,०००.००	१५०,०००.००
१५	बंगुरका पाठापाठि ४० दिने	गोटा	५,५००.००	५,५००.००	५,५००.००
१६	मुराकस लईनो भैंसी	गोटा	१५०,०००.००	१५०,०००.००	१५०,०००.००
१७	मुराकस थोरे पाडी- १८ महिना सम्मको	गोटा	४०,०००.००	४०,०००.००	४०,०००.००
१८	मुराकस पाडा मासुको लागि	के.जि.	४००.००	४००.००	४००.००
१९	जर्सी गाई लेना	गोटा	१००,०००.००	१००,०००.००	१००,०००.००
२०	होलिस्टियन गाई लेना	गोटा	१२०,०००.००	१२०,०००.००	१२०,०००.००
	पशु औजार तथा उपकरणहरू				-
१	लिविबड नाइट्रोजन कन्टेनर ५० लिटरको	गोटा	११५,०००.००	११५,०००.००	११५,०००.००
२	लिविबड नाइट्रोजन कन्टेनर ३० लिटरको	गोटा	९०,०००.००	९०,०००.००	९०,०००.००
३	सिमेन्ट रेफ्रि २ लिटरको	गोटा	४२,०००.००	४२,०००.००	४२,०००.००
४	ए.आई.यन डथूल स्ट्र	गोटा	४,५००.००	४,५००.००	४,५००.००
५	ए.आई.सिध ५० पिस	प्याकेट	७५०.००	७५०.००	७५०.००
६	ए.आई.ग्लोब १०० पिस	प्याकेट	१,२००.००	१,२००.००	१,२००.००
७	सर्जिकल डेलिभरि सेट	सेट	१६,५००.००	१६,५००.००	१६,५००.००
८	UV Plastic (minimum 5-layers) 200 micron	sq.m.			१४२.५०
९	UV Plastic (minimum 5-layers) 100 micron	sq.m.			६८.००
१०	Mulching Plastic 40 micron 19 kg-premium	roll			६,५७६.२०
११	Green Net 50% shade factor	sq.m.			२९.५०
१२	Green Net 75% shade factor	sq.m.			५५.८०
१३	White Shade Net 50% shade factor	sq.m.			३१.७०
१४	Pokhari Plastic (Blue) 250 GSM	sq.m.			१७८.७०
१५	Pokhari Plastic (Blue) 120 GSM	sq.m.			९५.१०
१६	Pokhari Plastic (Blue) 200 GSM	sq.m.			१६७.८०
१७	Plastic for Mushroom tunnel construction (blue/black) 200 GSM (black inside white outside)	sq.m.			२१३.८०
१८	Drip Irrigation Kit set 6-line x 12m (16mm pipe) with 100 ltr drum	Set			२,८५३.३०
१९	drip pipe 16 mm inline (Round)	M			२२.८०
२०	Drip pipe 16 mm online (Round)	M			२३.७०



2 Equipment/Materials for Honeybee Farming						
१	Modern Beehive with Bee colony Beehive with 10 frames, hive and frames made of TUNI, 5 frames with bee colony	Pcs.			१०,०००.००	
२	Beehive with 10 frames, hive made of TUNI, frame made of UTTIS, 5 frames with bee colony Beehive with 10 frames, hive and frames made of TUNI, 5 frames with bee colony	Pcs.			९,५००.००	
३	Modern Beehive (without bee colony) Beehive with 10 frames, hive and frames made of TUNI	Pcs.			४,३००.००	
४	Modern Beehive (without bee colony) Beehive with 10 frames, hive made of TUNI, frame made of UTTIS	Pcs.			३,७००.००	
५	Maha Madani 30 inches of legs, 18 inches long drum with 4 steel frames	Pcs.			११,५००.००	
६	Comb Foundation (Aadhar Chaka) Fine wax, Brood chamber of frame size	Pcs.			१,१५०.००	
७	Hive stand 12 inches (height)	Pcs.			५२०.००	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

2

8

€

€

2

2

2

2

Electrical Works

काभ्रेपलाञ्चोक

आ.ब. ०८३/०८४



निर्णय नं.: ३ काभ्रेपलान्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रभित्र आ.ब. ०८३/०८४ को लागी बिद्युतिय कार्य संग सम्बन्धीत तपसिलमा उल्लेखीत विवरण भएका सामग्री हरुको निम्न अनुसारको दर रेट (मु.अ.कर बाहेक) निर्धारण गर्ने निर्णय गरीयो । (पाना नं: १ देखि २७ सम्म)

Electrical Works

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	आ.ब ०८१/०८२	आ.ब ०८२/०८३	आ.ब ०८३/०८४	कैफियत
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL OR ISI EQUIVALENT					
	1) One Gang one way switch	सेट	58.00	58.00	58.00	
	2) One Gang two way switch	सेट	69.00	69.00	69.00	
	3) One way bell switch	"	72.00	72.00	72.00	
	4) Two gang one way switch	"	96.00	96.00	96.00	
	5) Two gang one way switch with one bell push	"	105.00	105.00	105.00	
	6) Two gang Full two way switch	"	107.00	107.00	107.00	
	7) Three Gang one way switch	"	127.00	127.00	127.00	
	8) Four gang one way switch	"	161.00	161.00	161.00	
	9) Six gang one way switch	"	253.00	253.00	253.00	
	10) Eight gang one way switch	"	304.00	304.00	304.00	
	11) Dimmer single 300 watt	"	309.00	309.00	309.00	
	12) Dimmer single 750 watt	"	459.00	459.00	459.00	
	13) 5 Step humming free dimmer	"	407.00	407.00	407.00	
	14) 16Amp 3 Pin Plug Top	"	121.00	121.00	121.00	
	15) 1 switch with dimmer	"	368.00	368.00	368.00	
	16) 6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151.00	151.00	151.00	
	17) 6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169.00	169.00	169.00	
	18) 20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371.00	371.00	371.00	
	19) 32A D.P. switch with fuse & indicator Surface Mounting	"	206.00	206.00	206.00	
	20) 6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	"	611.00	611.00	611.00	
	21) Blanking plate single	"	40.00	40.00	40.00	
	22) Telephone socket single	"	118.00	118.00	118.00	
	23) Telephone socket Double	"	169.00	169.00	169.00	
	24) Angle / bottom holder	"	35.00	35.00	35.00	
	25) Ceiling Rose	"	35.00	35.00	35.00	
	26) Buzzer	"	97.00	97.00	97.00	
	27) Musical bell	"	222.00	222.00	222.00	
	28) T.V. antenna single Socket	"	82.00	82.00	82.00	
	29) 6A 2/3 Pin unshuttered multi switch socket	"	128.00	128.00	128.00	
	30) RJ 45 Computer Socket for modem	"	234.00	234.00	234.00	
	31) CAT-5 Computer Socket for modem	"	0.00	0.00	0.00	
	32) Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35.00	35.00	35.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	33) Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63.00	63.00	63.00	
	34) Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	"	98.00	98.00	98.00	
	35) Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3". ORANGE, CLIPSAL or Equivalent					
	10A 1gang 1way Switch	Set	83.00	83.00	83.00	
	10A 2gang 1way Switch	Set	163.00	163.00	163.00	
	10A 3gang 1way Switch	"	216.00	216.00	216.00	
	10A 4gang 1way Switch	"	350.00	350.00	350.00	
	10A 5gang 1way Switch	"	371.00	371.00	371.00	
	10A 6gang 1way Switch	"	617.00	617.00	617.00	
	10A 1gang 2way Switch	"	144.00	144.00	144.00	
	10A 2gang 2way Switch	"	278.00	278.00	278.00	
	10A 3gang 2way Switch	"	407.00	407.00	407.00	
	10A 4gang 2way Switch	"	613.00	613.00	613.00	
	T V Socket outlet	"	299.00	299.00	299.00	
	Telephone Socket	"	268.00	268.00	268.00	
	13A Universal socket outlet	"	464.00	464.00	464.00	
	13A Socket	"	273.00	273.00	273.00	
	15A switched Socket outlet	"	443.00	443.00	443.00	
	5A Socket	"	340.00	340.00	340.00	
	RJ 45 8way Computer Socket	"	824.00	824.00	824.00	
	TV and Telephone socket	"	592.00	592.00	592.00	
2a	Modular Type Switch Socket set NORTH-WEST / SIEMENS/C&S/Legrand/ABB/Philips or ISI Equivalent					
	Seperate Module for Modular Switch & Socket					
1	1P - 6A 1 way switch	No.				
2	1P - 6A 1 way switch Luminous	"				
3	1P - 16A 1 way switch	"				
4	1P - 16A 1 way switch Luminous	"				
5	1P - 25A 1 way switch	"				
6	1P - 25A 1 way switch Luminous	"				
7	1P - 6A 2 way switch	"				
8	1P - 16A 2 way switch	"				
9	1P - 6A push button	"				
10	1P - 6A push button Luminous	"				
11	1 gang blanking module	"				
12	2 gang blanking module	"				
	FAN REGULATOR / DIMMER					
13	Step type fan regulator	No.				
14	60 - 500 W dimmer	"				
15	1000 W dimmer	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
2b	Modular Type Switch Socket NORTH-WEST / ROMA / WOODS Electrical U.K. OR ISI EQUIVALENT					
	1) 1gang 1 Way Switch with frame & plate .	सेट	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	2) 2-gang 1-way " "	सेट				
	3) 3 gang 1way " "	सेट				
	4) 4 gang 1 way switch " "	सेट				
	5) 5 gang 1 way " "	सेट				
	6) 6 gang 1way " "	सेट				
	7) TV socket " "	सेट				
	8) 1 gang 1 bell socket " "	"				
	9) 5 amp power socket " "	"				
	10) 15 amp " "	"				
	11) 15 amp flat power socket "	"				
	12) 1 gang 2 way switch " "	"				
	13 key tag with 25 amp energy squaring switch with plate	"				
	14) 13 flat power socket	"				
	15) 1 gang 2 way switch	"				
	16) Modular S.P. MCB suitable to mounting on modular type Switch/socket frame and plate	"				
	17) MCB + socket unit for flush mounting comprising of a single pole MCB , a 25Amp socket & a 25 Amp plugtop with indicator					
	18) Dimmer 300 W					
	19) Dimmer 1000W					
	20) RJ 45 computer Data Transfer socket with shutter					
	21) Flexicord 3 pin 4 meter, NorthWest / Roma or eqv.					
3	METAL Junction BOX					
	1) 4"x4"	गोटा	100.00	100.00	100.00	
	2) 4"x6"	"	150.00	150.00	150.00	
	3) 6"x8"	"	237.00	237.00	237.00	
	4) 8"x10"	"	349.00	349.00	349.00	
	5) 8"x12"	"	349.00	349.00	349.00	
4	PVC Junction Box					
	1) 4"x4"	गोटा	31.00	31.00	31.00	
	2) 4"x6"	"	31.00	31.00	31.00	
	3) 6"x8"	"	46.00	46.00	46.00	
	4) 8"x10"	"	67.00	67.00	67.00	
	5) 8" x12"	"	129.00	129.00	129.00	
	6) Join box cover	"	144.00	144.00	144.00	
5	PVC Listy Double Lock { 6'length =1 no.(गोटा)}					

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	1) 1/2"	र.मी	31.00	31.00	31.00	
	2) 3/4"	"	46.00	46.00	46.00	
	3) 1"	"	67.00	67.00	67.00	
	4) 1 1/2"	"	129.00	129.00	129.00	
	5) 2"	"	144.00	144.00	144.00	
6	PVC Conduit Pipe	"	0.00	0.00	0.00	
	1) 1/2"	र.मी	31.00	31.00	31.00	
	2) 3/4"	"	46.00	46.00	46.00	
	3) 1"	"	67.00	67.00	67.00	
7	Listy Pipe Accessories	"	0.00	0.00	0.00	
	1) 1/2"-2" size Shaddle	र.मी	8.00	8.00	8.00	
	2) Grips (denmark)	गोटा	6.00	6.00	6.00	
	3) Steel screws	गोटा	2.00	2.00	2.00	
	4) PVC Tape	गोटा	15.00	15.00	15.00	
8	Distribution board (DB)					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Standard.Company or Equivalent					
	1) 4 way SPN DB Double Cover	सेट	1082.00	1082.00	1082.00	
	2) 6 way SPN DB " "	"	1135.00	1135.00	1135.00	
	3) 8 way SPN DB " "	"	1416.00	1416.00	1416.00	
	4) 12 way SPN DB " "	"	1679.00	1679.00	1679.00	
	5) 16 way SPN DB " "	"	1795.00	1795.00	1795.00	
	6) 3-4 way TPN DB Double Cover	"	2668.00	2668.00	2668.00	
	7) 6 way TPN " " " "	"	2998.00	2998.00	2998.00	
	8) 8 way TPN " " " Vertical	"	5799.00	5799.00	5799.00	
	9) 12 way TPN " " " Vertical	"	7727.00	7727.00	7727.00	
	10) 50 Pair Telephone D.B.with crown tag	"	5446.00	5446.00	5446.00	
9	PVC Box for MCB					
	1) 1-pole PVC box GPS	सेट	81.00	81.00	81.00	
	2) 2- pole PVC " "	"	81.00	81.00	81.00	
	3) 3 and 4-pole PVC " "	"	130.00	130.00	130.00	
10	Miniature Circuits Breaker (MCB) , ISI ordinary type or equivalent					
	1) 6-32 amp MCB SP (single pole)	गोटा	206.00	206.00	206.00	
	2) 6-32 amp MCB DP (Double pole)	"	1030.00	1030.00	1030.00	
	3) 6-32 amp MCB TP (Triple pole)	"	1710.00	1710.00	1710.00	
	4) 32 amp MCB TPN	"	2472.00	2472.00	2472.00	
	5) 40-63 amp MCB SP	"	0.00	0.00	0.00	
	6) 40-63 amp MCB DP	"	1648.00	1648.00	1648.00	
	7) 40-63 amp MCB TP	"	2637.00	2637.00	2637.00	
	8) 40-63 amp MCB TPN	"	3157.00	3157.00	3157.00	
11	ISOLATOR ISI marked or Equivalent					

गोपाल कुमार अधिकारी
 प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	1) 40 Amp Isolator Single Pole	गोटा	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	2) 63 Amp Isolator Single Pole	"				
	3) 100 Amp Isolator Single Pole	"				
	4) 125 Amp Isolator Single Pole	"				
	5) 40 Amp Isolator Double Pole	गोटा				
	6) 63 Amp Isolator double Pole	"				
	7) 100 Amp Isolator double Pole	"				
	8) 125 Amp Isolator double Pole	"				
	9) 40 Amp Isolator Triple Pole	गोटा				
	10) 63 Amp Isolator Triple Pole	गोटा				
	11) 100 Amp Isolator Triple Pole	गोटा				
	12) 125 Amp Isolator Triple Pole	गोटा				
	13) 40 Amp Isolator Four Pole	गोटा				
	14) 63 Amp Isolator Four Pole	गोटा				
	15) 100 Amp Isolator Four Pole	गोटा				
	16) 125 Amp Isolator Four Pole	गोटा				
12	Residual Current Circuit Breaker ISI marked or Equivalent					
	1) 25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751.00	2751.00	2751.00	
	2) 63A 30mA DP RCCB	गोटा	3278.00	3278.00	3278.00	
	3) 63A 100mA DP RCCB	गोटा	3014.00	3014.00	3014.00	
	4) 63A 300mA DP RCCB	गोटा	3064.00	3064.00	3064.00	
	5) 25A to 40A ,(30mA,100,300mA) FP RCCB	गोटा	3377.00	3377.00	3377.00	
	6) 63A 30mA Four Pole RCCB	गोटा	3706.00	3706.00	3706.00	
	7) 63A 100mA Four Pole RCCB	गोटा	3706.00	3706.00	3706.00	
	8) 63A 300mA Four Pole RCCB	गोटा	3706.00	3706.00	3706.00	
13	Miniature circuit Brackets (MCB) 10 KA Simens,MarlinGerlin ,GE or ISI marked Equavalent					
	1) 0.5-4 AMP MCB 10 KA single pole	सेट	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	2) 6-32 AMP MCB 10 KA single pole	"				
	3) 6-32 AMP MCB 10 KA single pole	"				
	4) 40 AMP MCB 10 KA single pole	"				
	4) 0.5 -4 AMP MCB Doble pole	"				
	4) 6-32 AMP MCB " "	"				
	5) 40A MCB DP	"				
	5) 63A MCB DP	"				
	5) 0.5-4 AMP MCB Triple pole	"				
	6) 6-32 AMP MCB " "	"				
	7) 40 AMP MCB " "	"				
	6) 50 AMP MCB " "	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	6) 63 AMP MCB " "	"				
	8) 6A to 32 A MCB Triple pole with neutral (TPN)	"				
14	Moulded Case Circuit Breaker (GE , Seimens, Legrand or Equivalent)					
	16AMP- 63AMP TP MCCB 16KA	सेट	5665.00	5665.00	5665.00	
	80AMP TP MCCB 16KA	"	5665.00	5665.00	5665.00	
	100AMP TP MCCB 16KA		6386.00	6386.00	6386.00	
	125AMP TP MCCB 16KA	"	8240.00	8240.00	8240.00	
	160AMP TP MCCB 16KA	"	9785.00	9785.00	9785.00	
	16AMP- 63AMP TP MCCB 25KA	"	6386.00	6386.00	6386.00	
	80AMP TP MCCB 25KA	"	7045.00	7045.00	7045.00	
	100AMP TP MCCB 25KA	"	7045.00	7045.00	7045.00	
	125AMP TP MCCB 25KA	"	11330.00	11330.00	11330.00	
	160AMP TP MCCB 25KA	"	13390.00	13390.00	13390.00	
	200AMP TP MCCB 25KA(Adjustable)	"	21115.00	21115.00	21115.00	
	200AMP TP MCCB 35KA(Adjustable)	"	23175.00	23175.00	23175.00	
	250AMP TP MCCB 35KA(Adjustable)	"	27295.00	27295.00	27295.00	
	400AMP TP MCCB 50KA(Adjustable)	"	35535.00	35535.00	35535.00	
	630AMP TP MCCB 50KA(Adjustable)	"	48410.00	48410.00	48410.00	
	800AMP TP MCCB 50KA(Adjustable)	"	63963.00	63963.00	63963.00	
15	Air Circuit Breaker (ACB)(GE , Seimens , ABB or Equivalent)					
	Draw-Out 3 Pole 800 A (Micro Processor Release O/L,S/C Manual Operate)	सेट				
	Draw-Out 3 Pole 1000A (Micro Processor Release O/L,S/C Manual Operate)	सेट				
	Draw-Out 3 Pole 1250A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 1600A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 2000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 2500A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 3200A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 3 Pole 4000A (Micro Processor Release O/L,S/C Manual Operate)	"				
		"				
	Draw-Out 3 Pole 800 A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	Draw-Out 3 Pole 1000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	Draw-Out 3 Pole 1250A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 1600A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 2000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 2500A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 3200A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 3 Pole 4000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 800 A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 1000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 1250A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 1600A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 2000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 2500A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 3200A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 4000A (Micro Processor Release O/L,S/C Manual Operate)	"				
	Draw-Out 4 Pole 800 A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 1000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 1250A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	सेट				
	Draw-Out 4 Pole 1600A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 2000A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 2500A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				
	Draw-Out 4 Pole 3200A (Micro Processor Release O/L,S/C Motor Wound Operate Operate)	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	Draw-Out 4 Pole 4000A (Micro Processor Release O/L, S/C Motor Wound Operate Operate)	"				
16	Switch Gear ISI or equivalent.					
	1) 16 AMP 415 DP Rewirable Mainswitch	गोटा				
	2) 32 AM 415V DP " "	"				
	3) 63 AMP 415V " " "	"				
	4) 100 AMP 415v " "	"				
	5) 16 AMP 415 V DP HRC	"				
	6) 32 AMP 415V DP " "	"				
	7) 63 AMP 415v DP " "	"				
	8) 100AMP 415V DP " "	गोटा				
	9) 200 AMP 415V " "	"				
	10) 16 AMP 415V TP HRC	"				
	11) 32 AMP 4/5 TP HRc "	"				
	12) AMP 415V TP HRc "	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	13) 100AMP 415V " "	"				
	14) 200 AMP 415 " "	"				
	15) 300 AMP 415V " "	"				
	16) 400 AMP 415V " "	"				
	17) 16AMP 415V Change over switch	"				
	18) 32AMP 415V " "	"				
	19) 63AMP 415 " "	"				
	20) 100 AMP 415V " "	"				
	21) 200 AMP 415V " "	"				
	22) 300 AMP 415V " "	"				
	23) 63AMP 415V Bus Bar Chamber	"				
	24) 100 AMP 415V " "	"				
	25) 200 AMP 415V " "	"				
	26) 300 AMP 415V " "	"				
17	GENERAL FITTINGS					
	Dome Light					
	1) 6" Milky type decorative dome light	सेट	185.00	185.00	185.00	
	2) 6 " Brass base decorative dome light	"	758.00	758.00	758.00	
	3) 8"Milky type decorative dome light	"	233.00	233.00	233.00	
	4) 8 " Brass base decorative dome light	"	902.00	902.00	902.00	
	5) 8" Silver cast Milky base Decorative Dome Light Homedec, DECON or ISI Eqv.	"	1140.00	1140.00	1140.00	
	6) 8" Silver cast Black Base base Decorative Dome Light Homedec, DECON or Eqv.	"	584.00	584.00	584.00	
	7) Decorative Ceillig luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL , Compact co. or Equivalent	"	1249.00	1249.00	1249.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	8) Wall bracket/spout light/mirror light bulk head ordinary .	"	238.00	238.00	238.00	
	9) Wall bracket/spot light/mirror light /bulk head medium decorative.	"	371.00	371.00	371.00	
	10) Wall bracket/spout light/mirror light bulk head best quality , Homedec , Decon or ISI Eqv.	"	848.00	848.00	848.00	
	11) 40-60 watt Down light (conceal light)	"	997.00	997.00	997.00	
	12) 1 x 18watt CFL Down light (conceal light) Complete Set	"	1559.00	1559.00	1559.00	
	13) Dining lamp.	"	1751.00	1751.00	1751.00	
	14) Chandelers 6-8 lamp Medium	"	15542.00	15542.00	15542.00	
	15) Chandelers 3-5 lamp Medium	"	11086.00	11086.00	11086.00	
	16) Mirror Light Euro Light	"	477.00	477.00	477.00	
	17) Picture light Euro Light POO2	"	690.00	690.00	690.00	
	18) Wall spot Light E27 60W Euro or eqv.	"	371.00	371.00	371.00	
	Exit Liggh safety sign (8.24) w make samcon	सेट	848.00	848.00	848.00	
	Post top Lanterns Wipro,GE,C&S or Equivalent					
	19) Bollard Garden light small Size Homedec, DECON Or ISI Eqv.		2652.00	2652.00	2652.00	
	20) Bollard Garden light medium Size Homedec, DECON Or ISI Eqv.		3182.00	3182.00	3182.00	
	21) Bollard Garden light Full Size Homedec, DECON Or ISI Eqv.		3580.00	3580.00	3580.00	
	22)8" Globe type Post top Lamp complet set Homedec, DECON Or ISI Eqv.		1458.00	1458.00	1458.00	
	23) 10" Globe type Post top Lamp complet set Homedec, DECON Or ISI Eqv.		2785.00	2785.00	2785.00	
18	CEILING FANS & EXHAUST FANS, ALMONARD, / CROMPTION, BAJAJ CO. or equivalent					
	1) 36" size ceiling Fan	गोटा	2227.00	2227.00	2227.00	
	2) 42" size " "	"	2333.00	2333.00	2333.00	
	3) 48" size " "	"	2387.00	2387.00	2387.00	
	4) 56" size " "	"	2652.00	2652.00	2652.00	
	5)6" Exhaust Fan		1538.00	1538.00	1538.00	
	6) 9" Exhaust Fan	"	1857.00	1857.00	1857.00	
	7) 16" size wall fan	"	2917.00	2917.00	2917.00	
	8) 12"-15" size exhaust fan	"	2652.00	2652.00	2652.00	
19	BELL INDICATOR					
	1) 4 way bell indicator with plate	सेट	1255.00	1255.00	1255.00	
	2) 6 way " " " "	"	2049.00	2049.00	2049.00	
	3) 8 way " " " "	"	2851.00	2851.00	2851.00	
	4) 12 way " " " "	"	4395.00	4395.00	4395.00	
20	Materials For Earthing & Lightning Protection					
	1) Copper plate	के.जी	944.00	944.00	944.00	
	1) Copper plate (800×800×3.15)mm size	गोटा				



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	2) Copper plate (650×650×3.15)mm size	गोटा				
	3)Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1114.00	1114.00	1114.00	
	4)Copper Strip (20 x 3)mm(Appro. 65"= 1 Kg)	के.जी	1114.00	1114.00	1114.00	
	5)Copper Strip (12 x 3)mm (Appro. 118"= 1 Kg)		1114.00	1114.00	1114.00	
	6) Lightning rod copper conductor Air termination set	गोटा	2811.00	2811.00	2811.00	
	7) 8 SWG bare copper wire	र.मी	148.00	148.00	148.00	
	8) 29 mm Diameter GI Pipe of 1m length	र.मी	259.00	259.00	259.00	
	9) 30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	636.00	636.00	636.00	
	10) 5/16 nuts & bolt with spring washer cadmium maker	गोटा	15.00	15.00	15.00	
	11) 1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	201.00	201.00	201.00	
	12) Funnel with wire mesh	गोटा	361.00	361.00	361.00	
	13) Charcol	व्याग	309.00	309.00	309.00	
	14) Salt	के.जी	12.00	12.00	12.00	
21	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057.00	12057.00	12057.00	
b	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12484.00	12484.00	12484.00	
	8 Mtr. (Bottom : 139.7 mm Dia 4500 mm height, 114.3mm Dia 1750mm height & 88.9 mm Dia 1750mm height with firmly Welded or bolted (101kg Total Wt)		आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
c	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12979.00	12979.00	12979.00	

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	9 Mtr. (Bottom : 165.1 mm Dia.5000 mm height, 139.7mm Dia2000mm height , 114.3 mm Dia 2000mm height with firmly Welded or bolted with overlapping of 200mm, 150mm,Respectively (147 Kg Wt Total)	No				
	10 Mtr. (Bottom : 165.1 mm Dia.5200 mm height, 139.7mm Dia2400mm height , 114.3 mm Dia 2400mm height with firmly Welded or bolted with overlapping of 200mm, 150mm,Respectively (160 Kg Wt Total)	No	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	Heavy
	11 Mtr. (Bottom : 165.1 mm Dia.5600 mm height, 139.7mm Dia2700mm height , 114.3 mm Dia 2700mm height with firmly Welded or bolted with overlapping of 200mm, 150mm,Respectively (175 Kg Wt Total)	No				
e	7 mtr.length Wooden Pole (Treated)	No	4996.00	4996.00	4996.00	
f	9 mtr.length Wooden Pole (Treated)	No	6798.00	6798.00	6798.00	
22	Modular ceiling Luminaries					
	Fluorescent Tube light (FTL) set including Tube, condenser,starter , lamp holder,channel/ batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block Manufactured By Wipro, Philips, GE or ISI equivalent Company .					
	1) 1x20 watt FTL (Patti fittings)	सेट	464.00	464.00	464.00	
	2) 1x40 watt FTL (Patti fittings)		775.00	775.00	775.00	
	3) 1x20 watt FTL (Mirrolta)	"	876.00	876.00	876.00	
	4) 1x40 watt FTL (Mirrolta)	"	1020.00	1020.00	1020.00	
	5) 1x40 watt FTL box fittings	"	1159.00	1159.00	1159.00	
	6) 2x40 watt FTL box fittings	"	1751.00	1751.00	1751.00	
	7) 1x40 watt FTL Industrial channel	"	1782.00	1782.00	1782.00	
	8) 2x40 watt FTL Industrial channel	"	2287.00	2287.00	2287.00	
	9) 1x40 watt FTL, oplite with opal Arcylic dissuser .	"	1854.00	1854.00	1854.00	
	10) 2x40 watt FTL, hoplite with opal Arcylic dissuser	"	3090.00	3090.00	3090.00	
	11) 4x20 watt FTL, oplite with opal Arcylic dissuser	"	5410.00	5410.00	5410.00	
	12) 4x20 watt FTL mirror optic.	"	5410.00	5410.00	5410.00	
	13) 1x40 watt FTL mirr optic .	"	3554.00	3554.00	3554.00	
	14) 2x40 watt FTL mirror optic.	"	4326.00	4326.00	4326.00	
	15) 4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set	"	9383.00	9383.00	9383.00	
	16) 3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	"	8245.00	8245.00	8245.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	17) 2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	2678.00	2678.00	2678.00	
	18) 1 x11 W CFL mirror Optic complet set	सेट	1833.00	1833.00	1833.00	
	19) 300/500 watt halogen lamp.Complete set	"	2266.00	2266.00	2266.00	
	20) 1000 watt halogen lamp Complete Set	"	6067.00	6067.00	6067.00	
	21) 150 watt HPSV lamp Complete Set	"				
	22) 250 watt HPSV lamp Complete Set	"	अधिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	अधिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	अधिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
23	LUMINARIES Accessories (Philips, Wipro,GE or ISI Eqv.)					
	1) 500 watt halogen rod	गोटा	232.00	232.00	232.00	
	2) 1000 watt halogen rod	गोटा	278.00	278.00	278.00	
	70Watt SON Lamp (Sodium Vapour)	गोटा	834.00	834.00	834.00	
	3) 150 watt sodium vapour bulb	गोटा	1298.00	1298.00	1298.00	
	4) 250 watt sodium vapour bulb	गोटा	1700.00	1700.00	1700.00	
	5) 20-40 watt FTL rod	"	80.00	80.00	80.00	
	6) 20-40 watt FTL chowk.	"	258.00	258.00	258.00	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412.00	412.00	412.00	
	7) Acryle cover for 4x20 FTL	"	989.00	989.00	989.00	
	8) FTL starter	"	19.00	19.00	19.00	
	9) 8 W to11W, C.F.L.Direct fit	"	232.00	232.00	232.00	
	10) 13 to 22W, C.F.L.Direct fit	"	299.00	299.00	299.00	
	11) 15-100 watt bulb.(ISI)	गोटा	26.00	26.00	26.00	
	PL-S 9W/86 (CFL)	"	165.00	165.00	165.00	
	PL-S 11W/86 (CFL)	"	175.00	175.00	175.00	
	PL-L 36W/86 (CFL)	"	417.00	417.00	417.00	
	125W HPL-N (Mercury Vapour)	"	371.00	371.00	371.00	
	250W HPL-N	"	876.00	876.00	876.00	
24	COPPER CONDUCTOR/WIRE/CABLE (PER COIL=91.44 RM)					
	1) 1/18 size copper wire cable	स्वायल	976.00	976.00	976.00	
	2) 3/22 " " "	"	1166.00	1166.00	1166.00	
	3) 3/20 " " "	"	1857.00	1857.00	1857.00	
	4) 7/22 " " "	"	2599.00	2599.00	2599.00	
	5) 7/20 " " "	"	4243.00	4243.00	4243.00	
	4) 7/18 " " "	"	6683.00	6683.00	6683.00	
	5) 7/16 " " "	"	13791.00	13791.00	13791.00	
	9) 19/68 " " "	"	18565.00	18565.00	18565.00	
	10) 19/16 " " "	"	37131.00	37131.00	37131.00	
	10) 2/20 " " "	"	1411.00	1411.00	1411.00	
	10) 2/22 " " "	"	954.00	954.00	954.00	
	Multistrand Flexible wire					

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	i) 1.0 mm PVC insulated Copper wire	क्वायल	1060.00	1060.00	1060.00	
	ii) 1.5 mm PVC insulated Copper wire	"	1697.00	1697.00	1697.00	
	iii) 2.5 mm PVC insulated Copper wire	"	2493.00	2493.00	2493.00	
	iv) 4.0 mm PVC insulated Copper wire	"	4031.00	4031.00	4031.00	
	vi) 6.0 mm PVC insulated Copper wire	"	6365.00	6365.00	6365.00	
	vii) 10.0mm PVC insulated Copper wire	"	10609.00	10609.00	10609.00	
25	Concentric cable	"				
	1) 4mm size concentric cable	र.मी	23.60	23.60	23.60	
	2) 6mm size " "	र.मी	26.70	26.70	26.70	
	3) 10mm size " "	र.मी	40.10	40.10	40.10	
	4) 16mm size " "	र.मी	69.00	69.00	69.00	
	5) 25mm size " "	र.मी	91.60	91.60	91.60	
	6)RG6 Coaxial cable	र.मी	23.60	23.60	23.60	
	7)RG59 Coaxial cable	र.मी	26.70	26.70	26.70	
	8) UTP cat -5 networking cable	र.मी	26.70	26.70	26.70	
26	Telephone Drop wire/pair cable					
	1) ² / ₂₀ Telephone drop wire	क्वायल	1018.00	1018.00	1018.00	
	2) ² / ₂₂ " "	क्वायल	690.00	690.00	690.00	
	3) 2- pair cable wire (2×2×0.45) mmHeavy	र.मी	14.00	14.00	14.00	
	4) 3- pair cable wire (3×2×0.45) mm Heavy	र.मी	20.00	20.00	20.00	
	5) 5- pair cable wire (5×2×0.45) mm Heavy	र.मी	32.00	32.00	32.00	
	6) 10- pair cable wire (10×2×0.45) mm Heavy	र.मी	63.00	63.00	63.00	
	7) 15- pair cable wire (15×2×0.45) mm Heavy	र.मी	93.00	93.00	93.00	
	8) 20- pair cable wire (20×2×0.45) mm Heavy	र.मी	122.00	122.00	122.00	
	9) 1mm drop wire	"	10.00	10.00	10.00	
	10) 1-4 Line EPABX, Creative, Matrix Or Eqv.	सेट	7877.00	7877.00	7877.00	
	11) 2-6 Line EPABX "	"	18963.00	18963.00	18963.00	
	12)3-8 Line EPABX "	"	21154.00	21154.00	21154.00	
	13) 4-12 Line EPABX "	"	37927.00	37927.00	37927.00	
	14)6-16 Line EPABX "	"	51056.00	51056.00	51056.00	
	15)8-24 Line EPABX "	"	87524.00	87524.00	87524.00	
16	8-48 Line EPABX "	"	93650.00	93650.00	93650.00	
17	8-72 Line EPABX "	"	100206.00	100206.00	100206.00	
27	Other Accessories					
	1) 6" size Dome light glass	गोटा	66.00	66.00	66.00	
	2) 8" size " " "	"	78.00	78.00	78.00	
	3) wall bracket glass	"	66.00	66.00	66.00	
	4) Fan regulator	"	279.00	279.00	279.00	
28	Flush mounting Metal box for modular type switch & socket					
	1) 1 gang metal box	सेट				
	2) 2 gang " "	"				
	3) 3 gang " "	"				
	4) 4 gang " "	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्याण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	5) 5 gang " "	"				
	6) 6 gang " "	"				
	7) 8 module metal box (4+4) =(78x230x60)mm	"				
	8) 8 module metal box (Horizontal) =(135x120x60)mm	"				
	9) 12 module metal box =(135x120x60)mm	"				
	10) TV socket metal box	"				
	11) Telephone socket metal box	"				
29	Moulded case circuit Breaker (MCCB) semins/Marlingerin / GE or ISI equavanent					
	1) 16A to 63 Amp 18kA , 3 Pole MCCB	सेट				
	2) 80A to100 Amp 18 KA " "	"				
	3) 125 AMP 40 KA 3P MCCB	"				
	4) 160 AMP 40 KA " "	"				
	5) 200 AMP 40 KA "	"				
	6) 250 AMP 40 KA "	"				
	7) 300 AMP 40 KA "	"				
	8) 400 AMP 45KA "	"				
	9) 630 AMP 45 KA "	"				
	10) 800 AMP 50 KA "	"				
30	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & final coat of enamel paint (Three phase Neutral earthing) TPNE copper busbar including necessary accessories.					
	1) 60/75/100 AMP, 9"x36"x48" size	सेट				
	2) 60/75/100 AMP "12"x36"x48" size	सेट				
	3) 60/75/100 AMP 9"x48"x60" size	सेट				
	4) 60/75100 AMP 12"x49"x60" size	सेट				
	5) 150/200 AMP 9"x38"x52" size	सेट				
	6) 150/200 AMP 12"x38"x52" size	सेट				
	7) 150/200 AMP 9"x42"x56 "size	"				
	8) 150/200 AMP 12"x42"x56" size	"				
	9) 250/300AMP 12"x48"x60"size	"				
	10) 250/300AMP 12"x52"x62" size	"				
	11) 400 AMP 12"x52"x66" size	"				
31	Distribution Board 3 Phase double door system with neutral and earth connector 2 coat of red oxide paint with 2 coat final paint of Nepal red.					
	1) 4 Way TPN DB 14" x 16 " x 5"	सेट				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	2) 6 Way TPN DB 16" x 18" x 5"	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	3) 8 Way TPN DB 18"x20"x5"	"				
	4) 10 Way TPN DB 20" x 22"x 5"	"				
	5) 12 Way TPN DB 22" x 24" x 5"	"				
	6) 14-16 Way TPN DB 24" x 26 x 5 "	"				
32	Panel Board measurement instrument					
	1) 0-500 volt meter	पिस	1023.00	1023.00	1023.00	
	2) 60/100 Amp meter .	"	979.00	979.00	979.00	
	3) Panel Indicator	"	237.00	237.00	237.00	
	4) 2 Amp glass fuse with holder 12 mm size	"	134.00	134.00	134.00	
	5) AMP meter selector switch	"	649.00	649.00	649.00	
	6) volt meter selector switch	"	711.00	711.00	711.00	
	7) 60/100 Amp C.T. coil per set 3 Pcs	"	1432.00	1432.00	1432.00	
	8)150-200AMP C.T coil. 3 PC / Set	गोटा	1782.00	1782.00	1782.00	
	9) 250-300 AMP " "	"	2421.00	2421.00	2421.00	
	10) 400/500/600AMP " "	"	3554.00	3554.00	3554.00	
	11) Kilo watt hour energy meter single phase	पिस	2271.00	2271.00	2271.00	
	12) Kilo watt hour energy meter 3 phase direct	"	10228.00	10228.00	10228.00	
33	Trailing Protected Industrial Plug IP44					
	1)16A 3P+E 400V Industrial plug	सेट	541.00	541.00	541.00	
	2)32 A 3p +N+E " Plug	सेट	803.00	803.00	803.00	
	3) 32 A 3P+N+E water tight Plug IP67	सेट	1545.00	1545.00	1545.00	
34	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door , Taiwan	सेट	20600.00	20600.00	20600.00	
35	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905.00	13905.00	13905.00	
36	CABLE SHOE					
	1) 16 sq.mm cable shoe	गोटा	64.00	64.00	64.00	
	2) 25 sq.mm " "	गोटा	83.00	83.00	83.00	
	3) 35 sq.mm " "	गोटा	64.00	64.00	64.00	
	4) 50 sq.mm " "	गोटा	75.00	75.00	75.00	
	5) 70 sq.mm " "	गोटा	92.00	92.00	92.00	
	6) 95 sq.mm " "	गोटा	143.00	143.00	143.00	
	7) 150 sq.mm " "	गोटा	215.00	215.00	215.00	
	8) 195 sq.mm " "	गोटा	305.00	305.00	305.00	
	9) 250 sq.mm " "	"	485.00	485.00	485.00	
37	Copper Conductor Armoured Power Cables NS marked or eqv.					



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	a) 2 Core					
	1) 1.5 mm2	र.मी	103.00	103.00	103.00	
	2) 2.5 mm2	"	139.00	139.00	139.00	
	3) 4.0 mm2	"	191.00	191.00	191.00	
	4) 6.0 mm2	"	247.00	247.00	247.00	
	5) 10.0 mm2	"	371.00	371.00	371.00	
	6) 16.0 mm2	"	494.00	494.00	494.00	
	7) 25.0 mm2	"	721.00	721.00	721.00	
	8) 35.0 mm2	"	958.00	958.00	958.00	
	9) 50.0 mm2	"	1339.00	1339.00	1339.00	
	b) 3 Core					
	1) 1.5 mm2		129.00	129.00	129.00	
	2) 2.5 mm2	"	180.00	180.00	180.00	
	3) 4.0 mm2	"	258.00	258.00	258.00	
	4) 6.0 mm2	"	330.00	330.00	330.00	
	5) 10.0 mm2	"	494.00	494.00	494.00	
	6) 16.0 mm2	"	690.00	690.00	690.00	
	7) 25.0 mm2	"	1051.00	1051.00	1051.00	
	8) 35.0 mm2	"	1391.00	1391.00	1391.00	
	9) 50.0 mm2	"	1906.00	1906.00	1906.00	
	10) 70.0 mm2	"	2678.00	2678.00	2678.00	
	11) 95.0 mm2	"	3605.00	3605.00	3605.00	
	12) 120.0 mm2	"	4532.00	4532.00	4532.00	
	13) 150.0 mm2	"	5562.00	5562.00	5562.00	
	c) 3.5 Core					
	1) 25.0 mm2	र.मी	1257.00	1257.00	1257.00	
	2) 35.0 mm2	र.मी	1597.00	1597.00	1597.00	
	3) 50.0 mm2	र.मी	2245.00	2245.00	2245.00	
	4) 70.0 mm2	र.मी	3090.00	3090.00	3090.00	
	5) 95.0 mm2	र.मी	4120.00	4120.00	4120.00	
	6) 120.0 mm2	र.मी	5408.00	5408.00	5408.00	
	7) 150.0 mm2	र.मी	6386.00	6386.00	6386.00	
	8) 185.0 mm2	र.मी	7931.00	7931.00	7931.00	
	9) 240.0 mm2	र.मी	10403.00	10403.00	10403.00	
	10) 300.0 mm2	"	13184.00	13184.00	13184.00	
	11) 400.0 mm2	"	17304.00	17304.00	17304.00	
	d) 4 Core					
	1) 1.5 mm2	र.मी	155.00	155.00	155.00	
	2) 2.5 mm2	"	221.00	221.00	221.00	
	3) 4.0 mm2	"	319.00	319.00	319.00	
	4) 6.0 mm2	"	412.00	412.00	412.00	
	5) 10.0 mm2	"	618.00	618.00	618.00	
	6) 16.0 mm2	"	901.00	901.00	901.00	
	7) 25.0 mm2	"	1339.00	1339.00	1339.00	
	8) 35.0 mm2	"	1803.00	1803.00	1803.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	9) 50.0 mm ²	"	2575.00	2575.00	2575.00	
	10) 70.0 mm ²	"	3502.00	3502.00	3502.00	
	11) 95.0 mm ²	"	4738.00	4738.00	4738.00	
	12) 120.0 mm ²	"	5974.00	5974.00	5974.00	
	13) 150.0 mm ²	"	7416.00	7416.00	7416.00	
	14) 185.0 mm ²	"	9064.00	9064.00	9064.00	
	15) 240.0 mm ²	"	12360.00	12360.00	12360.00	
	16) 300.0 mm ²	"	14832.00	14832.00	14832.00	
	17) 400.0 mm ²	"	20085.00	20085.00	20085.00	
38	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
	a) 1-core Copper Conductor Unarmoured					
	1) 10 sq. mm.	र.मी	43.00	43.00	43.00	
	2) 16 sq. mm.	"	65.00	65.00	65.00	
	3) 25 sq. mm.	"	76.00	76.00	76.00	
	4) 35 sq. mm.	"	91.00	91.00	91.00	
	5) 50 sq. mm.	"	121.00	121.00	121.00	
	6) 70 sq. mm.	"	158.00	158.00	158.00	
	7) 95 sq. mm.	"	214.00	214.00	214.00	
	8) 120 sq. mm.	"	260.00	260.00	260.00	
	9) 150 sq. mm.	"	308.00	308.00	308.00	
	b) 2- core Copper Conductor Unarmoured					
	1) 1.5 sq.mm	र.मी	72.00	72.00	72.00	
	2) 2.5 sq.mm	"	103.00	103.00	103.00	
	3) 4 sq.mm	"	144.00	144.00	144.00	
	4) 6 sq.mm	"	196.00	196.00	196.00	
	5) 10 sq.mm	"	309.00	309.00	309.00	
	6) 16 sq.mm	"	427.00	427.00	427.00	
	7) 25 sq.mm	"	659.00	659.00	659.00	
	8) 35 sq.mm	"	896.00	896.00	896.00	
	9) 50 sq.mm	"	1236.00	1236.00	1236.00	
	10) 70 sq.mm	"	1236.00	1236.00	1236.00	
	11) 95 sq.mm	"	2318.00	2318.00	2318.00	
	12) 120 sq.mm	"	3039.00	3039.00	3039.00	
	13) 150 sq.mm	"	3811.00	3811.00	3811.00	
	c) 3-core Copper Conductor Unarmoured					
	1) 1.5 sq.mm.	र.मी	93.00	93.00	93.00	
	2) 2.5 sq.mm	र.मी	134.00	134.00	134.00	
	3) 4 sq.mm	"	196.00	196.00	196.00	
	4) 6 sq.mm	"	278.00	278.00	278.00	
	5) 10 sq.mm	"	438.00	438.00	438.00	
	6) 16 sq.mm	"	639.00	639.00	639.00	
	7) 25 sq.mm	"	979.00	979.00	979.00	
	8) 35 sq.mm	"	1318.00	1318.00	1318.00	

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	9) 50 sq.mm	"	1854.00	1854.00	1854.00	
	10) 70 sq.mm	"	2575.00	2575.00	2575.00	
	11) 95 sq.mm	"	3502.00	3502.00	3502.00	
	12) 120 sq.mm	"	4429.00	4429.00	4429.00	
	13) 150 sq.mm	र.मी	5459.00	5459.00	5459.00	
	d) 3.5 core Copper Conductor Unarmoured					
	1) 25 sq.mm	र.मी	1205.00	1205.00	1205.00	
	2) 35 sq.mm	"	1545.00	1545.00	1545.00	
	3) 50 sq.mm	"	2163.00	2163.00	2163.00	
	4) 70 sq.mm	"	3013.00	3013.00	3013.00	
	5) 95 sq.mm	"	4069.00	4069.00	4069.00	
	6) 120 sq.mm	"	5356.00	5356.00	5356.00	
	7) 150 sq.mm	"	6335.00	6335.00	6335.00	
	e) 4-core Copper Conductor Unarmoured					
	1) 1.5 sq.mm	र.मी	113.00	113.00	113.00	
	2) 2.5 sq.mm	"	170.00	170.00	170.00	
	3) 4 sq.mm	"	252.00	252.00	252.00	
	4) 6 sq.mm	"	350.00	350.00	350.00	
	5) 10 sq.mm	"	556.00	556.00	556.00	
	6) 16 sq.mm	"	845.00	845.00	845.00	
	7) 25 sq.mm	"	1318.00	1318.00	1318.00	
	8) 35 sq.mm	"	1772.00	1772.00	1772.00	
	9) 50 sq.mm	"	2472.00	2472.00	2472.00	
	10) 70 sq.mm	"	3451.00	3451.00	3451.00	
	11) 95 sq.mm	"	4687.00	4687.00	4687.00	
	12) 120 sq.mm	"	5923.00	5923.00	5923.00	
	13) 150 sq.mm	"	7365.00	7365.00	7365.00	
	14) 185 sq.mm	"	9064.00	9064.00	9064.00	
	15) 240 Sq. mm	"	12257.00	12257.00	12257.00	
	16) 300 Sq. mm	"	14832.00	14832.00	14832.00	
	17) 400 Sq. mm	"	20085.00	20085.00	20085.00	
39	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1) 1.5 sq.mm	र.मी				
	1) 2.5 sq.mm	र.मी	93.00	93.00	93.00	
	2) 4 sq.mm	र.मी	118.00	118.00	118.00	
	3) 6 sq.mm	र.मी	134.00	134.00	134.00	
	4) 10 sq.mm	र.मी	160.00	160.00	160.00	
	5) 16 sq.mm	र.मी	180.00	180.00	180.00	
	6) 25 sq.mm	र.मी	216.00	216.00	216.00	
	7) 35 sq.mm	र.मी	247.00	247.00	247.00	
	8) 50 sq.mm	र.मी	319.00	319.00	319.00	
	9) 70 sq.mm	र.मी	397.00	397.00	397.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
	10) 95 sq.mm	"	505.00	505.00	505.00	
	b) 3-core Aluminum conductor Armoured					
	1) 2.5 sq.mm.	र.मी	108.00	108.00	108.00	
	2) 4 sq.mm	"	134.00	134.00	134.00	
	3) 6 sq.mm	"	149.00	149.00	149.00	
	4) 10 sq.mm	"	180.00	180.00	180.00	
	5) 16 sq.mm	"	206.00	206.00	206.00	
	6) 25 sq.mm	"	278.00	278.00	278.00	
	7) 35 sq.mm	"	335.00	335.00	335.00	
	8) 50 sq.mm	"	427.00	427.00	427.00	
	9) 70 sq.mm	"	541.00	541.00	541.00	
	10) 95 sq.mm	"	494.00	494.00	494.00	
	11) 120 sq.mm	"	834.00	834.00	834.00	
	12) 150 sq.mm	"	1004.00	1004.00	1004.00	
	13) 185 sq.mm	"	1236.00	1236.00	1236.00	
	14) 240 sq.mm	"	1514.00	1514.00	1514.00	
	15) 300 sq.mm	"	1854.00	1854.00	1854.00	
	16) 400 sq.mm	"	2318.00	2318.00	2318.00	
	c) 3.5 core Aluminum conductor Armoured					
	1) 25 sq.mm.	र.मी	319.00	319.00	319.00	
	2) 35 sq.mm	"	371.00	371.00	371.00	
	3) 50 sq.mm	"	489.00	489.00	489.00	
	4) 70 sq.mm	"	628.00	628.00	628.00	
	5) 95 sq.mm	"	803.00	803.00	803.00	
	6) 120 sq.mm	"	979.00	979.00	979.00	
	7) 150 sq.mm	"	1174.00	1174.00	1174.00	
	8) 185 sq.mm	"	1421.00	1421.00	1421.00	
	9) 240 sq.mm	"	1772.00	1772.00	1772.00	
	10) 300 sq.mm	"	2215.00	2215.00	2215.00	
	11) 400 sq.mm	"	2781.00	2781.00	2781.00	
	d) 4-core Aluminum conductor Armoured					
	1) 2.5 sq.mm	र.मी	124.00	124.00	124.00	
	2) 4 sq.mm	"	155.00	155.00	155.00	
	3) 6 sq.mm	"	180.00	180.00	180.00	
	4) 10 sq.mm	"	196.00	196.00	196.00	
	5) 16 sq.mm	"	252.00	252.00	252.00	
	6) 25 sq.mm	"	340.00	340.00	340.00	
	7) 35 sq.mm	"	402.00	402.00	402.00	
	8) 50 sq.mm	"	548.00	548.00	548.00	
	9) 70 sq.mm	"	700.00	700.00	700.00	
	10) 95 sq.mm	"	901.00	901.00	901.00	
	11) 120 sq.mm	"	1082.00	1082.00	1082.00	
	12) 150 sq.mm	"	1370.00	1370.00	1370.00	
	13) 185 sq.mm	"	1627.00	1627.00	1627.00	
	14) 240sq.mm	"	2039.00	2039.00	2039.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	15) 300 sq.mm	"	2524.00	2524.00	2524.00	
	16) 400sq.mm	"	3193.00	3193.00	3193.00	
40	Aluminlum conductor unarmoured (power)					
	a) 1-core					
	1) 16 sq.mm	र.मी	52.00	52.00	52.00	
	2) 25 sq.mm	"	72.00	72.00	72.00	
	3) 35 sq.mm	"	88.00	88.00	88.00	
	4) 50 sq.mm	"	113.00	113.00	113.00	
	5) 70 sq.mm	"	144.00	144.00	144.00	
	6) 95 sq.mm	"	196.00	196.00	196.00	
	7) 120 sq.mm	"	237.00	237.00	237.00	
	8) 150 sq.mm	"	391.00	391.00	391.00	
	9) 185 sq.mm	"	361.00	361.00	361.00	
	10) 240 sq.mm	"	443.00	443.00	443.00	
	11) 300 sq.mm	"	536.00	536.00	536.00	
	b) 2-core Aluminium conductor unarmoured					
	1) 2.5 sq.mm	र.मी	52.00	52.00	52.00	
	2) 4 sq.mm	"	62.00	62.00	62.00	
	3) 6 sq.mm	"	77.00	77.00	77.00	
	4) 10 sq.mm	"	98.00	98.00	98.00	
	5) 16 sq.mm	"	103.00	103.00	103.00	
	6) 25 sq.mm	"	144.00	144.00	144.00	
	7) 35 sq.mm	"	185.00	185.00	185.00	
	8) 50 sq.mm	"	237.00	237.00	237.00	
	9) 70 sq.mm	"	299.00	299.00	299.00	
	10) 95 sq.mm 2 core	"	402.00	402.00	402.00	
	c) 3-core Aluminium conductor unarmoured					
	1) 2.5 sq.mm	र.मी	62.00	62.00	62.00	
	2) 4 sq.mm	"	72.00	72.00	72.00	
	3) 6 sq.mm	"	88.00	88.00	88.00	
	4) 10 sq.mm	"	124.00	124.00	124.00	
	5) 16 sq.mm	"	144.00	144.00	144.00	
	6) 25 sq.mm	"	206.00	206.00	206.00	
	7) 35 sq.mm	"	258.00	258.00	258.00	
	8) 50 sq.mm	"	340.00	340.00	340.00	
	9) 70 sq.mm	"	453.00	453.00	453.00	
	10) 95 sq.mm	"	597.00	597.00	597.00	
	11) 120 sq.mm	"	742.00	742.00	742.00	
	12) 150 sq.mm	"	886.00	886.00	886.00	
	13) 185 sq.mm	"	1112.00	1112.00	1112.00	
	14) 240 sq.mm	"	1380.00	1380.00	1380.00	
	15) 300 sq.mm	"	1751.00	1751.00	1751.00	
	d) 3.5-core Aluminium conductor unarmoured					
	1) 25 sq.mm	र.मी	258.00	258.00	258.00	
	2) 35 sq.mm	"	309.00	309.00	309.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
	3) 50 sq.mm					
	4) 70 sq.mm	"	412.00	412.00	412.00	
	5) 95 sq.mm	"	567.00	567.00	567.00	
	6) 120 sq.mm	"	742.00	742.00	742.00	
	7) 150 sq.mm	"	927.00	927.00	927.00	
	8) 185 sq.mm	"	1112.00	1112.00	1112.00	
	9) 240 sq.mm	"	1391.00	1391.00	1391.00	
	10) 300 sq.mm	"	1751.00	1751.00	1751.00	
	e) 4-core Aluminium conductor unarmoured	"	2163.00	2163.00	2163.00	
	1) 2.5 sq.mm	र.मी	72.00	72.00	72.00	
	2) 4 sq.mm	"	82.00	82.00	82.00	
	3) 6 sq.mm	"	98.00	98.00	98.00	
	4) 10 sq.mm	"	134.00	134.00	134.00	
	5) 16 sq.mm	"	196.00	196.00	196.00	
	6) 25 sq.mm	"	288.00	288.00	288.00	
	7) 35 sq.mm	"	350.00	350.00	350.00	
	8) 50 sq.mm	"	484.00	484.00	484.00	
	9) 70 sq.mm	"	639.00	639.00	639.00	
	10) 95 sq.mm	"	845.00	845.00	845.00	
	11) 120 sq.mm	"	1030.00	1030.00	1030.00	
	12) 150 sq.mm	"	1288.00	1288.00	1288.00	
	13) 185 sq.mm	"	1597.00	1597.00	1597.00	
	14) 240 sq.mm	"	2009.00	2009.00	2009.00	
	15) 300 sq.mm	"	2472.00	2472.00	2472.00	
41	Electric and Hydraulic Barriers with Automatic Gate System					
a	Supply, delivery, installation and commissioning of Automated LIGHT Duty Electric and Hydraulic Barriers with Automatic SLIDING Gate System including Metal Gate all complete	गोटा	अर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	अर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	अर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
b	Supply, delivery, installation and commissioning of Automated LIGHT Duty Electric and Hydraulic Barriers with Automatic SWING Gate System including Metal Gate all complete	गोटा				
c	Supply, delivery, installation and commissioning of Automated HEAVY Duty Electric and Hydraulic Barriers with Automatic SLIDING Gate System including Metal Gate all complete	गोटा				
d	Supply, delivery, installation and commissioning of Automated HEAVY Duty Electric and Hydraulic Barriers with Automatic SWING Gate System including Metal Gate all complete	गोटा				
42	Security Gate System					
a	Metal Detector (ब्राक स्कोपियन कम्पनी)	गोटा	16995.00	16995.00	16995.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
b	Walk Through gate (ब्लाक स्कोपियन कम्पनी)	गोटा				
43	General Lightig , BAJAJ ,ANCHOR, C/G Eqv.					
i	1 x 40 W FTL Patti fitting	सेट	252.00	252.00	252.00	
ii	1 x 20 W FTL Patti fitting	सेट	232.00	232.00	232.00	
iii	1 x 40 W FTL Box Fitting	सेट	427.00	427.00	427.00	
iv	1 x 20 W FTL Box fitting	सेट	417.00	417.00	417.00	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355.00	355.00	355.00	
44	GEWISS PVC Conduit product of Italy					
	RK Range					
1	16 mm medium rigid conduit DX 25 316	Mtr.	88.00	88.00	88.00	
2	20 mm medium rigid conduit DX 25 320	Mtr.	124.00	124.00	124.00	
3	25 mm medium rigid conduit DX 25 325	Mtr.	175.00	175.00	175.00	
4	32 mm medium rigid conduit DX 25 332	Mtr.	252.00	252.00	252.00	
5	40 mm medium rigid conduit DX 25 340	Mtr.	345.00	345.00	345.00	
6	50 mm medium rigid conduit DX 25 350	Mtr.	530.00	530.00	530.00	
7	63 mm medium rigid conduit DX 25 363	Mtr.	999.00	999.00	999.00	
8	16 mm heavy rigid conduit DX 25 716	Mtr.	165.00	165.00	165.00	
9	20 mm heavy rigid conduit DX 25 720	Mtr.	216.00	216.00	216.00	
10	25 mm heavy rigid conduit DX 25 725	Mtr.	288.00	288.00	288.00	
11	32 mm heavy rigid conduit DX 25 732	Mtr.	433.00	433.00	433.00	
12	40 mm heavy rigid conduit DX 25 740	Mtr.	587.00	587.00	587.00	
13	50 mm heavy rigid conduit DX 25 750	Mtr.	793.00	793.00	793.00	
14	63 mm heavy rigid conduit DX 25 763	Mtr.	1488.00	1488.00	1488.00	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	Mtr.	196.00	196.00	196.00	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	Mtr.	247.00	247.00	247.00	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	Mtr.	376.00	376.00	376.00	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	Mtr.	623.00	623.00	623.00	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	Mtr.	747.00	747.00	747.00	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	Mtr.	963.00	963.00	963.00	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	Mtr.	1200.00	1200.00	1200.00	
22	16 mm shockproof polymer saddle collar clip GW 50 605	Mtr.	31.00	31.00	31.00	
23	20 mm shockproof polymer saddle collar clip GW 50 606	Mtr.	36.00	36.00	36.00	
24	25 mm shockproof polymer saddle collar clip GW 50 607	Mtr.	41.00	41.00	41.00	
25	32 mm shockproof polymer saddle collar clip GW 50 608	Mtr.	62.00	62.00	62.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
26	40 mm shockproof polymer saddle collar clip GW 50 630	Mtr.	98.00	98.00	98.00	
27	50 mm shockproof polymer saddle collar clip GW 50 631	Mtr.	118.00	118.00	118.00	
28	16 mm conduit coupler DX 40 016	Mtr.	36.00	36.00	36.00	
29	20 mm conduit coupler DX 40 020	Mtr.	46.00	46.00	46.00	
30	25 mm conduit coupler DX 40 025	Mtr.	57.00	57.00	57.00	
31	32 mm conduit coupler DX 40 032	Mtr.	103.00	103.00	103.00	
32	40 mm conduit coupler DX 40 040	Mtr.	139.00	139.00	139.00	
33	50 mm conduit coupler DX 40 050	Mtr.	242.00	242.00	242.00	
34	63 mm conduit coupler DX 40 063	Mtr.	458.00	458.00	458.00	
35	16 mm tight bend DX 40 116	Mtr.	57.00	57.00	57.00	
36	20 mm tight bend DX 40 120	Mtr.	82.00	82.00	82.00	
37	25 mm tight bend DX 40 125	Mtr.	129.00	129.00	129.00	
38	32 mm tight bend DX 40 132	Mtr.	237.00	237.00	237.00	
39	40 mm tight bend DX 40 140	Mtr.	335.00	335.00	335.00	
40	50 mm tight bend DX 40 150	Mtr.	603.00	603.00	603.00	
41	63 mm tight bend DX 40 163	Mtr.	2359.00	2359.00	2359.00	
42	4 way junction box DX 45 004	Mtr.	670.00	670.00	670.00	
43	7 way junction box DX 45 007	Mtr.	803.00	803.00	803.00	
44	10 way junction box DX 45 010	Mtr.	1020.00	1020.00	1020.00	
45	Closing cap for junction box DX 47 000	Mtr.	118.00	118.00	118.00	
46	16 mm inspectionable T bend DX 40216	"	118.00	118.00	118.00	
47	20 mm inspectionable T bend DX 40220	"	149.00	149.00	149.00	
48	25 mm inspectionable T bend DX 40225	"	196.00	196.00	196.00	
49	32 mm inspectionable T bend DX 40232	"	237.00	237.00	237.00	
50	16 mm inspectionable bend DX 40 316	"	98.00	98.00	98.00	
51	20 mm inspectionable bend DX 40 320	"	118.00	118.00	118.00	
52	25 mm inspectionable bend DX 40 325	"	155.00	155.00	155.00	
53	32 mm inspectionable bend DX 40 332	"	185.00	185.00	185.00	
45	GEWISS Cable Tray with Cover and Accessories BRN Range					
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819.00	819.00	819.00	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973.00	973.00	973.00	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174.00	1174.00	1174.00	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318.00	1318.00	1318.00	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540.00	1540.00	1540.00	
6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710.00	1710.00	1710.00	
7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137.00	2137.00	2137.00	

**Electrical Works**

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513.00	2513.00	2513.00	
9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090.00	3090.00	3090.00	
10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281.00	3281.00	3281.00	
11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984.00	984.00	984.00	
12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179.00	1179.00	1179.00	
13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298.00	1298.00	1298.00	
14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468.00	1468.00	1468.00	
15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663.00	1663.00	1663.00	
16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859.00	1859.00	1859.00	
17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276.00	2276.00	2276.00	
18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657.00	2657.00	2657.00	
19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456.00	3456.00	3456.00	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749.00	3749.00	3749.00	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584.00	4584.00	4584.00	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313.00	1313.00	1313.00	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122.00	2122.00	2122.00	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781.00	2781.00	2781.00	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852.00	3852.00	3852.00	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836.00	4836.00	4836.00	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449.00	5449.00	5449.00	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494.00	1494.00	1494.00	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271.00	2271.00	2271.00	
30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884.00	2884.00	2884.00	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151.00	4151.00	4151.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व ०८१/०८२	आ.व ०८२/०८३	आ.व ०८३/०८४	कैफियत
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016.00	5016.00	5016.00	
46	Intrusion Detection System					
i	Main Controller CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	38851.00	38851.00	38851.00	
ii	Smoke & Heat Detector Wireless Smoke and Head Detector	सेट	10545.00	10545.00	10545.00	
iii	Door Contact Wireless Door Contact with transmitter	सेट	2678.00	2678.00	2678.00	
iv	Motion Detector Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4178.00	4178.00	4178.00	
v	Panic Switch Wireless Panic Transmitter	सेट	4921.00	4921.00	4921.00	
vi	Key Wireless Key to Arm and Disarm the System	सेट	4780.00	4780.00	4780.00	
vii	Window Contact Wired door Contact with transmitter slim	सेट	2812.00	2812.00	2812.00	
47	Automatic Motor Operator for water motor					
i	Upto 1/2 HP single phase motor	सेट	4120.00	4120.00	4120.00	
ii	Upto 1 HP single phase motor	सेट	5665.00	5665.00	5665.00	
iii	Upto 5 HP three phase motor	सेट	9270.00	9270.00	9270.00	
48	CCTV System					
1	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650.00	56650.00	56650.00	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916.00	58916.00	58916.00	
2	Indoor high speed Dome Integrated CAMERA					
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384.00	54384.00	54384.00	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650.00	56650.00	56650.00	
3	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450.00	15450.00	15450.00	



Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
4	7" Spherical Shilded with bracket included chip excluded Camera		8364.00	8364.00	8364.00	
6	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990.00	33990.00	33990.00	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985.00	50985.00	50985.00	
7	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815.00	10815.00	10815.00	
49	Electrical Equipments					
1	Earthing Materials (ISI or other International Standard)					
a	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829.00	2829.00	2829.00	
b	Funneling Mechanism with cover (mild steel)	set	618.00	618.00	618.00	
c	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517.00	9517.00	9517.00	
d	Copper wire (10 SWG)	Mtr.	155.00	155.00	155.00	
2	Service wire (Al)					
a.	2.5 mm ²	Mtr.	18.00	18.00	18.00	
b.	4.0 mm ²	Mtr.	22.00	22.00	22.00	
c.	6.0 mm ²	Mtr.	28.00	28.00	28.00	
3	Lightening Arrestor for 3 Phase .					
a.	0.5 KV	Set	1236.00	1236.00	1236.00	
b.	11 KV	Set	4326.00	4326.00	4326.00	
c.	Cross Arms V Channel.	No	3090.00	3090.00	3090.00	
4	Stay set with accessories.					
a.	GI wire	No	1182.00	1182.00	1182.00	
	GI wire	Kg				
b.	GI Plate	No	1185.00	1185.00	1185.00	
c.	Gay Insulator.	No	56.00	56.00	56.00	
d	Elbow	No	103.00	103.00	103.00	
e	Rod , Nut	No	445.00	445.00	445.00	
f	Grip	No	49.00	49.00	49.00	
	Turn Buckle, Anchor Rod,Plate with Nut/Bolt(except wire	set				
5	Overhead Insulators (0.4KV)					
a.	Sackle Insulator	No	30.00	30.00	30.00	
b.	D-Iron	No	90.00	90.00	90.00	
c.	Nut Bolt (3" with 8 mm Ø)	No	31.00	31.00	31.00	
d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	No	22.00	22.00	22.00	
	Sackle Insulator with nut Bolt Set	Set	15.00	15.00	15.00	
6	Overhead Insulators with fixing accessories (11KV)		23.00	23.00	23.00	
a.	Pin Insulator	No	185.00	185.00	185.00	
b.	Disc Insulator	No	989.00	989.00	989.00	



Electrical Works

सि. नं	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व	आ.व	आ.व	कैफियत
			०८१/०८२	०८२/०८३	०८३/०८४	
c.	Cross Arms V Channel.	No	2719.00	2719.00	2719.00	
7	Sqarrel ACSR conductor 20mm ²	Rm.	17.00	17.00	17.00	
8	weasel ACSR conductor 30 mm ²	Rm.	25.00	25.00	25.00	
9	Rabbit ACSR conductor 50 mm ²	Rm.	41.00	41.00	41.00	
10	Dog ACSR conductor 100 mm ²	Rm.	82.00	82.00	82.00	
11	Pulling Machine for Transmission line (Korean)	Set				
12	Supply of aluminium ABC cable					
13	25mm square 4 core ABC cable	Rm.	155.00	155.00	155.00	
14	50 mm square 4 core ABC cable	Rm.	258.00	258.00	258.00	
15	95 mm square 4 core ABC cable	Rm.	505.00	505.00	505.00	

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

12
42

C

C

1

4

7

6

Sanitary Works

काभ्रेपलाञ्चोक

आ.ब. ०८३/०८४



(Handwritten signature)

निर्णय नं.: ४ काभ्रेपलाञ्चोक जिल्लाको सदरमुकाम धुलिखेल र आसपासका नगरपालिका क्षेत्रभित्र ०८३/०८४ को लागि सेनेटरी कार्य संग सम्बन्धीत निम्न अनुसार विवरण भएका सामग्री हरुको निम्न अनुसारको दर रेट (मु.अ.कर) बाहेक) निर्धारण गर्ने निर्णय गरीयो । (पाना नं: १ देखि ६० सम्म)

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2,524.00	2524.00	2524.00	
	ii)500 mm size white glazed without siphon	"	2,741.00	2741.00	2741.00	
	iii)580 mm size orrisa Pan	"	3,371.00	3371.00	3371.00	
	iii)580 mm size white glazed Indian pan	"	1,049.00	1049.00	1049.00	
	iv) Siphon 'p' or 's' type	"	590.00	590.00	590.00	
	v) Asian Pan 51x40 Rectangular	"	2,524.00	2524.00	2524.00	
	Porcelain Clay Cistern					
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	3559.00	3559.00	3559.00	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	667.00	667.00	667.00	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"				
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"				
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"				
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"				
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"				
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"				
	x) 600 to 900 mm Grab bar	सेट				
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692.00	3692.00	3692.00	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174.00	4174.00	4174.00	

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1880.00	1880.00	1880.00	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619.00	1619.00	1619.00	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212.00	1212.00	1212.00	
	ii) Porcelain clay white glaze squatting plate large size	"	1454.00	1454.00	1454.00	
	iii) Porcelain clay super color squatting plate large size.	"	2831.00	2831.00	2831.00	
	iv) Urinal Spreader	"	915.00	915.00	915.00	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट				
	iii) Porcelain clay white glaze wash basin (50×40) cm	"				
	iv) Do but wash basin (45×32)cm	"				
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट				
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"				
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"				
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"				
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट				
	d) White glaze porcelain clay Basin for disable with grab bar all complete	सेट				
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	1378.00	1378.00	1378.00	
	iii) White glazed Porcelain clay half pedestal complete set.	"	1670.00	1670.00	1670.00	
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973.00	1973.00	1973.00	
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313.00	13313.00	13313.00	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1741.00	1741.00	1741.00	
	Lab sink					

आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

गोपालि कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



2

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	i) Porcelain clay white glaze large size	"	2222.00	2222.00	2222.00	
	ii) Porcelain clay white glaze small size	"	1653.00	1653.00	1653.00	
	iii) Porcelain clay janitor sink 58x71x43.5 size	"	27553.00	27553.00	27553.00	
	Kitchen sink					
	i) Porcelain clay large	सेट				
	ii) Porcelain clay small	"				
	iii) drain board white 53x45	"	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	iii) Soap dish	"				
	iv) White glaze foot rest	"				
	v) White glaze Toilet paper holder	"				
2	PVC Cistern Set					
	i) single flush	सेट	1973.00	1973.00	1973.00	
	ii) Deluxe single flush	"	2204.00	2204.00	2204.00	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966.00	2966.00	2966.00	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862.00	16862.00	16862.00	
	v) 32 mm pvc bottle trap set.	पिस	476.00	476.00	476.00	
	vi) 1.5x45 cm pvc pipe connector set.	"	143.00	143.00	143.00	
	vi) Bakelite toilet seat cover set.	"	276.00	276.00	276.00	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45x45x30 size	"				
	Stainless steel Orissa pan LP 210 size	"				
	Stainless steel wash basin model 251 12" round size with pedestal	"				
	Stainless steel wash basin 500 mm model 277 with complete set	"				
	Stainless steel commode S trap with self closing complete set	"				
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस				
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"				
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	पिस				
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"				
	Wall mixer (single control) shower faucet (conceal system)(Jaquere, Somany, Essel or equivalent)	"				
	conceal mixer faucet(Jaquere, Somany, Essel or equivalent)	"				
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"				
	Stainless steel two way Angle valve(Jaquere, Somany, Essel or equivalent)	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Stainless steel bowl 19"x16" diamond board 37" long	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	Stainless steel bowl with diamond board 37" long	"				
	Stainless steel bowl with ordinary board 37" long	"				
	Stainless steel double bowl with double drain board 36" * 18 "size	"				
	Stainless steel double bowl with single drain board ordinary	"				
	Stainless steel p trap bottle trap for basin	"				
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"				
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"				
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"				
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"				
	Stainless steel Hose ringer 1200 mm	"				
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"				
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	पिस				
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"				
	Stainless steel Sink 700*450*200	पिस				
	Stainless steel Sink table top1200*600*300	"				
	Steel Split clamp with washer all complete	"				
	75 mm dia	पिस				
	110 mm dia	"				
	160 mm dia	"				
	Stainless steel telephonic shower(Jaquar, Somany, Essel or equivalent)	गोटा				
	Stainless steel shower with sliding bar(Jaquar, Somany, Essel or equivalent)	"				
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"				
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"				
	Stainless steel towel bar 450 mm	"				
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	गोटा				
	Capacity 1000 ltr	गोटा				
	Capacity 1500 ltr	गोटा				
	Capacity 2000 ltr	गोटा				
	Capacity 3000 ltr	गोटा				
	Capacity 4000 ltr	गोटा				
	Capacity 5000 ltr	गोटा				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



34

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Sinks Other Types:					
	Scrub sink					
a)	1.2 mts (18" deep+6" splash)	सेट	4313.00	4313.00	4313.00	
b)	1.5 mts (18" deep+6" splash)	"	3401.00	3401.00	3401.00	
c)	1.0 mts (18" deep+6" splash)	"				
d)	0.9 mts (18" deep+6" splash)	"	7465.00	7465.00	7465.00	
a)	1.2 mts (21" deep+6" splash)	"	6756.00	6756.00	6756.00	
b)	1.5 mts (21" deep+6" splash)	"	19397.00	19397.00	19397.00	
c)	1.0 mts (21" deep+6" splash)	"	7164.00	7164.00	7164.00	
d)	0.9 mts (21" deep+6" splash)	"	5731.00	5731.00	5731.00	
	Table Top with Sink		35267.00	35267.00	35267.00	
	42"x24"x12" deep+ 6" splash with		6062.00	6062.00	6062.00	
	18"x24" drain and 24"x18"x12" sink		1459.00	1459.00	1459.00	
a)	without frame and legs	सेट				
b)	with s.s. frame and legs	"	4786.00	4786.00	4786.00	
	Deep Scrub Sink		5012.00	5012.00	5012.00	
	28"x28"x24" deep+ 6" splash with		6418.00	6418.00	6418.00	
	24"x24"x24" sink					
a)	without frame and legs	सेट	510.00	510.00	510.00	
b)	with s.s. frame and legs	"	510.00	510.00	510.00	
	Super lab sink		510.00	510.00	510.00	
i)	super lab sink large size	सेट	567.00	567.00	567.00	
ii)	super lab sink small size	सेट	680.00	680.00	680.00	
	Super kitchen sink		1246.00	1246.00	1246.00	
i)	super kitchen sink large size	सेट	510.00	510.00	510.00	
ii)	super kitchen sink small size	"	1133.00	1133.00	1133.00	
4	Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.		976.00	976.00	976.00	
iv)	Hand dryer Germany	सेट	19397.00	19397.00	19397.00	
v)	Hand Dryer Chinese	"	7164.00	7164.00	7164.00	
vi)	Indian Mark Brand Flush valve	"	5731.00	5731.00	5731.00	
xii)	Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267.00	35267.00	35267.00	
xv)	European pattern liquid soap container stainless steel	"	6062.00	6062.00	6062.00	
xvii)	Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459.00	1459.00	1459.00	
	European Pattern C.P. Grab Bar for disable					
a)	30cm long bend type	सेट				
b)	45 cm long bend type	"				
c)	60 cm long bend type	"				
5	C.P. Accessories(jaquar, somany, essel or equivalent)					
1)	Toilet paper holder	सेट				
2)	Soap dish	"				
3)	Towel rod ½"x18" size	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	4) Towel rod ¾" ×24" size	"				
	5) Glass shelf	"				
	6) C.P. bottle trap	"				
	7) 32 mm×60cm long C.P flush pipe	"				
	8) 15 mm flush cock push type	"				
	9) 15 mm dia. C.P. shower arm	"				
	10) 15 mm dia. C.P. spreader	"				
	11) 15 mm dia. C.P. wall mixture	"				
	i) 3" dia. Shower rose , revolving type	"				
	ii) 4" dia. Shower rose , revolving type	"				
	iii) Shower rose ordinary	"				
	iv) Shower rod 12" long	"				
	C.P. 15 mm dia. Angle Valve	"				
	C.P. 15 mm dia Concealed Stop Cock	"				
	C.P. 15mm Bib Cock	"				
	C.P. 15 mm dia swan neck Pillar Cock	"				
	C.P. 15 mm dia Stop Cock	"				
	C.P. 15 mm dia Sink Cock	"				
	C.P. 15 mm dia Sink Mixture	सेट				
	C.P. 32 mm dia Flush Valve	"				
	C.P. 32 mm dia Waste Coupling for basin	"				
	C.P. 32 mm dia Waste Coupling for Urinal	"				
	C.P. Basin Mixture	"				
	15 mm dia Bath Tub Spout with Wall Hinge	"				
	C.P. Exclusive Shower Arm with Hinge	"				
	15 mm bath tub spout with bottom attachment of telephonic shower	"				
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट				
	C.P. flexible pipe	गोरा				
	C.P. Grating					
	i) 4" dia.	"				
	ii) 5" dia.	"				
	i) C.P. Toilet Paper Holder	"				
	ii) C.P. Soap Dish(Polyurethane)	"				
	iii) C.P. Towel Rod 18"	"				
	iv) C.P. Towel Rod 24"	"				
	v) C.P. Glass Shelf 22"	"				
	vi) C.P. Coat Hook Double	"				
6	C.P. बाट निर्मित सामग्रीहरू(jaquar, somany, essel or equivalent)	"				
	i) C.P. Toilet Paper Holder	"				
	ii) C.P. Soap Dish(Polyurethane)	"				
	iv) C.P. Towel Rod 24"	"				
	v) C.P. Glass Shelf 22"	"				



SANITARY WORK						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
vi)	C.P. Coat Hook Double	"				
ix)	C.P. Angle Cock					
	15mm C.P. Angle Cock	"				
	15 mm C.P. Angle Cock Long Thread	"				
x)	C.P. Conceal Stop Cock	"				
	i) 15 mm Reduced body	"				
	ii) 15 mm Extra Heavy Body	"				
xi)	C.P. Bib Cock	"				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"				
	ii) 15mm C.P. Bib Cock	"				
	iii) 15mm C.P. Bib Cock with nozzle	"				
xii)	C.P. Pillar Cock	"				
	i) 15 mm C.P. Pillar Cock With Aerator	"				
	ii) 15mm Auto Closing Pillar Cock With Aerator	"				
	i) 15mm C.P. Sink Cock	"				
	ii) C.P. Sink Mixer	"				
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"				
xv)	C.P. Bottle Trap 32mm	"				
	32 mm C.P. Conceal Flush Valve Dual Flow	गेटा				
xvii)	C.P. Waste Coupling	गेटा				
	32 mm C.P. Waste Coupling H/T	गेटा				
	32 mm C.P. Waste Coupling F/T	गेटा				
xviii)	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गेटा				
xix)	15 mm C.P. Wall Mixer	गेटा				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गेटा				
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गेटा				
xx)	C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"				
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"				
xxi)	15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"				
	15mm Bath Tub Spout with button attachment	"				
xxii)	C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"				
	15 mm Casted Shower Arm Heavy	"				
xxiii)	15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"				
	With 1.5 Flexible Tube	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



Om

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	रोटा				
	15 mm Braided Hose for E.W.C.	"				
	15 mm Health Faucet (Commode Spray)	"				
	15 mm pillar cock with 200 mm extended lever handle	"				
	15 mm Bib cock with 200 mm extended lever handle	"				
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"				
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"				
	Sensor mixer for wash basin (Battery operated)	"				
	Wall mounted Sensor mixer for operation theater (Battery operated)	"				
	Sensor conceal type flushing valve for Western commode (battery operated)	"				
	Sensor valve for Urinal	"				
	Basin cock Sensor	"				
	15mm U shaped sink cock	"				
	Sink Mixture with U shape swinging spout	"				
	15mm metallic Health Faucet (Commode Spray)	"				
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	रोटा				
	ii) 25 lit cap. " " "	"				
	iii) 35 lit cap " " "	"				
	iv) 50 lit cap " " "	"				
	iv) Gas water heater with cylinder	"				
	vi) 200 lit cap. 3 panel solar heater with fittings	"				
	vii) 300 lit cap. 3 panel solar heater with fittings	"				
	viii) 400 lit cap. 4 panel solar heater with fittings	"				
	x) 500 lit cap. 4 panel solar heater with fittings	"				
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट				
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	सेट				
	ii) 12" x 12" (5 Kg.)	"				
	iii) 14" x 14" (7 Kg.)	"				
	v) 16" x 16" (10 Kg.)	"				
	vi) 18" x 18" (14 Kg.)	"				
	vii) 20" x 20" (16 Kg.)	"				

आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८२/८३को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



[Handwritten signature]

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	ix) 22" x 22" (20 Kg.)	"				
	x) 24" x 24" (24 Kg.)	"				
	xi) 27" x 27" (31 Kg.)	"				
	Heavy Duty					
	iii) 14" x 14" (14 Kg.)	"				
	ix) 22" x 22" (22 Kg.)	"				
	xi) 27" x 27" (45 Kg.)	"				
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट				
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"				
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"				
	iv) 22" dia. Medium class. (125 Kg.)	"				
	v) 22" dia. Heavy class. (208Kg.)	"				
	vi) 24" dia. Medium class. (40 Kg.)	"				
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"				
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"				
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"				
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"				
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	सेट				
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट				
	20" (12 Kg.)	"				
	22" (14 Kg.)	"				
	24" (16 Kg.)	"				
	28" (24 Kg.)	"				
	Square					
	18" x 18" (13 Kg.)	सेट				
	24" x 24" (50 Kg.)	"				
	Rectangular					
	18" x 24" (27 Kg.)	सेट				
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट				
	5"	"				
	6"	"				

[Handwritten signatures and stamps]

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	10"	"				
	Square Jali Strip Medium Duty					
	4" x 4"	सेट				
	5" x 5"	"				
	6" x 6"	"				
	9" x 9"	"				
	10" x 10"	"				
	12" x 12"	"				
	C.I. Gully Gratings					
	i) 15"x18" Medium (18 Kg.)	सेट				
	ii) 15"x18" Heavy (25 Kg.)	सेट				
	Grit Cover					
	फलामे एङ्गलको फ्रेममा फलामे पल्लिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.				
	Aluminum Grating 4" dia.	गोटा				
	9 G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा				
	ii) 200 gls	"				
	iii) 300 gls	"				
	iv) 400 gls	"				
	v) 500 gls	"				
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा				
	ii) 200 gls	"				
	iii) 300 gls	"				
	iv) 400 gls	"				
	v) 500 gls	"				
	10 Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	लिट्र				
	ii) 5000 lit – 10,000 lit cap	"				
	iii) Horizontal PVC water tank	"				
	11 Water Pumps/Hand Pumps					
	Indian Mark-III, Deep Well Hand Pump					
	6 No. hand pump	गोटा				
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट				
	ii) ½ H.P. Water Pump mono block type	सेट				
	iii) 1.0 H.P. water pump Multistage	सेट				
	iv) 1.0 H.P. water pump (mono block type)	सेट				
	v) 2.0 H.P. water pump	सेट				
	vi) 2.0 H.P. 3 phase water pump	"				
	vii) 5.0 HP 3 phase water pump	"				
	Jet Water Pump					
	i) 1.10 H.P.	सेट				
	ii) Double Stage jet 1.10 H.P.					
	ii) 1.5 H.P.	"				

मोघाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Super Sunction					
	i) ½ H.P.	सेट				
	ii) 0.75 H.P.	"				
	iii) 1.0 H.P.	"				
	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट				
	ii) 2 H.P. single pump set "	"				
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	"				
	ii) 2.0 H.P.	"				
	Electric Water Pump (Chinese)					
	i) ½ H.P.	"				
	ii) ¾ H.P.	"				
	iii) 1.0 H.P.	"				
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	"				
	ii) 1.1 H.P open well type	"				
	iii) 1.5 H.P open well type	"				
	Vertical Submersible Pump Sarvo/Bimal or equivalent					
	i) 1.1 H.P	"				
	iii) 1.5 H.P	"				
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30mm winding up to 170° U-shape hose reel carrier with drum set	सेट				
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	सेट				
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"				
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"				
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री ९ कक्षाभनगवचम प्लमब्द यच भन्नगवचभिलत०					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा				
	ii) 2 kg size ABC " " "	गोटा				
	iii) 3.0kg size ABC " " "	"				
	iii) 5.0kg size ABC " " "	"				

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



3m

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट				
	v) ABC store pressure type 2.0kg cap of fire extinguisher re-fill	"				
	vi) ABC store pressure type 5 kg cap of fire extinguisher re-fill	"				
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"				
	viii) 2.5 kg size ABC " " "	"				
	ix) Co ₂ Type fire extinguisher 6.80 lit .	"				
	x) Foam type fire extinguisher 9 lit capacity	गोटा				
14	Insulation for hot water pipe 'Acroflex'		आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८४/८५ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	15mm Insulation 6 mm wall thickness	र.मी				
	20mm Insulation 6 mm wall thickness	"				
	25mm Insulation 6 mm wall thickness	"				
	32mm Insulation 6 mm wall thickness '	"				
15	ACRYLIC GLASS SHELF					
	i) Acrylic glass shelf best quality	सेट				
	ii) Acrylic glass shelf ordinary	"				
	iii) Shower curtain	"				
16	Water Purification System					
	Euro Guard Water purification system (one litre per minute)	युनिट				
	Euro-guard water purification system (hi-flow 3 lit/min)	"				
	AQUA-ALO water purifier (1.0 lit/min)	"				
	AQUA-power water purifier	"				
	RO feed pump	सेट				
	Fire Sprinkler	"				
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"				
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"				
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"				
	Filter Media for existing filtration system					
	Pebbles	के.जी.				
	Coarse silex	"				
	Gravel	"				
	Golden sand	"				
	Anthracite	"				
	MNo2	"				
	Activated Carbon	"				
	Motor starter switch	"				
	Pressure sensor switch for water tank(Italian)	"				
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)					

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

(2)

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	a) Bath tub – 3'6" Medium	सेट				
	Bath tub – 3'6" Heavy	"				
	b) Bath tub – 4'0" Medium	"	6705.00	6705.00	6705.00	
	Bath tub 4'0" Heavy	"	7787.00	7787.00	7787.00	
	c) Bath Tub – 4'6" Medium	"	8111.00	8111.00	8111.00	
	Bath tub – 4'6" Heavy	"	8137.00	8137.00	8137.00	
	d) Bath tub – 5'0" Medium	"	8868.00	8868.00	8868.00	
	Bath tub 5'0" Heavy	"	29355.00	29355.00	29355.00	
	e) Bath Tub – 5'6" Medium	"	7957.00	7957.00	7957.00	
	Bath tub – 5'6" Heavy	"	9373.00	9373.00	9373.00	
	f) Bath Tub – 6'0" Medium	"	12875.00	12875.00	12875.00	
	Bath tub – 6'0" Heavy	"	36823.00	36823.00	36823.00	
18	Shower Tray 3'0"×3'0"	गोटा	500.00	500.00	500.00	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि				
	25mm " 2.3 mm thick 0.164kg/m	"				
	32mm 2.9 mm thick 0.26kg/m	"				
	40mm 3.7 mm thick 0.412kg/m	"				
	50mm 4.6 mm thick 0.638kg/m	"				
	63 mm 8.6 mm thick 0.638kg/m	"				
	75 mm	"				
	90 mm	"				
	110 mm	"				
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"				
	25mm 3.50 mm thick 0.26kg/m	"				
	32mm 3.7 mm thick 0.230kg/m	"				
	40mm 5.50 mm thick 0.575kg/m	"				
	50mm 6.90 mm thick 0.896kg/m	"				
	63 mm 4.6 mm thick 0.638kg/m	"				
	75 mm	र.मि				
	90 mm	"				
	110 mm	"				
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"				
	25mm 4.20 mm thick 0.266kg/m	"				
	32mm 5.40 mm thick 0.434kg/m	"				
	40mm 6.70 mm thick 0.671kg/m	"				
	50mm 8.30 mm thick 1.04kg/m	"				
	63mm 8.6mm thick 1.04kg/m	"				
	75 mm	"				
	90 mm	"				
	110 mm	"				
	PP-R Pipe Accessories :					
	Elbow (90 °)					
	20mm	गोटा				
	25mm	"				



21

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	32mm	गोटा	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
	40mm	गोटा				
	50mm	"				
	63 mm	"				
	75 mm	"				
	90 mm	"				
	110 mm	"				
	Equal Tee	"				
	20mm	"				
	25mm	"				
	32mm	"				
	40mm	"				
	50mm	"				
	63mm	"				
	75 mm	"				
	90 mm	"				
	110 mm	"				
	Coupler	"				
	20mm	गोटा				
	25mm	"				
	32mm	"				
	40mm	"				
	50mm	"				
	63 mm	"				
	75 mm	"				
	90 mm	"				
	110 mm	"				
	45 Degree Elbow	"				
	20 mm	"				
	25 mm	"				
	32 mm	"				
	40 mm	"				
	50 mm	"				
	63 mm	"				
	75 mm	"				
	90 mm	"				
	110 mm	गोटा				
	Union (Plastic)	"				
	20mm	गोटा				
	25mm	"				
	32mm	"				
	40mm	"				
	50mm	"				
	63mm	"				
	Reducing Coupler	"				
	25mm*20mm	"	14.00	14.00	14.00	
	32mm*20mm	"	19.00	19.00	19.00	
	32mm*25mm	"	21.00	21.00	21.00	
	40mm*20mm	"	31.00	31.00	31.00	
	40mm*25mm	"	37.00	37.00	37.00	

21

21

21

21

मोहम्मद कुमारी अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	40mm*32mm	"	44.00	44.00	44.00	
	50mm*20mm	"	58.00	58.00	58.00	
	50mm*25mm	"	64.00	64.00	64.00	
	50mm*32mm	गोटा	69.00	69.00	69.00	
	50mm*40mm	गोटा	76.00	76.00	76.00	
	63mm*32mm	गोटा	117.00	117.00	117.00	
	63mm*40mm	गोटा	122.00	122.00	122.00	
	63mm*50mm	गोटा	131.00	131.00	131.00	
	75mm*40mm	गोटा	195.00	195.00	195.00	
	75mm*50mm	"	239.00	239.00	239.00	
	75mm*63mm	"	241.00	241.00	241.00	
	90mm*50mm	"	483.00	483.00	483.00	
	90mm*63mm	"	521.00	521.00	521.00	
	90mm*75mm	"	614.00	614.00	614.00	
	110mm*75mm	"	818.00	818.00	818.00	
	110mm*90mm	"	949.00	949.00	949.00	
	Reducing Tee					
	25*20*25 mm	"	26.00	26.00	26.00	
	32*20*32 mm	"	42.00	42.00	42.00	
	32*25*32 mm	"	45.00	45.00	45.00	
	40*20*40 mm	"	66.00	66.00	66.00	
	40*25*40 mm	"	69.00	69.00	69.00	
	40*32*40 mm	"	76.00	76.00	76.00	
	50*20*50 mm	"	88.00	88.00	88.00	
	50*25*50 mm	"	93.00	93.00	93.00	
	50*32*50 mm	"	515.00	515.00	515.00	
	50*40*50 mm	"	161.00	161.00	161.00	
	63*32*63 mm	"	199.00	199.00	199.00	
	63*40*63 mm	"	193.00	193.00	193.00	
	63*50*63 mm	"	214.00	214.00	214.00	
	75*50*75 mm	"	439.00	439.00	439.00	
	75*63*75 mm	"	458.00	458.00	458.00	
	90*63*90 mm	"	926.00	926.00	926.00	
	90*75*90 mm	"	993.00	993.00	993.00	
	110*75*110 mm	"	1622.00	1622.00	1622.00	
	110*90*110 mm	"	1700.00	1700.00	1700.00	
	Reducing Elbow					
	25mm*20mm	"	22.00	22.00	22.00	
	32mm*20mm	"	32.00	32.00	32.00	
	32mm*25mm	"	41.00	41.00	41.00	
	High Footed Pipe Clip					
	20mm	गोटा	14.00	14.00	14.00	
	25mm	"	17.00	17.00	17.00	
	32mm	"	22.00	22.00	22.00	
	40mm	"	25.00	25.00	25.00	
	50mm	"	34.00	34.00	34.00	
	63 mm	"	39.00	39.00	39.00	
	Low Footed Pipe Clip					
	20mm	"	7.00	7.00	7.00	
	25mm	"	8.00	8.00	8.00	
	32mm	"	14.00	14.00	14.00	



2

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	40mm	"	19.00	19.00	19.00	
	50mm	"	30.00	30.00	30.00	
	63 mm	"	38.00	38.00	38.00	
	"Y" type Pipe Clip					
	20mm	"	25.00	25.00	25.00	
	25mm	"	25.00	25.00	25.00	
	32mm	"	34.00	34.00	34.00	
	40 mm		48.00	48.00	48.00	
	End Plug (short)					
	20mm	गोटा	14.00	14.00	14.00	
	25mm	गोटा	22.00	22.00	22.00	
	32mm	गोटा	34.00	34.00	34.00	
	End Plug with Ring		0.00	0.00	0.00	
	20mm	"	25.00	25.00	25.00	
	End Plug (long)					
	20mm	"	10.00	10.00	10.00	
	End Cap					
	20mm	"	14.00	14.00	14.00	
	25mm	"	22.00	22.00	22.00	
	32mm	"	34.00	34.00	34.00	
	40mm	"	53.00	53.00	53.00	
	50mm	"	88.00	88.00	88.00	
	63 mm	"	164.00	164.00	164.00	
	75 mm	"	246.00	246.00	246.00	
	Cross Tee					
	20mm	"	25.00	25.00	25.00	
	25mm	"	36.00	36.00	36.00	
	32mm	"	64.00	64.00	64.00	
	Short Passover					
	20mm	"	70.00	70.00	70.00	
	25mm	"	99.00	99.00	99.00	
	32mm	"	143.00	143.00	143.00	
	Long Bypass					
	20mm	"	93.00	93.00	93.00	
	25mm	"	135.00	135.00	135.00	
	32mm	"	191.00	191.00	191.00	
	Male Tee					
	20mmx1/2"	"	145.00	145.00	145.00	
	25mmx1/2"	"	142.00	142.00	142.00	
	25mmx3/4"	"	176.00	176.00	176.00	
	32mmx1/2"	"	219.00	219.00	219.00	
	32mmx3/4"	"	224.00	224.00	224.00	
	32mmx1"	"	401.00	401.00	401.00	
	Female Tee					
	20mmx1/2"	गोटा	108.00	108.00	108.00	
	25mmx1/2"	"	122.00	122.00	122.00	
	25mmx3/4"	"	160.00	160.00	160.00	
	32mmx1/2"	"	181.00	181.00	181.00	
	32mmx3/4"	"	200.00	200.00	200.00	
	32mmx1"	"	323.00	323.00	323.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Male elbow					
	20mmx1/2"	"	139.00	139.00	139.00	
	25mmx1/2"	"	143.00	143.00	143.00	
	25mmx3/4"	"	174.00	174.00	174.00	
	32mmx1/2"	"	188.00	188.00	188.00	
	32mmx3/4"	"	205.00	205.00	205.00	
	32mmx1"	"	396.00	396.00	396.00	
	Female elbow					
	20mmx1/2"	"	105.00	105.00	105.00	
	25mmx1/2"	"	148.00	148.00	148.00	
	25mmx3/4"	"	136.00	136.00	136.00	
	32mmx1/2"	"	200.00	200.00	200.00	
	32mmx3/4"	"	229.00	229.00	229.00	
	32mmx1"	"	281.00	281.00	281.00	
	Male Coupling					
	20mmx1/2"	गोटा	136.00	136.00	136.00	
	20mmx3/4"	"	163.00	163.00	163.00	
	25mmx1/2"	"	130.00	130.00	130.00	
	25mmx3/4"	"	164.00	164.00	164.00	
	32mmx1/2"	"	182.00	182.00	182.00	
	32mmx3/4"	"	23.00	23.00	23.00	
	32mmx1"	"	385.00	385.00	385.00	
	40mmx1-1/4"	"	548.00	548.00	548.00	
	50mmx1-1/2"	"	828.00	828.00	828.00	
	63mmx2"	"	1201.00	1201.00	1201.00	
	75mmx2-1/2"	"	329.00	329.00	329.00	
	Female Coupling					
	20mmx1/2"	"	102.00	102.00	102.00	
	20mmx3/4"	"	125.00	125.00	125.00	
	25mmx1/2"	"	114.00	114.00	114.00	
	25mmx3/4"	"	128.00	128.00	128.00	
	32mmx1/2"	"	123.00	123.00	123.00	
	32mmx3/4"	"	131.00	131.00	131.00	
	32mmx1"	"	300.00	300.00	300.00	
	40mmx1-1/4"	"	482.00	482.00	482.00	
	50mmx1-1/2"	"	626.00	626.00	626.00	
	63mmx2"	"	922.00	922.00	922.00	
	75mmx2-1/2"	"	1822.00	1822.00	1822.00	
	Male Union					
	20mmx1/2"	"	245.00	245.00	245.00	
	25mmx3/4"	"	352.00	352.00	352.00	
	32mmx1"	"	506.00	506.00	506.00	
	40mmx1 1/4"	"	977.00	977.00	977.00	
	50mmx1/2"	"	1342.00	1342.00	1342.00	
	63mmx2"	"	3117.00	3117.00	3117.00	
	Female Union					
	20mmx1/2"	गोटा	238.00	238.00	238.00	
	25mmx3/4"	"	345.00	345.00	345.00	
	32mmx1"	"	487.00	487.00	487.00	
	40mmx1 1/4"	"	746.00	746.00	746.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	50mmx1/2"					
	63mmx2"					
	Stop Valve					
	a) 20 mm		1253.00	1253.00	1253.00	
	b) 25 mm		2372.00	2372.00	2372.00	
	c) 32 mm					
	d) 40mm		288.00	288.00	288.00	
	e) 50 mm		381.00	381.00	381.00	
	f) 63 mm		462.00	462.00	462.00	
	Male base elbow					
	20mm x 1/2"		610.00	610.00	610.00	
	25mm x 3/4"		1013.00	1013.00	1013.00	
	Female base elbow					
	20mm x 1/2"		1461.00	1461.00	1461.00	
	25mm x 1/2"		139.00	139.00	139.00	
	25mm x 1/2"		180.00	180.00	180.00	
	25mm x 3/4"					
	Metal Ball valve (double)		147.00	147.00	147.00	
	20mmx1/2"		175.00	175.00	175.00	
	25mmx3/4"		162.00	162.00	162.00	
	32mmx1"					
	40mmx1-1/4"	रोटा	657.00	657.00	657.00	
	50mmx1-1/2"	"	887.00	887.00	887.00	
	Metal Ball valve (Single)		1284.00	1284.00	1284.00	
	20mmx1/2"	"	3257.00	3257.00	3257.00	
	25mmx3/4"	"	4586.00	4586.00	4586.00	
	32mmx1"	"				
	Conceal Valve (Lux)		648.00	648.00	648.00	
	20mm	"	872.00	872.00	872.00	
	Conceal Valve (Nor)		1274.00	1274.00	1274.00	
	20mm	"				
	Ball Valve (Plastic)		755.00	755.00	755.00	
	20mm	"	0.00	0.00	0.00	
	25mm	"	719.00	719.00	719.00	
	32mm	"				
	40mm	"	112.00	112.00	112.00	
	50mm	"	151.00	151.00	151.00	
	63 mm	"	244.00	244.00	244.00	
	Ball Valve (Brass)		478.00	478.00	478.00	
	20mm	"	614.00	614.00	614.00	
	25mm	"	1091.00	1091.00	1091.00	
	32mm	"				
	40mm	"	311.00	311.00	311.00	
	CPVC Pipes & Fittings for hot and cold water					
	distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.		441.00	441.00	441.00	
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)		738.00	738.00	738.00	
			1762.00	1762.00	1762.00	
	1/2" dia	Rm				
	3/4" dia	Rm				
	1" dia	"				



3

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	1-1/4" dia	"				
	1-1/2" dia	"				
	2" dia	"				
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	"				
	3/4" dia	"				
	1" dia	"				
	1-1/4" dia	"				
	1-1/2" dia	"				
	2" dia	"				
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm				
	3/4" dia	"				
	1" dia	"				
	1-1/4" dia	"				
	1-1/2" dia	"				
	2" dia	"				
	CPVC Ball Valve (GTS Sockets)					
	1/2"	गोटा				
	3/4"	गोटा				
	1"	गोटा				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	"				
	1" X 1/2"	"				
	CPVC Tee	गोटा				
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Reducer Tee					
	1/2" x 1/2" x 3/4"	गोटा				
	3/4" x 3/4" x 1/2"	"				
	3/4" x 1/2" x 3/4"	"				
	3/4" x 1/2" x 1/2"	"				
	1" x 1" x 3/4"	"				
	1-1/2" x 1-1/2" x 1"	"				
	2" x 2" x 1"	"				
	1-1/4" x 1-1/4" x 1/2"	"				
	1-1/4" x 1-1/4" x 1"	"				
	2" x 2" x 1/2"	"				

3

3

4

4

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	1" x 1" x 1/2"	गोटा				
	CPVC Brass FPT Tee					
	1/2" x 1/2" x 1/2"	गोटा				
	3/4" x 3/4" x 1/2"	"				
	1" x 1" x 1/2"	"				
	1-1/4" x 1-1/4" x 1-1/4"	"				
	1-1/4" x 1-1/4" x 1/2"	"				
	CPVC Elbow 90°					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"					
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	"				
	3/4" x 1/2"	"				
	3/4" x 3/4"	"				
	1" X 1/2"	"				
	1" X 1"	"				
	1-1/4" x 1-1/4"	"				
	CPVC Elbow 45°	गोटा				
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	"				
	CPVC Male Adapters (Brass Threads)					
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८२/८३
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"				
	CPVC Female Adapter (CPVC Threads)					
	1/2"	गोटा				
	3/4"	गोटा				
	1"	गोटा				
	CPVC Female Adapters Brass Threads					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Caps					
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Union					
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Cross Tee					
	1/2"	गोटा				
	3/4"	गोटा				
	CPVC Step Over Bend					
	1/2"	"				
	3/4"	"				
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	CPVC Flow Guard Adhesive Solution					
	50ML	"				
	118ML	"				
	237ML	"				
	473ML	"				
	946ML	"				



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Plastic Strap					
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	गोटा				
	Metal Strap					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	Tee Holder					
	1/2" X 1/2" X 1/2"	"				
	3/4" X 3/4" X 1/2"	"				
	Elbow Holder					
	1/2" X 1/2"	"				
	1/2" X 3/4"	"				
	Snap Fix Repair Coupling					
	1/2"	"				
	3/4"	"				
	End plug threaded 1/2"	"				
21	MS SEAMLESS PIPES					
	PIPES: ASTM-A-106 Gr.'B'/SA-106-1(					
	Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239 (Part					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	RM.	411.30	411.30	411.30	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	RM.	493.20	493.20	493.20	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	RM.	618.30	618.30	618.30	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	RM.	763.20	763.20	763.20	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	RM.	873.00	873.00	873.00	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	RM.	1121.40	1121.40	1121.40	
	73mm OD 3" SCH.40, 5.16 mm thickness	"	1722.60	1722.60	1722.60	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2254.50	2254.50	2254.50	
	101.6mm OD 4" SCH.40, 6.02 mm thickness	"	2914.20	2914.20	2914.20	
	114.3mm OD 5" SCH.40, 6.557 mm thickness	"	3210.30	3210.30	3210.30	
	141.3mm OD 6" SCH.40, 7.11 mm thickness	"	4347.00	4347.00	4347.00	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5643.00	5643.00	5643.00	
22	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	410.40	410.40	410.40	
	Single Socket (R/R)	"	762.30	762.30	762.30	
	Single Socket Self Fit	"	820.80	820.80	820.80	
	Single Socket Self Fit	"	1058.40	1058.40	1058.40	
		"	1294.20	1294.20	1294.20	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Single Socket Self Fit			1778.40	1778.40	
	Single Socket Self Fit	"	1778.40			
	Single Socket Self Fit	"	2092.50	2092.50	2092.50	
	Single Socket Self Fit	"	2794.50	2794.50	2794.50	
	Long Radius Bend - 45 Degree	"	3330.90	3330.90	3330.90	
	Long Radius Bend - 45 Degree	Pc	1082.70	1082.70	1082.70	
	Long Radius Bend - 45 Degree	"	1977.30	1977.30	1977.30	
	Long Radius Bend - 45 Degree	"	3569.40	3569.40	3569.40	
	Long Radius Bend - 60 Degree	"	6921.00	6921.00	6921.00	
	Long Radius Bend - 60 Degree	Pcs.	1193.40	1193.40	1193.40	
	Long Radius Bend - 60 Degree	"	2186.10	2186.10	2186.10	
	Long Radius Bend - 60 Degree	"	4010.40	4010.40	4010.40	
	Long Radius Bend - 90 Degree	"	7593.30	7593.30	7593.30	
	Long Radius Bend - 90 Degree	"	585.00	585.00	585.00	
	Long Radius Bend - 90 Degree	"	1413.00	1413.00	1413.00	
	Long Radius Bend - 90 Degree	"	2606.40	2606.40	2606.40	
	Long Radius Bend - 90 Degree	"	4873.50	4873.50	4873.50	
	Fab. Coupler	"	8980.20	8980.20	8980.20	
	Fab. Coupler	"	168.30	168.30	168.30	
	Fab. Coupler	"	404.10	404.10	404.10	
	Fab. Coupler	"	869.40	869.40	869.40	
	Fab. Coupler	"	1700.10	1700.10	1700.10	
	End Cap	"	3126.60	3126.60	3126.60	
	End Cap	"	360.00	360.00	360.00	
	End Cap	"	592.20	592.20	592.20	
	End Cap	"	945.00	945.00	945.00	
	Equal Tee	"	1379.70	1379.70	1379.70	
	Equal Tee	"	10303.20	10303.20	10303.20	
	Equal Tee	"	5929.20	5929.20	5929.20	
	Gully Trap with grating	"	3291.30	3291.30	3291.30	
	Rodding Point	"	962.10	962.10	962.10	
	Adjustable Bend 7 Degree to 37.5 Degree	"	569.70	569.70	569.70	
	Adjustable Bend 7 Degree to 87.5 Degree	"	608.40	608.40	608.40	
	Inspection Chamber Body	Pcs.	834.30	834.30	834.30	
	Inspection Chamber Riser	Pcs.	2999.70	2999.70	2999.70	
	Inspection Chamber Lid with Cover	Pcs.	1490.40	1490.40	1490.40	
	Inspection Chamber Body	"	2828.70	2828.70	2828.70	
	Inspection Chamber Riser	"	8283.60	8283.60	8283.60	
	Inspection Chamber Lid with Cover	"	2634.30	2634.30	2634.30	
23	GEBERIT	"	4394.70	4394.70	4394.70	
	Geberit Products					
	Concealled Cisterns 9cm	"	7431.30	7431.30	7431.30	
	Concealled Cisterns Kombo fix 8cm	"	9102.60	9102.60	9102.60	
	Dual Flush Actuator Plate Shiny Chrome	"	3645.90	3645.90	3645.90	
	Concealled Cisterns 12cm	"	9140.40	9140.40	9140.40	



[Handwritten signature]

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	2 X 1-1/2	"				
	2-1/2 X 1/2	"				
	2-1/2 X 3/4	"				
	2-1/2 X 1	"				
	2-1/2 X 1-1/4	"				
	2-1/2 X 1-1/2	"				
	2-1/2 X 2	"				
	3 X 1/2	"				
	3 X 3/4	"				
	3 X 1	"				
	3 X 1-1/4	गोटा				
	3 X 1-1/2	"				
	3 X 2	"				
	3 X 2-1/2	"				
	6 X 1-1/4	"				
	6 X 1-1/2	"				
	6 X 2	"				
	6 X 2-1/2	"				
	6 X 3	"				
	6 X 4	"				
	PVC Brass Tee - Soc x Fipt SCH 80					
	1/2"	गोटा				
	3/4"	"				
	3/4" X 1/2"	"				
	1" X 1/2"	"				
	PVC 90° Elbow - Soc					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	6"	"				
	PVC Brass 90° Elbow Soc x Fipt SCH 80					
	1/2"	गोटा				
	3/4"	"				
	3/4" X 1/2"	"				
	PVC 45° Elbow - Soc					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



3m

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	Dual Flush Actuator Plate Shiny Chrome	"	3645.90	3645.90	3645.90	
	Traps for Wash Basins	"	1004.40	1004.40	1004.40	
	Sensor for Urinal 9V DC	"	25764.30	25764.30	25764.30	
	Sensor for Urinal 230V AC	"	25764.30	25764.30	25764.30	
	control box for urinal sensor	"	7077.60	7077.60	7077.60	
	Sensor Faucet Cold / Mixed water 6V DC	"	32158.80	32158.80	32158.80	
	Sensor Faucet Cold / Mixed water 230V AC	"	32158.80	32158.80	32158.80	
24	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"				
	3/4" dia. (33.75 Kg/cm2)	"				
	1" dia. (31.64 Kg/cm2)	"				
	1-1/4" dia. (26.01 Kg/cm2)	"				
	1-1/2" dia. (23.20 Kg/cm2)	"				
	2" dia. (19.69 Kg/cm2)	"				
	2-1/2" dia. (21.09 Kg/cm2)	"				
	3" dia. (18.28 Kg/cm2)	"				
	4" dia. (15.47 Kg/cm2)	"				
	6" dia. (12.66 Kg/cm2)	"				
	PVC Tee - Soc	गोटा				
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	6"	"				
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	गोटा				
	1 x 1/2	गोटा				
	1 x 3/4	गोटा				
	1-1/2 X 1/2	गोटा				
	1-1/2 X 3/4	गोटा				
	1-1/2 X 1	"				
	1-1/2 X 1-1/4	"				
	2 X 1/2	"				
	2 X 3/4	"				
	2 X 1	"				
	2 X 1-1/4	"				

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



3/88-89

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	6"	"				
	PVC Coupling - Soc					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	6"	"				
	PVC Reducer Coupling - Soc					
	3/4 X 1/2	गोटा				
	1 X 3/4	"				
	1-1/2 X 1-1/4	"				
	2 X 1-1/2	"				
	4 X 2	"				
	4 X 3	"				
	6 X 4	"				
	PVC Reducer Bushing - (Flush Style)					
	3/4 X 1/2	गोटा				
	1 X 1/2	"				
	1 X 3/4	"				
	1-1/4 X 1/2	"				
	1-1/4 X 3/4	"				
	1-1/4 X 1	"				
	1-1/2 X 1/2	"				
	1-1/2 X 3/4	"				
	1-1/2 X 1	"				
	1-1/2 X 1-1/4	"				
	2 X 1/2	"				
	2 X 3/4	"				
	2 X 1	"				
	2 X 1-1/4	"				
	2 X 1-1/2	"				
	2-1/2 X 1-1/4	"				
	2-1/2 X 1-1/2	गोटा				
	2-1/2 X 2	गोटा				
	3 X 1-1/2	गोटा				

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुनेआर्थिक वर्ष २०८२/८३
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुनेआर्थिक वर्ष २०८३/८४
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुनेगोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	3 X 2	गोटा				
	3 X 2-1/2	गोटा				
	4 X 2	"				
	4 X 3	"				
	6 X 2	"				
	6 X 3	"				
	6 X 4	"				
	PVC Cap - Soc					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	गोटा				
	6"	"				
	PVC Union - Soc With EPDM O-Ring Seal					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	PVC Male Adaptor - Soc x MBSP					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	6"	"				
	PVC Brass Male Adapter - Soc x Mlpt SCH 80					
	1/2"	गोटा				
	3/4"	"				
	1"	"				
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	"				
	3/4"	"				



SANITARY WORK						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	"				
	3/4"	"				
	1"	"				
	PVC Ball Valve - Soc	गोटा				
	1/2"	"				
	3/4"	"				
	1"	"				
	1-1/4"	"				
	1-1/2"	"				
	2"	"				
	2-1/2"	"				
	3"	"				
	4"	"				
	6"	गोटा				
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	"				
	237ML	"				
	473ML	"				
	946ML	"				
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	"				
	237ML	"				
	473ML	"				
	946ML	"				
25	Rainwater Collection System sintex or Prince Brand Roof)					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159.00	159.00	159.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257.00	257.00	257.00	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352.00	352.00	352.00	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432.00	432.00	432.00	

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432.00	432.00	432.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95.00	95.00	95.00	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305.00	305.00	305.00	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77.00	77.00	77.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50.00	50.00	50.00	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32.00	32.00	32.00	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77.00	77.00	77.00	
	RUBBER GASKET To provide leak proof joints.	Pc.	30.00	30.00	30.00	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63.00	63.00	63.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38.00	38.00	38.00	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126.00	126.00	126.00	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302.00	302.00	302.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358.00	358.00	358.00	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518.00	518.00	518.00	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592.00	592.00	592.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592.00	592.00	592.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140.00	140.00	140.00	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424.00	424.00	424.00	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108.00	108.00	108.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91.00	91.00	91.00	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51.00	51.00	51.00	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110.00	110.00	110.00	
	RUBBER GASKET To provide leak proof joints.	Pc.	41.00	41.00	41.00	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68.00	68.00	68.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44.00	44.00	44.00	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243.00	243.00	243.00	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585.00	585.00	585.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614.00	614.00	614.00	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965.00	965.00	965.00	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387.00	1387.00	1387.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

**SANITARY WORK**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387.00	1387.00	1387.00	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302.00	302.00	302.00	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802.00	802.00	802.00	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300.00	300.00	300.00	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164.00	164.00	164.00	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122.00	122.00	122.00	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318.00	318.00	318.00	
	RUBBER GASKET To provide leak proof joints.	Pc.	166.00	166.00	166.00	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82.00	82.00	82.00	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191.00	191.00	191.00	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437.00	437.00	437.00	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247.00	247.00	247.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438.00	438.00	438.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262.00	262.00	262.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470.00	470.00	470.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447.00	447.00	447.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673.00	673.00	673.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473.00	473.00	473.00	

नोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



2m

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696.00	696.00	696.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959.00	959.00	959.00	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196.00	1196.00	1196.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022.00	1022.00	1022.00	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350.00	1350.00	1350.00	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	140.00	140.00	140.00	
	DWV Bend 87.5 Degree	pcs	177.00	177.00	177.00	
	DWV Bend 87.5 Degree with Door	pcs	81.00	81.00	81.00	
	DWV Socket Plug	pcs	189.00	189.00	189.00	
	DWV Cleansing Pipe	pcs	114.00	114.00	114.00	
	DWV Coupler	pcs	202.00	202.00	202.00	
	DWV Single Tee	pcs	222.00	222.00	222.00	
	DWV Single Tee with Door	pcs	349.00	349.00	349.00	
	DWV Cross Tee	pcs	491.00	491.00	491.00	
	DWV Cross Tee with Door	pcs	361.00	361.00	361.00	
	DWV Double 'Y'	pcs	481.00	481.00	481.00	
	DWV Double 'Y' with Door	pcs	226.00	226.00	226.00	
	DWV Single 'Y'	pcs	288.00	288.00	288.00	
	DWV Single 'Y' with Door	"	12.00	12.00	12.00	
	DWV Pipe Clip	"	25.00	25.00	25.00	
	DWV Vent Cowel	"	230.00	230.00	230.00	
	DWV Bend 45 Degree 110mm size	"	282.00	282.00	282.00	
	DWV Bend 87.5 Degree	"	323.00	323.00	323.00	
	DWV Bend 87.5 Degree with Door	"	103.00	103.00	103.00	
	DWV Socket Plug	"	370.00	370.00	370.00	
	DWV Cleansing Pipe	"	206.00	206.00	206.00	
	DWV Coupler	"	684.00	684.00	684.00	
	DWV Double 'Y'	"	808.00	808.00	808.00	
	DWV Double 'Y' with Door	"	566.00	566.00	566.00	
	DWV Cross Tee	"	642.00	642.00	642.00	
	DWV Cross Tee with Door	"	370.00	370.00	370.00	
	DWV Single Tee	"	437.00	437.00	437.00	
	DWV Single Tee with Door	"	453.00	453.00	453.00	
	DWV Single 'Y'	pcs	475.00	475.00	475.00	
	DWV Single 'Y' with Door	"	47.00	47.00	47.00	
	DWV Vent Cowel	"	161.00	161.00	161.00	
	DWV Reducer 110*75 mm	"	36.00	36.00	36.00	
	DWV Pipe Clip 110mm size	"	436.00	436.00	436.00	
	DWV W.C. Connectore (Straight type)	"	348.00	348.00	348.00	
	DWV W.C. Connectore (Bend type)	"	174.00	174.00	174.00	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24.00	24.00	24.00	
	DWV Nahani Trap Jali	"	539.00	539.00	539.00	
	DWV P-Trap with Leap Ring 10*110 mm	"	773.00	773.00	773.00	
	DWV P-Trap with Leap Ring 25*110 mm	"	232.00	232.00	232.00	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470.00	470.00	470.00	
	DWV Reducer 60*110 mm	"	449.00	449.00	449.00	
	DWV Coupler 160mm size	"	1077.00	1077.00	1077.00	



24

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	DWV Single Tee	"	1157.00	1157.00	1157.00	
	DWV Single Tee with Door	"	2016.00	2016.00	2016.00	
	DWV Single 'Y'	"	2118.00	2118.00	2118.00	
	DWV Single 'Y' with Door	"	742.00	742.00	742.00	
	DWV Bend 87.5 Degree	"	988.00	988.00	988.00	
	DWV Bend 87.5 Degree with Door	"	864.00	864.00	864.00	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584.00	584.00	584.00	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606.00	606.00	606.00	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630.00	630.00	630.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593.00	593.00	593.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604.00	604.00	604.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078.00	1078.00	1078.00	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120.00	1120.00	1120.00	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163.00	1163.00	1163.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	per mtr.	1096.00	1096.00	1096.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	per mtr.	1116.00	1116.00	1116.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	per mtr.	1688.00	1688.00	1688.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718.00	1718.00	1718.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746.00	1746.00	1746.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801.00	2801.00	2801.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849.00	2849.00	2849.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899.00	2899.00	2899.00	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709.00	3709.00	3709.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773.00	3773.00	3773.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838.00	3838.00	3838.00	
	FOAMCORE Plain Both End (3mtrs length) SN-4	per mtr.	4583.00	4583.00	4583.00	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	per mtr.	4663.00	4663.00	4663.00	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743.00	4743.00	4743.00	
				0.00	0.00	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583.00	583.00	583.00	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598.00	598.00	598.00	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613.00	613.00	613.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594.00	594.00	594.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605.00	605.00	605.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077.00	1077.00	1077.00	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109.00	1109.00	1109.00	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139.00	1139.00	1139.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097.00	1097.00	1097.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116.00	1116.00	1116.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688.00	1688.00	1688.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718.00	1718.00	1718.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747.00	1747.00	1747.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801.00	2801.00	2801.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849.00	2849.00	2849.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898.00	2898.00	2898.00	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709.00	3709.00	3709.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773.00	3773.00	3773.00	



22

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838.00	3838.00	3838.00	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583.00	4583.00	4583.00	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663.00	4663.00	4663.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743.00	4743.00	4743.00	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294.00	294.00	294.00	
	DWV Coupler SN-4 160 mm	per pc	708.00	708.00	708.00	
	DWV Coupler SN-4 200 mm	per pc	1447.00	1447.00	1447.00	
	DWV Coupler SN-4 250 mm	"	2697.00	2697.00	2697.00	
	DWV Coupler SN-2 315mm	"	4338.00	4338.00	4338.00	
	DWV Coupler SN-4 315 mm	"	4736.00	4736.00	4736.00	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001.00	1001.00	1001.00	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787.00	2787.00	2787.00	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205.00	5205.00	5205.00	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	per pc	11668.00	11668.00	11668.00	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705.00	27705.00	27705.00	
26	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	101.00	101.00	101.00	
	14-18 mm ½"	"	111.00	111.00	111.00	
	16-20 mm ½"	"	119.00	119.00	119.00	
	20-25 mm ¾"	"	180.00	180.00	180.00	
	26-32 mm 1"	"	281.00	281.00	281.00	
	32-40 mm 1¼"	"	446.00	446.00	446.00	
	41-50 mm 1½"	"	653.00	653.00	653.00	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	111.00	111.00	111.00	
	14-18 mm ½"	"	123.00	123.00	123.00	
	16-20 mm ½"	"	141.00	141.00	141.00	
	20-25 mm ¾"	"	208.00	208.00	208.00	
	26-32 mm 1"	"	302.00	302.00	302.00	
	32-40 mm 1¼"	"	465.00	465.00	465.00	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	87.00	87.00	87.00	
	14-18 mm ½"	"	87.00	87.00	87.00	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	रोटा	133.00	133.00	133.00	
	½"ø (18mm ø)	"	140.00	140.00	140.00	
	½"ø (20mm ø)	"	154.00	154.00	154.00	
	¾"ø (25 mm ø)	"	225.00	225.00	225.00	
	1"ø (32 mm ø)	"	351.00	351.00	351.00	
	1¼"ø (40 mm ø)	"	1296.00	1296.00	1296.00	
	1½"ø (50 mm ø)	"	1958.00	1958.00	1958.00	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	252.00	252.00	252.00	

महामन्त्र कार्यालय
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	25 - 18 mm ø	"	261.00	261.00	261.00	
	25 - 20 mm ø	"	275.00	275.00	275.00	
	32 - 16 mm ø	"	388.00	388.00	388.00	
	32 - 18 mm ø	"	356.00	356.00	356.00	
	32 - 20 mm ø	"	383.00	383.00	383.00	
	32 - 25 mm ø	"	410.00	410.00	410.00	
	40 - 32 mm ø	"	1121.00	1121.00	1121.00	
	50 - 20 mm ø	"	1634.00	1634.00	1634.00	
	50 - 32 mm ø	"	1958.00	1958.00	1958.00	
	50 - 40 mm ø	"	1845.00	1845.00	1845.00	
c. Male Union						
	16mm x ½"M	गोटा	95.00	95.00	95.00	
	18mm x ½"M	"	110.00	110.00	110.00	
	20mm x ½"M	"	126.00	126.00	126.00	
	25mm x ½"M	"	153.00	153.00	153.00	
	25mm x ¾"M	"	194.00	194.00	194.00	
	25mm x 1"M	गोटा	248.00	248.00	248.00	
	32mm x ¾"M	"	284.00	284.00	284.00	
	32mm x 1"M	"	311.00	311.00	311.00	
	32mm x 1½"M	"	315.00	315.00	315.00	
	40mm x 1"M	"	995.00	995.00	995.00	
	40mm x 1½"M	"	1030.00	1030.00	1030.00	
	50mm x 1"M	"	1563.00	1563.00	1563.00	
	50mm x 1¼"M	"	1590.00	1590.00	1590.00	
	50mm x 1½"M	"	2160.00	2160.00	2160.00	
	50mm x 2"M	"	1623.00	1623.00	1623.00	
d. Female Straight Union						
	16mm x ½"F	गोटा	104.00	104.00	104.00	
	18mm x ½"F	"	113.00	113.00	113.00	
	20mm x ½"F	"	122.00	122.00	122.00	
	25mm x ½"F	"	162.00	162.00	162.00	
	25mm x ¾"F	"	194.00	194.00	194.00	
	25mm x 1"F	"	198.00	198.00	198.00	
	32mm x ½"F	"	203.00	203.00	203.00	
	32mm x ¾"F	"	207.00	207.00	207.00	
	32mm x 1"F	"	293.00	293.00	293.00	
	40mm x 1½"F	"	1168.00	1168.00	1168.00	
	50mm x 1¼"F	"	1575.00	1575.00	1575.00	
	50mm x 1½"F	"	2160.00	2160.00	2160.00	
	50mm x 2"F	"	1638.00	1638.00	1638.00	
e. Equal Elbow						
	½"ø (16mm ø)	गोटा	126.00	126.00	126.00	
	½"ø (18mm ø)	"	153.00	153.00	153.00	
	½"ø (20mm ø)	"	207.00	207.00	207.00	
	¾"ø (25 mm ø)	"	315.00	315.00	315.00	
	1" ø (32 mm ø)	"	509.00	509.00	509.00	
	1¼" ø (40 mm ø)	"	1656.00	1656.00	1656.00	
	1½" ø (50 mm ø)	"	2565.00	2565.00	2565.00	
f. Unequal Elbow						
	40 - 32 mm ø	"	1836.00	1836.00	1836.00	



24

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	50 - 20 mm ϕ	"	2115.00	2115.00	2115.00	
	50 - 40 mm ϕ	"	2156.00	2156.00	2156.00	
	g. Female Elbow					
	16mm x 1/2"F	गोटा	167.00	167.00	167.00	
	18mm x 1/2"F	गोटा	185.00	185.00	185.00	
	20mm x 1/2"F	गोटा	203.00	203.00	203.00	
	25mm x 1/2"F	गोटा	225.00	225.00	225.00	
	25mm x 3/4"F	गोटा	279.00	279.00	279.00	
	25mm x 1"F	गोटा	306.00	306.00	306.00	
	32mm x 3/4"F	गोटा	329.00	329.00	329.00	
	32mm x 1"F	गोटा	410.00	410.00	410.00	
	50mm x 1 1/4"F	गोटा	2115.00	2115.00	2115.00	
	h. Male Elbow					
	25mm x 3/4"M	गोटा	225.00	225.00	225.00	
	25mm x 1"M	गोटा	293.00	293.00	293.00	
	32mm x 3/4"M	गोटा	221.00	221.00	221.00	
	32mm x 1"M	गोटा	374.00	374.00	374.00	
	40mm x 1"M	गोटा	1215.00	1215.00	1215.00	
	50mm x 1"M	गोटा	1732.00	1732.00	1732.00	
	i. Equal Tee					
	1/2" ϕ (16mm ϕ)	गोटा	225.00	225.00	225.00	
	1/2" ϕ (18mm ϕ)	गोटा	252.00	252.00	252.00	
	1/2" ϕ (20mm ϕ)	गोटा	315.00	315.00	315.00	
	3/4" ϕ (25 mm ϕ)	गोटा	455.00	455.00	455.00	
	1" ϕ (32 mm ϕ)	गोटा	711.00	711.00	711.00	
	1 1/4" ϕ (40 mm ϕ)	गोटा	2658.00	2658.00	2658.00	
	1 1/2" ϕ (50 mm ϕ)	गोटा	3884.00	3884.00	3884.00	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	गोटा	203.00	203.00	203.00	
	20 mm x 18 mm x 20 mm	गोटा	225.00	225.00	225.00	
	25 mm x 16 mm x 25 mm	गोटा	338.00	338.00	338.00	
	25 mm x 18 mm x 25 mm	गोटा	383.00	383.00	383.00	
	25 mm x 20 mm x 25 mm	गोटा	396.00	396.00	396.00	
	32 mm x 16 mm x 32 mm	गोटा	653.00	653.00	653.00	
	32 mm x 18 mm x 32 mm	गोटा	675.00	675.00	675.00	
	32 mm x 20 mm x 32 mm	गोटा	702.00	702.00	702.00	
	32 mm x 25 mm x 32 mm	गोटा	720.00	720.00	720.00	
	40 mm x 32 mm x 32 mm	गोटा	1967.00	1967.00	1967.00	
	40 mm x 32 mm x 40 mm	गोटा	2278.00	2278.00	2278.00	
	50 mm x 20 mm x 50 mm	गोटा	3105.00	3105.00	3105.00	
	50 mm x 32 mm x 32 mm	गोटा	2047.00	2047.00	2047.00	
	50 mm x 32 mm x 50 mm	गोटा	3137.00	3137.00	3137.00	
	50 mm x 40 mm x 40 mm	गोटा	3147.00	3147.00	3147.00	
	50 mm x 40 mm x 50 mm	गोटा	3595.00	3595.00	3595.00	
	k. Female Tee					
	16mm x 1/2"F x 16mm	गोटा	225.00	225.00	225.00	
	18mm x 1/2"F x 18mm	गोटा	234.00	234.00	234.00	
	20mm x 1/2"F x 20mm	गोटा	252.00	252.00	252.00	
	25mm x 1/2"F x 25mm	गोटा	237.00	237.00	237.00	
	25mm x 3/4"F x 25mm	गोटा	261.00	261.00	261.00	



Handwritten signature/initials.

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	25mm x 1"F x 25mm	गोटा	338.00	338.00	338.00	
	32mm x 1/2"F x 32mm	गोटा	365.00	365.00	365.00	
	32mm x 3/4"F x 32mm	गोटा	374.00	374.00	374.00	
	32mm x 1"F x 32mm	गोटा	507.00	507.00	507.00	
	40mm x 3/4"F x 32mm	गोटा	1496.00	1496.00	1496.00	
	50mm x 3/4"F x 40mm	गोटा	2219.00	2219.00	2219.00	
	l. Equal Ball Valve Union					
	1/2" ø (16mm ø)	गोटा	262.00	262.00	262.00	
	1/2" ø (18mm ø)	गोटा	291.00	291.00	291.00	
	1/2" ø (20mm ø)	गोटा	383.00	383.00	383.00	
	3/4" ø (25 mm ø)	गोटा	635.00	635.00	635.00	
	1" ø (32 mm ø)	गोटा	882.00	882.00	882.00	
	1 1/4" ø (40 mm ø)	गोटा	2882.00	2882.00	2882.00	
	1 1/2" ø (50 mm ø)	गोटा	4159.00	4159.00	4159.00	
	m. Female Ball Valve Union					
	16mm x 1/2"F	गोटा	244.00	244.00	244.00	
	18mm x 1/2"F	गोटा	280.00	280.00	280.00	
	20mm x 1/2"F	गोटा	313.00	313.00	313.00	
	20mm x 3/4"F	गोटा	351.00	351.00	351.00	
	25mm x 3/4"F	गोटा	653.00	653.00	653.00	
	25mm x 1"F	गोटा	666.00	666.00	666.00	
	32mm x 1"F	गोटा	702.00	702.00	702.00	
	n. Plug					
	1 1/4" ø (40 mm ø)	गोटा	1440.00	1440.00	1440.00	
	1 1/2" ø (50 mm ø)	गोटा	1980.00	1980.00	1980.00	
	p. Wall Plated Female Elbow					
	16mm x 1/2"F	गोटा	189.00	189.00	189.00	
	18mm x 1/2"F	गोटा	207.00	207.00	207.00	
	20mm x 1/2"F	गोटा	225.00	225.00	225.00	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49.00	49.00	49.00	
	N 1/2M*1/2M	गोटा	49.00	49.00	49.00	
	N 3/4F*1/2F	गोटा	68.00	68.00	68.00	
	N 1F*1/2F	गोटा	77.00	77.00	77.00	
	N 1F*3/4F	गोटा	87.00	87.00	87.00	
	N 3/4M*1/2M	गोटा	68.00	68.00	68.00	
	N 1M*1/2M	गोटा	77.00	77.00	77.00	
	N 1M*3/4M	गोटा	87.00	87.00	87.00	
	N 1/2F*1/2M	गोटा	59.00	59.00	59.00	
	N 1/2F*3/4M	गोटा	68.00	68.00	68.00	
	N 1/2F*1M	गोटा	107.00	107.00	107.00	
	N 1/2M*3/4F	गोटा	68.00	68.00	68.00	
	N 1/2M*1F	गोटा	112.00	112.00	112.00	
	N 3/4F*3/4M	गोटा	87.00	87.00	87.00	
	N 3/4F*1M	गोटा	96.00	96.00	96.00	
	N 3/4M*1F	गोटा	127.00	127.00	127.00	
27	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486.00	486.00	486.00	



SANITARY WORK


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	a.2) Failure chagre per well	संख्या	1350.00	1350.00	1350.00	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693.00	693.00	693.00	
	b.2) Failure chagre per well	संख्या	3600.00	3600.00	3600.00	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323.00	1323.00	1323.00	
	c.2) Failure chagre per well	संख्या	4680.00	4680.00	4680.00	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1873.00	1873.00	1873.00	
	d.2) Failure chagre per well	संख्या	5400.00	5400.00	5400.00	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575.00	1575.00	1575.00	
28	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	535.00	535.00	545.70	
	200 mm dia.	र.मि	703.00	703.00	717.06	
	250 mm dia.	र.मि	871.00	871.00	888.42	
	300 mm dia.	र.मि	1186.00	1186.00	1209.72	
	350 mm dia.	र.मि	1312.00	1312.00	1338.24	
	375 mm dia.	र.मि	1438.00	1438.00	1466.76	
	400 mm dia.	र.मि	1648.00	1648.00	1680.96	
	450 mm dia.	र.मि	1753.00	1753.00	1788.06	
	500 mm dia.	र.मि	1963.00	1963.00	2002.26	
	600 mm dia.	र.मि	2593.00	2593.00	2644.86	
	700 mm dia.	र.मि	3381.00	3381.00	3448.62	
	750 mm dia.	र.मि	3654.00	3654.00	3727.08	
	800 mm dia.	र.मि	4074.00	4074.00	4155.48	
	900 mm dia.	र.मि	5512.00	5512.00	5622.24	
	1000 mm dia.	र.मि	6426.00	6426.00	6554.52	
	1200 mm dia.	र.मि	7833.00	7833.00	7989.66	
	1500 mm dia.	र.मि	16474.00	16474.00	16803.48	
	b) NP-3					
	150 mm dia.	र.मि	1197.00	1197.00	1220.94	
	200 mm dia.	र.मि	1596.00	1596.00	1627.92	
	250 mm dia.	र.मि	2005.00	2005.00	2045.10	
	300 mm dia.	र.मि	2877.00	2877.00	2934.54	
	350 mm dia.	र.मि	3223.00	3223.00	3287.46	
	375 mm dia.	र.मि	3454.00	3454.00	3523.08	
	400 mm dia.	र.मि	3675.00	3675.00	3748.50	
	450 mm dia.	र.मि	4126.00	4126.00	4208.52	
	500 mm dia.	र.मि	4599.00	4599.00	4690.98	
	600 mm dia.	र.मि	5680.00	5680.00	5793.60	
	700 mm dia.	र.मि	6867.00	6867.00	7004.34	
	750 mm dia.	र.मि	7885.00	7885.00	8042.70	
	800 mm dia.	र.मि	8599.00	8599.00	8770.98	
	900 mm dia.	र.मि	11161.00	11161.00	11384.22	
	1000 mm dia.	र.मि	12400.00	12400.00	12648.00	
	1200 mm dia.	र.मि	14752.00	14752.00	15047.04	
	1500 mm dia.	र.मि	23184.00	23184.00	23647.68	



Qn

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	136.00	136.00	138.72	
	200 mm dia.	र.मि	178.00	178.00	181.56	
	250 mm dia.	र.मि	220.00	220.00	224.40	
	300 mm dia.	र.मि	294.00	294.00	299.88	
	350 mm dia.	र.मि	325.00	325.00	331.50	
	375 mm dia.	र.मि	357.00	357.00	364.14	
	400 mm dia.	र.मि	409.00	409.00	417.18	
	450 mm dia.	र.मि	441.00	441.00	449.82	
	500 mm dia.	र.मि	493.00	493.00	502.86	
	600 mm dia.	र.मि	651.00	651.00	664.02	
	700 mm dia.	र.मि	840.00	840.00	856.80	
	750 mm dia.	र.मि	913.00	913.00	931.26	
	800 mm dia.	र.मि	1018.00	1018.00	1038.36	
	900 mm dia.	र.मि	1375.00	1375.00	1402.50	
	1000 mm dia.	र.मि	1606.00	1606.00	1638.12	
	1200 mm dia.	र.मि	1963.00	1963.00	2002.26	
	1500 mm dia.	र.मि	4116.00	4116.00	4198.32	
	b) NP-3					
	150 mm dia.	र.मि	304.00	304.00	310.08	
	200 mm dia.	र.मि	399.00	399.00	406.98	
	250 mm dia.	र.मि	504.00	504.00	514.08	
	300 mm dia.	र.मि	714.00	714.00	728.28	
	350 mm dia.		808.00	808.00	824.16	
	375 mm dia.		861.00	861.00	878.22	
	400 mm dia.	गोटा	913.00	913.00	931.26	
	450 mm dia.	र.मि	1029.00	1029.00	1049.58	
	500 mm dia.	र.मि	1155.00	1155.00	1178.10	
	600 mm dia.	र.मि	1417.00	1417.00	1445.34	
	700 mm dia.	र.मि	1711.00	1711.00	1745.22	
	750 mm dia.	र.मि	1974.00	1974.00	2013.48	
	800 mm dia.	र.मि	2152.00	2152.00	2195.04	
	900 mm dia.	र.मि	2793.00	2793.00	2848.86	
	1000 mm dia.	र.मि	3097.00	3097.00	3158.94	
	1200 mm dia.	र.मि	3685.00	3685.00	3758.70	
	1500 mm dia.	र.मि	5796.00	5796.00	5911.92	
	R.C.C. Spigot Hume Pipe (Socket system)					
	a) NP-2					
	150 mm dia.	र.मि				
	200 mm dia.	र.मि				
	250 mm dia.	र.मि				
	300 mm dia.	र.मि				
	350 mm dia.	र.मि				
	400 mm dia.	र.मि				
	450 mm dia.	र.मि				
	500 mm dia.	र.मि				
	600 mm dia.	र.मि				
	700 mm dia.	र.मि				
	750 mm dia.	र.मि				
			आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	



मोहम्मद कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



2

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	800 mm dia.	र.मि				
	900 mm dia.	र.मि				
	1000 mm dia.	र.मि				
	1200 mm dia.	र.मि				
	b) NP-3					
	150 mm dia.	र.मि	1421.00	1421.00	1449.42	
	200 mm dia.	"	1928.00	1928.00	1966.56	
	250 mm dia.	"	2413.00	2413.00	2461.26	
	300 mm dia.	"	3472.00	3472.00	3541.44	
	350 mm dia.	"				
	400 mm dia.	"	4442.00	4442.00	4530.84	
	450 mm dia.	"	4983.00	4983.00	5082.66	
	500 mm dia.	"	5556.00	5556.00	5667.12	
	600 mm dia.	"	6868.00	6868.00	7005.36	
	700 mm dia.	"	8290.00	8290.00	8455.80	
	800 mm dia.	"	10385.00	10385.00	10592.70	
	900 mm dia.	"	13472.00	13472.00	13741.44	
	1000 mm dia.	"	14971.00	14971.00	15270.42	
	1200 mm dia.	"	17816.00	17816.00	18172.32	
	1400 mm dia.	"	28642.00	28642.00	29214.84	
	1600 mm dia.	"	33041.00	33041.00	33701.82	
	1800 mm dia.	"	44011.00	44011.00	44891.22	
29	High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure					
	HDP Pipe 16 mm to 315 mm	kg				
	HDP Pipe above 315 mm dia	kg				
29.1	2.5Kg/cm² Series II					
	63 mm (0.403 Avg.wt Kg/m)	Rm				
	75 mm (0.557 Avg.wt Kg/m)	"				
	90 mm (0.799 Avg.wt Kg/m)	"				
	110 mm (1.185 Avg.wt Kg/m)	"				
	125 mm (1.530 Avg.wt Kg/m)	"				
	140 mm (1.897 Avg.wt Kg/m)	"				
	160 mm (2.453 Avg.wt Kg/m)	"				
	180 mm (3.148 Avg.wt Kg/m)	"				
	200 mm (3.875 Avg.wt Kg/m)	"				
	225 mm (4.822 Avg.wt Kg/m)	"				
	250 mm (6.012 Avg.wt Kg/m)	"				
	280 mm (7.471 Avg.wt Kg/m)	"				
	315 mm (9.417 Avg.wt Kg/m)	"				
	355 mm (11.957 Avg.wt Kg/m)	"				
	400 mm (15.221 Avg.wt Kg/m)	"				
	450 mm (19.163 Avg.wt Kg/m)	"				
29.2	4 Kg/cm² Series III					
	40 mm (0.251 Avg.wt Kg/m)	Rm				
	50 mm (0.378 Avg.wt Kg/m)	"				
	63 mm (0.585 Avg.wt Kg/m)	"				
	75 mm (0.846 Avg.wt Kg/m)	"				

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८२/८३ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८३/८४ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

22

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	90 mm (1.220 Avg.wt Kg/m)	"				
	110 mm (1.703 Avg.wt Kg/m)	"				
	125 mm (2.289 Avg.wt Kg/m)	"				
	140 mm (2.901 Avg.wt Kg/m)	"				
	160 mm (3.773 Avg.wt Kg/m)	"				
	180 mm (4.762 Avg.wt Kg/m)	"				
	200 mm (5.890 Avg.wt Kg/m)	"				
	225 mm (7.445 Avg.wt Kg/m)	"				
	250 mm (9.187 Avg.wt Kg/m)	"				
	280 mm (11.455 Avg.wt Kg/m)	"				
	315 mm (14.508 Avg.wt Kg/m)	"				
	355 mm (18.382 Avg.wt Kg/m)	"				
	400 mm (23.343 Avg.wt Kg/m)	"				
	450mm (29.351 Avg.wt Kg/m)	"				
29.3	6 Kg/cm ² Series IV					
	32 mm (0.226 Avg.wt Kg/m)	Rm				
	40 mm (0.350 Avg.wt Kg/m)	"				
	50 mm (0.542 Avg.wt Kg/m)	"				
	63 mm (0.850 Avg.wt Kg/m)	"				
	75 mm (1.191 Avg.wt Kg/m)	"				
	90 mm (1.717 Avg.wt Kg/m)	"				
	110 mm (2.545 Avg.wt Kg/m)	"				
	125 mm (3.293 Avg.wt Kg/m)	"				
	140 mm (4.150 Avg.wt Kg/m)	"				
	160 mm (5.355 Avg.wt Kg/m)	"				
	180 mm (6.800 Avg.wt Kg/m)	"				
	200 mm (8.391 Avg.wt Kg/m)	"				
	225 mm (10.544 Avg.wt Kg/m)	Rm				
	250 mm (13.041 Avg.wt Kg/m)	Rm				
	280 mm (16.327 Avg.wt Kg/m)	Rm				
	315 mm (20.694 Avg.wt Kg/m)	Rm				
	355 mm (26.243 Avg.wt Kg/m)	Rm				
	400 mm (33.309 Avg.wt Kg/m)					
	450 mm (42.065 Avg.wt Kg/m)					
29.4	10 Kg/cm ² Series VI					
	16 mm (0.092 Avg.wt Kg/m)	Rm				
	20 mm (0.134 Avg.wt Kg/m)	"				
	25 mm (0.202 Avg.wt Kg/m)	"				
	32 mm (0.334 Avg.wt Kg/m)	"				
	40 mm (0.514 Avg.wt Kg/m)	"				
	50 mm (0.796 Avg.wt Kg/m)	"				
	63 mm (1.269 Avg.wt Kg/m)	"				
	75 mm (1.782 Avg.wt Kg/m)	"				
	90 mm (2.568 Avg.wt Kg/m)	"				
	110 mm (3.801 Avg.wt Kg/m)	"				
	125 mm (4.962 Avg.wt Kg/m)	"				

आर्थिक वर्ष
२०८१/८२ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८२/८३ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

आर्थिक वर्ष
२०८३/८४ को
काठमाण्डौ
जिल्लाको दर रेट
अनुसार हुने

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	140 mm (6.209 Avg.wt Kg/m)	"				
	160 mm (8.079 Avg.wt Kg/m)	"				
	180 mm (10.256 Avg.wt Kg/m)	"				
	200 mm (12.620 Avg.wt Kg/m)	"				
	225 mm (16.014 Avg.wt Kg/m)	"				
	250 mm (19.757 Avg.wt Kg/m)	"				
	280 mm (24.708 Avg.wt Kg/m)	"				
	315 mm (31.16 Avg.wt Kg/m)	"				
	355 mm (39.635 Avg.wt Kg/m)	"				
	400 mm (50.344 Avg.wt Kg/m)	"				
	450 mm (63.598 Avg.wt Kg/m)	"				
29.5	HDPE Double-Wall Corrugated Pipes (Hilltake or equivalent)					
	100mm	Rm	579.00	579.00	579.00	
	150mm	"	1158.00	1158.00	1158.00	
	200mm	"	1764.00	1764.00	1764.00	
	250mm	"	2232.00	2232.00	2232.00	
	300mm	"	3694.00	3694.00	3694.00	
	400mm	"	4768.00	4768.00	4768.00	
	500mm	"	5678.00	5678.00	5678.00	
	600mm	"	9785.00	9785.00	9785.00	
	800mm	"	16207.00	16207.00	16207.00	
	1000mm	"	24421.00	24421.00	24421.00	
29.6	HDPE Sockets (3.5mm thick) of different sizes					
i.	4 "	गोटा	208.00	208.00	208.00	
ii.	5 "	"	358.00	358.00	358.00	
iii.	6 "	"	529.00	529.00	529.00	
iv.	7 "	"	815.00	815.00	815.00	
v.	8 "	"	1036.00	1036.00	1036.00	
vi.	9 "	"	1212.00	1212.00	1212.00	
vii.	10 "	"	1598.00	1598.00	1598.00	
viii.	11 "	"	2646.00	2646.00	2646.00	
ix.	12 "	"	2921.00	2921.00	2921.00	
30	UPVC (Pipe NS 206/046)					
30.1	A) pipe 2.5 kg /cm² pressure					
a)	90 mm	र.मी	141.00	141.00	141.00	
b)	110 mm	"	209.00	209.00	209.00	
c)	125 mm	"	266.00	266.00	266.00	
d)	140 mm	"	328.00	328.00	328.00	
e)	160 mm	"	429.00	429.00	429.00	
f)	180 mm	"	549.00	549.00	549.00	
g)	200 mm	"	671.00	671.00	671.00	
30.2	B) PVC Pipe 4 kg / cm²					
a)	63mm	र.मी	112.00	112.00	112.00	
b)	75 mm	"	154.00	154.00	154.00	
c)	90 mm	"	219.00	219.00	219.00	
d)	110 mm	"	301.00	301.00	301.00	

SANITARY WORK						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	e) 125 mm	"	415.00	415.00	415.00	
	f) 140 mm	"	527.00	527.00	527.00	
	g) 160 mm	र.मी	683.00	683.00	683.00	
	h) 180 mm	"	877.00	877.00	877.00	
	i) 200 mm	"	1064.00	1064.00	1064.00	
30.3	C) PVC Pipe 6 Kg/ cm ² pressure					
	a) 40 mm	र.मी	66.00	66.00	66.00	
	b) 50 mm	"	99.00	99.00	99.00	
	c) 63 mm	"	159.00	159.00	159.00	
	d) 75 mm	"	222.00	222.00	222.00	
	e) 90 mm	र.मी	320.00	320.00	320.00	
	f) 110 mm	र.मी	462.00	462.00	462.00	
	g) 125 mm	र.मी	616.00	616.00	616.00	
	h) 140 mm	"	766.00	766.00	766.00	
	i) 160 mm	"	982.00	982.00	982.00	
	j) 180 mm	"	1252.00	1252.00	1252.00	
	k) 200 mm	"	1534.00	1534.00	1534.00	
30.4	C) PVC Pipe 10 Kg/ cm ² pressure					
	a) 20 mm	र.मी	25.00	25.00	25.00	
	b) 25 mm	"	40.00	40.00	40.00	
	c) 32mm	"	65.00	65.00	65.00	
	a) 40 mm	"	98.00	98.00	98.00	
	b) 50 mm	"	155.00	155.00	155.00	
	c) 63 mm	"	246.00	246.00	246.00	
	d) 75 mm	"	351.00	351.00	351.00	
	e) 90 mm	"	501.00	501.00	501.00	
	f) 110 mm	"	742.00	742.00	742.00	
	g) 125 mm	"	950.00	950.00	950.00	
	h) 140 mm	"	1199.00	1199.00	1199.00	
	i) 160 mm	"	1542.00	1542.00	1542.00	
	j) 180 mm	"	1966.00	1966.00	1966.00	
	k) 200 mm	"	2431.00	2431.00	2431.00	
30.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	31.00	31.00	31.00	
	75 mm	"	75.00	75.00	75.00	
	110 mm	"	128.00	128.00	128.00	
	Bend 87.5 degree					
	50 mm	गोटा	46.00	46.00	46.00	
	75 mm	"	108.00	108.00	108.00	
	110 mm	"	200.00	200.00	200.00	
	Bend 45 degree					
	50 mm	गोटा	45.00	45.00	45.00	
	75 mm	"	88.00	88.00	88.00	
	110 mm	"	158.00	158.00	158.00	
	Single Tee					
	50 mm	गोटा	68.00	68.00	68.00	



24

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	75 mm					
	110 mm	"	147.00	147.00	147.00	
	Pipe clip	"	279.00	279.00	279.00	
	50 mm					
	75 mm	गोटा	14.00	14.00	14.00	
	110 mm	"	28.00	28.00	28.00	
	Bend 87.5 degree with door	"	37.00	37.00	37.00	
	75 mm					
	110 mm	गोटा	139.00	139.00	139.00	
	Single Tee with door	"	242.00	242.00	242.00	
	75 mm					
	110 mm	गोटा	198.00	198.00	198.00	
		"	369.00	369.00	369.00	
	Double Tee					
	75 mm					
	110 mm	गोटा	322.00	322.00	322.00	
	Double Tee with door	गोटा	510.00	510.00	510.00	
	75 mm					
	110 mm	गोटा	427.00	427.00	427.00	
	Vent cowl	"	662.00	662.00	662.00	
	75 mm					
	110 mm	गोटा	53.00	53.00	53.00	
	Socket plug	"	87.00	87.00	87.00	
	75 mm					
	110 mm	गोटा	66.00	66.00	66.00	
	Single "Y"	"	108.00	108.00	108.00	
	75 mm					
	110 mm	गोटा	168.00	168.00	168.00	
	Single "Y" with door	"	363.00	363.00	363.00	
	75 mm					
	110 mm	गोटा	230.00	230.00	230.00	
	Double "Y"	"	438.00	438.00	438.00	
	75 mm					
	110 mm	गोटा	253.00	253.00	253.00	
	Double "Y" with door	"	499.00	499.00	499.00	
	75 mm					
	110 mm	गोटा	325.00	325.00	325.00	
	Cleaning pipe	"	523.00	523.00	523.00	
	75 mm					
	110 mm	"	147.00	147.00	147.00	
	Reducer	"	284.00	284.00	284.00	
	110x 75 mm					
	75X50 mm	"	131.00	131.00	131.00	
	P-Trap	"	69.00	69.00	69.00	
	125mmx110mm	"	539.00	539.00	539.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	110mmx110mm	"	505.00	505.00	505.00	
	75mmx75mm	"	193.00	193.00	193.00	
	Multi-Floor -Trap					
	110mmx75mm	"	280.00	280.00	280.00	
	Nahani-Trap					
	110mmx75mm	"	255.00	255.00	255.00	
	W.C. Connector (bent type)	"	261.00	261.00	261.00	
	Square tile with jali	"	84.00	84.00	84.00	
	Round jali	"	38.00	38.00	38.00	
	End cap 50mm	"	25.00	25.00	25.00	
31.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
i.	½ " (15 mm)	र.मी	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
ii.	¾ " (20 mm)	"				
iii.	1" (25 mm)	"				
iv.	1 ¼" (32 mm)	"				
v.	1 ½ " (40 mm)	"				
vi.	2" (50 mm)	र.मी				
vii.	2 ½ " (65 mm)	र.मी				
viii.	3" (80 mm)	"				
ix.	4" (100 mm)	"				
x.	5" (125 mm)	"				
xi.	6" (150 mm)	"				
xii.	8" (200 mm)	"				
	b) Medium class					
i.	½ " (15 mm)	र.मी	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
ii.	¾ " (20 mm)	"				
iii.	1" (25 mm)	"				
iv.	1 ¼" (32 mm)	"				
v.	1 ½ " (40 mm)	र.मि				
vi.	2" (50 mm)	"				
vii.	2 ½ " (65 mm)	"				
viii.	3" (80 mm)	"				
ix.	4" (100 mm)	"				
x.	5" (125 mm)	"				
xi.	6" (150 mm)	"				
xii.	8" (200 mm)	"				
	c) Heavy duty					
i.	½ " (15 mm)	र.मि	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
ii.	¾ " (20 mm)	"				
iii.	1" (25 mm)	"				
iv.	1 ¼" (32 mm)	"				
v.	1 ½ " (40 mm)	"				
vi.	2" (50 mm)	"				



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
vii.	2 1/2" (65 mm)	"				
viii.	3" (80 mm)	"				
ix.	4" (100 mm)	"				
x.	5" (125 mm)	"				
xi.	6" (150 mm)	"				
xii.	8" (200 mm)	"				
32.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
i.	1/2"	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	"				
viii.	3"	"				
ix.	4"	"				
	b) G.M Check valve					
i.	1/2"	गोटा				
ii.	3/4"	गोटा				
iii.	1"	गोटा				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	"				
viii.	3"	"				
ix.	4"	"				
	c) G.I. Elbow					
i.	1/2"	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	"				
viii.	3"	"				
ix.	4"	"				
x.	5"	"				
xi.	6"	"				
	d) G.I. Tee					
i.	1/2"	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				

आर्थिक वर्ष २०८१-८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८२-८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८३-८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने



34

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
v.	1 1/2 "					
vi.	2 "	"				
vii.	2 1/2 "	"				
viii.	3 "	"				
ix.	4 "	"				
x.	5 "	"				
xi.	6 "	"				
e) G.I Union						
i.	1/2 "					
ii.	3/4 "	गोटा				
iii.	1 "	"				
iv.	1 1/4 "	"				
v.	1 1/2 "	"				
vi.	2 "	"				
vii.	2 1/2 "	"				
viii.	3 "	"				
ix.	4 "	"				
x.	5 "	गोटा				
xi.	6 "	"				
f) G.I. Socket						
i.	1/2 "					
ii.	3/4 "	गोटा				
iii.	1 "	गोटा				
iv.	1 1/4 "	गोटा				
v.	1 1/2 "	गोटा				
vi.	2 "	गोटा				
vii.	2 1/2 "	गोटा				
viii.	3 "	"				
ix.	4 "	"				
x.	5 "	"				
xi.	6 "	"				
g) C.I. Plug						
i.	1/2 "					
ii.	3/4 "	गोटा				
iii.	1 "	"				
iv.	1 1/4 "	"				
v.	1 1/2 "	"				
vi.	2 "	"				
vii.	2 1/2 "	"				
viii.	3 "	"				
ix.	4 "	"				
h) Hex Nipple						
i.	1/2 "					
ii.	3/4 "	गोटा				
iii.	1 "	"				

आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने



24

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
iv.	1 ¼"	"				
v.	1 ½ "	"				
vi.	2"	"				
vii.	2 ½ "	"				
viii.	3"	"				
ix.	4"	"				
i) Reducing Tee						
i.	¾"	गोटा				
ii.	1"	"				
iii.	1 ¼"	"				
iv.	1 ½ "	"				
v.	2"	"				
vi.	2 ½ "	"				
vii.	3"	"				
viii.	4"	"				
x.	5"	"				
xi.	6"	"				
i) Reducing Elbow						
i.	¾"	गोटा				
ii.	1"	"				
iii.	1 ¼"	"				
iv.	1 ½ "	"				
v.	2"	"				
vi.	2 ½ "	"				
vii.	3"	"				
viii.	4"	"				
x.	5"	"				
xi.	6"	"				
j) Reducing socket						
i.	1/2"	गोटा				
i.	¾"	"				
ii.	1"	"				
iii.	1 ¼"	"				
iv.	1 ½ "	"				
v.	2"	"				
vi.	2 ½ "	"				
vii.	3"	"				
viii.	4"	"				
x.	5"	"				
xi.	6"	"				
K) Short bend						
i.	½ "	गोटा				
ii.	¾"	"				
iii.	1"	"				
iv.	1 ¼"	"				

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८२/८३
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
v.	1 ½ "	"				
vi.	2"	"				
vii.	2 ½ "	"				
viii.	3"	"				
ix.	4"	"				
	I) Cross Tee					
i.	½ "	गोटा				
ii.	¾"	"				
iii.	1"	"				
iv.	1 ¼"	"				
v.	1 ½ "	"				
vi.	2"	"				
vii.	2 ½ "	"				
viii.	3"	"				
ix.	4"	"				
	M) Tanki nipple					
i.	½ "	गोटा				
ii.	¾"	"				
iii.	1"	"				
iv.	1 ¼"	"				
v.	1 ½ "	"				
vi.	2"	गोटा				
vii.	2 ½ "	"				
viii.	3"	"				
ix.	4"	"				
	G.I. Nipple Medium Class ISI or NS					
	2" Long					
i.	½ "	गोटा				
ii.	¾"	"				
iii.	1"	"				
iv.	1 ¼"	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
v.	1 ½ "	"				
vi.	2"	"				
	3" Long					
i.	½ "	गोटा				
ii.	¾"	"				
iii.	1"	"				
iv.	1 ¼"	"				
v.	1 ½ "	"				
vi.	2"	"				
vii.	2 ½ "	"				
viii.	3"	"				
	4" Long					
i.	½ "	गोटा				
ii.	¾"	"				

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	"				
viii.	3"	"				
ix.	4"	"				
x.	5"					
xi.	6"					
	6" Long					
i.	1/2"	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	"				
viii.	3"	"				
ix.	4"	"				
x.	5"					
xi.	6"					
	9" Long					
i.	1/2"	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	गोटा				
viii.	3"	"				
ix.	4"	"				
x.	5"					
xi.	6"					
	12" Long					
i.	1/2"	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2"	"				
vi.	2"	"				
vii.	2 1/2"	"				
viii.	3"	"				
ix.	4"	"				
x.	5"					
xi.	6"					

आर्थिक वर्ष २०८१/८२
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८२/८३
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

[Signature]

[Signature]

[Signature]

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	18" Long					
i.	1/2 "	गोटा				
ii.	3/4 "	"				
iii.	1 "	"				
iv.	1 1/4 "	"				
v.	1 1/2 "	"				
vi.	2 "	"				
vii.	2 1/2 "	"				
viii.	3 "	"				
ix.	4 "	"				
	G.I./G.I. Flange					
i.	1 1/4 "	गोटा				
ii.	1 1/2 "	"				
iii.	2 "	"				
iv.	2 1/2 "	"				
v.	3 "	"				
vi.	4 "	"				
vii.	5 "					
viii.	6 "					
ix.	8 "					
	MS Flange set of different sizes					
i.	4 "	गोटा				
ii.	5 "	"				
iii.	6 "	"				
iv.	7 "	"				
v.	8 "	"				
vi.	10 "	"				
vii.	12 "	"				
	G.I./HDP Flange					
i.	1 1/4 "	गोटा				
ii.	1 1/2 "	"				
iii.	2 "	"				
iv.	2 1/2 "	"				
v.	3 "	"				
vi.	4 "	"				
vii.	5 "					
viii.	6 "					
ix.	8 "					
	HDP/HDP Flange set with adaptor					
i.	1 1/4 "	गोटा				
ii.	1 1/2 "	"				
iii.	2 "	"				
iv.	2 1/2 "	"				
v.	3 "	गोटा				
vi.	4 "	"				

आर्थिक वर्ष २०८२/८३
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने

आर्थिक वर्ष २०८३/८४
को काठमाण्डौ जिल्लाको
दर रेट अनुसार हुने



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
vii.	5"	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
viii.	6"	"				
ix.	8"	"				
	Brass tap 1/2"					
i.	1/2 " (Wt. 400 gm)	गोटा				
ii.	1/2 " ordinary	गोटा				
	Globe Valve (GM)					
i.	1/2 "	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2 "	गोटा	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८४/८५ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
vi.	2"	गोटा				
vii.	2 1/2 "	गोटा				
viii.	3"	"				
ix.	4"	"				
	Float Valve					
i.	1/2 "	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2 "	"				
vi.	2"	"				
	C.I. Air valve (Heavy)		आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८४/८५ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८५/८६ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
i.	1/2 "	गोटा				
ii.	3/4"	"				
iii.	1"	"				
	Brass Union with Adopter					
i.	1/2 "	गोटा				
ii.	3/4"	"				
iii.	1"	"				
iv.	1 1/4"	"				
v.	1 1/2 "	"				
vi.	2"	"				
	Saddle Ferrule		आर्थिक वर्ष २०८४/८५ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८५/८६ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८६/८७ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
i.	1 1/2 "	गोटा				
ii.	2"	"				
iii.	2 1/2 "	"				
iv.	3"	"				
v.	4"	"				
	Flow Regulating Valve (G.M.)					
i.	1/2"	गोटा				
	C.I Sluice Valve					
i.	1 1/2 "	गोटा				
ii.	2"	"				

34

SANITARY WORK						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
iii.	2 ½ "	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
iv.	3"	गोटा				
v.	4"	"				
v.	5"	"				
v.	6"	"				
v.	8"	"				
Cast Steel Gaf Valve class 300						
i.	1 ½ "	गोटा				
ii.	2"	गोटा				
iii.	2 ½ "	गोटा				
iv.	3"	गोटा				
v.	4"	गोटा				
Cast Steel Non Return Valve class 300						
i.	1 ½ "	गोटा				
ii.	2"	गोटा				
iii.	2 ½ "	गोटा				
iv.	3"	गोटा				
v.	4"	गोटा				
Brass Ferrule Cock						
i.	½ "	गोटा				
ii.	¾ "	"				
iii.	1"	"				
Ball valve						
a)	15mm	गोटा				
b)	20 mm	"				
c)	25 mm	"				
d)	32 mm	"				
e)	40 mm	"				
f)	50 mm	"				
33.0	Supplying of Rec ring for construction of well					
33.1	Ring					
i)	28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	676.00	676.00	676.00	
ii)	36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	837.00	837.00	837.00	
iii)	42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	974.00	974.00	974.00	
iv)	48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1290.00	1290.00	1290.00	
33.2	Supplying & fixing of metal frame and Rec cover					
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2042.00	2042.00	2042.00	
i)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	2704.00	2704.00	2704.00	
i)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	2968.00	2968.00	2968.00	
i)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	3546.00	3546.00	3546.00	

गोपाल कुमार अधिकारी
 प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
32.0	ईनार खनको लागि R.C.C. रिङ आपूर्ति गरि पाटो खन्ने, आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५ फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	4678.00	4678.00	4678.00	
	ii) 36" dia. R.C.C. Ring	"	5936.00	5936.00	5936.00	
	iii) 42" dia. R.C.C. Ring	"	6910.00	6910.00	6910.00	
	iv) 48" dia. R.C.C. Ring	"	8524.00	8524.00	8524.00	
33.2	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खनको लागि R.C.C. रिङ आपूर्ति गरि पाटो खन्ने, आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	6277.00	6277.00	6277.00	
	ii) 36" dia. R.C.C. Ring	"	10615.00	10615.00	10615.00	
	iii) 42" dia. R.C.C. Ring	"	12849.00	12849.00	12849.00	
	iv) 48" dia. R.C.C. Ring	"	15436.00	15436.00	15436.00	
33.0	Accessories for Deep boring works by machine .					
	i) MS Slotted pipe	Kg				
	ii) Submersible pump with motor 15 hp per set, head 80 m. discharge 10 lps. with control pannel	Set	272.80	272.80	272.80	
	iii) Submersible pump with motor 12.5 hp per set, head 80 m. discharge 8 lps. with control pannel	"				
	iv) Submersible pump with motor 10 hp per set, head 70 m. discharge 7 lps. with control pannel	"				
	v) Submersible pump with motor 7.5 hp per set, head 70 m. discharge 5 lps. with control pannel	"				
	vi) 10 mm sq. submersible Cable three phase per meter	र.मि				
	vii) 6 mm sq. submersible Cable three phase per meter	"				
	viii) 4 mm sq. submersible Cable three phase per meter	"				
	ix) 2.5 mm sq. submersible Cable three phase per meter	"				
	x) Pannel Board Suitable for above pumps 20 H P	set				
	xi) Pannel Board Suitable for above pumps 15 H P	"				
	xii) Pannel Board Suitable for above pumps 12.50 H P	"				
	xiii) Pannel Board Suitable for above pumps 10 H P	"				
	xiv) Pannel Board Suitable for above pumps 7.5 H P	"				
	xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm	"				
	xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm	"				



34

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
xvii)	6" dia flange and flange cover with nut bolt , thickness 10 mm	"	आर्थिक वर्ष २०८१/८२ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८२/८३ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	आर्थिक वर्ष २०८३/८४ को काठमाण्डौ जिल्लाको दर रेट अनुसार हुने	
xviii)	10" MS collar (socket) suitable for above pipe thickness 7 mm	"				
xix)	8" MS collar (socket) suitable for above pipe thickness 6 mm	"				
xx)	6" MS collar (socket) suitable for above pipe thickness 6 mm	"				
xxi)	4" MS collar (socket) suitable for above pipe thickness 6 mm	"				
vi)	200 mm dia ms pipe of 7 mm thick	र.मि				
vi)	200 mm dia ms pipe of 7 mm thick Slotted pipe	"				
vi)	150 mm dia ms pipe of 5.4 mm thick	"				
vi)	150 mm dia ms pipe of 5.4 mm thick Slotted pipe	"				
	Construction material for deep boring					
	Bentonite	Ton				
	Barite	Ton				
	Drill bit	nos				
	Oxyzen gs	cy,				
	Acetelyne gas	cy,				
	Bucket	nos				
	Liner	nos				
	Piston rod	nos				
	Gland packing	set				
	swivel packing	Set				
	V-packing	Set				
	Valve / Steel ball	nos				
	Valve sheat	nos				
	Valve Packing	nos				
	Machinery for Deep boring					
	Rig machine	Hrs				
	Elec. Generetor	"				
	Water truck	"				
	Cargo truck	"				
	Picup truck	"				
	Water pump	"				
	Electric logger	"				
34.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	255.00	255.00	255.00	
	12"	Pc	482.00	482.00	482.00	
	15"	Pc	1388.00	1388.00	1388.00	
	18"	Pc	1643.00	1643.00	1643.00	
b	Blow Torch					
	1/2 pint	Pc	1434.00	1434.00	1434.00	
	1 pint	Pc	1767.00	1767.00	1767.00	
c	Building Trowel	Pc	79.00	79.00	79.00	
d	Chain Pipe wrench					

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	50mm	Pc	1595.00	1595.00	1595.00	
	75mm	Pc	1898.00	1898.00	1898.00	
	100mm	Pc	2228.00	2228.00	2228.00	
	150mm	Pc	3135.00	3135.00	3135.00	
	200mm	Pc	5335.00	5335.00	5335.00	
e	Chain Pulley in Ton					
	3 ton	Pc	17562.00	17562.00	17562.00	
	5 ton	Pc	29005.00	29005.00	29005.00	
f	Stone Chisel 1"x12"	Pc	369.00	369.00	369.00	
g	Die teeth oil with cane (250 ml size)	Pc	283.00	283.00	283.00	
h	Smooth steel file half round					
	8"	Pc	539.00	539.00	539.00	
	10"	Pc	1031.00	1031.00	1031.00	
i	Flat file 10"	Pc	539.00	539.00	539.00	
10.0	Hacksaw Blade					
	Single	Pc	4.00	4.00	4.00	
	double	Pc	9.00	9.00	9.00	
j	Hacksaw Frame 6mm	Pc	193.00	193.00	193.00	
k	Handle die set					
	25 mm	Pc	3201.00	3201.00	3201.00	
	50 mm	Pc	3626.00	3626.00	3626.00	
	60 mm	Pc	9631.00	9631.00	9631.00	
l	Heating Plate					
	80 mm	Pc	963.00	963.00	963.00	
	100 mm	Pc	1105.00	1105.00	1105.00	
	125 mm	Pc	1416.00	1416.00	1416.00	
	150 mm	Pc	1688.00	1688.00	1688.00	
	200 mm	Pc	2731.00	2731.00	2731.00	
	250 mm	Pc	3308.00	3308.00	3308.00	
	300 mm	Pc	3864.00	3864.00	3864.00	
m	Iron Brush 12"	Pc	74.00	74.00	74.00	
n	Iron Pan (madium)	Pc	261.00	261.00	261.00	
o	Pick Axe 1.7 Kg.	Pc	431.00	431.00	431.00	
p	Pipe Cutter					
	15-50 mm	Pc	2039.00	2039.00	2039.00	
	65-80 mm	Pc	3172.00	3172.00	3172.00	
	100 mm	Pc	5099.00	5099.00	5099.00	
	125 mm	Pc	5665.00	5665.00	5665.00	
	150 mm	Pc	10084.00	10084.00	10084.00	
q	Pipe Jack Machine (Heavy)	Pc	32291.00	32291.00	32291.00	
r	Pipe Vice					
	2"	Pc	2493.00	2493.00	2493.00	
	3"	Pc	3626.00	3626.00	3626.00	
	4"	Pc	5467.00	5467.00	5467.00	
	5"	Pc	10140.00	10140.00	10140.00	
s	Pipe Wrench					
	10"	Pc	317.00	317.00	317.00	
	12"	Pc	589.00	589.00	589.00	
	14"	Pc	702.00	702.00	702.00	
	18"	Pc	1117.00	1117.00	1117.00	

Om

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	24"	Pc	1541.00	1541.00	1541.00	
	36"	Pc	5438.00	5438.00	5438.00	
	48"	Pc	9631.00	9631.00	9631.00	
t	Plumb Bob Line	Pc	91.00	91.00	91.00	
u	Ratchet Die Set					
	1/2"-1"	Pc	4305.00	4305.00	4305.00	
	1 1/4" -2"	Pc	8044.00	8044.00	8044.00	
	2 1/2"-3"	Pc	17562.00	17562.00	17562.00	
v	Round File 10"	Pc	369.00	369.00	369.00	
w	Screw Driver 12"	Pc	204.00	204.00	204.00	
x	Shovel 1.5 Kg	Pc	369.00	369.00	369.00	
y	Slide wrench					
	10"	Pc	363.00	363.00	363.00	
	12"	Pc	487.00	487.00	487.00	
	15"	Pc	1422.00	1422.00	1422.00	
z	Spade	Pc	442.00	442.00	442.00	
A	Spare Die Teeth					
	15 mm	Pc	589.00	589.00	589.00	
	20 mm	Pc	589.00	589.00	589.00	
	25 mm	Pc	589.00	589.00	589.00	
	32 mm	Pc	935.00	935.00	935.00	
	40 mm	Pc	1598.00	1598.00	1598.00	
	50 mm	Pc	1615.00	1615.00	1615.00	
	65 mm	Pc	1869.00	1869.00	1869.00	
	80 mm	Pc	2096.00	2096.00	2096.00	
B	Telflon Cover					
	5'x5'	Pc	312.00	312.00	312.00	
	7'x7'	Pc	425.00	425.00	425.00	
C	Telflon Cloth	m	3428.00	3428.00	3428.00	
D	Telflon Tape 10 mm roll	Roll	18.00	18.00	18.00	
E	Thermochrome Crayon					
	Indian	Pc	765.00	765.00	765.00	
	Germany	Pc	1485.00	1485.00	1485.00	
F	Tool Box (14"x8"x22")	Pc	2102.00	2102.00	2102.00	
35	Installation of waste water tretment Plant all complete work (sintex or equivalent company) (Watsle water from toilet , Sink, Shower and other drain flows through Sewage Treatment Plant where scum float to the top and sludge substance heavier than water and effluent left between the scum and sludge layers flows through tank outlet to the soak pit or drain field ,MADE OF LL,DPE material used in reducing BOD ad COD level Anerobic treatment)					
	800 lts for 4 persons	nos	71250.00	71250.00	71250.00	
	1200 lts for 6 people	nos	88350.00	88350.00	88350.00	
	1600 lts for 10 persons	nos	106400.00	106400.00	106400.00	
	1800 lts for 12 persons	nos	125400.00	125400.00	125400.00	
36	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					

Om

Om

Om

मोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
1	Supply flexible, kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
2	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs, flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0 to 3.5bar	Nos	30.00	30.00	30.00	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660.00	660.00	660.00	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps. The Spray Head body, stem, nozzle, ratchet and screen shall be constructed of heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200.00	1200.00	1200.00	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps. The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200.00	1200.00	1200.00	
	gear rotors 5004	No.	3100.00	3100.00	3100.00	
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390.00	390.00	390.00	
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm ² at 43°C and a surge pressure of 16.6 kg/cm ² . The fittings shall be made of UV resistant thermo plastic. SA	No.	480.00	480.00	480.00	
	Providing and fixing of HDPE service saddle of varying size		850.00	850.00	850.00	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve, security pivot to maintain lever in space, double water tight joint, direct injection stem non mechanical, with a base which permits maximum penetration into the valve of size 63mm.	No.	1800.00	1800.00	1800.00	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100.00	2100.00	2100.00	



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500.00	7500.00	7500.00	
	6" Round box.	No.	1250.00	1250.00	1250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500.00	13500.00	13500.00	
	Key threads into top of QCV to provide water access 33DK	No.	9750.00	9750.00	9750.00	
5	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	गोटा	अधिक वर्ष २०८१/८२ को कठमाडौं जिल्लाको दर रेट अनुसार हुने	अधिक वर्ष २०८२/८३ को कठमाडौं जिल्लाको दर रेट अनुसार हुने	अधिक वर्ष २०८३/८४ को कठमाडौं जिल्लाको दर रेट अनुसार हुने	
	b) 45 cm long bend type	गोटा				
	c) 60 cm long bend type	गोटा				
37	ईनार तथा ट्यूबवेल सम्बन्धी					
A	Deep Tube Well					
1	Pea Gravel	Cum	3345.00	3345.00	3345.00	
2	Gasket	no	55.00	55.00	55.00	
3	Bentonite	Kg	35.00	35.00	35.00	
4	Barite	Kg	35.00	35.00	35.00	
5	MS Casing pipe 10 inch	Kg	128.00	128.00	128.00	
6	MS Casing pipe 8 inch	Kg	118.00	118.00	118.00	
7	MS Casing pipe 6 inch	Kg	118.00	118.00	118.00	
8	Reducer 8/6 inch	No	2710.00	2710.00	2710.00	
9	Flange 8 inch	No	4745.00	4745.00	4745.00	
10	LCG Screen-6 inch	Mtr	8476.00	8476.00	8476.00	
11	Stainless steel Screen 6 inch	Mtr	15244.00	15244.00	15244.00	
B	Shallow Tube well					
1	4" Dia MS pipe Threaded	Kg	149.00	149.00	149.00	
2	4" Dia Bottle T (well lead T)	No	3491.00	3491.00	3491.00	
3	4" Dia nipple 4" length	No	329.00	329.00	329.00	
4	4" Dia heavy socket	No	1323.00	1323.00	1323.00	
5	1.5" Dia Nipple 9" long	No	309.00	309.00	309.00	
6	4" Dia Non- return valve	No	5871.00	5871.00	5871.00	
7	4" CI Cap	No	391.00	391.00	391.00	
8	1.5" CI Cap	No	123.00	123.00	123.00	
9	PVC screen making charge	Rm	825.00	825.00	825.00	
10	MS screen making charge	Rm	2980.00	2980.00	2980.00	
11	Noke making charge	No	4050.00	4050.00	4050.00	
12	Nylon Net	Mtr	150.00	150.00	150.00	
13	Shallow Tubewell Drilling Charge (Manual)					
a	Sludge Method	Rm	1965.00	1965.00	1965.00	
b	Hammering Method	Rm	2915.00	2915.00	2915.00	
C	Cost of Summercible Pumps					
i	5HP Motor pump (4" Boring, Economic Head upto 50m)	No	90500.00	90500.00	90500.00	
ii	6HP Motor pump (4" Boring, Economic Head upto 75m)	No	102500.00	102500.00	102500.00	
iii	7.5HP Motor pump (6" Boring, Economic Head upto 100m)	No	125500.00	125500.00	125500.00	
iv	10HP Motor pump (6" Boring, Economic Head upto 150m)	No	187000.00	187000.00	187000.00	
v	15HP Motor pump (8" Boring, Economic Head upto 150m)	No	277500.00	277500.00	277500.00	
vi	20HP Motor pump (10" Boring, Economic Head upto 150m)	No	295250.00	295250.00	295250.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी



SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व. ०८१/०८२	आ.व. ०८२/०८३	आ.व. ०८३/०८४	कैफियत
vii	25-30HP Motor pump (>10" Boring, Economic Head upto 200m)	No	319500.00	319500.00	319500.00	
D	5HP Diesel pumpset	No	53100.00	53100.00	53100.00	
E	Flexible Submersible Copper Flat Cable					
	4Sq.mm	Mtr	770.00	770.00	770.00	
	6Sq.mm	Mtr	880.00	880.00	880.00	
	10Sq.mm	Mtr	1500.00	1500.00	1500.00	
F	Making of Dug well for 40" RCC Ring with sinking for labour wadges only					
	upto depth 6m	Mtr	4055.00	4055.00	4055.00	
	depth 6m-9m	Mtr	4680.00	4680.00	4680.00	
	depth 9m-12m	Mtr	5320.00	5320.00	5320.00	
	depth 12m-15m	Mtr	5950.00	5950.00	5950.00	
	Above 15m	Mtr	6580.00	6580.00	6580.00	
G	CI Heavy Hand Pump (23kg)	set	5050.00	5050.00	5050.00	
H	Mechanical Equipments					
	12mm dia. Touching Wire	Mtr	440.00	440.00	440.00	
	5 Ton Capacity Chain Pulley (ISO/ISI Standard)	set	50600.00	50600.00	50600.00	
	Mechanical jack	set	56500.00	56500.00	56500.00	
	सिचाईका आइर्न गेटहरू					
	फ्रेम, पल्ला, सादा नटबोल्ट सहित	प्रति केजि	155.00	155.00	155.00	
	फ्रेम, पल्ला, स्पेनडल, बुस्ट नट, मिज बक्स नटबोल्ट सेट बेरि	प्रति केजि	260.00	260.00	260.00	
	फ्रेम, पल्ला, स्पेनडल, बुस्ट नट, मिज बक्स नटबोल्ट सेट बेरि सहित	प्रति केजि	290.00	290.00	290.00	

गोपाल कुमार अधिकारी
प्रमुख जिल्ला अधिकारी

100-1000000

100-1000000

100-1000000

100-1000000