




जिल्ला दररेट निर्धारण समिति

भक्तपुर



ज्याला, ढुवानी तथा निर्माण सामग्रीहरूको दररेट
आ.व. २०८२/०८३

१ श्रमिकको ज्यालादर सम्बन्धी:



सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर प्रतिदिन (रु.) आ.व.			कैफियत
			०८०८१	०८१८२	०८२/८३	
१	अदक्ष श्रमिक (ज्यामी)	जवान	९००	९२०	९३५	
२	दक्ष डकर्मी, सिकर्मी, नकर्मी, चित्रकार, बज्रकर्मी, प्लम्बर, ढुङ्गा र काठ चुहा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदि	"	१२००	१२२५	१२४५	
३	अर्धदक्ष डकर्मी, सिकर्मी, नकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदि	"	१०००	१०२०	१०४०	
४	ढल सफा गर्ने कामदार	"		१२२५	१२४५	
५	हेभी इक्विपमेन्ट डोजर, एक्ज्याभेटर, रोलर, ग्रेडर अपरेटर आदि	"	१३००	१३२५	१३५०	
६	मेकानिक्स, हेभी मेकानिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेशिन अपरेटर ल्याब असिस्टेन्ट आदि	"	९५०	९७०	९८५	
७	भरिया (४० के.जी. तौलसम्म)	"	९००	९२०	९३५	
८	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टिङ्ग फोरमेन, सामाजिक परिचालक, खदेल (खानी सम्बन्धी काम गर्ने कामदार) आदि	"	९००	९२०	९३५	
९	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, अफिस असिस्टेन्ट, सभै हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.ई.ई. उत्तीर्ण वा सो सरह) आदि	"	८१५	८३०	८४५	
१०	माली, सहायक परिचालक, स्वीपर, मेहतर, धोबी, वन हेरालु, चौकिदार आदि	"	७५०	७६५	७८०	
११	काठ ढुङ्गा झिँगटी लगायत परम्परागत कार्य गर्ने कालिगढ मिल्खी	"	१८००	१८३५	१८६५	
१२	जोखिमजन्य क्षेत्रमा कार्य कार्य गर्नुपर्ने लेबर	"	१५००	१५३०	१५५५	

नोट :-

माथि उल्लेख नभएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदिको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।

माथि उल्लेख नभएका अन्य सबै पद/श्रेणीका ज्यालादारी कर्मचारी/कामदारहरुको हकमा सम्बन्धित पद/श्रेणीको लागी नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलवमानलाई तीसले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर रकम मान्नु पर्नेछ ।

[Handwritten signatures and stamps]

भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



३ ढुवानी सम्बन्धी

सि. नं.	ढुवानी सम्बन्धि विवरण	इकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
१.०	सजिलो सामान (जस्तै: सिमेन्ट, बालुवा, रोडा, दाउरा, रासायनिक मल, खाद्यान्न, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३३.६०	३३.६०	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४६.८३	४६.८३	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३७.४९	३७.४९	३७.४९	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	५०.७२	५०.७२	५०.७२	
१.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी भन्दा बढी)	टन/कि.मी.	१८.२७	१८.२७	१८.२७	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	३.५०	३.५०	३.५०	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधि, काठ, कृषिजन्य, फलफूलको विरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४७.९३	४७.९३	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.९३	५५.९३	५५.९३	
२.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.९३	५५.९३	५५.९३	
२.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	६०.०६	६०.०६	६०.०६	
२.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी.भन्दा बढी)	टन/कि.मी.	२७.४६	२७.४६	२७.४६	
२.६	भरियाबाट (पैदल) सामान ढुवानी	के.जी. /कि.मी.	४.५०	४.५०	४.५०	

Handwritten signatures and initials of officials.

भक्त मणी पाण्डे
प्रमुख जिल्ला अधिकारी



सि. नं.	दुवानी सम्बन्धि विवरण	जिल्ला प्रशासन कार्यालय भक्तपुर, काठमाडौं	दुवानी दर (रु)			कैफियत
			आ.व.			
			०८०/८१	०८१/८२	०८२/८३	
३	अति असजिलो सामान जस्तै: (जी.आई.पाइप, काँडेतार, फलामे छड, ईलेक्ट्रोमेकानिकल सामान, ३.८ मिटरसम्म लामो स्टील पोल, बिजुलीको पोल, टेलिफोनको पोल, पि.एस.सी.पोल, आदि)					
३.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६७.२५	६७.२५	६७.२५	
३.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८१.०१	८१.०१	८१.०१	
३.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	७४.३९	७४.३९	७४.३९	
३.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८८.२०	८८.२०	८८.२०	
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	३६.५९	३६.५९	३६.५९	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति क्वी.	११.००	११.००	११.००	
४.२	असजिलो सामान	प्रति क्वी.	१३.५०	१३.५०	१३.५०	
४.३	अति-असजिलो सामान	प्रति क्वी.	१६.००	१६.००	१६.००	
५	अनलोड (उतार्ने)	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	११.००	११.००	११.००	
५.२	असजिलो सामान	प्रति क्वी.	१३.५०	१३.५०	१३.५०	
५.३	अति-असजिलो सामान	प्रति क्वी.	१६.००	१६.००	१६.००	
६	ह्युम पाइपको दुवानी भाडादर (पाइप मूल्यको आधारमा)					
६.१	पहिलो १० (दश) कि.मी.सम्म	पाइपको मूल्यको प्रतिशत	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखिमाथि २० (बीस) कि.मी.सम्म	पाइपको मूल्यको प्रतिशत	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी.देखि माथि	पाइपको मूल्यको प्रतिशत	१८.००	१८.००	१८.००	

नोट: माथि निर्णय नं. २ मा उल्लेख नभएको दुवानी दरको हकमा सेवा दिने/लिने संघसंस्था, कम्पनी, व्यक्ति आदिको आपसी समझदारीबाट दुवानी दर तय गर्न सकिनेछ।

(Signatures)

भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



३ : मेशिन, औजार तथा उपकरणको भाडादर सम्बन्धी:

मेशिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदि यान्त्रिक उपकरणको भाडादर (रेट) सडक विभाग, हेभी इक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर अनुसार नै हुन सिफारिस गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

[Handwritten signatures and initials]

[Handwritten signature]
भारत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



४: घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण दर/सम्बन्धित पञ्चानाम

सि.नं.	घरको बनावट विवरण	इकाइ	आ.व. २०८०/०८१ को दर रु.	आ.व. २०८१/०८२ को दर रु.	आ.व. २०८२/०८३ को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	१५०६।००	१५०६।००	१५०६।००	
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	१९३६।००	१९३६।००	१९३६।००	
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	२१५४।००	२१५४।००	२१५४।००	
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	२२६६।००	२२६६।००	२२६६।००	
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	२२९०।००	२२९०।००	२२९०।००	
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	२४०५।००	२४०५।००	२४०५।००	
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	२५०३।००	२५०३।००	२५०३।००	
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	२४२३।००	२४२३।००	२४२३।००	
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./आर.सि.सि. ।	व.फि.	२५१०।००	२५१०।००	२५१०।००	
१०	आर.सि.सि.फ्रेम स्टक्चर भवन ।	व.फि.	२६५०।००	२६५०।००	२६५०।००	
११	काठैकाठको भवन भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	व.फि.	२३९९।००	२३९९।००	२३९९।००	

नोट: भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडान बारे वर्गीकरण

- भवनको भित्र Wall Putty गरी इमल्सन पेन्टिङ गरेको ।
- भवनको बाहिर Weather Coat painting भएको ।
- Lift जडान भएको ।
- विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।
- प्यासेज, भन्याङ्गमा मार्बल/पार्केटिङ भएको ।

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]
भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



सि.नं.	घरको बनावट विवरण	इकाइ	आ.व. २०८०/०८१ को दर रु.	आ.व. २०८१/०८२ को दर रु.	आ.व. २०८२/०८३ को दर रु.	कैफियत
--------	------------------	------	-------------------------------	-------------------------------	-------------------------------	--------

च) शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ उच्चस्तरीय प्रयोग भएको ।

छ) अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।

ज) बेसमेण्टमा (Basement) पार्किङ सुविधा भएको ।

झ) Raft foundation भएको ।

उल्लिखित सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।

आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।

इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायार र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मुख्य सडकसँग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायार र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

मुख्य सडकहरू :

१) मनोहरा पुल (जडीबुटी)-ठिमी-सूर्यविनायक जगातीसम्म (अरनिको लोकमार्ग) सडक ।

२) सल्लाघारी-सूर्यविनायकसम्म (काठमाण्डौ-नगरकोट) सडक ।

३) सल्लाघारी-भक्तपुर अस्पताल-दरवार स्वायत्त सडक ।

४) भक्तपुर क्याम्पस-भार्वाचो-तौमढी-सुकुलढोका-दन्नात्रय-च्यामासिंह सडक ।

५) जगाती-कमलविनायक सडक ।

६) दक्षिण वाराही मन्दिर-शंखधर चौक-पुरानोवाटो बाहाखा बजार-बोडे चार दोबाटोसम्म सडक ।

७) जडिबुटी - बाहाखा बजार-सल्लाघारी सडक ।

८) दरवार स्वायत्त-तौमढी-सूर्य विनायक बस स्टप-सूर्य विनायक गणेश धान सडक ।

९) सल्लाघारी-ब्यासी-कमलविनायक सडक ।

दृष्टव्यः आ.व.२०७८/०७९ लाई गत आ.व.को दररेट लिइने र नेपाल सरकार शहरी विकास मन्त्रालय भवन डिभिजन कार्यालयबाट रेट निर्धारण भएको खण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।

(Signatures)

भरत मणी थापडे
प्रमुख जिल्ला अधिकारी



५: वायो-ईन्जिनियरिङ्ग एवं सोसँग सम्बन्धित अन्य मालसामग्रीहरूको दर सम्बन्धमा:

सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
१	हेज ८ इन्च पोली	गोटा	६६.००	६६.००	६६.००	
२	कार्पेट दुबो	व.फि	४०.००	४०.००	४०.००	
३	कार्पेट दुबोको लागि टाप्ने कार्यको ज्याला	व.फि	२६.००	२६.००	२६.००	
४	निगालो (जरा सहित)	गोटा	१४.००	१४.००	१४.००	
५	स्थानीय स्तरमा उत्पादित विरुवा फलफूल बाहेक	गोटा	७.००	७.००	७.००	
६	गोठे मल तयारी	के.जी.	५.००	५.००	५.००	
७	डाले घाँसको विरुवा	गोटा	१४.००	१४.००	१४.००	
८	मोलाटो विरुवा	गोटा	२.००	२.००	२.००	
९	जुटको डोरी	के.जी.	३३०.००	३३०.००	३३०.००	
१०	नरिवल डोरी	के.जी.	१५८.००	१५८.००	१५८.००	
११	नाइलन डोरी	के.जी.	३३०.००	३३०.००	३३०.००	
१२	लौठ सल्ला नेपाली	गोटा	९२.००	९२.००	९२.००	
१३	लौठ सल्ला अमेरिकन	गोटा	१५८.००	१५८.००	१५८.००	
१४	ठूलो साइजको बाँसको विरुवा वीजबाट उत्पादित	गोटा	२६४.००	२६४.००	२६४.००	
	वन कार्यालयबाट सम्पादन गरिने कार्यहरू					
१	पोलिथिन द्युव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	४२०.००	४२०.००	४२०.००	
२	ठूला विरुवा रोपन ४ फिटसम्म	प्रति विरुवा	१६८.००	१६८.००	१६८.००	
३	ठूला विरुवा रोपन ४-६ फिटसम्म	प्रति विरुवा	१८६.००	१८६.००	१८६.००	
४	अगला विरुवा रोपन ६-८ फिटसम्म	प्रति विरुवा	२८८.००	२८८.००	२८८.००	
५	गोलिया काठ लोड	क्यू.फि.	३६.००	३६.००	३६.००	
६	गोलिया काठ अनलोन	क्यू.फि.	२४.००	२४.००	२४.००	
७	दाउरा संकलन, दुवानी चट्टा निर्माण (२० फि. * ५ फि. ८ ५ फि.)	चट्टा				
८	दाउरा लोड	चट्टा	४८००।-	४८००।-	४८००।-	
९	दाउरा अनलोड	चट्टा	२४००।-	२४००।-	२४००।-	
१०	संकलन कटान, मुछान	चट्टा	५४।-	५४।-	५४।-	
१२	अनलोडिङ्ग	चट्टा	१६८।-	१६८।-	१६८।-	
१३	चट्टा निर्माण	चट्टा	२४००।-	२४००।-	२४००।-	
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	३४।-	३४।-	३४।-	
१५	वन सुपारी	प्रति विरुवा	३६।-	३६।-	३६।-	
शहरी वृक्षारोपण कार्य						
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१०५६।-	१०५६।-	१०५६।-	
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१५००।-	१५००।-	१५००।-	
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१८४८।-	१८४८।-	१८४८।-	
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२२४४।-	२२४४।-	२२४४।-	
४ फिटसम्मको विरुवाको मूल्य						
१	कपूर, वैस	प्रति विरुवा	९२४.००	९२४.००	९२४.००	
२	रुद्राक्ष	प्रति विरुवा	११४०.००	११४०.००	११४०.००	
३	कल्की बोटल ब्रस	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
५	असारे	प्रति विरुवा	७९२.००	७९२.००	७९२.००	

(Handwritten signatures and marks)

भरत सिमि पाण्डे
प्रमुख जिल्ला अधिकारी



Bhaktapur District Rate for FY 2082/83

५: वायो-ईन्जिनियरिङ एवं सोसंग सम्बन्धित कार्य-सामग्रीसामान सम्बन्धी दर सम्बन्धमा:

सि.नं.	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३	
६	पैयू	प्रति विरुवा	५२८.००	५२८.००	५२८.००	
७	लप्सी	प्रति विरुवा	५२८.००	५२८.००	५२८.००	
८	धूपी, टिमुर, पारिजात	प्रति विरुवा	५९४.००	५९४.००	५९४.००	
९	बगमबेली	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
१०	काइयो	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
११	रक्तकमल	प्रति विरुवा	१५८४.००	१५८४.००	१५८४.००	
१२	समी	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००	
१३	वर	प्रति विरुवा	१५८४.००	१५८४.००	१५८४.००	
१४	पिपल	प्रति विरुवा	१५८४.००	१५८४.००	१५८४.००	
१५	५ फिटसम्मको करविर विरुवा	प्रति विरुवा	१४४०.००	१४४०.००	१४४०.००	
१६	५ फिटसम्मको तिकोमा विरुवा	प्रति विरुवा	१४४०.००	१४४०.००	१४४०.००	
१७	५ फिटसम्मको चापको विरुवा	प्रति विरुवा	१५६०.००	१५६०.००	१५६०.००	
वायो ईन्जिनियरिङ सम्बन्धी काम						
घाँसको बीउ						
१	जई	कि.ग्रा	९०.००	९०.००	९०.००	
२	भेच	कि.ग्रा	१८०.००	१८०.००	१८०.००	
३	नेपीयर	सेट	४.००	४.००	४.००	
४	वर्सिम	कि.ग्रा	२१०.००	२१०.००	२१०.००	
५	घाँसको विउ र औषधि जिल्लाभित्र दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	
६	घाँसको विउ जिल्ला बाहिरबाट दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	
७	माटो भर्ने खाली बोरा	गोटा	१४.००	१४.००	१४.००	
८	बास काटेको सिंगो घाना	घाना	४२०.००	४२०.००	४२०.००	
९	बाँसको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	६६.००	६६.००	६६.००	
Vegetation/Shrubs Cuttings/Slip/Plants/etc.						
१	अम्रिसो(राइजोम)	प्रति विरुवा	८.००	८.००	८.००	
२	अलैची गानो	प्रति विरुवा	१३.००	१३.००	१३.००	
३	अलैची विरुवा	प्रति विरुवा	१०.००	१०.००	१०.००	
४	हार्डउड कटिङ्गस् (वैस) पेन्सिल साइज	प्रति विरुवा	६.००	६.००	६.००	
५	नेपीयर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००	

भारत मणी घाण्डे

 प्रमुख जिल्ला अधिकारी



६. आ.व. २०८२/०८३ को लागि अरनिको लोकमार्गको बायाँ ३ कि.मी. सम्मको लागि निर्माण सामग्रीहरूको दर (रेट)

सिभिल कार्यहरू (Civil works)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
1	विभिन्न किसिमको ईटा				
	chinese premium	हजार	२४०००.००	२४०००.००	२४०००.००
	क) मेशिनबाट उत्पादित ईटा (छानेको)	हजार	२१०००.००	२१०००.००	२१०००.००
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	१७५००.००	१७५००.००	१७५००.००
	ग) मेशिनबाट उत्पादित ईटा (२-नं.)	"	१५०००.००	१५०००.००	१५०००.००
	घ) मेशिनबाट उत्पादित ईटा (कालो.)	"	१२०००.००	१२०००.००	१२०००.००
	BBT Brick	"	१६५००.००	१६५००.००	१६५००.००
	ग) चिमनी भट्टाको ईटा	"	१४५००.००	१४५००.००	१४५००.००
	घ) तराई को १ नं.ईटा	"	१७५००.००	१७५००.००	१७५००.००
	(ड) सिमेन्ट को ईटा				
	BK108N	"	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	"	१६२७४.००	१६२७४.००	१६२७४.००
	च) टुक्रा ईटा	घ. मि.	२६२५.००	२६२५.००	२६२५.००
	छ) Concrete block				
	size (40*15*20) cm	गोटा	४२.००	४२.००	४२.००
	size (40*10*20) cm	गोटा	३६.७५	३६.७५	३६.७५
	Cellular light weight concrete(CLC) block				
	Size 24*8*4"	गोटा	१७४.००	१७४.००	१७४.००
	Size 24*8*6"	"	३२२.००	३२२.००	३२२.००
2	क्ले टायलहरू				
2.1	छानामा छाउने				
	क) मेशिनबाट उत्पादित टायल	गोटा	२१.००	२१.००	२१.००
	ख) चिमनी भट्टाको टायल	"	१८.९०	१८.९०	१८.९०
	ग) मेशिनबाट उत्पादित धुरी	"	३६.७५	३६.७५	३६.७५
	घ) चिमनी भट्टाको धुरी	"	२९.४०	२९.४०	२९.४०
2.2	भुईँमा/ कौसीमा छाप्ने टायल:				
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.६०	१२.६०	१२.६०
	ख) चिमनी भट्टाको क्ले टायल	"	१२.६०	१२.६०	१२.६०
3	ढुंगाको काम (Stone work)				
3.1	Rubble Stone				
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७९.३१	७९.३१	७९.३१
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७९.३१	७९.३१	७९.३१
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	७२.१०	७२.१०	७२.१०
	(घ) कोसी खोला (चेहेरे) को एकनासे गोला ढुङ्गा (River round Pavel)	"	११३.३०	११३.३०	११३.३०

[Handwritten signatures and marks]

[Handwritten signature]

[Handwritten signature]

भरत मण्डल, प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) वाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
3.2	छापने ढुङ्गा (Flag stone)				
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	८५.००	८५.००	८५.००
	ख) १ १/२" सम्म बाक्लो " "	"	१००.००	१००.००	१००.००
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि.	११७.००	११७.००	११७.००
	घ) २ १/२" सम्म बाक्लो ढुङ्गा " "	"	१२७.००	१२७.००	१२७.००
	ड) २ १/२" - ३" सम्म बाक्लो ढुङ्गा " "	"	१५५.००	१५५.००	१५५.००
	च) २ १/२" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"	३२०.००	३२०.००	३२०.००
4	विभिन्न प्रकारको बालुवा				
	(क) बालुवा (Washing plant)	घ.फि.	९०.६४	९०.६४	९०.६४
	(ख) खानीको बालुवा (Quarry sand)	घ.फि.	८८.००	८८.००	८८.००
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	८८.५८	८८.५८	८८.५८
	(घ) भवनको भुईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	६९.०१	६९.०१	६९.०१
5	क्रसरबाट उत्पादित रोडा				
	(क) ६-१० मी. मी. साइजका	घ.फि.	९७.५२	९७.५२	९७.५२
	(ख) १०-२० मी. मी. साइजका	घ.फि.	१०४.९४	१०४.९४	१०४.९४
	(ग) २०-४० मी. मी. साइजको	घ.फि.	१०१.७६	१०१.७६	१०१.७६
	(घ) ६ मि.मि. down	घ.फि.	८९.०४	८९.०४	८९.०४
6	फुटालेको ढुङ्गाको गिट्टी				
	क) सबै साइजको गिट्टी	"	९५.४०	९५.४०	९५.४०
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	७२.०८	७२.०८	७२.०८
	ख) मेलम्ची खोलाको ग्राभेल	"	६६.७८	६६.७८	६६.७८
	ग) टिकाभैरव को ग्राभेल	"	६७.८४	६७.८४	६७.८४
	घ) भकुण्डेवेसी, रोशी खोलाको ग्राभेल	"	७५.२६	७५.२६	७५.२६
	ड) खोला/खानीको स्थानीय ग्राभेल	"	५७.२४	५७.२४	५७.२४
	(च) Granular sub base material (Crusher run material size 63mm down) ग्राभेल	"	७९.४५	७९.४५	७९.४५
	(छ) Base-course को लागि मिक्स सोलिङ्ग (WBM) गर्ने कार्य ।	घ.फि.	८७.९८	८७.९८	८७.९८
	(ज) ढुगाँको धुलो (Stone dust)	घ.फि.	४३.४६	४३.४६	४३.४६
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles				
	क) ४०- ८० मी.मी	घ.फि.	१०५.००	१०५.००	१०५.००
	ख) २०- ४० मी.मी	"	१०५.००	१०५.००	१०५.००
	ग) १०- २० मी.मी	"	१०५.००	१०५.००	१०५.००
	घ) ५- १० मी.मी	"	१०५.००	१०५.००	१०५.००
9	सडक कालो पत्रे गर्ने कामको सामग्रीहरु				

10


 भक्तपुर जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	८०/१०० ग्रेडको विटुमीन	के.जी	११५.००	११५.००	११५.००
	VG-10	के.जी	११५.००	११५.००	१०८.५०
	VG-30	के.जी	११९.००	११९.००	११०.७०
	CRMB-DIGO 55 Bitumen	"	८९.००	८९.००	८९.००
	Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	८६.५०	९३.२०	९७.३०
	छिटो जम्ने (RS 65%)	"	९१.६०	९८.६०	१०२.९०
	छिटो जम्ने (RS 70%)	"	९६.८०	१०३.९०	१०८.५०
	मध्यम जम्ने (MS 60%)	"	८७.५०	९४.३०	९८.४०
	मध्यम जम्ने (MS 65%)	"	९१.६०	९८.१०	१०२.४०
	ढीलो जम्ने (SS60%)	"	८८.५०	९५.९०	१००.१०
	Slurry Seal with 60% bitumen	"	९५.७०	१००.००	१०४.४०
	Hi - seal Redymix	"	११२.००	११२.००	११२.००
	Polymer Bitumen	"	१२५.००	१२५.००	१२५.००
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	३७०.००	३७०.००	३७०.००
	v) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३५.००	३५.००	३५.००
	vi) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१९८.००	१९८.००	१९८.००
	b) Most Grade	"	२१९.००	२१९.००	२१९.००
	c) Glass beads	"	१८०.००	१८०.००	१८०.००
10	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू				
10.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	७००.००	७००.००	७००.००
10.2	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	६००.००	६००.००	६००.००
10.3	सिमेन्ट (५० के.जी.) OPC	"	७००.००	७००.००	७००.००
10.4	सेतो सिमेन्ट (40kg/bag)	"	१२३०.००	१२३०.००	१२३०.००
10.50	लोड अनलोड चार्ज	"	१३.००	१३.००	१३.००
11	Ready made Premix Concrete (Supplying laying all complete work)				
11.1					
	M 10	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20	"	१५२२५.००	१५२२५.००	१५२२५.००
	M 25	"	१६२७५.००	१६२७५.००	१६२७५.००
	M 30	"	१७११५.००	१७११५.००	१७११५.००
	M 35	"	१८३८२.००	१८३८२.००	१८३८२.००

भरत खत्री प्रमुख
 प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	M 40		१९९५०.००	१९९५०.००	१९९५०.००
	M 45		२१४५०.००	२१४५०.००	२१४५०.००
12	फलामको डण्डीहरू :				
	(क) विभिन्न साइजका TMT Bar	के.जी	१००.००	१००.००	१००.००
	a) 8 mm dia	"	९९.००	९९.००	९९.००
	b) 10-20 mm dia	"	१००.००	१००.००	१००.००
	c) 25-28 mm dia	"	१००.००	१००.००	१००.००
	(d) 32 mm dia	"			
	(ख) विभिन्न साइजको TOR Steel				
	a) 8 mm dia	"	९४.००	९४.००	९४.००
	b) 10-20 mm dia	"	९९.००	९९.००	९९.००
	c) 25-28 mm dia	"	९९.००	९९.००	९९.००
	(d) 32 mm dia	"	९४.००	९४.००	९४.००
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	१०१.००	१०१.००	१०१.००
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	१०६.००	१०६.००	१०६.००
13	विभिन्न किसिमका काठहरू				
13.1	काठ	घ. फि	६०९०.००	६०९०.००	६०९०.००
	(क) ३' देखि ८' सम्मको सालकाठ	"	६५६२.००	६५६२.००	६५६२.००
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६९३०.००	६९३०.००	६९३०.००
	(ग) १२ फिट देखि माथिको साल काठ	"	३५१८.८४	३५१८.८४	३५१८.८४
	(घ) साज काठ	"	२२५८.३६	२२५८.३६	२२५८.३६
	(ङ) जामुन काठ	"	१६२८.१२	१६२८.१२	१६२८.१२
	(च) सल्लाको काठ	"	३६७६.४०	३६७६.४०	३६७६.४०
	(छ) सिसौ काठ	"	५५३५.६१	५५३५.६१	५५३५.६१
	(ज) जंगली सिसौ काठ	"	६५६.५०	६५६.५०	६५६.५०
	(झ) उतीस को काठ	"			
	(ञ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि			
	(ट) काठ दाउरा	के.जी	१९.००	१९.००	१९.००
13.2	कुँदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुँदिएको स्थानीय सिसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०९०.८०	१०९०.८०	१०९०.८०
	ii) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुँदिएको जंगली स्पेशल सिसौ काठको हुक्का (2'-6"x3"x3")	"	१३२३.५०	१३२३.५०	१३२३.५०
	iii) भन्याङ्को रेलिङ तथा वार्दली आदिमा कुँदिएको सिसौ काठको हेण्ड रेल (3"x4")	र.फि.	७१४.२७	७१४.२७	७१४.२७
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुँदिएको सिसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२३६३.४०	२३६३.४०	२३६३.४०
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	१३६३५.००	१३६३५.००	१३६३५.००
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	२२७२५.००	२२७२५.००	२२७२५.००



 12

 भारत मण्डल विकास

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	vii) विभिन्न वुडा तथा देवी देवताको मूर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३१८१.५०	३१८१.५०	३१८१.५०
	viii) घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७३५२.८०	७३५२.८०	७३५२.८०
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३६३.५०	१३६३.५०	१३६३.५०
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	१६३६.२०	१६३६.२०	१६३६.२०
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहित	"	२२७२.५०	२२७२.५०	२२७२.५०
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१९९९.८०	१९९९.८०	१९९९.८०
	xii) ३"x १.५" साइजको सालको काठको कुँदिएको पत्ती तयारी गर्ने काम	र.फि.	३६३.६०	३६३.६०	३६३.६०
	xiii) कुँदिएको विभिन्न वुडा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	१६३६.२०	१६३६.२०	१६३६.२०
	xiv) ४"x ५"को साल काठको नाग वुडा कुँदि तयारी गरी जडान गर्ने कार्य	"	१७२७.१०	१७२७.१०	१७२७.१०
14	Wooden Parquet Flooring				
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	५९९.००	५९९.००	५९९.००
15	विभिन्न मोटाईको प्लाइउडहरू				
15.1	Commercial				
	(क) ३ मी.मी	व.फि.	३६.००	३६.००	३६.००
	३.५ मी.मी.	"	२६.००	२६.००	२६.००
	(ख) ४ मी.मी	"	२६.००	२६.००	२६.००
	(ग) ६ मी.मी	"	५३.००	५३.००	५३.००
	(घ) ८ मी.मी	"	५७.००	५७.००	५७.००
	(ङ) १२ मी.मी	"	८०.००	८०.००	८०.००
	(च) १९ मी.मी B/B	"	१०७.००	११२.००	११२.००
	छ) १८ मी.मी PLY	"	११०.००	११५.००	११५.००
15.2	P/F. Water Proof				
	क) ४ मी.मी	व.फि.	५२.००	५२.००	५२.००
	ख) ६ मी.मी	व.फि.	६५.००	६५.००	६५.००
	ग) ८ मी.मी.	"	६७.००	६७.००	६७.००
	घ) ९ मी.मी.	"	८९.००	८९.००	८९.००
	(ङ)१२ मी.मी	"	९९.००	९९.००	९९.००
	च) १९ मी.मी PLY	"	११३.००	११३.००	११३.००
	छ) १९ मी.मी B/B	"	१३९.००	१३९.००	१३९.००
15.3	Natural Teak Plywood				
	One side lamination				

[Handwritten signatures and marks]

असु मणी थापडे
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(क) ३ मी.मी	व.फि	५१.००	५१.००	५१.००
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	७४.००	७४.००	७४.००
	४ मी. मी (Regular)	"	६४.००	६४.००	६४.००
	४ मी. मी (Crown)	"	४६.००	४६.००	४६.००
	४ मी. मी (Beri)	"	५२.००	५२.००	५२.००
	४ मी. मी (Whitest line)	"	४२.००	४२.००	४२.००
	४ मी. मी (Beach)	"	४९.००	४९.००	४९.००
	४ मी. मी (Recon 18 No.)	"	३९.००	३९.००	३९.००
	(ग) ६ मी.मी	"			
15.4	DECORATIVE (THICKER)				
	6 OST	व.फि	१३५.००	१३५.००	१३५.००
	6 BST	"	१७२.००	१७२.००	१७२.००
	9 OST	"	१५०.००	१५०.००	१५०.००
	9 BST	"	१८६.००	१८६.००	१८६.००
	12 OST	"	१६४.००	१६४.००	१६४.००
	12 BST	"	२०१.००	२०१.००	२०१.००
	19 B/B OST	"	१७७.००	१७७.००	१७७.००
	19 B/B BST	"	२१५.००	२१५.००	२१५.००
	18 OST	"	२०१.००	२०१.००	२०१.००
	18 BST	व.फि	२३८.००	२३८.००	२३८.००
16	Ready made Door				
16.1	38 mm th. Readymade solid core door shutter				
	Plain	व.फि	२४४.००	२४४.००	२४४.००
	One side teak	"	२७५.००	२७५.००	२७५.००
	Both side teak	"	३०८.००	३०८.००	३०८.००
	One side teak waterProof	"	३००.००	३००.००	३००.००
	Both side teak waterProof	"	३३२.००	३३२.००	३३२.००
16.2	30 to 32 mm th. Readymade solid core door shutter				
	Plain	व.फि	१९९.००	१९९.००	१९९.००
	One side teak	"	२२३.००	२२३.००	२२३.००
	Both side teak	"	२५०.००	२५०.००	२५०.००
	One side teak waterProof	"	२४४.००	२४४.००	२४४.००
	Both side teak waterProof	"	२७०.००	२७०.००	२७०.००
16.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१९०.००	१९०.००	१९०.००
	Readymade door shutter Recon, Special (1 side teak)	"	२५७.००	२५७.००	२५७.००
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	"	२१७.००	२१७.००	२१७.००
	Readymade door shutter Recon, Special (1 side teak)	"	२९२.००	२९२.००	२९२.००

भरती मणी पाण्डे
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	म.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
16.4	Wooden Listy				
	1/2" wide	र.फि.	१५.००	१५.००	१५.००
	3/4" wide	"	१८.००	१८.००	१८.००
	1.5" wide	"	२९.००	२९.००	२९.००
	Decorative	"	४०.००	४०.००	४०.००
16.5	Infill Material Thai Gypsum, Shera or equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४३१.००	४३१.००	४३१.००
	Frame U - Studs(0.55mm*0.75mm*3m)	"	४३१.००	४३१.००	४३१.००
	Board 9 mm	"	२५२४.००	२५२४.००	२५२४.००
	Roofing Board 6mm (1.5mX.6m)	"	६९५.००	६९५.००	६९५.००
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००
	PU sasuage rod	"	२०३९.००	२०३९.००	२०३९.००
17	Prelaminated Particle Board				
17.1	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	३९.००	३९.००	३९.००
	(ख) १२ मी. मी.	"	४४.००	४४.००	४४.००
	(ग) १८ मी.मी.	"	५६.००	५६.००	५६.००
	(घ) २५ मी.मी	"	७६.००	७६.००	७६.००
17.2	One side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	८०.००	८०.००	८०.००
	(ख) १२ मी. मी.	"	८८.००	८८.००	८८.००
	(ग) १८ मी.मी.	"	१०४.००	१०४.००	१०४.००
	(घ) २५ मी.मी	"	१४०.००	१४०.००	१४०.००
17.3	Both side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	८८.००	८८.००	८८.००
	(ख) १२ मी. मी.	"	१०२.००	१०२.००	१०२.००
	(ग) १८ मी.मी.	"	११६.००	११६.००	११६.००
	(घ) २५ मी.मी	"	१५०.००	१५०.००	१५०.००
17.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी .मी	व.फि	२९.००	२९.००	२९.००
	(ख) १२ मी. मी.	"	३३.००	३३.००	३३.००
	(ग) १८ मी.मी.	"	४९.००	४९.००	४९.००
	(घ) २५ मी.मी	"	६३.००	६३.००	६३.००
17.5	One side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी .मी	व.फि	४३.००	४३.००	४३.००
	(ख) ६ मी .मी	"	६०.००	६०.००	६०.००
	(ग) ९ मी .मी	"	७०.००	७०.००	७०.००
	(घ) १२ मी. मी.	"	७८.००	७८.००	७८.००

[Handwritten signatures and marks]

[Handwritten signature]
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरणसहितको भक्तपुर जिल्ला प्रशासन कार्यालय एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८०/८१	२०८१/८२	२०८२/८३
	(ड) १८ मी.मी.	९१.००	९१.००	९१.००
	(च) २५ मी.मी	११४.००	११४.००	११४.००
17.6	Both side lamination Melaminated faced (Interiors Grade)			
	(क) ३ मी .मी	४८.००	४८.००	४८.००
	(ख) ६ मी .मी	६४.००	६४.००	६४.००
	(ग) ९ मी .मी	७७.००	७७.००	७७.००
17.7	One side lamination Melaminated faced (Interiors Grade)MDF			
	(क) ३ मी .मी	४८.००	४८.००	४८.००
	(ख) ४ मी .मी	५५.००	५५.००	५५.००
	(ग) ६ मी .मी	६८.००	६८.००	६८.००
	(घ) ९ मी .मी	८८.००	८८.००	८८.००
	(ड.) १२ मी .मी	९९.००	९९.००	९९.००
	(च) १८ मी .मी	१२७.००	१२७.००	१२७.००
	(छ) २५ मी .मी	१७६.००	१७६.००	१७६.००
17.8	Both side lamination Melaminated faced (Interiors Grade)MDF Century & equivalent			
	(क) ३ मी .मी	५५.००	५५.००	५५.००
	(ख) ४ मी .मी	६२.००	६२.००	६२.००
	(ग) ६ मी .मी	७६.००	७६.००	७६.००
	(घ) ९ मी .मी	९५.००	९५.००	९५.००
	(ड.) १२ मी .मी	१०५.००	१०५.००	१०५.००
	(च) १८ मी .मी	१३३.००	१३३.००	१३३.००
	(छ) २५ मी .मी	१८०.००	१८०.००	१८०.००
17.9	Alstone Hybrid Board (WPC Board) Century & equivalent			
	(क) ६ मी .मी (१२२० X २४४०)	१७५.००	१७५.००	१७५.००
	(ख) १२ मी .मी	२८०.००	२८०.००	२८०.००
	(ग) १८ मी .मी	४२३.००	४२३.००	४२३.००
18	Other HardBoard/ Sunmica & Formaica)			
18.1	(क) सनमाईका (4' X 8')	५००.००	५००.००	५००.००
	(ख) फोरमाईका	८०.००	८०.००	८०.००
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	४८.००	४८.००	४८.००
18.2	Alstone Hybrid Board			
	(क) ६ मी .मी size (1220*2440) mm	१७०.००	१७०.००	१७०.००
	(ख) १२ मी .मी size (1221*2440) mm	३१५.००	३१५.००	३१५.००
	(ग) १८ मी .मी size (1222*2440) mm	४३५.००	४३५.००	४३५.००

१०/११/८३
 भरत मणी पाण्डे
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
19	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate				
	i) Iron Square Pipe	के.जी	८०.२१	८०.२१	८०.२१
	ii) विभिन्न साइजको MS Angle	"	९२.००	९२.००	९२.००
	iii) विभिन्न साइजको Channel	"	९४.००	९४.००	९४.००
	iv) विभिन्न साइजको I-Beam	"	९६.००	९६.००	९६.००
	v) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८८.००	८८.००	८८.००
20	G.I. Wire				
	i) 8 gauge				
	a) light class	के.जी	१०२.००	१०२.००	१०२.००
	b) medium class	"	१११.००	१११.००	१११.००
	c) heavy duty	"	११२.००	११२.००	११२.००
	d) Comercial wire	"	१०२.००	१०२.००	१०२.००
	ii) 10 gauge				
	a) light class	के.जी	१०२.००	१०२.००	१०२.००
	b) medium class	"	१०५.००	१०५.००	१०५.००
	c) heavy duty	"	११२.००	११२.००	११२.००
	d) Comercial wire	"	१०२.००	१०२.००	१०२.००
	iii) 12 gauge				
	a) light class	के.जी	१०३.००	१०३.००	१०३.००
	b) medium class	"	१०७.००	१०७.००	१०७.००
	c) heavy duty	"	११४.००	११४.००	११४.००
	d) Comercial wire	"	१०३.००	१०३.००	१०३.००
21	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन बाक्स तयारी				
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)	m2			
	१.५x१x०.५/०	गोटा	१६३९.००	१६३९.००	१६३९.००
	२x१x०.५/०	"	२२३५.००	२२३५.००	२२३५.००
	३x१x०.५/०	"	३२७८.००	३२७८.००	३२७८.००
	४x१x०.५/०	"	४३२१.००	४३२१.००	४३२१.००
	१.५x१x१/०	"	२३८४.००	२३८४.००	२३८४.००
	२x१x१/१	"	३२७८.००	३२७८.००	३२७८.००
	३x१x१/२	"	४७६८.००	४७६८.००	४७६८.००
	४x१x१/३	"	६२५८.००	६२५८.००	६२५८.००
	ख) MBG/10x12/2.7/3.4/2.2/ZN	m2			
	१.५x१x०.५/०	गोटा	१३८१.००	१३८१.००	१३८१.००
	२x१x०.५/०	"	१८८३.००	१८८३.००	१८८३.००
	३x१x०.५/०	"	२७६१.००	२७६१.००	२७६१.००

भारत संप्रदाय

 प्रमुख जिल्ला अधिकारी



नेपाल सरकार
महानगरपालिका
जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
22	Barbed Wire (कोँढेतार)				
	12 guage commercial, Medium duty	के.जी	१०७.००	१०७.००	१०७.००
	U-hook for barbed wire fencing	गोटा	०.८२	०.८२	०.८२
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी.	८११.००	८११.००	८११.००
	1.5"x1.5" 12 guage	"	७५९.००	७५९.००	७५९.००
	2"x2" 10 guage	"	६०२.००	६०२.००	६०२.००
	3"x3" 10 guage	"	४९२.००	४९२.००	४९२.००
	4"x4" 10 guage	"	३९१.००	३९१.००	३९१.००
23	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	0.2 mm (30 guage light)	वण्डल	४७८१.००	४७८१.००	४७८१.००
	0.22 mm (30 guage Medium)	"	५२३९.००	५२३९.००	५२३९.००
	0.24 mm (30 guage Heavy)	"	५५९२.००	५५९२.००	५५९२.००
	0.26 mm (28 guage light)	"	५८९०.००	५८९०.००	५८९०.००
	0.28 mm (28 guage Medium)	"	६२७७.००	६२७७.००	६२७७.००
	0.31 mm (28 guage Heavy)	"	६८६०.००	६८६०.००	६८६०.००
	0.35 mm (26 guage light)	"	७६०३.००	७६०३.००	७६०३.००
	0.38 mm (26 guage Medium)	"	७९७९.००	७९७९.००	७९७९.००
	0.41 mm (26 guage Heavy)	"	८७४३.००	८७४३.००	८७४३.००
	0.45 mm (24 guage light)	"	९४८५.००	९४८५.००	९४८५.००
	0.50 mm (24 guage Medium)	"	१०४६९.००	१०४६९.००	१०४६९.००
	0.52 mm (24 guage Heavy)	"	१०८४१.००	१०८४१.००	१०८४१.००
	0.75 mm	"	१५५१३.००	१५५१३.००	१५५१३.००
	(ख) रंगिन जस्तापाता				
	0.2 mm (30 guage light)	वण्डल	६०८५.००	६०८५.००	६०८५.००
	0.22 mm (30 guage Medium)	"	६५०४.००	६५०४.००	६५०४.००
	0.24 mm (30 guage Heavy)	"	६९१३.००	६९१३.००	६९१३.००
	0.26 mm (28 guage light)	"	७३२१.००	७३२१.००	७३२१.००
	0.28 mm (28 guage Medium)	"	७७०२.००	७७०२.००	७७०२.००
	0.31 mm (28 guage Heavy)	"	८३५३.००	८३५३.००	८३५३.००
	0.35 mm (26 guage light)	"	९२६४.००	९२६४.००	९२६४.००
	0.38 mm (26 guage Medium)	"	९७२८.००	९७२८.००	९७२८.००
	0.41 mm (26 guage Heavy)	"	१०६५१.००	१०६५१.००	१०६५१.००

19

भारत/नेपाल प्रमुख
जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण सरकारी मन्त्रालय जिल्ला शासन कार्यालय काठमाडौं	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	0.45 mm (24 guage light)	भक्तपुर	११४२७.००	११४२७.००	११४२७.००
	0.50 mm (24 guage Medium)	"	१२४२१.००	१२४२१.००	१२४२१.००
	0.52 mm (24 guage Heavy)	"	१२८४३.००	१२८४३.००	१२८४३.००
	0.55 mm (24 guage Medium)	"	१३८२२.००	१३८२२.००	१३८२२.००
	0.75 mm	"	१८०२६.००	१८०२६.००	१८०२६.००
	(ग) ग्याल्फानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)				
	0.2 mm (30 guage light)	बण्डल	४७८१.००	४७८१.००	४७८१.००
	0.22 mm (30 guage Medium)	"	५१८१.००	५१८१.००	५१८१.००
	0.24 mm (30 guage Heavy)	"	५५३६.००	५५३६.००	५५३६.००
	0.26 mm (28 guage light)	"	५८२१.००	५८२१.००	५८२१.००
	0.28 mm (28 guage Medium)	"	६२०९.००	६२०९.००	६२०९.००
	0.31 mm (28 guage Heavy)	"	६७९२.००	६७९२.००	६७९२.००
	0.35 mm (26 guage light)	"	७५४५.००	७५४५.००	७५४५.००
	0.38 mm (26 guage Medium)	"	७९२१.००	७९२१.००	७९२१.००
	0.41 mm (26 guage Heavy)	"	८६७५.००	८६७५.००	८६७५.००
	0.45 mm (24 guage light)	"	९४१७.००	९४१७.००	९४१७.००
	0.50 mm (24 guage Medium)	"	१०३६४.००	१०३६४.००	१०३६४.००
	0.52 mm (24 guage Heavy)	"	१०७३१.००	१०७३१.००	१०७३१.००
	0.75 mm	"	१५५०२.००	१५५०२.००	१५५०२.००
	घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	बण्डल	१६३२.००	१६३२.००	१६३२.००
	0.22 mm	"	१७७९.००	१७७९.००	१७७९.००
	0.24 mm	"	१८९३.००	१८९३.००	१८९३.००
	0.26 mm	"	१९८५.००	१९८५.००	१९८५.००
	0.28 mm	"	२१२२.००	२१२२.००	२१२२.००
	0.31 mm	"	२३०५.००	२३०५.००	२३०५.००
	0.35 mm	"	२५५६.००	२५५६.००	२५५६.००
	0.38 mm	"	२६८१.००	२६८१.००	२६८१.००
	0.41 mm	"	२९३३.००	२९३३.००	२९३३.००
	ड) ४ फिट * ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm	पिस	३३१०.००	३३१०.००	३३१०.००
	0.90 mm	"	२७३९.००	२७३९.००	२७३९.००
	0.80 mm	"	२४७६.००	२४७६.००	२४७६.००
	0.75 mm	"	२३२७.००	२३२७.००	२३२७.००
	0.70 mm	"	२१६७.००	२१६७.००	२१६७.००
	0.62 mm	"	१९३९.००	१९३९.००	१९३९.००
	0.55 mm	"	१७४५.००	१७४५.००	१७४५.००

प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	0.50 mm	"	१५८६.००	१५८६.००	१५८६.००
	0.48 mm	"	१५२८.००	१५२८.००	१५२८.००
	0.45 mm	"	१४४८.००	१४४८.००	१४४८.००
	0.40 mm	"	१२९९.००	१२९९.००	१२९९.००
	0.37 mm	"	१२०९.००	१२०९.००	१२०९.००
	0.35 mm	"	११५२.००	११५२.००	११५२.००
	0.30 mm	"	१०१५.००	१०१५.००	१०१५.००
	0.28 mm	"	९५७.००	९५७.००	९५७.००
	च) ४ फिट * ८ फिट को रजिन प्लेन सिट				
	0.90 mm	पिस	३०१२.००	३०१२.००	३०१२.००
	0.80 mm	"	२७२७.००	२७२७.००	२७२७.००
	0.75 mm	"	२६०१.००	२६०१.००	२६०१.००
	0.70 mm	"	२४७६.००	२४७६.००	२४७६.००
	0.62 mm	"	२२२५.००	२२२५.००	२२२५.००
	0.55 mm	"	२००८.००	२००८.००	२००८.००
	0.50 mm	"	१८४७.००	१८४७.००	१८४७.००
	0.48 mm	"	१७५७.००	१७५७.००	१७५७.००
	0.45 mm	"	१७००.००	१७००.००	१७००.००
	0.40 mm	"	१५५१.००	१५५१.००	१५५१.००
	0.37 mm	"	१४३७.००	१४३७.००	१४३७.००
	0.35 mm	"	१३७९.००	१३७९.००	१३७९.००
	0.30 mm	"	१२२०.००	१२२०.००	१२२०.००
	0.28 mm	"	११६१.००	११६१.००	११६१.००
	GI EXPANDED METAL MESH				
	1.20 mm मोटाई र ३' चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००
	1.20 mm मोटाई र ४' चौडाई भएको जाली	"	२१२.००	२१२.००	२१२.००
	1.00 mm मोटाई र ३' चौडाई भएको जाली	"	१३३.००	१३३.००	१३३.००
	1.00 mm मोटाई र ४' चौडाई भएको जाली	"	१७७.००	१७७.००	१७७.००
	0.90 mm मोटाई र ३' चौडाई भएको जाली	"	१२४.००	१२४.००	१२४.००
	0.90 mm मोटाई र ४' चौडाई भएको जाली	"	१६६.००	१६६.००	१६६.००
24	UPVC Roofing Sheet (3mm thick)				
24.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१५८१.००	१५८१.००	१५८१.००
24.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	१२६०.००	१२६०.००	१२६०.००
24.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	२०२१.००	२०२१.००	२०२१.००
24.4	Ridge cover Tile Profile 0.78 R.m.	"	२०२१.००	२०२१.००	२०२१.००
24.5	UPVC Clip	गोटा	२७.००	२७.००	२७.००
24.6	self tapping screw 3"	"	३२.००	३२.००	३२.००
24.7	self tapping screw 2.5"	"	२१.००	२१.००	२१.००

भारत नणी बाण्डे

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (रु.)	मू.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
24.8	self tapping screw 2"	"	११.००	११.००	११.००
24.9	self tapping screw 1.5"	"	९.००	९.००	९.००
25	एल्युमिनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	३०.००	३०.००	३०.००
	(ख) ३० गेज	"	२८.००	२८.००	२८.००
26	विभिन्न प्रकारको जालीहरू (Netting)				
	(क) मसिनो खालको Mosquito proof जाली	व.मी	१३५.००	१३५.००	१३५.००
	(ख) बालुवा चाल्ने जाली	"	१४०.००	१४०.००	१४०.००
	(ग) कुखुरे जाली (Chicken wire mesh)	"	८६.००	८६.००	८६.००
	(घ) ब्रास क्रसिङ्ग जाली	"	२१५.००	२१५.००	२१५.००
	(ङ) स्टील जाली (crossing)	"	१७५.००	१७५.००	१७५.००
	(च) मसिनो खालको steel Mosquito proof जाली	"	३०५.००	३०५.००	३०५.००
27	फलामबाट निर्मित सामानहरू				
a	M.S. Grill बनाई जडान गर्ने काम	के.जी.	१४५.००	१४५.००	१४५.००
b	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.फि.	५७५.००	५७५.००	५७५.००
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	४००.००	४००.००	४००.००
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	"	३१५.००	३१५.००	३१५.००
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	५७५.००	५७५.००	५७५.००
f	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	"	७५०.००	७५०.००	७५०.००
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३४००.००	३४००.००	३४००.००
h	फलामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	५०.००	५०.००	५०.००
i	All type of general MS structural works	व.फि.	१८७.००	१८७.००	१८७.००
j	Truss & roofing works Plain sheet 26 gauge	"	२२०.००	२२०.००	२२०.००
k	Truss & roofing works colour sheet 26 gauge	"	१८१.००	१८१.००	१८१.००
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१५४.००	१५४.००	१५४.००
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	२०३७.००	२०३७.००	२०३७.००
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent	व.फि.	८४७.००	८४७.००	८४७.००

२५/५/८३

२५/५/८३

२५/५/८३

भारत मण्डल प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
28	Glass सीसा				
28.1	Plain सादा (सेतो)				
	(क) ३ मी.मी.	व.फि.	५२.००	५२.००	५२.००
	(ख) ३.५ मी.मी.	व.फि.	५९.००	५९.००	५९.००
	(ग) ४ मी.मी.	व.फि.	६९.००	६९.००	६९.००
	(घ) ५ मी.मी. "	व.फि.	७९.००	७९.००	७९.००
	(ङ) ६ मी.मी. "	व.फि.	१०६.००	१०६.००	१०६.००
	(च) ८ मी.मी. "	व.फि.	१५९.००	१५९.००	१५९.००
28.2	Printed Glass (बुट्टेदार सिसा)				
	(क) ३ मी.मी.	व.फि.	५४.००	५४.००	५४.००
	(ख) ४ मी.मी. " "	व.फि.	६०.००	६०.००	६०.००
28.3	Poly Fibre Glass				
	(क) ६ मी.मी.	"	१६४.००	१६४.००	१६४.००
28.4	Black Color Glass				
	(क) ३ मी.मी.	व.फि.	१०२.००	१०२.००	१०२.००
	(ख) ४ मी.मी.	"	१०९.००	१०९.००	१०९.००
	(ग) ५ मी.मी.	"	१२७.००	१२७.००	१२७.००
	(घ) ६ मी.मी.	"	१७९.००	१७९.००	१७९.००
	(ङ) ८ मी.मी.	"	२६१.००	२६१.००	२६१.००
	(च) १० मी.मी.	"	३७३.००	३७३.००	३७३.००
	(छ) १२ मी.मी.	"	४२६.००	४२६.००	४२६.००
28.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि बाक्लो	व.फि.	१२३.००	१२३.००	१२३.००
28.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	(क) ४ मी.मी. बाक्लो	व.मि.	६६१०.००	६६१०.००	६६१०.००
28.7	विभिन्न रंगको Reflector Glass (शिशु)				
	५ मी.मी मोटो	व.फि.	१९६.००	१९६.००	१९६.००
Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।					
29	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१३५.९६	१३५.९६	१३५.९६
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१४९.३५	१४९.३५	१४९.३५
	(ख) १.२ मी.मी. मोटो प्लेन	"	१४९.३५	१४९.३५	१४९.३५
	१.२ मी.मी. मोटो कोरोगेटेड	"	१६७.८९	१६७.८९	१६७.८९
	(ग) २ मी.मी. मोटो प्लेन	"	२३८.९६	२३८.९६	२३८.९६
	२ मी.मी. मोटो कोरोगेटेड	"	२७८.१०	२७८.१०	२७८.१०
	(घ) ३ मी. मी. मोटो प्लेन	"	३१६.२१	३१६.२१	३१६.२१
	३ मी. मी. मोटो कोरोगेटेड	"	४०६.८५	४०६.८५	४०६.८५

23

 भक्तपुर जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
निम्न प्रशासन कार्यालय
भक्तपुर एकाई

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	(ड) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	७४.१६	७४.१६	७४.१६
	(च) Fiber Glass छानाको लागि Ribet nut	no.	८.२४	८.२४	८.२४
30	भ्याल ढोकामा लाग्ने Fixture हरु				
	Iron बाट बनेका				
	Hinge (कब्जा)				
	(क) ३" साइज	गोटा	१६.५०	१६.५०	१६.५०
	(ख) ४" साइज	"	३०.८०	३०.८०	३०.८०
	(ग) ५" साइज	"	४७.३०	४७.३०	४७.३०
	(घ) ६" साइज	"	६१.६०	६१.६०	६१.६०
	Locking Set (L-drop)				
	300 mm	गोटा	२८६.००	२८६.००	२८६.००
	225 mm	"	२४९.७०	२४९.७०	२४९.७०
	150 mm	"	२१४.५०	२१४.५०	२१४.५०
	Aluminum बाट बनेका				
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२२.००	२२.००	२२.००
	(ख) ४" लामो	"	४४.००	४४.००	४४.००
	(ग) ६" लामो	"	७३.७०	७३.७०	७३.७०
	(घ) ८" लामो	"	८८.००	८८.००	८८.००
	(ड) १०" लामो	"	१०३.४०	१०३.४०	१०३.४०
	(च) १२" लामो	"	११७.७०	११७.७०	११७.७०
	Handle (हतकल)				
	Ordinary	गोटा	३५.२०	३५.२०	३५.२०
	Special	"	५१.७०	५१.७०	५१.७०
	Brass बाट बनेका				
	Hinge (कब्जा)				
	2" x 1/2"	गोटा	६९.३०	६९.३०	६९.३०
	2 1/2 x 3/4"	"	७८.१०	७८.१०	७८.१०
	3" x 3/4"	"	९५.७०	९५.७०	९५.७०
	2" x 3/4"	"	७८.१०	७८.१०	७८.१०
	2 1/2" x 3/4"	"	८६.९०	८६.९०	८६.९०
	3" x 3/4"	"	९५.७०	९५.७०	९५.७०
	3" x 1"	"	२०७.९०	२०७.९०	२०७.९०
	4" x 1"	"	३१२.४०	३१२.४०	३१२.४०
	5" x 1"	"	४१६.९०	४१६.९०	४१६.९०
	6" x 1"	"	५०३.८०	५०३.८०	५०३.८०
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१५६.२०	१५६.२०	१५६.२०
	(ख) ४" लामो	"	२०७.९०	२०७.९०	२०७.९०
	(ग) ६" लामो	"	३१२.४०	३१२.४०	३१२.४०

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(घ) ८" लामो	"	४१६.९०	४१६.९०	४१६.९०
	(ङ) १०" लामो	"	५२०.३०	५२०.३०	५२०.३०
	(च) १२" लामो	"	६२४.८०	६२४.८०	६२४.८०
	Handle (हतकल)				
	6" Brass handle	गोटा	१६५.००	१६५.००	१६५.००
	8" Brass handle	"	५०३.८०	५०३.८०	५०३.८०
	10" Brass handle	"	१०४१.७०	१०४१.७०	१०४१.७०
	Locking Set (L-drop)				
	(क) ८" लामो	गोटा	१०४१.७०	१०४१.७०	१०४१.७०
	(ख) १०" लामो	"	१७९८.२०	१७९८.२०	१७९८.२०
	(ग) १२" लामो	"	१९०८.५०	१९०८.५०	१९०८.५०
	Special Fittings				
	एल ड्रप :-				
	८" लामो	गोटा	११६८.२०	११६८.२०	११६८.२०
	१०" लामो	"	१३१८.९०	१३१८.९०	१३१८.९०
	१२" लामो	"	१३७३.९०	१३७३.९०	१३७३.९०
	ह्याण्डल :-				
	८" लामो	"	१३७३.९०	१३७३.९०	१३७३.९०
	टावर बोल्ट :-				
	६" लामो	"	२४७.५०	२४७.५०	२४७.५०
	८" लामो	"	३३०.००	३३०.००	३३०.००
	१०" लामो	"	४१२.५०	४१२.५०	४१२.५०
	डबल कलर (गोल्ड सिल्वर/ब्ल्याक सिल्वर)				
	एल ड्रप :-				
	८" लामो	गोटा	९८१.२०	९८१.२०	९८१.२०
	१०" लामो	"	१२४३.००	१२४३.००	१२४३.००
	१२" लामो	"	१३७३.९०	१३७३.९०	१३७३.९०
	ह्याण्डल :-				
	६" लामो	"	२७५.००	२७५.००	२७५.००
	८" लामो	"	४१२.५०	४१२.५०	४१२.५०
	Mortice Lock				
	Ordinary	गोटा	६८७.५०	६८७.५०	६८७.५०
	Chinese	"	४५७.६०	४५७.६०	४५७.६०
	Indian Godrej Company	"	२८१२.७०	२८१२.७०	२८१२.७०
	Brass		१२४३.००	१२४३.००	१२४३.००
	Door Spring (Door Closer)				
	Ordinary	गोटा	१९५.८०	१९५.८०	१९५.८०
	hydraulic	"	२०६१.४०	२०६१.४०	२०६१.४०
	Other Door/Windows fixtures				
	Window I-hook	गोटा	१९.८०	१९.८०	१९.८०

[Signature]

[Signature]

भरत मधी/प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	म.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Gate Hook				
	4" Gate hook	गोटा	३४.१०	३४.१०	३४.१०
	5" Gate hook	"	३८.५०	३८.५०	३८.५०
	6" Gate hook	"	४६.२०	४६.२०	४६.२०
	Brass Gate hook		८२.५०	८२.५०	८२.५०
	Door stopper				
	Butterfly	"	१६२.८०	१६२.८०	१६२.८०
	Bell catch 2" size	"	२१५.६०	२१५.६०	२१५.६०
	C.P. handle	"	४६७.५०	४६७.५०	४६७.५०
	Power coated handle	"	४४६.६०	४४६.६०	४४६.६०
	Brass coated handle	"	९६९.४०	९६९.४०	९६९.४०
	Door stopper, single brass stopper	सेट	११०.००	११०.००	११०.००
	Door stopper double brass stopper	"	१९५.८०	१९५.८०	१९५.८०
31	विभिन्न सामग्रीहरू				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१४६.००	१४६.००	१४६.००
	Nails (different sizes)	के.जी.	१३०.००	१३०.००	१३०.००
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७९३.१०	७९३.१०	७९३.१०
	कवाडी फलामे सामानहरू(वन्चरो, घन, छिना आदि फलामे सामान)	के.जी.	२८.६०	२८.६०	२८.६०
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन, डीलीड विट)	के.जी.	२३.१०	२३.१०	२३.१०
	Nut and Bolts (different sizes)	के.जी.	१९२.००	१९२.००	१९२.००
	Sandpaper (खाम्सी)	गोटा	६.६०	६.६०	६.६०
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	१५०.७०	१५०.७०	१५०.७०
	२" साइज रुफिङ्ग नेल्स	गोटा	७.७०	७.७०	७.७०
	३" साइज रुफिङ्ग नेल्स	"	११.००	११.००	११.००
	Screw Brass				
	20mm	गोटा	२.२०	२.२०	२.२०
	25mm	"	३.३०	३.३०	३.३०
	35mm	"	४.४०	४.४०	४.४०
	50mm	"	१३.२०	१३.२०	१३.२०
	75mm	"	१६.५०	१६.५०	१६.५०
	Screw Steel				
	20mm	"	१.१०	१.१०	१.१०
	25mm	"	२.२०	२.२०	२.२०
	35mm	"	२.२०	२.२०	२.२०
	50mm	"	७.७०	७.७०	७.७०
	75mm	"	८.८०	८.८०	८.८०
	विटुमीन वासर	गोटा	३.३०	३.३०	३.३०
	Roofing bitumen (रुफिङ्ग अलकन्ना)	के.जी.	१०२.३०	१०२.३०	१०२.३०

26

भरत मण्डल
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	५०० गेज प्लाष्टिक सिट	व.मी.	३४.१०	३४.१०	३४.१०
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२७९.२०	२७९.२०	२७९.२०
	Plasticfelt (२०मी. × १मी.)	"	२५४९.८०	२५४९.८०	२५४९.८०
	१८-२० फिट लामो बाँस	गोटा	२२४.४०	२२४.४०	२२४.४०
	मैन पालिस	के.जि.	२२६.६०	२२६.६०	२२६.६०
	अक्जालिक एसिड	"	१२९.८०	१२९.८०	१२९.८०
	जुट वा पोलिथिनको खाली बोरा	गोटा	१९.८०	१९.८०	१९.८०
	माटो (ढुवानि बाहेक)	घ.मि.	२९४.८०	२९४.८०	२९४.८०
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	५१०.४०	५१०.४०	५१०.४०
	भुस	के.जि.	५.५०	५.५०	५.५०
	गोबर	"	५.५०	५.५०	५.५०
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	१०२.३०	१०२.३०	१०२.३०
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१०७.८०	१०७.८०	१०७.८०
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.९०	९.९०	९.९०
	Water (पानी)				
	३ कि.मी. सम्म को दुरीमा	लिट्र	०.२९	०.२९	०.२९
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	०.३४	०.३४	०.३४
32	स्टेनलेस स्टील पाइप (257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	२२७.००	२२७.००	२२७.००
	१" व्यास भएको १६ गेज मोटाई	"	२८५.००	२८५.००	२८५.००
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३६३.००	३६३.००	३६३.००
	१ १/२" व्यास भएको १६ गेज मोटाई	"	४४२.००	४४२.००	४४२.००
	२" व्यास भएको १६ गेज मोटाई	"	५९५.००	५९५.००	५९५.००
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	११६८.००	११६८.००	११६८.००
33	मार्बल चिप्स				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१७८.००	१७८.००	१७८.००
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१७८.००	१७८.००	१७८.००
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१९०.००	१९०.००	१९०.००
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१६०.००	१६०.००	१६०.००
34	मार्बल (Marble)				
34.1	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१७७.००	१७७.००	१७७.००
	१६ मी.मी बाक्लो राजस्थानी	"	१९४.००	१९४.००	१९४.००
34.2	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	"	२७५.००	२७५.००	२७५.००
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३६८.००	३६८.००	३६८.००

[Signature]

[Signature]

[Signature]

[Signature]

भरत/मणी मापडे
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य	मु.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	४१३.००	४१३.००	४१३.००
34.3	Kota Stone				
	1" thick	व.फि.	१५७.००	१५७.००	१५७.००
	3/4" thick	व.फि.	१४४.००	१४४.००	१४४.००
34.4	Sand stone (for rubbing Marble)	गोटा	७९.००	७९.००	७९.००
35	Porcelain Glazed/Terrazo Mosaic Tiles				
35.1	Porcelain Glazed Tiles				
	Porcelain Glazed Tiles	"	९०.००	९०.००	९०.००
	Ordinary floor and wall Tile	"	५७.००	५७.००	५७.००
	Border Tile (२ " x ८ ")	र.फि.	४५.००	४५.००	४५.००
	Ceramic Wall Tile (31*45cm)	"	१९१.००	१९१.००	१९१.००
	Ceramic Border Tile (31*45cm)	"	१९१.००	१९१.००	१९१.००
	Ceramic Floor Tile (31*45cm)	"	१५५.००	१५५.००	१५५.००
	Flooring tile GVT				
	24"X24" GVT	व.फु.	१६५.००	१६५.००	१६५.००
	24"X24" GRES Vitrified (Digital floor)	"	१५३.००	१५३.००	१५३.००
	12"X12" GRES homogeous Vitrified parking tile	"	१०१.००	१०१.००	१०१.००
	24"X24" Vitrified	"	११८.००	११८.००	११८.००
	Flooring tile				
	16"X16 "	व.फु.	१०४.००	१०४.००	१०४.००
	12"X12"	"	९३.००	९३.००	९३.००
	12"X12" (White/Ivery)	"	८२.००	८२.००	८२.००
	12"X24" (Wall)	"	१११.००	१११.००	१११.००
35.2	12"X18" (Wall)	"	१३३.००	१३३.००	१३३.००
	Floors Tiles				
	Fittings for Tiles	"	१५.९०	१५.९०	१५.९०
	Fittings for Tiles on stairs	"	१८.०२	१८.०२	१८.०२
	Dendrite for tiles	लि.	४२४.००	४२४.००	४२४.००
36.3	FLOORING COATING				
	FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	३८२.६६	३८२.६६	३८२.६६
	HEAT FLOORING (INCLUDED ALL FINISH)	"	३८२.६६	३८२.६६	३८२.६६
	FLOORING(INCLUDED ALL FINISH)	"	४०५.९८	४०५.९८	४०५.९८
	ACOUSTIC FLOORING	"	४५२.६२	४५२.६२	४५२.६२
	SCRATCH FABRIC FALSE CEILING	"	२४५.९२	२४५.९२	२४५.९२
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६५.७२	६५.७२	६५.७२
	flooring 2mm thick all fitting work	"	४२७.१८	४२७.१८	४२७.१८

[Handwritten signatures and initials]

भरत बस्नेत
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.				
	a) POP Molding 1" to 1½"	र.मि	२५३.००	२५३.००	२५३.००
	b) Up to 5" wide	र.मि	३०३.००	३०३.००	३०३.००
	c) Up to 8" wide	र.मि	४१९.००	४१९.००	४१९.००
	d) Above 8" wide	र.मि	१७१.००	१७१.००	१७१.००
37.1	रंगरोगनका सामानहरू				
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	३७.१०	३७.१०	३७.१०
	(ख) विभिन्न प्रकारको रंगिन चुन	"	४२.४०	४२.४०	४२.४०
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	४२.४०	४२.४०	४२.४०
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००
	(थ) सिमेन्ट प्राइमर सेतो	लिटर	२८८.००	२८८.००	२८८.००
	(छ) उड प्राइमर (Wood Primer)	लिटर	३८९.००	३८९.००	३८९.००
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	५४२.००	५४२.००	५४२.००
	(ज) कोरुगेटेड रुफ Paint	"	४९२.००	४९२.००	४९२.००
	(झ) तयारी अल्मुनियम पेन्ट	"	५६५.००	५६५.००	५६५.००
	(ञ) तयारी बार्नेस	"	४५५.००	४५५.००	४५५.००
	(ट) तयारी बार्नेर सेन्थेटिक	"	३५१.००	३५१.००	३५१.००
	(ठ) भारतीय थिनर	"	२३८.००	२३८.००	२३८.००
	(ड) उड एण्ड ग्लास पुटिन	के.जी	१३६.००	१३६.००	१३६.००
	(ढ) मेटल पुटिन	"	१६०.००	१६०.००	१६०.००
	(ण) चुना पेन्ट गर्न राख्ने गम	"	२१०.००	२१०.००	२१०.००
	(त) नेपाली थिनर	लिटर	२२४.००	२२४.००	२२४.००
	(द) तारपिन तेल	"	२२१.००	२२१.००	२२१.००
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२७०.००	२७०.००	२७०.००
	(न) उड प्रिजरभेटिब पेन्ट	"	२३६.००	२३६.००	२३६.००
	(प) Black Japan Paint	"	४९६.००	४९६.००	४९६.००
	(फ) राम तिलक	के.जि.	५७.००	५७.००	५७.००
	(ब) गेरु रंग	के.जि.	१४१.००	१४१.००	१४१.००
	(भ) चप्रा पालिस	के.जि.	१३६४.००	१३६४.००	१३६४.००
	(म) तयारी वासेबल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	२३१.००	२३१.००	२३१.००
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५४४.००	५४४.००	५४४.००
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६५२.००	६५२.००	६५२.००
	(र) Road Marking Paint	"	५९९.००	५९९.००	५९९.००
	(ल) लिनसिड आयल (linsed Oil)	"	२०३.००	२०३.००	२०३.००
	(व) स्थानीय स्पीट	लि.	१२१.००	१२१.००	१२१.००
	(स) मोबिकल/फेबिकल	के.जि.	२७१.००	२७१.००	२७१.००

[Signature]

[Signature]

[Signature]

[Signature]

भक्तपुर मणी पाण्डे
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	(घ) Tata Red Oxide Paint	"	३०२.५०	३०२.५०	३०२.५०
	(ह) गट्टा चुन (ईण्डियन)	"	३८.५०	३८.५०	३८.५०
	(ख) Wall putty equivalent	के.जि.	४०.००	४०.००	४०.००
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००
	wood keeper (chapara type)	लि.	६६०.००	६६०.००	६६०.००
	Redoxide zink cromate primer For Bridge	लि.	४७९.००	४७९.००	४७९.००
	Silk Breathless easy	लि.	१३१९.००	१३१९.००	१३१९.००
	Road divider (polythene)	गोटा	१७८०.००	१७८०.००	१७८०.००
	Dust bin (polythene) 165 ltr	गोटा	३३८२.००	३३८२.००	३३८२.००
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	१३८४.३६	१३८४.३६	१३८४.३६
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component)	व.मी.	२२०६.९२	२२०६.९२	२२०६.९२
	2mm Epoxy Antistatic Floor coating for OT (4 layer & 9 component)	"	३९०९.२८	३९०९.२८	३९०९.२८
37.2	Epoxy Paint for Operation theater	"	१२१९९.५४	१२१९९.५४	१२१९९.५४
A	Decorative Painting Material				
	Specialized paints				
1	Anti bacterial Hospital Paint	लिट्र	११५०.००	११५०.००	११५०.००
2	Anti carbonisation paint	"	८००.००	८००.००	८००.००
B	Texture paints				
1	Mediterrano	के.वि.	१८०.००	१८०.००	१८०.००
2	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००
3	Velvetino	"	४३०५.००	४३०५.००	४३०५.००
4	Travertino	"	४१२.००	४१२.००	४१२.००
5	Gtone plaster	"	१२१.००	१२१.००	१२१.००
6	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००
7	Pearl skin texture	"	१४९.००	१४९.००	१४९.००
8	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००
9	Rustic	"	१५९.००	१५९.००	१५९.००
10	Rockart	लिट्र	१५९.००	१५९.००	१५९.००
11	Manhattan	के.वि.	२३८.००	२३८.००	२३८.००
12	Sabbia	"	२३८.००	२३८.००	२३८.००
13	Sandy Stone	"	१७४.००	१७४.००	१७४.००
14	Insulplast	"	२३७.००	२३७.००	२३७.००
15	Poly Under White	"	२६४.००	२६४.००	२६४.००
16	Antica(Top coat)	"	१२६७.००	१२६७.००	१२६७.००
17	T.C 100(Top coat)	"	७२८.००	७२८.००	७२८.००
18	Dekorica White	"	२६३१.००	२६३१.००	२६३१.००
19	Poly Plaster	"	१०७.००	१०७.००	१०७.००
20	Granite tone	"	१६५.००	१६५.००	१६५.००
21	Graffiato	"	१५९.००	१५९.००	१५९.००
22	Elligance stone	"	१८९.००	१८९.००	१८९.००
23	Marmorino Base	के.वि.	४१२.००	४१२.००	४१२.००

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
24	Acro fine	लिट्र	१८१.००	१८१.००	१८१.००
25	Marmocastro base	के.वि	१३९.००	१३९.००	१३९.००
26	Selva Granite	"	२१५.००	२१५.००	२१५.००
27	Romart	"	२३९.००	२३९.००	२३९.००
C Weathercoat paints					
1	Guard	लिट्र	५१०.००	५१०.००	५१०.००
2	Guard -3x	"	६००.००	६००.००	६००.००
3	Shield	"	३३५.००	३३५.००	३३५.००
4	Acrotex matt	"	५१५.००	५१५.००	५१५.००
5	Ext wall Primer	"	२४५.००	२४५.००	२४५.००
D Emulsion Paints					
1	Silk Emulsion paints	"	५४०.००	५४०.००	५४०.००
2	Aqualin Int.Emulsion	"	२९०.००	२९०.००	२९०.००
3	Pearl Emulsion paints	"	८००.००	८००.००	८००.००
E	Int. wall Primer	"	१७५.००	१७५.००	१७५.००
F	Acrylic Washable Distemper	"	१४५.००	१४५.००	१४५.००
G	Acro gold Enamel	"	५२५.००	५२५.००	५२५.००
H	Universal primer (wood primer)	"	३२५.००	३२५.००	३२५.००
I	Red oxide metal primer	"	२८५.००	२८५.००	२८५.००
J Construction Chemical / waterproof coating system					
	crack sill	"	४००.००	४००.००	४००.००
	crack fill A+B	"	१७५.००	१७५.००	१७५.००
K Silicon Bases water repellent impregnation					
	Acropreg	"	४८०.००	४८०.००	४८०.००
	Acropreg W	"	६४०.००	६४०.००	६४०.००
37.3	Wall putty	के.वि	४०.००	४०.००	४०.००
1	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1.1	Acro Spanezia maestro finishes texture				
1.2	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००
1.3	Travertino texture	"	१९५.००	१९५.००	१९५.००
1.4	Velvetino texture	"	१६७.००	१६७.००	१६७.००
1.5	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००
1.6	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००
1.7	Pearl skin texture	"	१२०.००	१२०.००	१२०.००
2	Marmorino texture	"	१५६.००	१५६.००	१५६.००
2.1	Acro texture				
2.2	Acro spray flat/Acro spray dews texture	ब.फि	७५.००	७५.००	७५.००

भारत मणी पाण्डे १२०८

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
2.3	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००
2.4	Rustic texture	"	९९.००	९९.००	९९.००
2.5	Rockart texture	"	९३.००	९३.००	९३.००
2.6	Graffiato texture	"	१०३.००	१०३.००	१०३.००
2.7	Marmocastro texture	"	९०.००	९०.००	९०.००
2.8	Marmoplast texture	"	९०.००	९०.००	९०.००
2.9	Sabbia texture	"	११२.००	११२.००	११२.००
2.10	Manhattan texture	"	११२.००	११२.००	११२.००
2.11	Sandy stone texture	"	१५४.००	१५४.००	१५४.००
2.12	Selva Granite texture	"	११६.००	११६.००	११६.००
2.13	Elligance stone texture	"	१०७.००	१०७.००	१०७.००
2.14	Granite tone texture	"	९८.००	९८.००	९८.००
2.15	Romaart texture	"	१२४.००	१२४.००	१२४.००
3	Insulplast texture	"	१३५.००	१३५.००	१३५.००
4	Acro Bio-guard (Hospital Paint)	"	५४.००	५४.००	५४.००
1	Acro Ellastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००
	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	3. ACROSHIELD	"	१७.००	१७.००	१७.००
	INTERIOR SURFACE EMULSION PAINTS				
	1. EMULSION PAINTS	"	१६.००	१६.००	१६.००
	2. WASHABLE DISTEMPER	"	११.००	११.००	११.००
	3. ENAMEL PAINTS	"	१८.००	१८.००	१८.००
1	Expansion joint				
2	Horizontal Area fixing clips affixed aluminium joint covers	RM	१५४५०.००	१५४५०.००	१५४५०.००
3	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers	RM	१२८७५.००	१२८७५.००	१२८७५.००
4	Extruded Aluminium Joint Covers	RM	१४९३५.००	१४९३५.००	१४९३५.००
5	Folded Joint Covers	RM	१८०२५.००	१८०२५.००	१८०२५.००
6	Vertical Joints Standard and Seismic interior use	RM	२५७५०.००	२५७५०.००	२५७५०.००
7	Vertical Joints Exterior use	RM	१३३९०.००	१३३९०.००	१३३९०.००
8	Vertical Joints	RM	२८८४०.००	२८८४०.००	२८८४०.००
9	Suspended Ceiling Joints	RM	१२३६०.००	१२३६०.००	१२३६०.००
10	Floor Joint	RM	२१११५.००	२१११५.००	२१११५.००
11	CAR Park Joint	RM	१६४८०.००	१६४८०.००	१६४८०.००
12	CAR Park Joint standard loads (40 to 70mm)	RM	३१९३०.००	३१९३०.००	३१९३०.००
13	BED Affixed Control Joints	RM	९२७०.००	९२७०.००	९२७०.००
14	Adhesive Affixed Control Joints	RM	१५४५.००	१५४५.००	१५४५.००
	Stair Nosing	RM	९७८५.००	९७८५.००	९७८५.००
38	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००
	Fittings for wall paper	व.फि	७.००	७.००	७.००

अ.प्र.स.

अ.प्र.स.

अ.प्र.स.

अ.प्र.स.

अ.प्र.स.

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००
39	Gypsum board				
39.1	Supplying and fixing of Thai gypsum board application work				
	i) Wall partition	"	११९.००	११९.००	११९.००
	ii) Wall paneling	"	७९.००	७९.००	७९.००
	iii) Metalized polited laminated Board (MPL) board	"	७६.००	७६.००	७६.००
	iv) 12.5mm thick Gypsum Board False ceiling including all necessary material	"	७०.००	७०.००	७०.००
40	Solid Infill wall				
40.1	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३७९३.००	३७९३.००	३७९३.००
	Solid Infill wall				
40.2	Solid infill wall 3"	व.मी.	१७७०.००	१७७०.००	१७७०.००
	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr				
	Solid infill wall 50mm	व.मी.	३२८८.००	३२८८.००	३२८८.००
41	Interlocking Cement Concrete Block(Not less than M20 RCC Block)				
	(a) Curb stone M15		१०००.००	१०००.००	१०००.००
	b) Curb stone (M 20)	र.मि.	१२००.००	१२००.००	१२००.००
	25 mm thick C.C. Tile (Grey color)				
	Burfi , Round , Boby Checker	Sqft	४४.१०	४४.१०	४४.१०
	25 mm thick C.C. Tile (Red color)				
	Burfi , Round , Boby Checker	Sqft	४६.२०	४६.२०	४६.२०
	50 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	Sqft	४३.४४	४३.४४	४३.४४
	50 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	Sqft	४४.६०	४४.६०	४४.६०
	60 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४४.६४	४४.६४	४४.६४
	60 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४७.७४	४७.७४	४७.७४
	70 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	Sqft	६४.०४	६४.०४	६४.०४
	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	Nos	१०.४०	१०.४०	१०.४०

३३

 भारत मणी पाण्डे

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Hexagon (22*22 cm) non colour	"	२४.१५	२४.१५	२४.१५
	Hexagon (22*22 cm) colour	"	२६.२५	२६.२५	२६.२५
	Squire paver (30*30*4.5cm)non colour	"	३३.६०	३३.६०	३३.६०
	Squire paver (30*30*4.5cm)colour	"	३५.७०	३५.७०	३५.७०
	inter block(24*13*6cm)	"	१४.७०	१४.७०	१४.७०
	Isave paver (20*16*6cm)	"	१६.८०	१६.८०	१६.८०
	supply of concrete Block different items				
	Hollow Block (16"*8"*6")	Nos	८१.९०	८१.९०	८१.९०
	Hollow Block (16"*8"*4")	"	७२.४५	७२.४५	७२.४५
	Corner Hollow Block (16"*8"*6")	"	९३.४५	९३.४५	९३.४५
	Lintel Block (16"*8"*6")	"	९३.४५	९३.४५	९३.४५
	Pavers Block (fish or other shape) 60mm thick	"	२१.००	२१.००	२१.००
	concrete Brick (9"*4"*2.5")	"	१३.६५	१३.६५	१३.६५
	CONCRETE PAVING BLOCKS (M25 Grade)				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी.	२३९१.००	२३९१.००	२३९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.	२९६८.००	२९६८.००	२९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.	३६३९.००	३६३९.००	३६३९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	१७६८.००	१७६८.००	१७६८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२२२३.००	२२२३.००	२२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२७०१.००	२७०१.००	२७०१.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	१९२०.००	१९२०.००	१९२०.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२४३९.००	२४३९.००	२४३९.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.	२९५८.००	२९५८.००	२९५८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	व.मी.	१६६८.००	१६६८.००	१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	व.मी.	१९४४.००	१९४४.००	१९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	११३६.००	११३६.००	११३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	१३६२.००	१३६२.००	१३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.	१७६८.००	१७६८.००	१७६८.००
	CONCRETE PAVING BLOCKS				

३४

 भरत मणी मण्डल

 प्रमुख निस्सा अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२०८०.००	२०८०.००	२०८०.००
	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२३२५.००	२३२५.००	२३२५.००
	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२४२८.००	२४२८.००	२४२८.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	व.मी.	१६५६.४५	१६५६.४५	१६५६.४५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	व.मी.	१९८७.७४	१९८७.७४	१९८७.७४
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50	व.मी.	२०९८.१७	२०९८.१७	२०९८.१७
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	व.मी.	२०८०.००	२०८०.००	२०८०.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	व.मी.	२३२५.००	२३२५.००	२३२५.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80	व.मी.	२४२८.००	२४२८.००	२४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	१३३६.३९	१३३६.३९	१३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	१६०३.६७	१६०३.६७	१६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	१६९२.७६	१६९२.७६	१६९२.७६
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१८४८.००	१८४८.००	१८४८.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	२०१४.००	२०१४.००	२०१४.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	२०९७.००	२०९७.००	२०९७.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१३२४.००	१३२४.००	१३२४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१४९०.००	१४९०.००	१४९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१५७२.००	१५७२.००	१५७२.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	१९३०.३४	१९३०.३४	१९३०.३४

[Signature]

[Signature]

[Signature]

[Signature]

भक्तपुर जिल्ला प्रमुख कार्यालय



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	२१३८.२३	२१३८.२३	२१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	२२२७.३२	२२२७.३२	२२२७.३२
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१०७६.००	१०७६.००	१०७६.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१२९६.००	१२९६.००	१२९६.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१३७९.००	१३७९.००	१३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	१८४८.००	१८४८.००	१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	२०१४.००	२०१४.००	२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	२०९७.००	२०९७.००	२०९७.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२०५५.००	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२३४९.००	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	२४५९.००	२४५९.००	२४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	३७६६.००	३७६६.००	३७६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	४०५१.००	४०५१.००	४०५१.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	४३३२.००	४३३२.००	४३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	५६४८.४९	५६४८.४९	५६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	६०४३.४९	६०४३.४९	६०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	६४७७.९९	६४७७.९९	६४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	१७८४.००	१७८४.००	१७८४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	२२७५.००	२२७५.००	२२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	२८१४.००	२८१४.००	२८१४.००

भरत मण्डल
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	३९२१.००	३९२१.००	३९२१.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४२९७.००	४२९७.००	४२९७.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४६१८.००	४६१८.००	४६१८.००
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१६१८.००	१६१८.००	१६१८.००
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१७८२.००	१७८२.००	१७८२.००
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१८३७.००	१८३७.००	१८३७.००
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60	व.मी.	१६१८.००	१६१८.००	१६१८.००
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60	व.मी.	१७८२.००	१७८२.००	१७८२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60	व.मी.	१८३७.००	१८३७.००	१८३७.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१४८०.००	१४८०.००	१४८०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१७०६.००	१७०६.००	१७०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१८०२.००	१८०२.००	१८०२.००
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	१७७४.६८	१७७४.६८	१७७४.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	२२४९.५९	२२४९.५९	२२४९.५९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	२७९९.४९	२७९९.४९	२७९९.४९
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४९.००	१७४९.००	१७४९.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२०६०.००	२०६०.००	२०६०.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२३३२.००	२३३२.००	२३३२.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१७१०.००	१७१०.००	१७१०.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२०२२.००	२०२२.००	२०२२.००

37

 भरत मण्डल प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 100*100*60	व.मी.	२३३३.००	२३३३.००	२३३३.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	१६१०.००	१६१०.००	१६१०.००
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	१७८३.००	१७८३.००	१७८३.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	१८५८.००	१८५८.००	१८५८.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	१५७९.००	१५७९.००	१५७९.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	१७४१.००	१७४१.००	१७४१.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	१८३४.००	१८३४.००	१८३४.००
	CONCRETE PAVING TILES				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१३६१.००	१३६१.००	१३६१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५०७.००	१५०७.००	१५०७.००
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७०१.००	१७०१.००	१७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२६२५.६६	२६२५.६६	२६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२९३८.२३	२९३८.२३	२९३८.२३
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	३२८२.०७	३२८२.०७	३२८२.०७
	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	२०.००	२०.००	२०.००

38

 भक्तपुर जिल्ला प्रमुख



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०८०/८१	२०८१/८२	२०८२/८३
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	२२.००	२२.००	२२.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	१५२.००	१५२.००	१५२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	१८०.००	१८०.००	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	१०९.००	१०९.००	१०९.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	१२५.००	१२५.००	१२५.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	९२.००	९२.००	९२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	१०४.००	१०४.००	१०४.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	१८.००	१८.००	१८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	१९.००	१९.००	१९.००
	CONCRETE PAVING BLOCKS			
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	१५४५.००	१५४५.००	१५४५.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	१७३८.००	१७३८.००	१७३८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	१८२१.००	१८२१.००	१८२१.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	१३३३.००	१३३३.००	१३३३.००

भरत भण्डारी प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५९०.००	१५९०.००	१५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६७५.००	१६७५.००	१६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२०५५.००	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२३४९.००	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२४५९.००	२४५९.००	२४५९.००
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet	व.मी.	२५०१.००	२५०१.००	२५०१.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet	व.मी.	२७६९.००	२७६९.००	२७६९.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet	व.मी.	२८५८.००	२८५८.००	२८५८.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७४९.००	१७४९.००	१७४९.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.	१७४९.००	१७४९.००	१७४९.००
	CONCRETE PAVING TILES				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४८९.००	१४८९.००	१४८९.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६९८.००	१६९८.००	१६९८.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

भरत मण्डल/प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१८०३.००	१८०३.००	१८०३.००
	CONCRETE KERB-STONES				
	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness- Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३५०.००	३५०.००	३५०.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	३६३.००	३६३.००	३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४०१.००	४०१.००	४०१.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension: 300*165*325, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	२७८.००	२७८.००	२७८.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	२९७.००	२९७.००	२९७.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	३३०.००	३३०.००	३३०.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	३५०.००	३५०.००	३५०.००
	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	३६३.००	३६३.००	३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	४०१.००	४०१.००	४०१.००
	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४४९.००	४४९.००	४४९.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४६५.००	४६५.००	४६५.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	५१३.००	५१३.००	५१३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४१७.००	४१७.००	४१७.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४४७.००	४४७.००	४४७.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४७७.००	४७७.००	४७७.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	३९१.००	३९१.००	३९१.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
भारत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)	मु.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	४१९.००	४१९.००	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	र.फि.	४४८.००	४४८.००	४४८.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	१७७५.००	१७७५.००	१७७५.००
	EPS-C(Expanded polystyreneconcrete) Block				
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	१४६.००	१४६.००	१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	२१९.००	२१९.००	२१९.००
३	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	२९२.००	२९२.००	२९२.००
42	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६६४.००	६६४.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७९.००	७९.००	७९.००
43	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting				
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००
	ii) Heritage flakes	"	१२४.००	१२४.००	१२४.००
	iii) Heritage granite finish	"	१०८.००	१०८.००	१०८.००
	iv) Heritage Top coat (plastic lamination)	"	२९.००	२९.००	२९.००
44	UPVC Profile Door and Window/ Wall partition				
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm;sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू				
	i) Single glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७५७५.००	७५७५.००
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	६६६४.००	६९९७.००	६९९७.००
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७८६७.००	७८६७.००
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७८६७.००	७८६७.००
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)		८२१४.००	८६२४.००	८६२४.००

अ.प्र. ३.

४२

४३

४४

भक्तपुर मजदुरी माफ्डो. १०१
प्रमुख जिम्मे-अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)	मु.अ.क. (VAT) बाहेक (र.)		
			२०८०/८१	२०८१/८२	२०८२/८३
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)		८३२८.००	८७४४.००	८७४४.००
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)		८८८४.००	९३२८.००	९३२८.००
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)		८८८४.००	९३२८.००	९३२८.००
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)		८६०६.००	९०३६.००	९०३६.००
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)		९९९१.००	१०४९०.००	१०४९०.००
11	UPVC 88x60mm Sliding white colour window with 5mm glass panel	Sqm	८६२६.००	९०५७.००	९०५७.००
11	UPVC 60x64mm white colour casement window with 5mm glass panele		९७९६.००	१०२८५.००	१०२८५.००
12	UPVC 110x64mm x9mmthick board and 5mm thick glass panel white colour		१०३५३.००	१०७६७.००	१०७६७.००
12	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass		१०७१७.००	१११४५.००	१११४५.००
13	UPVC 60x60mm white colour swing door with 5mm glass panel		६७२७.००	७०६३.००	७०६३.००
ii) Double glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९४३५.००	९९०६.००	९९०६.००
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)		८९३५.००	९३८१.००	९३८१.००
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)		९७१८.००	१०२०३.००	१०२०३.००
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)		९७१८.००	१०२०३.००	१०२०३.००
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)		१०४३९.००	१०८५६.००	१०८५६.००
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)		१०५४७.००	१०९६८.००	१०९६८.००
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)		१११०३.००	११५४७.००	११५४७.००
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)		१०८२५.००	१०८२५.००	१०८२५.००
9	Supply & fixing of 80*50 mm white colour casement window		९६११.००	९६११.००	९६११.००
45	Prefab Panel for wall Partition solid wall panel				
45.1	Supply and erection of different mm th. cement base prefabricated Spera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 50 mm thick		२३९.००	२३९.००	२३९.००
	b) 75 mm thick	Sq .m.	३०२.००	३०२.००	३०२.००
45.2	False ceiling/ partition/ external cladding				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९३.००	९३.००	९३.००

अ/य/स

गोपबन्धु

Jan-23

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)	जिल्ला प्रशासन कार्यालय भक्तपुर		
			२०८०/८१	२०८१/८२	२०८२/८३
	Supplying, making, fixing of 70mm thick exterior with full height of partition with cement board	Sqft	२७९.००	२७९.००	२७९.००
	Supplying, making, fixing of 66mm thick exterior with full height of partition with cement board	Sqft	२४४.००	२४४.००	२४४.००
	Supplying, making, fixing of 91mm thick exterior with full height of partition with cement board	Sqft	३११.००	३११.००	३११.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	Sqft	२७४.००	२७४.००	२७४.००
	Supplying, making, fixing of 50mm thick full height of partition with wall panels	Sqft	२१७.००	२१७.००	२१७.००
	Supplying, making, fixing of 75mm thick full height of partition with wall panels	Sqft	२८८.००	२८८.००	२८८.००
45.3	Cement board				
	6 mm thick	Sqft	३४.००	३४.००	३४.००
	8 mm thick	Sqft	४२.००	४२.००	४२.००
	10 mm thick	Sqft	५३.००	५३.००	५३.००
	12 mm thick	Sqft	६४.००	६४.००	६४.००
45.4	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३९३.००	३९३.००	३९३.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२४.००	४२४.००	४२४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५२४.००	५२४.००	५२४.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	११२.००	११२.००	११२.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	२६३.००	२६३.००	२६३.००
	75 mm thick	Sqft	३४७.००	३४७.००	३४७.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२८२.००	२८२.००	२८२.००

४४

 भारत मणी पाण्डे

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८६.००	२८६.००	२८६.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२५०.००	२५०.००	२५०.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१९.००	३१९.००	३१९.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	३५९.००	३५९.००	३५९.००
46	Aluminium & Steel Door & Window				
46.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५२९.३९	५२९.३९	५२९.३९
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	५६८.६४	५६८.६४	५६८.६४
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	५५४.८५	५५४.८५	५५४.८५
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५९५.९६	५९५.९६	५९५.९६
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	६८४.२८	६८४.२८	६८४.२८
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) वाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	५२९.३९	५२९.३९	५२९.३९
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	४७४.२२	४७४.२२	४७४.२२
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६४८.२१	६४८.२१	६४८.२१
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६४८.२१	६४८.२१	६४८.२१
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	३७८.७४	३७८.७४	३७८.७४
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	५०२.८७	५०२.८७	५०२.८७
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	५०२.८७	५०२.८७	५०२.८७
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	५०२.८७	५०२.८७	५०२.८७
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	४७६.३४	४७६.३४	४७६.३४
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	५२९.९६	५२९.९६	५२९.९६
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	५७५.०१	५७५.०१	५७५.०१
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	५७५.०१	५७५.०१	५७५.०१
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	५२९.९६	५२९.९६	५२९.९६
	102 series windows				
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	५५२.७३	५५२.७३	५५२.७३

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
भक्तपुर जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६३१.२४	६३१.२४	६३१.२४
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४६४.६७	४६४.६७	४६४.६७
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	१४८.५३	१४८.५३	१४८.५३
	90 series windows				०.००
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५१९.८४	५१९.८४	५१९.८४
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५४८.४९	५४८.४९	५४८.४९
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४३६.०३	४३६.०३	४३६.०३
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	१४८.५३	१४८.५३	१४८.५३
	78 series windows				
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	४५६.१९	४५६.१९	४५६.१९
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४८६.९५	४८६.९५	४८६.९५
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	४०८.४५	४०८.४५	४०८.४५
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	१३४.७३	१३४.७३	१३४.७३

भक्तपुर जिल्ला प्रमुख
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Casement window and doors				
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	५३४.६९	५३४.६९	५३४.६९
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	५८०.३१	५८०.३१	५८०.३१
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	७३८.३९	७३८.३९	७३८.३९
	Partation work				
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३४९.०४	३४९.०४	३४९.०४
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	३७१.३२	३७१.३२	३७१.३२
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३९९.९६	३९९.९६	३९९.९६
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	४९७.५६	४९७.५६	४९७.५६
	Structure glazing				
	glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	५५६.९७	५५६.९७	५५६.९७
	glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६४६.०९	६४६.०९	६४६.०९
	glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	७८५.०७	७८५.०७	७८५.०७
47	Aluminium composite panel				
47.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing				
	3 mm , .20 mm black core	नफी	३७१.३२	३७१.३२	३७१.३२
	3 mm , .25 mm black core	"	३८०.८६	३८०.८६	३८०.८६
	3 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५
	4 mm , .25 mm black core	"	४०४.२०	४०४.२०	४०४.२०
	4 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५

[Signature]

[Signature]

[Signature]

[Signature]

भक्तपुर जिल्ला प्रमुख अधिकारी



भक्तपुर जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	4 mm , .50 mm black core	"	४१७.९९	४१७.९९	४१७.९९
	4 mm , .25 mm Vergin core	"	४२७.५४	४२७.५४	४२७.५४
	4 mm , .30 mm vergin core	"	३९४.६५	३९४.६५	३९४.६५
	4 mm , .50 mm vergin core	"	४२७.५४	४२७.५४	४२७.५४
48	Water proofing (chemicals & Tretment)works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	१५९.००	१५९.००	१५९.००
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	२६६.००	२६६.००	२६६.००
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	४७९.००	४७९.००	४७९.००
1.4	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	३१९.००	३१९.००	३१९.००
1.5	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०६६.००	१०६६.००	१०६६.००
1.6	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०६६.००	१०६६.००	१०६६.००
1.7	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	१३३२.००	१३३२.००	१३३२.००
1.8	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१९१.००	१९१.००	१९१.००
1.9	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	२६६.००	२६६.००	२६६.००
1.10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	३७३.००	३७३.००	३७३.००
1.11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	३७३.००	३७३.००	३७३.००

अ.प्र. स.

प्रमुख जिल्ला प्रशासक

सह-प्रमुख

भक्तपुर जिल्ला प्रशासन कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	जिल्ला प्रशासन कार्यालय भक्तपुर		
			२०८०/८१	२०८१/८२	२०८२/८३
1.12	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२६६.००	२६६.००	२६६.००
1.13	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४७९.००	४७९.००	४७९.००
1.14	Resin ,Multi /polycarboxylate ether choloride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	७५५.००	७५५.००	७५५.००
2	CONCRETE ADMIXTURES (Mineral)				
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३५१.००	३५१.००	३५१.००
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	९०.००	९०.००	९०.००
3	JOINT SEALANTS & SYSTEMS				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	१९१९.००	१९१९.००	१९१९.००
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	१९१९.००	१९१९.००	१९१९.००
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	३१९८.००	३१९८.००	३१९८.००
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	२१३२.००	२१३२.००	२१३२.००
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	३१९८.००	३१९८.००	३१९८.००
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	१२७९.००	१२७९.००	१२७९.००
3.7	Butyl Tape for various Applications	RM	१३३.००	१३३.००	१३३.००
3.8	Waterproofing Joint Tape [120 mm]	RM	५८६.००	५८६.००	५८६.००
3.9	Waterproofing Joint Tape [200 mm]	RM	७९९.००	७९९.००	७९९.००
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	४२६४.००	४२६४.००	४२६४.००
3.11	Joint Tape Epoxy Adhesive	Kg.	३१९८.००	३१९८.००	३१९८.००
3.12	Glass Fiber Joint Tape	RM.	२९३.००	२९३.००	२९३.००
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	१५९९.००	१५९९.००	१५९९.००
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	२८७८.००	२८७८.००	२८७८.००
3.15	Construction Joint Tape [100 mm]	RM.	८५२.००	८५२.००	८५२.००
3.16	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	२६१२.००	२६१२.००	२६१२.००
3.17	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	५१७१.००	५१७१.००	५१७१.००
3.18	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	८५२.००	८५२.००	८५२.००
3.19	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	१५९९.००	१५९९.००	१५९९.००
4	INDUSTRIAL FLOORING SOLUTIONS				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	१२७.००	१२७.००	१२७.००

५/५

१०/५

१०/५

प्रमुख जिल्ला/पाण्डे
भक्तपुर जिल्ला/अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		भक्तपुर	२०८१/८२	२०८२/८३
4.2	Liquid Concrete Hardener & Dust Proofer	Kg. ४७९.००	४७९.००	४७९.००
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg. २६६५.००	२६६५.००	२६६५.००
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg. ३१९८.००	३१९८.००	३१९८.००
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg. २१३२.००	२१३२.००	२१३२.००
4.6	Self Levelling Flooring System [Epoxy]	Kg. १४६६.००	१४६६.००	१४६६.००
4.7	Self Levelling Flooring System [Polyurethane]	Kg. २२१२.००	२२१२.००	२२१२.००
4.8	Self Levelling Cementitious Flooring System	Kg. ४४६.००	४४६.००	४४६.००
5	ENGINEERING GROUTS			
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg. ११७.००	११७.००	११७.००
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg. १३३.००	१३३.००	१३३.००
5.3	Hard wearing cementitious tile grout	Kg. १७०.००	१७०.००	१७०.००
5.4	Hard wearing epoxy based tile grout	Kg. १०६६.००	१०६६.००	१०६६.००
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg. ५३३.००	५३३.००	५३३.००
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg. २६६५.००	२६६५.००	२६६५.००
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	MI ४७९७.००	४७९७.००	४७९७.००
5.8	Low Viscosity Injection Epoxy Grout	Kg. ७९९६.००	७९९६.००	७९९६.००
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg. १३३२७.००	१३३२७.००	१३३२७.००
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg. ९०६२.००	९०६२.००	९०६२.००
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg. १४९२६.००	१४९२६.००	१४९२६.००
6	BONDING ADHESIVES (Polymer & Epoxy Resin)			
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg. ७५०.००	७५०.००	७५०.००
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg. ९५०.००	९५०.००	९५०.००
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg. १२००.००	१२००.००	१२००.००
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg. १८००.००	१८००.००	१८००.००
7	FIBERS (Steel & Polypropylene)			
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg. १२००.००	१२००.००	१२००.००
7.2	FIBERMESH FB [Collated PP Fibers]	Kg. १५००.००	१५००.००	१५००.००
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg. २०००.००	२०००.००	२०००.००
7.4	Loose steel Fibers	Kg. २५०.००	२५०.००	२५०.००
7.5	Glued Steel Fibers	Kg. ३५०.००	३५०.००	३५०.००
7.6	Crimped Steel Fibers	Kg. २५०.००	२५०.००	२५०.००
8	SURFACE TREATMENT			
8.1	Protective, Decorative Anti Carbonation Coating	Kg. १२००.००	१२००.००	१२००.००

Handwritten signatures and initials at the bottom of the page.

भक्तपुर जिल्ला प्रमुख मणी पाण्डे



सि.नं.	निर्माण सामग्रीहरूको विवरण प्रशासन कार्यालय भक्तपुर	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१३५०.००	१३५०.००	१३५०.००
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	४५००.००	४५००.००	४५००.००
8.4	Protective Acrylic Sealer	Kg.	१५००.००	१५००.००	१५००.००
8.5	Protective Polyurethane Sealer	Kg.	१८००.००	१८००.००	१८००.००
8.6	Water Based Fire Retardant Coating	Kg.	१५००.००	१५००.००	१५००.००
8.7	High Performance Water Repellent Paint	Ltr.	१००९८.००	१००९८.००	१००९८.००
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००
8.9	Ready to use Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००
8.10	Concrete Curing Aid	Kg.	४५०.००	४५०.००	४५०.००
8.11	Resin, silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७१४.००	७१४.००	७१४.००
	CONCRETE REPAIRS				
9	Rust Remover & Passivator	Ltr.	१०००.००	१०००.००	१०००.००
9.1	Corrosion Inhibitor	Kg.	१२००.००	१२००.००	१२००.००
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	१४०.००	१४०.००	१४०.००
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	१७५.००	१७५.००	१७५.००
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	२५०.००	२५०.००	२५०.००
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	२००.००	२००.००	२००.००
9.6	Acrylic Based Crack Filling Putty	Kg.	१२००.००	१२००.००	१२००.००
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	७१४.००	७१४.००	७१४.००
	PREPACKED MORTARS				
10	Tile, Mabrble, Granite etc. Adhesive	Kg.	८५.००	८५.००	८५.००
10.1	Marble & Granite etc. Adhesive	Kg.	३५०.००	३५०.००	३५०.००
10.2	Coarse and water resistant Readymix plastering Mortar	Kg.	८५.००	८५.००	८५.००
10.3	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	८५.००	८५.००	८५.००
10.4	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	९०.००	९०.००	९०.००
10.5	WATERPROOFING SYSTEMS				
11	INTEGRAL				
	Integral Waterproofing Additive for Concrete & Plaster	Kg.	२७५.००	२७५.००	२७५.००
11.1	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	३२९.००	३२९.००	३२९.००
11.2	LIQUID APPLIED				०.००
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	७००.००	७००.००	७००.००
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	५००.००	५००.००	५००.००
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	७५०.००	७५०.००	७५०.००

५२

 भक्त मण्डली सामुदायिक

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	८५०.००	८५०.००	८५०.००
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	७५०.००	७५०.००	७५०.००
11.5	Crystalline Based Waterproofing Systems	Kg.	३५०.००	३५०.००	३५०.००
11.6	Fast Setting Plugging Compound for stopping running water	Kg.	४००.००	४००.००	४००.००
11.7	Polyurethane based Waterproofing Coating System	Kg.	१६५०.००	१६५०.००	१६५०.००
11.8	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१२५०.००	१२५०.००	१२५०.००
11.9	Epoxy Resin based Waterproofing Coating System	Kg.	१६८३.००	१६८३.००	१६८३.००
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	६००.००	६००.००	६००.००
	PREFORMED				
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	१८००.००	१८००.००	१८००.००
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	२०००.००	२०००.००	२०००.००
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	१०५०.००	१०५०.००	१०५०.००
11.14	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	१५००.००	१५००.००	१५००.००
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	१५००.००	१५००.००	१५००.००
11.16	1.2 mm High Polymer PVC Membranes	Sq. M.	२०००.००	२०००.००	२०००.००
11.17	PVC Adhesive	Kg.	२५००.००	२५००.००	२५००.००
11.18	1.2 mm EPDM Membranes	Sq. M.	२५००.००	२५००.००	२५००.००
11.19	EPDM Adhesive	Kg.	२५००.००	२५००.००	२५००.००
11.2	EPDM Primer	Kg.	३०००.००	३०००.००	३०००.००
11.21	2mm TPO Membranes	Sq. M.	३५००.००	३५००.००	३५००.००
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	८००.००	८००.००	८००.००
11.23	100% Synthetic Rubber Roof Coating	Kg.	४५००.००	४५००.००	४५००.००
11.24	SPECIALTY				
12	Antistripping Agent for Bitumen	Kg.	५५०.००	५५०.००	५५०.००
12.1	Anti Termite [Imidacloprid 30.5%]	Kg.	१२०००.००	१२०००.००	१२०००.००
12.2	Expanding Concrete Joint WATERSTOP	RM.	२५००.००	२५००.००	२५००.००
12.3	WB ADHESIVE Primer for Expanding Waterstop	2500	७५००.००	७५००.००	७५००.००
12.4	Swellable WATERSTOP	RM.	२५००.००	२५००.००	२५००.००
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	२५००.००	२५००.००	२५००.००
12.6	Nodular Drain with Geotextile Roof Garden	Sq. M.	२५००.००	२५००.००	२५००.००
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११०.००	११०.००	११०.००
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	१८००.००	१८००.००	१८००.००
	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	३०००.००	३०००.००	३०००.००
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING				



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	८७००.००	८७००.००	८७००.००
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	१०२००.००	१०२००.००	१०२००.००
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	८०००.००	८०००.००	८०००.००
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	१६०००.००	१६०००.००	१६०००.००
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	१२३००.००	१२३००.००	१२३००.००
13.7	EPOXY PRIMER	Kg.	३६००.००	३६००.००	३६००.००
13.8	SATURANT	Kg.	३६००.००	३६००.००	३६००.००
13.9	LAMINATE ADHESIVE	Kg.	२५५०.००	२५५०.००	२५५०.००
13.11	EPOXY TOPCOAT	Kg.	३६००.००	३६००.००	३६००.००
13.12	POLYURETHANE TOPCOAT	Kg.	४६००.००	४६००.००	४६००.००
13.13	Glass Fiber anchor system 5to 10 mm	R. M.	२५७५.००	२५७५.००	२५७५.००
	Carbon Fiber anchor system 5to 10 mm	R. M.	३६००.००	३६००.००	३६००.००
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	१०२००.००	१०२००.००	१०२००.००
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	१२२००.००	१२२००.००	१२२००.००
14	Soil Stabiliser / Admixture				
	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	६८३.००	६८३.००	६८३.००
14.1					
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg.	४५३.००	४५३.००	४५३.००
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७२१.००	७२१.००	७२१.००
49	परम्परागत निर्माण सामग्रीहरू :-				
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२८.००	२८.००	२८.००
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	३०.००	३०.००	३०.००
	३) दचिअपा ठूलोको कुँ	"	३९.००	३९.००	३९.००
	४) दचिअपा सानोको कुँ अपा	"	४९.००	४९.००	४९.००
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	२३.००	२३.००	२३.००
	६) माँ अपा ठूलो 241x60x158 mm	"	२६.००	२६.००	२६.००
	७) मा अपा सानो ८-३/८"×२"×५"	"	२३.००	२३.००	२३.००
	८) धुरी चाङ्ग ठूलो ९-३/८"×१-१/२"×३/४	"	८५.५०	८५.५०	८५.५०
	९) धुरी 230x295x25 mm	"			०.००
	१०) धुरी चाँङ्ग सानो	"	२६.००	२६.००	२६.००
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	१२.५०	१२.५०	१२.५०
	१२) फिगटी पुरानो	गोटा	८.००	८.००	८.००
	१३) ढुक्	गोटा	८८.००	८८.००	८८.००
	१४) Snake body brick traditional	गोटा	३०.००	३०.००	३०.००
	१५) Snake neck brick ,,	गोटा	७५.००	७५.००	७५.००
	१६) Snake head brick ,,	गोटा	१४०.००	१४०.००	१४०.००

[Handwritten signatures and marks]

भक्तपुर जिल्ला अधिकारी
महोदय



सि.नं.	निर्माण सामग्रीहरूको विवरण	भक्तपुर कार्ड	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	क)साना	"	११९.००	११९.००	११९.००
	ख)ठुलो	"	२३८.००	२३८.००	२३८.००
१७)	पेटीकोलागि ढुङ्गा				
	क) १८"X१०"X४"	"	१५१३.८४	१५१३.८४	१५१३.८४
१८)	नागोल ईटा	गोटा	३१.००	३१.००	३१.००
१९)	९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	२३९.००	२३९.००	२३९.००
२०)	फःलोह अपा ठुलो 375x225x100mm	गोटा	१७९.००	१७९.००	१७९.००
२१)	फःलोह अपा सानो 254x229x102mm	"	१४९.००	१४९.००	१४९.००
२२)	तीनकुनै तेलिया ईटा (९"X९"X२-१/४"	"	१५.००	१५.००	१५.००
२३)	तीनकुनै तेलिया ईटा (६"X६"X२-१/४"	"	२४.००	२४.००	२४.००
२४)	चारकुनै तेलिया ईटा (८"X८"	"	३७.००	३७.००	३७.००
२५)	तेलिया ईटा (६"X६"	"	२४.५०	२४.५०	२४.५०
२६)	बुट्टेदारी कर्निश इटा (काशीमोहर)	"	२९.००	२९.००	२९.००
२७)	बुट्टेदारी कर्निश इटा कुना	"	४५.००	४५.००	४५.००
२८)	बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	१८२.००	१८२.००	१८२.००
२९)	भ्याल माथिको कर्निश ईटा बुट्टेदारी	"	३७.००	३७.००	३७.००
३०)	काठको कर्निश माथिको इटा ११"X६"X२.५"	"	६९.५०	६९.५०	६९.५०
३१)	कर्नर स्टोन : १०"X१०"X१४"	"	१९५०.००	१९५०.००	१९५०.००
३२)	क) विचको न्याहाकल्ल १०"X७"X१४"	"	११७५.००	११७५.००	११७५.००
३३)	नागोल ढुङ्गा १८"X१०"X५	"	८५०.००	८५०.००	८५०.००
३४)	भौ प्वा	गोटा	२५०.००	२५०.००	२५०.००
३५)	तामा पाता. (नेपाली)	केजी	११७५.००	११७५.००	११७५.००
	तामा पाता (Indian)	केजी	१३७५.००	१३७५.००	१३७५.००
३६)	पित्तल पाता	केजी	११५०.००	११५०.००	११५०.००
३७)	पारो	ग्राम	१८०.००	१८०.००	१८०.००
३८)	सूर्कि इटा कुटि धुलो बनाएको ।	टन	१४५०.००	१४५०.००	१४५०.००
३९)	Wind bell हवा घण्टी ४"	गोटा	५००.००	५००.००	५००.००
४०)	न्हकल्लो वीचको	१ गोटा	१८००.००	१८००.००	१८००.००
४१)	पेटीढुङ्गा ४"	१ मि.	३३५०.००	३३५०.००	३३५०.००
४२)	पेटीढुङ्गा ५"	१ मि.	२६००.००	२६००.००	२६००.००
४५)	श्री गणेश	गोटा	१२५०.००	१२५०.००	१२५०.००
४६)	कुमार	गोटा	१२५०.००	१२५०.००	१२५०.००
४७)	ढुङ्गे धारा	गोटा	१२५०.००	१२५०.००	१२५०.००
४८)	ल्हाकै सेट	गोटा	२६००.००	२६००.००	२६००.००
४९)	नागवेली बूटा	गोटा	२९.००	२९.००	२९.००
५०)	नागवेली बूटा कुना	गोटा	४२.००	४२.००	४२.००
५१)	स्वा बूटा	गोटा	२९.००	२९.००	२९.००
५२)	चीर बूटा	गोटा	२९.००	२९.००	२९.००

भक्तपुर जिल्ला प्रमुख



सि.नं.	निर्माण सामग्रीहरूको विवरण	वि.नं.	ग.म.नं.	मु.अ.क. (VAT) बाहेक (रु.)		
				२०८०/८१	२०८१/८२	२०८२/८३
	५३) कार्नेस फयो		गोटा	२५.००	२५.००	२५.००
	५४) कार्नेस गजूर पली		गोटा	३७.५०	३७.५०	३७.५०
	५५) ठुलो कलश		गोटा	१८२.००	१८२.००	१८२.००
	५६) मसीनो सुर्कि		केजि	१५.००	१५.००	१५.००
	५७) खसो सुर्कि		केजि	१०.००	१०.००	१०.००
	५८) गट्टा चुन		के.जि.	२९.००	२९.००	२९.००
59	मा अपा (साइज 200x50x130)		गोटा	१८.००	१८.००	१८.००
60	दचि अपा (साइज 200x55x100)		"	२०.००	२०.००	२०.००
61	त्वा अपा (साइज 110x55x180)		"	३३.००	३३.००	३३.००
62	गोल अपा (साइज 120x55x80)		"	२०.००	२०.००	२०.००
63	गणेश अपा (साइज 200x250x35)		"	३६०.००	३६०.००	३६०.००
64	कुमार अपा (साइज 200x250x35)		"	३६०.००	३६०.००	३६०.००
65	तारा अपा (साइज 200x250x55)		"	३६०.००	३६०.००	३६०.००
66	पञ्च बुद्ध अपा (साइज 170x230x55)		"	३६०.००	३६०.००	३६०.००
67	कलस अपा (साइज 100x140x40)		"	६०.००	६०.००	६०.००
68	नागोल अपा (साइज 140x52x120)		"	२१.००	२१.००	२१.००
69	कसिमो अपा (साइज 230x55x100)		"	३०.००	३०.००	३०.००
70	सकली अपा (साइज 140x55x115)		"	२८.००	२८.००	२८.००
71	पानबुद्ध अपा (साइज 140x55x115)		"	२८.००	२८.००	२८.००
72	सानो फ बुद्ध अपा (साइज 180x55x30)		"	३०.००	३०.००	३०.००
73	ठूलो फ बुद्ध अपा (साइज 230x55x110)		"	३०.००	३०.००	३०.००
74	नयाँ फ बुद्ध अपा (साइज 230x55x110)		"	३०.००	३०.००	३०.००
75	साना ग बुद्ध अपा (साइज 140x50x110)		"	२८.००	२८.००	२८.००
76	ठूलो ग बुद्ध अपा (साइज 230x55x90)		"	३०.००	३०.००	३०.००
77	पुम्हा बुद्ध अपा (साइज 180x55x70)		"	३०.००	३०.००	३०.००
78	तिनकुने स्वाँ अपा (साइज 200x550x30)		"	३०.००	३०.००	३०.००
79	तिनकुने पलि अपा (साइज 200x550x90)		"	३०.००	३०.००	३०.००
80	साना स्वाँ अपा (साइज 140x50x110)		"	२८.००	२८.००	२८.००
81	ठूलो स्वाँ अपा (साइज 230x55x90)		"	३०.००	३०.००	३०.००
82	नाग टाउको दायाँवायाँ (साइज 100x150x50)		"	१४९.००	१४९.००	१४९.००
83	नाग घटी दायाँवायाँ (साइज 140x60x70)		"	७८.००	७८.००	७८.००
84	नाग जीउ (साइज 140x60x70)		"	२८.००	२८.००	२८.००
85	नाग कन्या/पुरुष (साइज 180x380x55)		"	६००.००	६००.००	६००.००
86	खाल नागोल (साइज 130x55x120)		"	२८.००	२८.००	२८.००
87	खाल फयो (साइज 130x55x135)		"	२८.००	२८.००	२८.००
88	लहरा बुद्ध (साइज 125x45x140)		"	२८.००	२८.००	२८.००
89	नग वेली (साइज 140x55x120)		"	२९.००	२९.००	२९.००
90	मिखाफुसी (साइज 140x55x120)		"	३७.००	३७.००	३७.००
91	पलियो दायाँ/वायाँ (साइज 130x55x120)		"	२८.००	२८.००	२८.००
92	नयाँ पलिफो (साइज 185x52x80)		"	३२.००	३२.००	३२.००
93	सिधा पलिफो (साइज 190x55x90)		"	३२.००	३२.००	३२.००

अ.प्र. &

१०८५

म.प्र. &

म.प्र. &

भक्तपुर जिल्ला उपायुक्त



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)			
			२०८०/८१	२०८१/८२	२०८२/८३
94	२" सिह (साइज 95x5010)	"	३६.००	३६.००	३६.००
95	२"गरुड (साइज 95x50x100)	"	३६.००	३६.००	३६.००
96	धलिङ्गा (साइज 95x50x100)	"	३६.००	३६.००	३६.००
97	श्रीयन्त्र (साइज 70x700x80)	"	४८.००	४८.००	४८.००
98	त्वा फयो (साइज 140x55x120)	"	२३.००	२३.००	२३.००
99	तारा बुट्टा पुरानो (साइज 180x55x80)	"	२८.००	२८.००	२८.००
100	तारा बुट्टा नयाँ (साइज 230x70x90)	"	३२.००	३२.००	३२.००
101	स्वाँफो तारा (साइज 220x55x90)	"	३२.००	३२.००	३२.००
102	सिक्री बुट्टा (साइज 220x55x80)	"	३२.००	३२.००	३२.००
103	न्हाय बुट्टा सानो (साइज 140x65x130)	"	३२.००	३२.००	३२.००
104	न्हाय बुट्टा ठूलो (साइज 140x100x130)	"	३२.००	३२.००	३२.००
105	नोल नगोल (साइज 2000x55x90)	"	२३.००	२३.००	२३.००
106	ठी बुट्टा (साइज 210x55x75)	"	३२.००	३२.००	३२.००
50	Security System				
	Steel Security Gate supply				
	Metal detector	गोटा	१६९९५.००	१६९९५.००	१६९९५.००
	Access Controller	गोटा	१३९०५.००	१३९०५.००	१३९०५.००
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८६८३.००	८६८३.००	८६८३.००
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	९९३०.००	९९३०.००	९९३०.००
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	१०४१९.००	१०४१९.००	१०४१९.००
	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००
	iv) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	v) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vi) GPS (Global Positioning System) Device with software	गोटा	२५७४९.००	२५७४९.००	२५७४९.००
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)				
	Up to 1/2 H.P.	गोटा	४३२६.००	४३२६.००	४३२६.००
	1.0 H.P.	गोटा	५९४८.००	५९४८.००	५९४८.००
	5 H.P.	गोटा	९७३४.००	९७३४.००	९७३४.००
51	Bridge Materials				
	Elastomeric Bearing Pad				
	Free Type	NOS	२४०३१.२८	२४०३१.२८	२४०३१.२८
	Fix end Dowel Type	"	५०९९३.२८	५०९९३.२८	५०९९३.२८

[Signature]

[Signature]

[Signature]

[Signature]

भक्तपुर जिल्ला प्रमुख कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
			२०८०/८१	२०८१/८२	२०८२/८३
	Expansion Joint Works				
	Single strip seal	Rm	१०१३२.००	१०१३२.००	१०१३२.००
	Slab seal(320*50)	"	२००००.००	२००००.००	२००००.००
	Tendon sheath	"	३८८.००	३८८.००	३८८.००
	Tendon wire	ton	१५७५००.००	१५७५००.००	१५७५००.००
	Anchorage block with cap	nos	१०५००.००	१०५००.००	१०५००.००
	High tensile friction grip nut bolts	kg	३८८.००	३८८.००	३८८.००
	Bolts, nuts & washers(hold up friction grip)	kg	४०९.००	४०९.००	४०९.००
	W- beam metal crash barrier, 3 mm thick corrugated sheet,ISMB series channel	Rm	६३००.००	६३००.००	६३००.००
	Thimbles				
	iv) Φ 13 mm thimble	Pc	७९.००	७९.००	७९.००
	v) Φ 26 mm thimble	Pc	४०९.००	४०९.००	४०९.००
	vi) Φ 32 mm thimble	Pc	६८७.००	६८७.००	६८७.००
	vii) Φ 36 mm thimble	Pc	१३७३.००	१३७३.००	१३७३.००
	viii) Φ 40 mm thimble	Pc	१७९६.००	१७९६.००	१७९६.००
	ix) Φ 13 mm Bulldog grip	Pc	७७.६९	७७.६९	७७.६९
	x) Φ 26 mm Bulldog grip	Pc	३८९.५२	३८९.५२	३८९.५२
	xi) Φ 32 mm Bulldog grip	Pc	५८३.७४	५८३.७४	५८३.७४
	xii) Φ 36 mm Bulldog grip	Pc	७२२.९३	७२२.९३	७२२.९३
	xiii) Φ 40 mm Bulldog grip	Pc	७२२.९३	७२२.९३	७२२.९३
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m ²	४५७.००	४५७.००	४५७.००
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	७२२३.००	७२२३.००	७२२३.००
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२७८.३८	२७८.३८	२७८.३८
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३८९.५२	३८९.५२	३८९.५२
	High tensile friction grip nut bolts	kg	३६९.४७	३६९.४७	३६९.४७
	Galvanization				०.००
	Zinc Above 98.5% purity	kg	३३३.४९	३३३.४९	३३३.४९
	Premix of Zinc amonium chloride	kg	६४२.०९	६४२.०९	६४२.०९
	Hydraucloric acid	Lit	४४.२४	४४.२४	४४.२४
52	Concrete Post (Size 4"X4")				
	Length 7'	गोटा	९४९.९८	९४९.९८	९४९.९८
	Length 5'	"	४७०.५९	४७०.५९	४७०.५९
	Length 3'	"	२३५.८३	२३५.८३	२३५.८३

भक्तपुर जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
53	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	३१९८.६०	३१९८.६०	३१९८.६०
54	Readymade RCC Door & windows frame (4"×2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२४९.८३	२४९.८३	२४९.८३
	" Ventilation	"	२४९.८३	२४९.८३	२४९.८३
	" Arc frame semi circular	"	४९९.६६	४९९.६६	४९९.६६
55	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)				
	a) 50 mm thick	Sq.ft	१८०.००	१८०.००	१८०.००
	b) 60 mm thick	Sq.ft	२४५.००	२४५.००	२४५.००
	c) 75 mm thick	Sq.ft	३००.००	३००.००	३००.००
	d) 90 mm thick	Sq.ft	३४५.००	३४५.००	३४५.००
	e) 120 mm thick	Sq.ft	४९५.००	४९५.००	४९५.००
56	EPS (Expanded Polystyrene) and cement based light weight Solid Panel without face board (Size 1800*610mm)				
	b) 60 mm thick	Sq.ft	१६०.००	१६०.००	१६०.००
	c) 75 mm thick	Sq.ft	२१५.००	२१५.००	२१५.००
	d) 90 mm thick	Sq.ft	२५०.००	२५०.००	२५०.००
57	EPS (Expanded Polystyrene) and cement based light weight Hollow Panel (Size: 1800*610mm)				
	d) 90 mm thick	Sq.ft	१९०.००	१९०.००	१९०.००
58	विभिन्न जातका विरुवाहरू				
१	एभोकाडो	गोटा	२००	२००.००	२००.००
२	तेजपात	गोटा	५०	५०.००	५०.००
३	अम्बा	गोटा	५०	५०.००	५०.००
४	कागति	गोटा	५०	५०.००	५०.००
५	कागति (बाह्रमासे) ग्राफ्टेड	गोटा	२००	२००.००	२००.००
६	टिमुर	गोटा	९०	९०.००	९०.००
७	अमला	गोटा	५०	५०.००	५०.००
८	बाँस कटिङ्ग	गोटा	२७५	२७५.००	२७५.००
९	खुरपाने	गोटा	१६०	१६०.००	१६०.००
१०	नास्पाति	गोटा	१००	१००.००	१००.००
११	ओखर (दाते)	गोटा	१५०	१५०.००	१५०.००
१२	लप्सी	गोटा	५०	५०.००	५०.००

59

भक्तपुर जिल्ला प्रमुख कार्यालय
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
१३	५ फिट माथिका विरुवा सडक तथा नदी किनारामा रोप्ने ३ वर्ष माथीका	गोटा	१००	१००.००	१००.००
59	Agriculture				
	Powertiller 12HP	Pcs	१६००००.००	१६००००.००	१६००००.००
	Agriculture minitiller 7.5 HP Petrol	Pcs	४५०००.००	४५०००.००	४५०००.००
	Agriculture minitiller 7 HP Diesel	Pcs	६५०००.००	६५०००.००	६५०००.००
	Agriculture minitiller 9 HP Petrol	Pcs	६२०००.००	६२०००.००	६२०००.००
	Agriculture minitiller 9HP Diesel	Pcs	८५०००.००	८५०००.००	८५०००.००
	Minitiller Rotatory cultivator 7.5HP	Pcs	११००००.००	११००००.००	११००००.००
	Minitiller Rotatory cultivator 9HP	Pcs	१२५०००.००	१२५०००.००	१२५०००.००
	Potato digger (Attachment)	Pcs	४५००.००	४५००.००	४५००.००
	Adjustable ditcher ((Attachment)	Pcs	४५००.००	४५००.००	४५००.००
	Battery sprayer 2 in 1	Pcs	४५००.००	४५००.००	४५००.००
	Powersprayer (53 C.C)	Pcs	३००००.००	३००००.००	३००००.००
	Manual Sprayer	Pcs	२२००.००	२२००.००	२२००.००
	Submersible pump 1HP(Rocket)	Pcs	२५०००.००	२५०००.००	२५०००.००
	Submersible pump 1HP(well Type)	Pcs	९०००.००	९०००.००	९०००.००
	Weighting machine - Up to 100 kg	Pcs	१२०००.००	१२०००.००	१२०००.००
	Weighting machine - Up to 200 kg	Pcs	१५०००.००	१५०००.००	१५०००.००
	Weighting machine - Up to 300 kg	Pcs	१८०००.००	१८०००.००	१८०००.००
	Sprinkler (2 head)	Pcs	१५०.००	१५०.००	१५०.००
	Cow mat (6ft*4ft)	Pcs	८०००.००	८०००.००	८०००.००
	UV palstic (100 micron)	Sq/m	१२०.००	१२०.००	१२०.००
	UV palstic (200 micron)	Sq/m	१९०.००	१९०.००	१९०.००
	Silpaulin plastic (90 gsm)	Sq/f	९.७०	९.७०	९.७०
	Plastic crate (A -Grade)	Pcs	७००.००	७००.००	७००.००
	seedling planter (Biu ropne)	Pcs	४५००.००	४५००.००	४५००.००
	seeding planter (Biruwa ropne)	Pcs	४५००.००	४५००.००	४५००.००
	Water pump 7 HP(Gasoline) - 2 inch	Pcs	१८०००.००	१८०००.००	१८०००.००
	Water pump 7 HP(Gasoline) - 3 inch	Pcs	२००००.००	२००००.००	२००००.००
	Chaff cutter (3 HP motor)	Pcs	३५०००.००	३५०००.००	३५०००.००
	Pallet machine (3 HP motor)	Pcs	५५०००.००	५५०००.००	५५०००.००
	Deep freight (190L)	Pcs	३९०००.००	३९०००.००	३९०००.००
	Garden pipe	Kg	३५०.००	३५०.००	३५०.००
	Hazari (10L)	Pcs	५००.००	५००.००	५००.००
	Multifunctional chaff cutter (3 HP motor)	Pcs	६००००.००	६००००.००	६००००.००
	Milk chilling vat (500L)	Pcs	२३५०००.००	२३५०००.००	२३५०००.००
	Milk can- Plastic (20L)	Pcs	३८००.००	३८००.००	३८००.००
	Milk can- Plastic (40L)	Pcs	४५००.००	४५००.००	४५००.००
	Milk can- Alminum (20L)	Pcs	८५००.००	८५००.००	८५००.००
	Milk can- Alminum (40L)	Pcs	९५००.००	९५००.००	९५००.००

अ.प्र. प्र.

प्रमुख अधिकारी

प्रमुख अधिकारी

प्रमुख अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गणेशशासन जिल्ला प्रशासन अक्तुपर	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	UMMB Block Machine	Pcs	३५०००.००	३५०००.००	३५०००.००
	Milk Pasteurizer (500L)	Pcs	१८००००.००	१८००००.००	१८००००.००
	Milk Analyser (240V)	Pcs	११००००.००	११००००.००	११००००.००
	Milking machine (14L)	Pcs	४००००.००	४००००.००	४००००.००
	panner vat machine (250/Hr)	Pcs	१९००००.००	१९००००.००	१९००००.००
	Potato slicer machine (Manual)	Pcs	८००००.००	८००००.००	८००००.००
	Plastic for packing	Kg	८००.००	८००.००	८००.००
	Plastic for packing- 100m Roll (25 micron)	Roll	५३००.००	५३००.००	५३००.००
	Plastic for packing- 100m Roll (30 micron)	Roll	६८००.००	६८००.००	६८००.००
	Plastic for packing- 100m Roll (40 micron)	Roll	९५००.००	९५००.००	९५००.००











सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह मन्त्रालय जिल्ला प्रशासन कार्यालय भक्तपुर	मु.अ.क. (VAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८२	२०८२/८३
	UMMB Block Machine	Pcs	३५०००.००	३५०००.००	३५०००.००
	Milk Pasteurizer (500L)	Pcs	१८००००.००	१८००००.००	१८००००.००
	Milk Analyser (240V)	Pcs	११००००.००	११००००.००	११००००.००
	Milking machine (14L)	Pcs	४००००.००	४००००.००	४००००.००
	panner vat machine (250/Hr)	Pcs	१९००००.००	१९००००.००	१९००००.००
	Potato slicer machine (Manual)	Pcs	८००००.००	८००००.००	८००००.००
	Plastic for packing	Kg	८००.००	८००.००	८००.००
	Plastic for packing- 100m Roll (25 micron)	Roll	५३००.००	५३००.००	५३००.००
	Plastic for packing- 100m Roll (30 micron)	Roll	६८००.००	६८००.००	६८००.००
	Plastic for packing- 100m Roll (40 micron)	Roll	९५००.००	९५००.००	९५००.००



मुख्य सप्लायर/प्रमुख जिल्ला अधिकारी



SANITARY WORKS

SANTARY WORKS						
सि.नं.	निर्माण सामग्रीहरूको विवरण	भत्ता/मुद्रा	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
1	Porcelain Clay Sanitaryware					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	2600	2600	2600	
	ii)500 mm size white glazed without siphon	"	2823	2823	2823	
	iii)580 mm size Pan	"	2600	2600	2600	
	iii)580 mm size white glazed pan	"	950	950	950	
	iv) Siphon 'p' or 's' type	"	400	400	400	
	v) Asian Pan 51x40 Rectangular	"	2450	2450	2450	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3666	3666	3666	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	687	687	687	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3809	3809	3809	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1635	1635	1635	
	ii) White glazed porcelain clay EWC regular commode with 's' p trap	"	1880	1880	1880	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	"	18663	18663	18663	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	"	20000	20000	20000	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	"	21001	21001	21001	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	"	5410	5410	5410	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8916	8916	8916	
	viii) 600 to 900 mm Grab bar	"	6244	6244	6244	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3803	3803	3803	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	4299	4299	4299	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size	"	1936	1936	1936	
	iv)White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.	"	1668	1668	1668	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45x35)cm	सेट	1248	1248	1248	
	ii) Porcelain clay white glaze squatting plate large size	"	1498	1498	1498	

मसुदा मन्त्रालय
प्रमुख निवेदन अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	गुण मन्त्रालय जिल्ला प्रशासन अन्तर्गत	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	iii) Porcelain clay super color squatting plate large size.	"	2916	2916	2916	
	iv) Urinal Spreader	"	942	942	942	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1128	1128	1128	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1525	1525	1525	
	iv) Do but wash basin (45×32)cm	"	1097	1097	1097	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1237	1237	1237	
	vii) white glazed porcelain clay U-counter basin complete.	"	8598	8598	8598	
	ix) white glazed porcelain clay O-counter wash basin, complete.	"	14189	14189	14189	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	10079	10079	10079	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6419	6419	6419	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	21165	21165	21165	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	1419	1419	1419	
	ii) White glazed Porcelain clay half pedestal complete set.	"	1720	1720	1720	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	2032	2032	2032	
	iv) Two piece pedestal with Basin" complete set.	"	13712	13712	13712	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	1793	1793	1793	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2289	2289	2289	
	ii) Porcelain clay white glaze small size	"	1703	1703	1703	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	28380	28380	28380	
	Kitchen sink					
	i) Porcelain clay large	सेट	3876	3876	3876	
	ii) Porcelain clay small	"	3511	3511	3511	
	iii) drain board white 53x45	"	1343	1343	1343	
	iv) Soap dish	"	681	681	681	
	v) White glaze foot rest	"	432	432	432	
	vi) White glaze Toilet paper holder	"	1192	1192	1192	
2	PVC Cistern Set					
	i) single flush	सेट	2032	2032	2032	
	ii) Deluxe single flush	"	2270	2270	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	"	3055	3055	3055	
	iv) concealed cistern with plate complete set.	"	17368	17368	17368	
	v) 32 mm pvc bottle trap set.	पिस्त	490	490	490	
	vi) 1.5x45 cm pvc pipe connector set.	"	147	147	147	
	vi) Bakelite toilet seat cover set.	"	284	284	284	

अ.प्र.स.स.

ग.प्र.स.स.

व.प्र.स.स.

भक्त मण्डल प्रमुख
जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार प्रशासन जिल्ला भक्तपुर	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.	२०८०/०८१	२०८१/०८२	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	"	18731	18731	18731	
	Stainless steel Orissa pan LP 210 size	"	8741	8741	8741	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13660	13660	13660	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10584	10584	10584	
	Stainless steel commode S trap with self closing complete set	"	18081	18081	18081	
	Wall mixer (single lever) bath faucet with hand shower	"	15073	15073	15073	
	Bath tub (single lever)with hand shower	"	18985	18985	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower	"	26537	26537	26537	
	Wall mixer (single control) bath faucet with hand shower(conceal system)	"	16431	16431	16431	
	Wall mixer (single control) shower faucet (conceal system)	"	4307	4307	4307	
	conceal mixer faucet	"	6649	6649	6649	
	Stainless steel Angle valve	"	852	852	852	
	Stainless steel two way Angle valve	"	1192	1192	1192	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2753	2753	2753	
	Stainless steel bowl with diamond board 37" long	"	3770	3770	3770	
	Stainless steel bowl with ordinary board 37" long	"	2383	2383	2383	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	14335	14335	14335	

भारत मणी पाण्डे
 प्रमुख जिल्ला अभियन्ता



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल एकक जित्ना पश	म.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Stainless steel double bowl with single drain board ordinary	"	5960	5960	5960	
	Stainless steel p trap bottle trap for basin	"	2394	2394	2394	
	Stainless steel Kitchen sink mixture	"	8660	8660	8660	
	Stainless steel Kitchen sink faucet	"	5732	5732	5732	
	Stainless steel Kitchen sink mixture	"	8660	8660	8660	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1506	1506	1506	
	Stainless steel Hose ringer 1200 mm	"	1312	1312	1312	
	Stainless steel commode spray with hose pipe	"	1852	1852	1852	
	Stainless steel basin mixer(single control)	"	7151	7151	7151	
	Stainless steel single faucet for basin	"	4558	4558	4558	
	Stainless steel Sink 700*450*200	"	24973	24973	24973	
	Stainless steel Sink table top 1200*600*300	"	34509	34509	34509	
	Steel Split clamp with washer all complete	"				
	75 mm dia	पिस	341	341	341	
	110 mm dia	"	454	454	454	
	160 mm dia	"	794	794	794	
	Stainless steel telephonic shower	गोटा	1277	1277	1277	
	Stainless steel shower with sliding bar	"	3065	3065	3065	
	Stainless steel shower with sliding bar	"	10079	10079	10079	
	Stainless steel bottle trap	"	666	666	666	
	Stainless steel towel bar 450 mm	"	1277	1277	1277	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12488	12488	12488	
	Capacity 1000 ltr	"	18230	18230	18230	
	Capacity 1500 ltr	"	28028	28028	28028	
	Capacity 2000 ltr	"	33725	33725	33725	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	"	4442	4442	4442	
	ii) super lab sink small size	"	3503	3503	3503	
	Super kitchen sink					
	i) super kitchen sink large size	"	7689	7689	7689	
	ii) super kitchen sink small size	"	6959	6959	6959	
4	Modern Sanitaryware					
	iv) Hand Dryer	"	7379	7379	7379	
	v) Flush valve	"	5903	5903	5903	
	vi) Auto sensor for basin -	"	36325	36325	36325	
	vii) liquid soap container stainless steel	"	6244	6244	6244	
	viii) Looking Mirror 450x600mm (18"x 24")	"	1503	1503	1503	
	C.P. Grab Bar for disable					
	a) 30cm long bend type	"	5521	5521	5521	
	b) 45 cm long bend type	"	5781	5781	5781	
	c) 60 cm long bend type	"	7404	7404	7404	
5	C.P. Accessories					
	1) Toilet paper holder	"	475	475	475	
	2) Soap dish	"	350	350	350	
	3) Towel rod 1/2"x18" size	"	475	475	475	
	4) Towel rod 3/4" x24" size	"	525	525	525	

अ.प्र. १.

ह.प्र. १.

ह.प्र. २.

ह.प्र. ३.

भरतपुर, पाल्पा
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	5) Glass shelf	"	650	650	650	
	6) C.P. bottle trap	"	1283	1283	1283	
	7) 32 mm×60cm long C.P flush pipe	"	525	525	525	
	8) 15 mm flush cock push type	"	1167	1167	1167	
	9) 15 mm dia. C.P. shower arm	"	1005	1005	1005	
	10) 15 mm dia. C.P. spreader	"	968	968	968	
	11) 15 mm dia. C.P. wall mixture	"	4500	4500	4500	
	i) 3" dia. Shower rose , revolving type	"	933	933	933	
	ii) 4" dia. Shower rose , revolving type	"	1051	1051	1051	
	iii) Shower rose ordinary	"	584	584	584	
	iv) Shower rod 12" long	"	291	291	291	
	C.P. 15 mm dia. Angle Valve	"	1281	1281	1281	
	C.P. 15 mm dia Concealed Stop Cock	"	1861	1861	1861	
	C.P. 15mm Bib Cock	"	1050	1050	1050	
	C.P. 15 mm dia swan neck Pillar Cock	"	1200	1200	1200	
	C.P. 15 mm dia Stop Cock	"	1100	1100	1100	
	C.P. 15 mm dia Sink Cock	"	1348	1348	1348	
	C.P. 15 mm dia Sink Mixture	"	4200	4200	4200	
	C.P. 32 mm dia Flush Valve	"	5566	5566	5566	
	C.P. 32 mm dia Waste Coupling for basin	"	437	437	437	
	C.P. 32 mm dia Waste Coupling for Urinal	"	710	710	710	
	C.P. Basin Mixture	सेट	4779	4779	4779	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1783	1783	1783	
	C.P. Exclusive Shower Arm with Hinge	"	2074	2074	2074	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4294	4294	4294	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	7054	7054	7054	
	C.P. flexible pipe	गेटा	186	186	186	
	C.P. Grating					
	i) 4" dia.	"	52	52	52	
	ii) 5" dia.	"	64	64	64	
	i) C.P. Toilet Paper Holder	"	957	957	957	
	ii) C.P. Soap Dish(Polyurethane)	"	1073	1073	1073	
	iii) C.P. Towel Rod 18"	"	1625	1625	1625	
	iv) C.P. Towel Rod 24"	"	1713	1713	1713	
	v) C.P. Glass Shelf 22"	"	2328	2328	2328	
	vi) C.P. Coat Hook Double	"	836	836	836	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	"	955	955	955	
	15 mm C.P. Angle Cock Long Thread	"	1016	1016	1016	
	x) C.P. Conceal Stop Cock	"				
	i) 15 mm Reduced body	"	1170	1170	1170	
	ii) 15 mm Extra Heavy Body	"	1432	1432	1432	
	xi) C.P. Bib Cock	"				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2690	2690	2690	
	ii) 15mm C.P. Bib Cock	"	981	981	981	
	iii) 15mm C.P. Bib Cock with nozzle	"	1086	1086	1086	
	xii) C.P. Pillar Cock	"				
	i) 15 mm C.P. Pillar Cock With Aerator	"	1301	1301	1301	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2603	2603	2603	

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	भत्तपत्र एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	i) 15mm C.P. Sink Cock	"	1648	1648	1648	
	ii) C.P. Sink Mixer	"	4085	4085	4085	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3560	3560	3560	
	xv) C.P. Bottle Trap 32mm	"	1908	1908	1908	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3990	3990	3990	
	xvii) C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	459	459	459	
	32 mm C.P. Waste Coupling F/T	"	459	459	459	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2775	2775	2775	
	xix) 15 mm C.P. Wall Mixer	"				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4597	4597	4597	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4597	4597	4597	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3817	3817	3817	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	4008	4008	4008	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1301	1301	1301	
	15mm Bath Tub Spout with button attachment	"	2082	2082	2082	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	693	693	693	
	15 mm Casted Shower Arm Heavy	"	1127	1127	1127	
	xxiii) 15 mm Telephonic Hand Shower	"				
	With 1.50 m. PVC Tube	"	1845	1845	1845	
	With 1.5 Flexible Tube	"	2862	2862	2862	
	xxiv) Auto closing urinal flush valve	"				
	15mm presmatic auto closing urinal flush valve	गोटा	3321	3321	3321	
	xxiv) Other accessories	"				
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4979	4979	4979	
	15 mm Braided Hose for E.W.C.	"	307	307	307	
	15 mm Health Faucet (Commode Spray)	"	1180	1180	1180	
	15 mm pillar cock with 200 mm extended lever handle	"	1560	1560	1560	
	15 mm Bib cock with 200 mm extended lever handle	"	1646	1646	1646	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	6135	6135	6135	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5949	5949	5949	
	Sensor mixer for wash basin (Battery operated)	"	21095	21095	21095	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	21095	21095	21095	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16708	16708	16708	
	Sensor valve for Urinal	"	10971	10971	10971	
	Basin cock Sensor	"	14851	14851	14851	

अ.प्र.स. नगर प्रशासन

प्रमुख जिल्ला अधिकारी

भक्तपुर जिल्ला प्रशासन



सि.नं.	निर्माण सामग्रीहरूको विवरण	राष्ट्रिय एकिक	मन्त्रालय (VAT) बाहेक (रु.)			कैफियत
			आ.व.	२०८०/०८१	२०८१/०८२	२०८२/०८३
	15mm U shaped sink cock	"	1763	1763	1763	
	Sink Mixture with U shape swinging spout	"	3665	3665	3665	
	15mm metallic Health Faucet (Commode Spray)	"	2236	2236	2236	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	चोटा	11578	11578	11578	
	ii) 25 lit cap. " " "	"	17851	17851	17851	
	iii) 35 lit cap " " "	"	22192	22192	22192	
	iv) 50 lit cap " " "	"	26535	26535	26535	
	iv) Gas water heater with cylinder	"	8446	8446	8446	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" x 10" (4 Kg.)	सेट	689	689	689	
	ii) 12" x 12" (5 Kg.)	"	861	861	861	
	iii) 14" x 14" (7 Kg.)	"	1247	1247	1247	
	v) 16" x 16" (10 Kg.)	"	1671	1671	1671	
	vi) 18" x 18" (14 Kg.)	"	2598	2598	2598	
	viii) 20" x 20" (16 Kg.)	"	2930	2930	2930	

28 Jan 2082/83

प्रमुख जिल्ला अधिकारी

भरत नगरी पाण्डे



नेपाल सरकार
सुदूर पश्चिम प्रदेश
जिल्ला प्रशासन कार्यालय
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	भत्ता/रकबाई	म.व.क. (VAT) बाहेक (रु.)			क्षेत्रफल
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	ix) 22" × 22" (20 Kg.)	"	3353	3353	3353	
	x) 24" × 24" (24 Kg.)	"	4659	4659	4659	
	xi) 27" × 27" (31 Kg.)	"	5871	5871	5871	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2541	2541	2541	
	ix) 22" × 22" (22 Kg.)	"	4143	4143	4143	
	xi) 27" × 27" (45 Kg.)	"	7754	7754	7754	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9365	9365	9365	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12487	12487	12487	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15609	15609	15609	
	iv) 22" dia. Medium class. (125 Kg.)	"	19979	19979	19979	
	v) 22" dia. Heavy class. (208Kg.)	"	29843	29843	29843	
	vi) 24" dia. Medium class. (40 Kg.)	"	6393	6393	6393	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7992	7992	7992	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11488	11488	11488	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13985	13985	13985	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1775	1775	1775	
	20" (12 Kg.)	"	2603	2603	2603	
	22" (14 Kg.)	"	2957	2957	2957	
	24" (16 Kg.)	"	3549	3549	3549	
	28" (24 Kg.)	"	5324	5324	5324	
	Square					
	18" × 18" (13 Kg.)	सेट	2957	2957	2957	
	24" × 24" (50 Kg.)	"	10649	10649	10649	

अ.प्र. सुदूर पश्चिम प्रदेश
भक्तपुर जिल्ला प्रशासन कार्यालय

भक्तपुर जिल्ला प्रशासन कार्यालय
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (र.)	आ.व.			कीफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	5916	5916	5916	
8.4	C.I. Gully Gratings & Jali					
	Round Jali Strip Medium Duty					
	4"	सेट	85	85	85	
	5"	"	140	140	140	
	6"	"	188	188	188	
	10"	"	650	650	650	
	Square Jali Strip Medium Duty					
	4" x 4"	सेट	94	94	94	
	5" x 5"	"	118	118	118	
	6" x 6"	"	142	142	142	
	9" x 9"	"	413	413	413	
	10" x 10"	"	533	533	533	
	12" x 12"	"	768	768	768	
	C.I. Gully Gratings					
	i) 15" x 18" Medium (18 Kg.)	सेट	3905	3905	3905	
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5324	5324	5324	
	Grit Cover					
	फलामे एड्रलको फ्रेममा फलामे पतिका जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	171	171	171	
	Aluminum Grating 4" dia.	गोटा	44	44	44	
9	G.I. Water Tank (17 Gauge)					
	i) 100 gls	गोटा	8567	8567	8567	
	ii) 200 gls	"	13458	13458	13458	
	iii) 300 gls	"	16927	16927	16927	
	iv) 400 gls	"	20322	20322	20322	
	v) 500 gls	"	23727	23727	23727	
	G.I. Water Tank (16 BWG Sheet)					
	i) 100 gls	गोटा	9036	9036	9036	
	ii) 200 gls	"	13665	13665	13665	
	iii) 300 gls	"	18143	18143	18143	
	iv) 400 gls	"	21739	21739	21739	
	v) 500 gls	"	25335	25335	25335	
10	Roof Top PVC Water Tank					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
11	Water Pumps/Hand Pumps					
	Indian Mark-III, Deep Well Hand Pump					
	6 No. hand pump	गोटा	1629	1629	1629	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	11200	11200	11200	
	ii) ½ H.P. Water Pump mono block type	"	6446	6446	6446	
	iii) 1.0 H.P. water pump Multistage	"	14686	14686	14686	
	iv) 1.0 H.P. water pump (mono block type)	"	9749	9749	9749	
	v) 2.0 H.P. water pump	"	23265	23265	23265	
	vi) 2.0 H.P. 3 phase water pump	"	24562	24562	24562	
	vii) 5.0 HP 3 phase water pump	"	29516	29516	29516	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	22279	22279	22279	
	ii) Double Stage jet 1.10 H.P.		26735	26735	26735	

भक्तपुर जिल्ला प्रमुख

~~2/4/2020~~
नरसिंह नरसिंह
ममुख जिला अधिकारी

[Handwritten signatures and stamps]



क्र.सं.	निर्माण सामग्रीहरूको विवरण	मूल्य	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	78	78	78		
	25mm 4.20 mm thick 0.266kg/m	122	122	122		
	32mm 5.40 mm thick 0.434kg/m	199	199	199		
	40mm 6.70 mm thick 0.671kg/m	307	307	307		
	50mm 8.30 mm thick 1.04kg/m	477	477	477		
	63mm 8.6mm thick 1.04kg/m	757	757	757		
	75 mm	1073	1073	1073		
	90 mm	1540	1540	1540		
	110 mm	2296	2296	2296		
	PP-R Pipe Accessories :					
	Elbow (90 °)					
	20mm	गोटा 10	10	10		
	25mm	20	20	20		
	32mm	गोटा 34	34	34		
	40mm	71	71	71		
	50mm	118	118	118		
	63 mm	209	209	209		
	75 mm	392	392	392		
	90 mm	662	662	662		
	110 mm	1232	1232	1232		
	Equal Tee					
	20mm	14	14	14		
	25mm	25	25	25		
	32mm	42	42	42		
	40mm	81	81	81		
	50mm	138	138	138		
	63mm	251	251	251		
	75 mm	436	436	436		
	90 mm	798	798	798		
	110 mm	1385	1385	1385		
	Coupler					
	20mm	गोटा 8	8	8		
	25mm	10	10	10		
	32mm	20	20	20		
	40mm	38	38	38		
	50mm	64	64	64		
	63 mm	112	112	112		
	75 mm	218	218	218		
	90 mm	322	322	322		
	110 mm	588	588	588		
	45 Degree Elbow					
	20 mm	14	14	14		
	25 mm	22	22	22		
	32 mm	35	35	35		
	40 mm	64	64	64		
	50 mm	108	108	108		
	63 mm	178	178	178		
	75 mm	348	348	348		
	90 mm	588	588	588		
	110 mm	1027	1027	1027		
	Union (Plastic)					
	20mm	गोटा 52	52	52		
	25mm	88	88	88		
	32mm	143	143	143		
	40mm	217	217	217		
	50mm	340	340	340		
	63mm	406	406	406		

~~भारत सभा लिमिटेड~~
~~प्रमुख जिल्ला अधिकारी~~



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य (VAT) बाहेक (र.)			कैफियत
		आ.व.	२०८१/०८२	२०८२/०८३	
	Reducing Coupler				
	25mm*20mm	१५	१५	१५	
	32mm*20mm	१८	१८	१८	
	32mm*25mm	२०	२०	२०	
	40mm*20mm	३०	३०	३०	
	40mm*25mm	३१	३१	३१	
	40mm*32mm	४२	४२	४२	
	50mm*20mm	५६	५६	५६	
	50mm*25mm	५४	५४	५४	
	50mm*32mm	६१	६१	६१	
	50mm*40mm	६५	६५	६५	
	63mm*32mm	८८	८८	८८	
	63mm*40mm	१०९	१०९	१०९	
	63mm*50mm	१०९	१०९	१०९	
	75mm*40mm	२१८	२१८	२१८	
	75mm*50mm	२२२	२२२	२२२	
	75mm*63mm	२२४	२२४	२२४	
	90mm*50mm	४१४	४१४	४१४	
	90mm*63mm	४४४	४४४	४४४	
	90mm*75mm	५२२	५२२	५२२	
	110mm*75mm	७३२	७३२	७३२	
	110mm*90mm	८१४	८१४	८१४	
	Reducing Tee				
	25*20*25 mm	२६	२६	२६	
	32*20*32 mm	३९	३९	३९	
	32*25*32 mm	४२	४२	४२	
	40*20*40 mm	५६	५६	५६	
	40*25*40 mm	६३	६३	६३	
	40*32*40 mm	६७	६७	६७	
	50*20*50 mm	८५	८५	८५	
	50*25*50 mm	९३	९३	९३	
	50*32*50 mm	१२६	१२६	१२६	
	50*40*50 mm	१३०	१३०	१३०	
	63*32*63 mm	१९६	१९६	१९६	
	63*40*63 mm	१९८	१९८	१९८	
	63*50*63 mm	२०७	२०७	२०७	
	75*50*75 mm	४४८	४४८	४४८	
	75*63*75 mm	४६९	४६९	४६९	
	90*63*90 mm	८२७	८२७	८२७	
	90*75*90 mm	९१४	९१४	९१४	
	110*75*110 mm	१४८०	१४८०	१४८०	
	110*90*110 mm	१५२४	१५२४	१५२४	
	Reducing Elbow				
	25mm*20mm	२०	२०	२०	
	32mm*20mm	३६	३६	३६	
	32mm*25mm	४४	४४	४४	
	High Footed Pipe Clip				
	20mm	११	११	११	
	25mm	१३	१३	१३	
	32mm	२०	२०	२०	
	40mm	२२	२२	२२	
	50mm	२५	२५	२५	
	63 mm	३३	३३	३३	
	Low Footed Pipe Clip				
	20mm	५	५	५	
	25mm	६	६	६	
	32mm	१३	१३	१३	
	40mm	१७	१७	१७	
	50mm	२७	२७	२७	
	63 mm	३५	३५	३५	

भारत अर्थ प्रणाली
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.प.	२०८०/०८१	२०८१/०८२	२०८२/०८३
	"Y" type Pipe Clip				
	20mm	"	17	17	17
	25mm	"	20	20	20
	32mm	"	25	25	25
	40 mm	"	49	49	49
	End Plug (short)				
	20mm	"	5	5	5
	25mm	"	9	9	9
	32mm	"	12	12	12
	End Plug with Ring				
	20mm	"	20	20	20
	End Plug (long)				
	20mm	"	8	8	8
	End Cap				
	20mm	"	11	11	11
	25mm	"	17	17	17
	32mm	"	26	26	26
	40mm	"	39	39	39
	50mm	"	69	69	69
	63 mm	"	133	133	133
	75 mm	"	213	213	213
	Cross Tee				
	20mm	"	23	23	23
	25mm	"	35	35	35
	32mm	"	59	59	59
	Short Passover				
	20mm	"	67	67	67
	25mm	"	96	96	96
	32mm	"	149	149	149
	Long Bypass				
	20mm	"	77	77	77
	25mm	"	126	126	126
	32mm	"	185	185	185
	Male Tee				
	20mmx1/2"	"	126	126	126
	25mmx1/2"	"	133	133	133
	25mmx3/4"	"	159	159	159
	32mmx1/2"	"	192	192	192
	32mmx3/4"	"	200	200	200
	32mmx1"	"	347	347	347
	Female Tee				
	20mmx1/2"	"	102	102	102
	25mmx1/2"	"	133	133	133
	25mmx3/4"	"	155	155	155
	32mmx1/2"	"	152	152	152
	32mmx3/4"	"	179	179	179
	32mmx1"	"	300	300	300
	Male elbow				
	20mmx1/2"	"	121	121	121
	25mmx1/2"	"	133	133	133
	25mmx3/4"	"	163	163	163
	32mmx1/2"	"	194	194	194
	32mmx3/4"	"	218	218	218
	32mmx1"	"	361	361	361
	Female elbow				
	20mmx1/2"	"	99	99	99
	25mmx1/2"	"	131	131	131
	25mmx3/4"	"	133	133	133

[Signature] [Signature] [Signature] [Signature] [Signature]
 75
 भारत क्षेत्रीय प्रमुख
 प्रमुख जिल्ला अधिकारी

~~असम~~ जल संयंत्र ~~प्रमुख~~ प्रमुख अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			वैफियत	
		आ.व.	२०८०/०८१	२०८१/०८२		२०८२/०८३
	32mmx1"		1024	1024	1024	
	40mmx1-1/4"		2915	2915	2915	
	50mmx1-1/2"		4005	4005	4005	
	Metal Ball valve (Single)					
	20mmx1/2"		522	522	522	
	25mmx3/4"		836	836	836	
	32mmx1"		1154	1154	1154	
	Conceal Valve (Lux)					
	20mm		977	977	977	
	Conceal Valve (Nor)					
	20mm		822	822	822	
	Ball Valve (Plastic)					
	20mm		83	83	83	
	25mm		113	113	113	
	32mm		196	196	196	
	40mm		417	417	417	
	50mm		605	605	605	
	63 mm		1024	1024	1024	
	Ball Valve (Brass)					
	20mm		300	300	300	
	25mm		370	370	370	
	32mm		503	503	503	
	40mm		831	831	831	
15	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia Rm		118	118	118	
	3/4" dia "		165	165	165	
	1" dia "		216	216	216	
	1-1/4" dia "		269	269	269	
	1-1/2" dia "		376	376	376	
	2" dia "		575	575	575	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia "		137	137	137	
	3/4" dia "		183	183	183	
	1" dia "		256	256	256	
	1-1/4" dia "		309	309	309	
	1-1/2" dia "		430	430	430	
	2" dia "		698	698	698	
	CPVC Ball Valve (CTS Sockets)					
	1/2" "		376	376	376	
	3/4" "		501	501	501	
	1" "		605	605	605	
	1-1/4" "		1412	1412	1412	
	1-1/2" "		1692	1692	1692	
	2" "		2181	2181	2181	
	CPVC Reducer Brass Coupling					
	3/4" X 1/2" गोटा		142	142	142	
	1" X 1/2" "		186	186	186	
	CPVC Tee					
	1/2" गोटा		37	37	37	
	3/4" "		79	79	79	

अ.प्र. ज्ञान. लक्ष्मी
 प्रमुख निस्वा. अधिकारी
 भक्तपुर जिल्ला प्रमुख निस्वा. अधिकारी




सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)			कैफियत
		आ.ब.			
		२०८०/०८१	२०८१/०८२	२०८२/०८३	
	भन्नापुर्	121	121	121	
	1-1/4" "	227	227	227	
	1-1/2" "	330	330	330	
	2" "	707	707	707	
	CPVC Reducer Tee	गोटा			
	1/2" x 1/2" x 3/4" "	73	73	73	
	3/4" x 3/4" x 1/2" "	110	110	110	
	3/4" x 1/2" x 3/4" "	138	138	138	
	3/4" x 1/2" x 1/2" "	158	158	158	
	1" x 1" x 3/4" "	166	166	166	
	1-1/2" x 1-1/2" x 1" "	258	258	258	
	2" x 2" x 1" "	449	449	449	
	1-1/4" x 1-1/4" x 1/2" "	146	146	146	
	1-1/4" x 1-1/4" x 1" "	158	158	158	
	2" x 2" x 1/2" "	441	441	441	
	1" x 1" x 1/2" "	103	103	103	
	CPVC Brass FPT Tee	गोटा			
	1/2" x 1/2" x 1/2" "	124	124	124	
	3/4" x 3/4" x 1/2" "	129	129	129	
	1" x 1" x 1/2" "	143	143	143	
	1-1/4" x 1-1/4" x 1-1/4" "	516	516	516	
	1-1/4" x 1-1/4" x 1/2" "	280	280	280	
	CPVC Elbow 90°	गोटा			
	1/2" "	26	26	26	
	3/4" "	54	54	54	
	1" "	98	98	98	
	1-1/4" "	185	185	185	
	1-1/2" "	275	275	275	
	2" "	590	590	590	
	CPVC Reducer Elbow 90°				
	3/4" X 1/2" "	54	54	54	
	CPVC Brass FPT Elbow 90°	गोटा			
	1/2" x 1/2" "	86	86	86	
	3/4" x 1/2" "	100	100	100	
	3/4" x 3/4" "	114	114	114	
	1" X 1/2" "	221	221	221	
	1" X 1" "	614	614	614	
	1-1/4" x 1-1/4" "	797	797	797	
	CPVC Elbow 45°	गोटा			
	1/2" "	31	31	31	
	3/4" "	56	56	56	
	1" "	80	80	80	
	1-1/4" "	140	140	140	
	1-1/2" "	203	203	203	
	2" "	440	440	440	
	CPVC Male Adapter (CPVC Threads)	गोटा			
	1/2" "	23	23	23	
	3/4" "	40	40	40	
	1" "	61	61	61	
	1-1/4" "	109	109	109	
	1-1/2" "	153	153	153	
	2" "	299	299	299	


भारत प्रगति पार्टी

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८१/०८२	२०८२/०८३	
	CPVC Reducing Male Adapter (CPVC Threads)	म.अ.क. २०८०/०८१			







 भारत सपरि प्रमुख
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	गुणस्तर अनुसार मूल्य (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८१/०८२	२०८२/०८३	
	3/4" x 1/2"	"	42	42	42
	CPVC Male Adapters (Brass Threads)				
	1/2"	"	212	212	212
	3/4"	"	275	275	275
	1"	"	434	434	434
	1-1/4"	"	953	953	953
	1-1/2"	"	1113	1113	1113
	2"	"	2290	2290	2290
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	"	236	236	236
	CPVC Female Adapter (CPVC Threads)				
	1/2"	"	32	32	32
	3/4"	"	53	53	53
	1"	"	79	79	79
	CPVC Female Adapters Brass Threads	गोटा			
	1/2"	"	204	204	204
	3/4"	"	277	277	277
	1"	"	360	360	360
	1-1/4"	"	945	945	945
	1-1/2"	"	1050	1050	1050
	2"	"	2054	2054	2054
	CPVC Caps				
	1/2"	"	13	13	13
	3/4"	"	25	25	25
	1"	"	38	38	38
	1-1/4"	"	74	74	74
	1-1/2"	"	109	109	109
	2"	"	232	232	232
	CPVC Union				
	1/2"	"	279	279	279
	3/4"	"	410	410	410
	1"	"	485	485	485
	1-1/4"	"	888	888	888
	1-1/2"	"	971	971	971
	2"	"	1393	1393	1393
	CPVC Cross Tee				
	1/2"	"	51	51	51
	3/4"	"	109	109	109
	CPVC Step Over Bend				
	1/2"	"	65	65	65
	3/4"	"	107	107	107

भरेल भण्डारी पाण्डे
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल एकाइ जिल्ला प्रशासन	मूल्य (VAT) बाहेक (रु.)			कैफियत
			आ.व.	२०८१/०८२	२०८२/०८३	
	CPVC Ball Valve (CTS Sockets)					
	1/2" "		681	681	681	
	3/4" "		829	829	829	
	1" "		949	949	949	
	1-1/4" "		1935	1935	1935	
	1-1/2" "		2462	2462	2462	
	2" "		3167	3167	3167	
	CPVC Flow Guard Adhesive Solution					
	50ML "		205	205	205	
	118ML "		339	339	339	
	237ML "		549	549	549	
	473ML "		863	863	863	
	946ML "		1515	1515	1515	
	Plastic Strap					
	1/2" "		5	5	5	
	3/4" "		6	6	6	
	1" "		8	8	8	
	1-1/4" "		12	12	12	
	1-1/2" "		15	15	15	
	2" "		19	19	19	
	Metal Strap					
	1/2" "		13	13	13	
	3/4" "		17	17	17	
	1" "		21	21	21	
	1-1/4" "		25	25	25	
	1-1/2" "		28	28	28	
	2" "		30	30	30	
	Tee Holder					
	1/2" X 1/2" X 1/2" "		6	6	6	
	3/4" X 3/4" X 1/2" "		8	8	8	
	Elbow Holder					
	1/2" X 1/2" "		6	6	6	
	1/2" X 3/4" "		7	7	7	
	Snap Fix Repair Coupling					
	1/2" "		236	236	236	
	3/4" "		256	256	256	
	End plug threaded 1/2"		12	12	12	
16	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness		466	466	466	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness		558	558	558	
	33.4 mm OD 1" SCH.40, 3.38mm thickness		700	700	700	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness		864	864	864	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness		989	989	989	
	60.3mm OD 2" SCH.40, 3.91 mm thickness		1270	1270	1270	
	73mm OD 3" SCH.40, 5.16 .mm thickness		1952	1952	1952	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness		2555	2555	2555	
	101.6mm OD 4" SCH.40, 5.74 mm thickness		3301	3301	3301	
	114.3mm OD 5" SCH.40, 6.02 mm thickness		3637	3637	3637	

for. 19/10/20

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.	२०८०/०८१	२०८१/०८२	२०८२/०८३
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4925	4925	4925	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	6393	6393	6393	
17	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	465	465	465	
	Single Socket (R/R)	"	863	863	863	
	Single Socket (R/R)	"	930	930	930	
	Single Socket Self Fit	"	1199	1199	1199	
	Single Socket Self Fit	"	1466	1466	1466	
	Single Socket Self Fit	"	2015	2015	2015	
	Single Socket Self Fit	"	2371	2371	2371	
	Single Socket Self Fit	"	3167	3167	3167	
	Single Socket Self Fit	"	3774	3774	3774	
	Long Radius Bend - 45 Degree	Pc	1227	1227	1227	
	Long Radius Bend - 45 Degree	"	2240	2240	2240	
	Long Radius Bend - 45 Degree	"	4044	4044	4044	
	Long Radius Bend - 45 Degree	"	7841	7841	7841	
	Long Radius Bend - 60 Degree	"	1351	1351	1351	
	Long Radius Bend - 60 Degree	"	2477	2477	2477	
	Long Radius Bend - 60 Degree	"	4543	4543	4543	
	Long Radius Bend - 60 Degree	"	8603	8603	8603	
	Long Radius Bend - 90 Degree	"	663	663	663	
	Long Radius Bend - 90 Degree	"	1601	1601	1601	
	Long Radius Bend - 90 Degree	"	2953	2953	2953	
	Long Radius Bend - 90 Degree	"	5522	5522	5522	
	Long Radius Bend - 90 Degree	"	10174	10174	10174	
	Fab. Coupler	"	191	191	191	
	Fab. Coupler	"	457	457	457	
	Fab. Coupler	"	985	985	985	
	Fab. Coupler	"	1926	1926	1926	
	Fab. Coupler	"	3543	3543	3543	
	End Cap	"	408	408	408	
	End Cap	"	671	671	671	
	End Cap	"	1071	1071	1071	
	End Cap	"	1564	1564	1564	
	Equal Tee	"	11673	11673	11673	
	Equal Tee	"	6718	6718	6718	
	Equal Tee	"	3729	3729	3729	
	Gully Trap with grating	"	1090	1090	1090	
	Rodding Point	"	646	646	646	
	Adjustable Bend 7 Degree to 37.5 Degree	"	689	689	689	
	Adjustable Bend 7 Degree to 87.5 Degree	"	945	945	945	
	Inspection Chamber Body	"	3399	3399	3399	
	Inspection Chamber Riser	"	1688	1688	1688	
	Inspection Chamber Lid with Cover	"	3205	3205	3205	
	Inspection Chamber Body	"	9385	9385	9385	
	Inspection Chamber Riser	"	2984	2984	2984	
	Inspection Chamber Lid with Cover	"	4980	4980	4980	
	Concealled Cisterns 9cm	"	7654	7654	7654	
	Concealled Cisterns Kombo fix 8cm	"	9376	9376	9376	
	Dual Flush Actuator Plate Shiny Chrome	"	3755	3755	3755	

अ.प्र.

सु. १०८९ (१९१०)

१. १०८९ २४

भक्तपुर जिल्ला अधिकारी



सि. नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	Concealed Cisterns 12cm	9415	9415	9415		
	Dual Flush Actuator Plate Shiny Chrome	3755	3755	3755		
	Traps for Wash Basins	1035	1035	1035		
	Sensor for Urinal 9V DC	26537	26537	26537		
	Sensor for Urinal 230V AC	26537	26537	26537		
	control box for urinal sensor	7290	7290	7290		
	Sensor Faucet Cold / Mixed water 6V DC	33124	33124	33124		
	Sensor Faucet Cold / Mixed water 230V AC	33124	33124	33124		
18	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	118	118	118		
	3/4" dia. (33.75 Kg/cm2)	151	151	151		
	1" dia. (31.64 Kg/cm2)	233	233	233		
	1-1/4" dia. (26.01 Kg/cm2)	287	287	287		
	1-1/2" dia. (23.20 Kg/cm2)	352	352	352		
	2" dia. (19.69 Kg/cm2)	500	500	500		
	2-1/2" dia. (21.09 Kg/cm2)	698	698	698		
	3" dia. (18.28 Kg/cm2)	882	882	882		
	4" dia. (15.47 Kg/cm2)	1294	1294	1294		
	6" dia. (12.66 Kg/cm2)	2695	2695	2695		
	PVC Tee - Soc	गोटा				
	1/2"	32	32	32		
	3/4"	45	45	45		
	1"	71	71	71		
	1-1/4"	112	112	112		
	1-1/2"	147	147	147		
	2"	227	227	227		
	2-1/2"	652	652	652		
	3"	856	856	856		
	4"	1548	1548	1548		
	6"	8586	8586	8586		
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	65	65	65		
	1 x 1/2	100	100	100		
	1 x 3/4	100	100	100		
	1-1/2 X 1/2	339	339	339		
	1-1/2 X 3/4	339	339	339		
	1-1/2 X 1	339	339	339		
	1-1/2 X 1-1/4	339	339	339		
	2 X 1/2	418	418	418		
	2 X 3/4	418	418	418		
	2 X 1	418	418	418		
	2 X 1-1/4	418	418	418		
	2 X 1-1/2	418	418	418		
	2-1/2 X 1/2	1074	1074	1074		
	2-1/2 X 3/4	1074	1074	1074		
	2-1/2 X 1	1074	1074	1074		

[Handwritten signatures and marks]

[Handwritten signature]

[Handwritten signature]

भरत कुमार पाण्डे
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	भ.अ.क. (VAT) बाहेक (रु.)			कैफियत
		आ.व.	२०८१/०८२	२०८२/०८३	
	2-1/2 X 1-1/4	मन्थली	1074	1074	
	2-1/2 X 1-1/2	"	1074	1074	
	2-1/2 X 2	"	1074	1074	
	3 X 1/2	"	1568	1568	
	3 X 3/4	"	1568	1568	
	3 X 1	"	1568	1568	
	3 X 1-1/4	"	1568	1568	
	3 X 1-1/2	"	1568	1568	
	3 X 2	"	1568	1568	
	3 X 2-1/2	"	1568	1568	
	6 X 1-1/4	"	8248	8248	
	6 X 1-1/2	"	8248	8248	
	6 X 2	"	8248	8248	
	6 X 2-1/2	"	8248	8248	
	6 X 3	"	8248	8248	
	6 X 4	"	8248	8248	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा			
	1/2"	"	166	166	
	3/4"	"	300	300	
	3/4" X 1/2"	"	244	244	
	1" X 1/2"	"	433	433	
	PVC 90° Elbow - Soc	गोटा			
	1/2"	"	27	27	
	3/4"	"	31	31	
	1"	"	55	55	
	1-1/4"	"	95	95	
	1-1/2"	"	112	112	
	2"	"	172	172	
	2-1/2"	"	511	511	
	3"	"	612	612	
	4"	"	1252	1252	
	6"	"	5275	5275	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा			
	1/2"	"	178	178	
	3/4"	"	249	249	
	3/4" X 1/2"	"	258	258	
	PVC 45° Elbow - Soc	गोटा			
	1/2"	"	57	57	
	3/4"	"	88	88	
	1"	"	105	105	
	1-1/4"	"	147	147	
	1-1/2"	"	185	185	
	2"	"	241	241	
	2-1/2"	"	689	689	
	3"	"	1071	1071	
	4"	"	1922	1922	
	6"	"	5289	5289	
	PVC Coupling - Soc	गोटा			
	1/2"	"	18	18	
	3/4"	"	27	27	
	1"	"	43	43	
	1-1/4"	"	57	57	

84

 भरतपुर जिल्ला प्रमुख कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) मासु (रु.) आ.प.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	1-1/2"	"	78	78	78	
	2"	"	121	121	121	
	2-1/2"	"	254	254	254	
	3"	"	398	398	398	
	4"	"	622	622	622	
	6"	"	2493	2493	2493	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	"	44	44	44	
	1 X 3/4	"	75	75	75	
	1-1/2 X 1-1/4	"	134	134	134	
	2 X 1-1/2	"	214	214	214	
	4 x 2	"	1434	1434	1434	
	4 X 3	"	1434	1434	1434	
	6 X 4	"	2982	2982	2982	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	36	36	36	
	1 X 1/2	"	51	51	51	
	1 X 3/4	"	51	51	51	
	1-1/4 X 1/2	"	88	88	88	
	1-1/4 X 3/4	"	88	88	88	
	1-1/4 X 1	"	88	88	88	
	1-1/2 X 1/2	"	93	93	93	
	1-1/2 X 3/4	"	93	93	93	
	1-1/2 X 1	"	93	93	93	
	1-1/2 X 1-1/4	"	93	93	93	
	2 X 1/2	"	170	170	170	
	2 X 3/4	"	170	170	170	
	2 X 1	"	170	170	170	
	2 X 1-1/4	"	170	170	170	
	2 X 1-1/2	"	170	170	170	
	2-1/2 X 1-1/4	"	239	239	239	
	2-1/2 X 1-1/2	"	239	239	239	
	2-1/2 X 2	"	239	239	239	
	3 X1-1/2	"	354	354	354	
	3 X2	"	354	354	354	
	3 X2-1/2	"	354	354	354	
	4 X 2	"	696	696	696	
	4 X 3	"	696	696	696	
	6 X 2	"	2339	2339	2339	
	6 X 3	"	2339	2339	2339	
	6 X 4	"	2339	2339	2339	
	PVC Cap - Soc	गोटा				
	1/2"	"	25	25	25	
	3/4"	"	31	31	31	
	1"	"	44	44	44	
	1-1/4"	"	62	62	62	
	1-1/2"	"	68	68	68	
	2"	"	82	82	82	
	2-1/2"	"	261	261	261	
	3"	"	286	286	286	
	4"	"	652	652	652	

भरतमान मण्डल
प्रमुख निस्काश अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	6" " " "	2573	2573	2573		
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2" " " "	261	261	261		
	3/4" " " "	299	299	299		
	1" " " "	307	307	307		
	1-1/4" " " "	989	989	989		
	1-1/2" " " "	1031	1031	1031		
	2" " " "	1391	1391	1391		
	2-1/2" " " "	1946	1946	1946		
	3" " " "	3108	3108	3108		
	4" " " "	4303	4303	4303		
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2" " " "	47	47	47		
	3/4" " " "	56	56	56		
	1" " " "	73	73	73		
	1-1/4" " " "	90	90	90		
	1-1/2" " " "	124	124	124		
	2" " " "	160	160	160		
	2-1/2" " " "	562	562	562		
	3" " " "	667	667	667		
	4" " " "	1056	1056	1056		
	6" " " "	2430	2430	2430		
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2" " " "	270	270	270		
	3/4" " " "	361	361	361		
	1" " " "	542	542	542		
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2" " " "	61	61	61		
	3/4" " " "	63	63	63		
	1" " " "	66	66	66		
	1-1/4" " " "	171	171	171		
	1-1/2" " " "	252	252	252		
	2" " " "	245	245	245		
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2" " " "	226	226	226		
	3/4" " " "	321	321	321		
	1" " " "	411	411	411		
	PVC Ball Valve - Soc	गोटा				
	1/2" " " "	908	908	908		
	3/4" " " "	1079	1079	1079		
	1" " " "	1510	1510	1510		
	1-1/4" " " "	2044	2044	2044		
	1-1/2" " " "	3118	3118	3118		
	2" " " "	3943	3943	3943		
	2-1/2" " " "	6513	6513	6513		
	3" " " "	10318	10318	10318		
	4" " " "	17052	17052	17052		
	6" " " "	37040	37040	37040		
	PVC Adhesive Solution (Med, Bonded 705)	गोटा				
	118ML " " "	315	315	315		
	237ML " " "	452	452	452		
	473ML " " "	819	819	819		



भक्तपुर जिल्ला प्रमुख
 जिल्ला प्रमुख कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (र.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	PVC Adhesive Solution (Heavy Bonded 717)	मेट्रो	1347	1347	1347	
	118ML	"	507	507	507	
	237ML	"	668	668	668	
	473ML	"	1172	1172	1172	
	946ML	"	2028	2028	2028	
19	Rainwater Collection System					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	164	164	164	
	JOINT BRACKET To connect two lengths of roof water	Pc.	264	264	264	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	362	362	362	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	445	445	445	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	445	445	445	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	98	98	98	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	314	314	314	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	79	79	79	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	52	52	52	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	80	80	80	
	RUBBER GASKET To provide leak proof joints.	Pc.	31	31	31	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	65	65	65	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	39	39	39	

भरत मण्डल
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.प.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	130	130	130	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	311	311	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	369	369	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	533	533	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	610	610	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	610	610	610	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	145	145	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	437	437	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	111	111	111	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	94	94	94	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	53	53	53	

भारत प्रमोद पाण्डे,
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (र.)	आ.व.		वैकल्पिक
			२०८१/०८२	२०८२/०८३	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	113	113	
	RUBBER GASKET To provide leak proof joints.	Pc.	42	42	
	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	70	70	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	45	45	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	250	250	
	250 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	603	603	
	JOINT BRACKET To connect two lengths of roof water	Pc.	632	632	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	994	994	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1429	1429	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1429	1429	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	311	311	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	826	826	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	309	309	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	169	169	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	125	125	

अ.प्र.सू. : १००५/२१९३

१५/१०/८२

भक्तपुर जिल्ला प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मूल्य (रु.)			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	327	327	327	
	RUBBER GASKET To provide leak proof joints.	Pc.	171	171	171	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	84	84	84	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	197	197	197	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	451	451	451	
20	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	254	254	254	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	451	451	451	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	270	270	270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	484	484	484	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	461	461	461	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	693	693	693	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	487	487	487	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	717	717	717	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	988	988	988	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1232	1232	1232	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1052	1052	1052	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1391	1391	1391	
	FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	144	144	144	
	DWV Bend 87.5 Degree	"	183	183	183	
	DWV Bend 87.5 Degree with Door	"	84	84	84	
	DWV Socket Plug	"	195	195	195	
	DWV Cleansing Pipe	"	117	117	117	
	DWV Coupler	"	208	208	208	
	DWV Single Tee	"	228	228	228	
	DWV Single Tee with Door	"	360	360	360	
	DWV Cross Tee	"	506	506	506	
	DWV Cross Tee with Door	"	372	372	372	
	DWV Double "Y"	"	496	496	496	
	DWV Double "Y" with Door	"	232	232	232	
	DWV Single "Y"	"	297	297	297	
	DWV Single "Y" with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	

[Handwritten signature]

[Handwritten signature]

भक्तपुर जिल्ला प्रमुख कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार एकई निस्ता पञ्चास/०८१	मूल्य (VAT) बाहेक (रु.)			कैफियत
			आ.व.	२०८१/०८२	२०८२/०८३	
	DWV Vent Cowel	"	237	237	237	
	DWV Bend 45 Degree 110mm size	"	291	291	291	
	DWV Bend 87.5 Degree	"	332	332	332	
	DWV Bend 87.5 Degree with Door	"	106	106	106	
	DWV Socket Plug	"	381	381	381	
	DWV Cleansing Pipe	"	212	212	212	
	DWV Coupler	"	705	705	705	
	DWV Double 'Y'	"	832	832	832	
	DWV Double 'Y' with Door	"	583	583	583	
	DWV Cross Tee	"	661	661	661	
	DWV Cross Tee with Door	"	381	381	381	
	DWV Single Tee	"	450	450	450	
	DWV Single Tee with Door	"	467	467	467	
	DWV Single 'Y'	"	489	489	489	
	DWV Single 'Y' with Door	"	48	48	48	
	DWV Vent Cowel	"	166	166	166	
	DWV Reducer 110*75 mm	"	37	37	37	
	DWV Pipe Clip 110mm size	"	449	449	449	
	DWV W.C. Connectore (Straight type)	"	359	359	359	
	DWV W.C. Connectore (Bend type)	"	179	179	179	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	555	555	555	
	DWV P-Trap with Leap Ring 10*110 mm	"	796	796	796	
	DWV P-Trap with Leap Ring 25*110 mm	"	239	239	239	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	484	484	484	
	DWV Reducer 60*110 mm	"	463	463	463	
	DWV Coupler 160mm size	"	1109	1109	1109	
	DWV Single Tee	"	1192	1192	1192	
	DWV Single Tee with Door	"	2076	2076	2076	
	DWV Single 'Y'	"	2181	2181	2181	
	DWV Single 'Y' with Door	"	764	764	764	
	DWV Bend 87.5 Degree	"	1018	1018	1018	
	DWV Bend 87.5 Degree with Door	"	890	890	890	
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	602	602	602	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	624	624	624	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	649	649	649	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	611	611	611	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	622	622	622	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1110	1110	1110	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1153	1153	1153	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1198	1198	1198	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1129	1129	1129	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1149	1149	1149	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1739	1739	1739	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1769	1769	1769	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1799	1799	1799	

[Signature]

[Signature]

[Signature]

मुख्य मन्त्री पाण्डे
समूह जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मूल्य (VAT) बाहेक (रु.)			कीफायत
			आ.व.	२०८१/०८२	२०८२/०८३	
	FOAMCORE Plain Both End (3mtrs length) SN-4	निर्लेना	२८८५	२८८५	२८८५	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	२९३५	२९३५	२९३५	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	२९८६	२९८६	२९८६	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	३८२०	३८२०	३८२०	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	३८८६	३८८६	३८८६	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	३९५३	३९५३	३९५३	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	४७२०	४७२०	४७२०	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	४८०३	४८०३	४८०३	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	४८८५	४८८५	४८८५	
		"				
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	६०१	६०१	६०१	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	६१६	६१६	६१६	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	६३१	६३१	६३१	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	६१२	६१२	६१२	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	६२३	६२३	६२३	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	११०९	११०९	११०९	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	११४२	११४२	११४२	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	११७४	११७४	११७४	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	११३०	११३०	११३०	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	११४९	११४९	११४९	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	१७३९	१७३९	१७३९	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	१७६९	१७६९	१७६९	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	१८००	१८००	१८००	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	२८८५	२८८५	२८८५	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	२९३५	२९३५	२९३५	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	२९८५	२९८५	२९८५	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	३८२०	३८२०	३८२०	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	३८८६	३८८६	३८८६	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	३९५३	३९५३	३९५३	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	४७२०	४७२०	४७२०	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	४८०३	४८०३	४८०३	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	४८८५	४८८५	४८८५	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	३०३	३०३	३०३	
	DWV Coupler SN-4 160 mm	"	७२९	७२९	७२९	
	DWV Coupler SN-4 200 mm	"	१४९१	१४९१	१४९१	

Handwritten signatures and notes at the bottom left of the page.

Handwritten signatures and notes at the bottom right of the page, including a stamp that reads 'प्रमुख जिल्ला अधिकारी' (Chief District Officer).

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	DWV Coupler SN-4 250 mm		2778	2778	2778	
	DWV Coupler SN-2 315mm		4468	4468	4468	
	DWV Coupler SN-4 315 mm		4878	4878	4878	
	DWV Long Radius Bend - 90 Degree SN-8 110mm		1031	1031	1031	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm		2870	2870	2870	
	DWV Long Radius Bend - 90 Degree SN-4 200mm		5361	5361	5361	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm		12018	12018	12018	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm		28536	28536	28536	
21	Multilayer Composite Pipe					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	104	104	104	
	14-18 mm ½"	"	114	114	114	
	16-20 mm ½"	"	122	122	122	
	20-25 mm ¾"	"	186	186	186	
	26-32 mm 1"	"	290	290	290	
	32-40 mm 1¼"	"	459	459	459	
	41-50 mm 1½"	"	673	673	673	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	114	114	114	
	14-18 mm ½"	"	126	126	126	
	16-20 mm ½"	"	145	145	145	
	20-25 mm ¾"	"	214	214	214	
	26-32 mm 1"	"	311	311	311	
	32-40 mm 1¼"	"	479	479	479	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	90	90	90	
	14-18 mm ½"	"	90	90	90	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	137	137	137	
	½"ø (18mm ø)	"	145	145	145	
	½"ø (20mm ø)	"	159	159	159	
	¾"ø (25 mm ø)	"	232	232	232	
	1"ø (32 mm ø)	"	362	362	362	
	1¼"ø (40 mm ø)	"	1335	1335	1335	
	1½"ø (50 mm ø)	"	2016	2016	2016	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	260	260	260	
	25 - 18 mm ø	"	269	269	269	
	25 - 20 mm ø	"	283	283	283	
	32 - 16 mm ø	"	348	348	348	
	32 - 18 mm ø	"	366	366	366	
	32 - 20 mm ø	"	394	394	394	
	32 - 25 mm ø	"	422	422	422	
	40 - 32 mm ø	"	1154	1154	1154	
	50 - 20 mm ø	"	1683	1683	1683	
	50 - 32 mm ø	"	2016	2016	2016	
	50 - 40 mm ø	"	1900	1900	1900	
	c. Male Union					
	16mm x ½"M	गोटा	97	97	97	
	18mm x ½"M	"	113	113	113	
	20mm x ½"M	"	130	130	130	

भक्तपुर जिल्ला प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सुअ.क. (VAT) बाहेक (रु.)			कैफियत
			गोटा र २०८०/०८१	२०८१/०८२	२०८२/०८३	
	25mm x 1/2"M	"	158	158	158	
	25mm x 3/4"M	"	199	199	199	
	25mm x 1"M	"	255	255	255	
	32mm x 3/4"M	"	292	292	292	
	32mm x 1"M	"	320	320	320	
	32mm x 1 1/2"M	"	324	324	324	
	40mm x 1"M	"	1024	1024	1024	
	40mm x 1 1/2"M	"	1060	1060	1060	
	50mm x 1"M	"	1610	1610	1610	
	50mm x 1 1/4"M	"	1638	1638	1638	
	50mm x 1 1/2"M	"	2225	2225	2225	
	50mm x 2"M	"	1671	1671	1671	
d. Female Straight Union						
	16mm x 1/2"F	गोटा	107	107	107	
	18mm x 1/2"F	"	116	116	116	
	20mm x 1/2"F	"	126	126	126	
	25mm x 1/2"F	"	167	167	167	
	25mm x 3/4"F	"	199	199	199	
	25mm x 1"F	"	204	204	204	
	32mm x 1/2"F	"	209	209	209	
	32mm x 3/4"F	"	213	213	213	
	32mm x 1"F	"	301	301	301	
	40mm x 1 1/2"F	"	1203	1203	1203	
	50mm x 1 1/4"F	"	1622	1622	1622	
	50mm x 1 1/2"F	"	2225	2225	2225	
	50mm x 2"F	"	1687	1687	1687	
e. Equal Elbow						
	1/2"ø (16mm ø)	गोटा	130	130	130	
	1/2"ø (18mm ø)	"	158	158	158	
	1/2"ø (20mm ø)	"	213	213	213	
	3/4"ø (25mm ø)	"	324	324	324	
	1"ø (32mm ø)	"	524	524	524	
	1 1/4"ø (40mm ø)	"	1706	1706	1706	
	1 1/2"ø (50mm ø)	"	2642	2642	2642	
f. Unequal Elbow						
	40 - 32 mm ø	"	1891	1891	1891	
	50 - 20 mm ø	"	2178	2178	2178	
	50 - 40 mm ø	"	2220	2220	2220	
g. Female Elbow						
	16mm x 1/2"F	गोटा	171	171	171	
	18mm x 1/2"F	"	190	190	190	
	20mm x 1/2"F	"	209	209	209	
	25mm x 1/2"F	"	232	232	232	
	25mm x 3/4"F	"	287	287	287	
	25mm x 1"F	"	315	315	315	
	32mm x 3/4"F	"	339	339	339	
	32mm x 1"F	"	422	422	422	
	50mm x 1 1/4"F	"	2178	2178	2178	
h. Male Elbow						
	25mm x 3/4"M	"	232	232	232	
	25mm x 1"M	"	301	301	301	
	32mm x 3/4"M	"	228	228	228	
	32mm x 1"M	"	385	385	385	
	40mm x 1"M	"	1251	1251	1251	
	50mm x 1"M	"	1784	1784	1784	
i. Equal Tee						
	1/2"ø (16mm ø)	गोटा	232	232	232	
	1/2"ø (18mm ø)	"	260	260	260	

अ.प्र. जससु. १००५
 प्रि. १०५
 94

१. १५.१६
 २. २.३

भक्तपुर जिल्ला प्रमुख कार्यालय
 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	गो. मन्त्रालय, काठमाडौं (गो. मन्त्रालय, काठमाडौं) (गो. मन्त्रालय, काठमाडौं)			कैफियत
			२०७५/०६	२०८१/०८	२०८२/०८	
	1/2" Ø (20mm Ø)	"	324	324	324	
	3/4" Ø (25 mm Ø)	"	468	468	468	
	1" Ø (32 mm Ø)	"	732	732	732	
	1 1/4" Ø (40 mm Ø)	"	2737	2737	2737	
	1 1/2" Ø (50 mm Ø)	"	4000	4000	4000	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	209	209	209	
	20 mm x 18 mm x 20 mm	"	232	232	232	
	25 mm x 16 mm x 25 mm	"	348	348	348	
	25 mm x 18 mm x 25 mm	"	394	394	394	
	25 mm x 20 mm x 25 mm	"	408	408	408	
	32 mm x 16 mm x 32 mm	"	672	672	672	
	32 mm x 18 mm x 32 mm	"	695	695	695	
	32 mm x 20 mm x 32 mm	"	723	723	723	
	32 mm x 25 mm x 32 mm	"	742	742	742	
	40 mm x 32 mm x 32 mm	"	2025	2025	2025	
	40 mm x 32 mm x 40 mm	"	2346	2346	2346	
	50 mm x 20 mm x 50 mm	"	3198	3198	3198	
	50 mm x 32 mm x 32 mm	"	2108	2108	2108	
	50 mm x 32 mm x 50 mm	"	3231	3231	3231	
	50 mm x 40 mm x 40 mm	"	3242	3242	3242	
	50 mm x 40 mm x 50 mm	"	3702	3702	3702	
	k. Female Tee					
	16mm x 1/2"F x 16mm	गोटा	232	232	232	
	18mm x 1/2"F x 18mm	"	241	241	241	
	20mm x 1/2"F x 20mm	"	260	260	260	
	25mm x 1/2"F x 25mm	"	244	244	244	
	25mm x 3/4"F x 25mm	"	269	269	269	
	25mm x 1"F x 25mm	"	349	349	349	
	32mm x 1/2"F x 32mm	"	375	375	375	
	32mm x 3/4"F x 32mm	"	385	385	385	
	32mm x 1"F x 32mm	"	522	522	522	
	40mm x 3/4"F x 32mm	"	1541	1541	1541	
	50mm x 3/4"F x 40mm	"	2286	2286	2286	
	l. Equal Ball Valve Union					
	1/2"Ø (16mm Ø)	गोटा	270	270	270	
	1/2"Ø (18mm Ø)	"	299	299	299	
	1/2"Ø (20mm Ø)	"	394	394	394	
	3/4" Ø (25 mm Ø)	"	654	654	654	
	1" Ø (32 mm Ø)	"	908	908	908	
	1 1/4" Ø (40 mm Ø)	"	2968	2968	2968	
	1 1/2" Ø (50 mm Ø)	"	4284	4284	4284	
	m. Female Ball Valve Union					
	16mm x 1/2"F	गोटा	251	251	251	
	18mm x 1/2"F	"	288	288	288	
	20mm x 1/2"F	"	323	323	323	
	20mm x 3/4"F	"	362	362	362	
	25mm x 3/4"F	"	672	672	672	
	25mm x 1"F	"	686	686	686	
	32mm x 1"F	"	723	723	723	
	n. Plug					
	1 1/4" Ø (40 mm Ø)	"	1483	1483	1483	
	1 1/2" Ø (50 mm Ø)	"	2039	2039	2039	
	p. Wall Plated Female Elbow					
	16mm x 1/2"F	गोटा	195	195	195	
	18mm x 1/2"F	"	213	213	213	
	20mm x 1/2"F	"	232	232	232	
	q. Nipple					

95
 1/2/2021
 भारत माता मण्डल
 प्रमुख जिला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य	भ.क. (VAT) बराबर (रु.)			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	N 1/2F*1/2F	गोटा	50	50	50	
	N 1/2M*1/2M	"	50	50	50	
	N 3/4F*1/2F	"	70	70	70	
	N 1F*1/2F	"	80	80	80	
	N 1F*3/4F	"	90	90	90	
	N 3/4M*1/2M	"	70	70	70	
	N 1M*1/2M	"	80	80	80	
	N 1M*3/4M	"	90	90	90	
	N 1/2F*1/2M	"	60	60	60	
	N 1/2F*3/4M	"	70	70	70	
	N 1/2F*1M	"	110	110	110	
	N 1/2M*3/4F	"	70	70	70	
	N 1/2M*1F	"	115	115	115	
	N 3/4F*3/4M	"	90	90	90	
	N 3/4F*1M	"	99	99	99	
	N 3/4M*1F	"	131	131	131	
22	Supplying laying & jointing of (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र मि	501	501	501	
	a.2) Failure chagre per well	संख्या	1391	1391	1391	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र मि	714	714	714	
	b.2) Failure chagre per well	संख्या	3708	3708	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र मि	1363	1363	1363	
	c.2) Failure chagre per well	संख्या	4820	4820	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र मि	1928	1928	1928	
	d.2) Failure chagre per well	संख्या	5562	5562	5562	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1622	1622	1622	
23	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र मि	596	596	596	
	200 mm dia.	"	785	785	785	
	250 mm dia.	"	983	983	983	
	300 mm dia.	"	1330	1330	1330	
	350 mm dia.	"	1470	1470	1470	
	375 mm dia.	"	1610	1610	1610	
	400 mm dia.	"	1852	1852	1852	
	450 mm dia.	"	1960	1960	1960	
	500 mm dia.	"	2200	2200	2200	
	600 mm dia.	"	3077	3077	3077	
	700 mm dia.	"	3785	3785	3785	
	750 mm dia.	"	4092	4092	4092	
	800 mm dia.	"	4567	4567	4567	
	900 mm dia.	"	6172	6172	6172	
	1000 mm dia.	"	7185	7185	7185	
	1200 mm dia.	"	8776	8776	8776	
	1500 mm dia.	"	18450	18450	18450	
	b) NP-3					
	150 mm dia.	र मि	1310	1310	1310	

96

 भारत मणी पाण्डे


 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (रु.)			वैकल्पिक
		आ.व.	२०८०/०८१	२०८१/०८२	२०८२/०८३
	200 mm dia.	गोटा	1745	1745	1745
	250 mm dia.	"	2185	2185	2185
	300 mm dia.	"	3140	3140	3140
	350 mm dia.	"	3520	3520	3520
	375 mm dia.	"	3760	3760	3760
	400 mm dia.	"	4010	4010	4010
	450 mm dia.	"	4500	4500	4500
	500 mm dia.	"	5020	5020	5020
	600 mm dia.	"	6200	6200	6200
	700 mm dia.	"	7485	7485	7485
	750 mm dia.	"	8600	8600	8600
	800 mm dia.	"	9385	9385	9385
	900 mm dia.	"	12172	12172	12172
	1000 mm dia.	"	13525	13525	13525
	1200 mm dia.	"	16100	16100	16100
	1500 mm dia.	"	25300	25300	25300
	R.C.C. Hume Pipe Collar				
	a) NP-2				
	150 mm dia.	गोटा	165	165	165
	200 mm dia.	"	195	195	195
	250 mm dia.	"	245	245	245
	300 mm dia.	"	332	332	332
	350 mm dia.	"	365	365	365
	375 mm dia.	"	365	365	365
	400 mm dia.	"	463	463	463
	450 mm dia.	"	490	490	490
	500 mm dia.	"	550	550	550
	600 mm dia.	"	769	769	769
	700 mm dia.	"	946	946	946
	750 mm dia.	"	1023	1023	1023
	800 mm dia.	"	1141	1141	1141
	900 mm dia.	"	1543	1543	1543
	1000 mm dia.	"	1799	1799	1799
	1200 mm dia.	"	2196	2196	2196
	1500 mm dia.	"	4615	4615	4615
	b) NP-3				
	150 mm dia.	"	327	327	327
	200 mm dia.	"	436	436	436
	250 mm dia.	"	544	544	544
	300 mm dia.	"	783	783	783
	350 mm dia.	"	879	879	879
	375 mm dia.	"	940	940	940
	400 mm dia.	"	1000	1000	1000
	450 mm dia.	"	1125	1125	1125
	500 mm dia.	"	1255	1255	1255
	600 mm dia.	"	1550	1550	1550
	700 mm dia.	"	1871	1871	1871
	750 mm dia.	"	2150	2150	2150
	800 mm dia.	"	2344	2344	2344
	900 mm dia.	"	3042	3042	3042
	1000 mm dia.	"	3382	3382	3382
	1200 mm dia.	"	4024	4024	4024
	1500 mm dia.	"	6324	6324	6324

[Handwritten signatures and stamps]
 म.प्र.क. (VAT) बाहेक (रु.)
 आ.व.
 २०८०/०८१
 २०८१/०८२
 २०८२/०८३
 गोटा
 १७५५
 २१८५
 ३१४०
 ३५२०
 ३७६०
 ४०१०
 ४५००
 ५०२०
 ६२००
 ७४८५
 ८६००
 ९३८५
 १२१७२
 १३५२५
 १६१००
 २५३००
R.C.C. Hume Pipe Collar
a) NP-2
 १५० mm dia. गोटा १६५
 २०० mm dia. १९५
 २५० mm dia. २४५
 ३०० mm dia. ३३२
 ३५० mm dia. ३६५
 ३७५ mm dia. ३६५
 ४०० mm dia. ४६३
 ४५० mm dia. ४९०
 ५०० mm dia. ५५०
 ६०० mm dia. ७६९
 ७०० mm dia. ९४६
 ७५० mm dia. १०२३
 ८०० mm dia. ११४१
 ९०० mm dia. १५४३
 १००० mm dia. १७९९
 १२०० mm dia. २१९६
 १५०० mm dia. ४६१५
b) NP-3
 १५० mm dia. ३२७
 २०० mm dia. ४३६
 २५० mm dia. ५४४
 ३०० mm dia. ७८३
 ३५० mm dia. ८७९
 ३७५ mm dia. ९४०
 ४०० mm dia. १०००
 ४५० mm dia. ११२५
 ५०० mm dia. १२५५
 ६०० mm dia. १५५०
 ७०० mm dia. १८७१
 ७५० mm dia. २१५०
 ८०० mm dia. २३४४
 ९०० mm dia. ३०४२
 १००० mm dia. ३३८२
 १२०० mm dia. ४०२४
 १५०० mm dia. ६३२४

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	R.C.C. Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	र मि	766	766	766	
	200 mm dia.	"	976	976	976	
	250 mm dia.	"	1221	1221	1221	
	300 mm dia.	"	1656	1656	1656	
	350 mm dia.	"	2007	2007	2007	
	400 mm dia.	"	2300	2300	2300	
	450 mm dia.	"	2438	2438	2438	
	500 mm dia.	"	2736	2736	2736	
	600 mm dia.	"	3608	3608	3608	
	700 mm dia.	"	4709	4709	4709	
	750 mm dia.	"	5090	5090	5090	
	800 mm dia.	"	5684	5684	5684	
	900 mm dia.	"	7339	7339	7339	
	1000 mm dia.	"	8481	8481	8481	
	1200 mm dia.	"	10274	10274	10274	
	b) NP-3					
	150 mm dia.	र मि	1603	1603	1603	
	200 mm dia.	"	2139	2139	2139	
	250 mm dia.	"	2674	2674	2674	
	300 mm dia.	"	3842	3842	3842	
	350 mm dia.	"	4313	4313	4313	
	400 mm dia.	"	4913	4913	4913	
	450 mm dia.	"	5513	5513	5513	
	500 mm dia.	"	6141	6141	6141	
	600 mm dia.	"	7592	7592	7592	
	700 mm dia.	"	9169	9169	9169	
	800 mm dia.	"	11493	11493	11493	
	900 mm dia.	"	14907	14907	14907	
	1000 mm dia.	"	16564	16564	16564	
	1200 mm dia.	"	19506	19506	19506	
	1500 mm dia.	"	30835	30835	30835	
	1600 mm dia.	"	35566	35566	35566	
	1800 mm dia.	"	47339	47339	47339	
24	High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure	Kg	287	287	287	
25	UPVC (Pipe NS 206/046)					
25.1	A) pipe 2.5 kg/cm² pressure					
	a) 90 mm	र मी	141	141	141	



 भारत सणी पाण्डे

 प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	गुणवत्ता प्रमाणित	म.अ.क. (VAT) बाहेक (र.)			कीफायत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	b) 110 mm	"	211	211	211	
	c) 125 mm	"	268	268	268	
	d) 140 mm	"	331	331	331	
	e) 160 mm	"	432	432	432	
	f) 180 mm	"	553	553	553	
	g) 200 mm	"	676	676	676	
25.2	B) UPVC Pipe 4 kg / cm ²					
	a) 63mm	र.मी	112	112	112	
	b) 75 mm	"	155	155	155	
	c) 90 mm	"	221	221	221	
	d) 110 mm	"	304	304	304	
	e) 125 mm	"	418	418	418	
	f) 140 mm	"	531	531	531	
	g) 160 mm	"	687	687	687	
	h) 180 mm	"	883	883	883	
	i) 200 mm	"	1072	1072	1072	
25.3	C) UPVC Pipe 6 Kg/ cm ² pressure					
	a) 40 mm	र.मी	66	66	66	
	b) 50 mm	"	100	100	100	
	c) 63 mm	"	160	160	160	
	d) 75 mm	"	223	223	223	
	e) 90 mm	"	322	322	322	
	f) 110 mm	"	466	466	466	
	g) 125 mm	"	620	620	620	
	h) 140 mm	"	772	772	772	
	i) 160 mm	"	989	989	989	
	j) 180 mm	र.मी	1262	1262	1262	
	k) 200 mm	"	1545	1545	1545	
25.4	C) UPVC Pipe 10 Kg/ cm ² pressure					
	a) 20 mm	र.मी	26	26	26	
	b) 25 mm	"	40	40	40	
	c) 32mm	"	66	66	66	
	a) 40 mm	"	99	99	99	
	b) 50 mm	"	156	156	156	
	c) 63 mm	"	248	248	248	
	d) 75 mm	"	335	335	335	
	e) 90 mm	"	504	504	504	
	f) 110 mm	"	747	747	747	
	g) 125 mm	"	957	957	957	
	h) 140 mm	"	1208	1208	1208	
	i) 160 mm	"	1554	1554	1554	
	j) 180 mm	"	1981	1981	1981	



भक्तपुर जिल्ला प्रमुख



सि.नं.	निर्माण सामग्रीहरूको विवरण	गठ मन्त्रालय निम्न पुराविधि कार्यालय भक्तपुर	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	k) 200 mm	"	2449	2449	2449	
25.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	32	32	32	
	75 mm	"	77	77	77	
	110 mm	"	131	131	131	
	Bend 87.5 degree					
	50 mm	गोटा	47	47	47	
	75 mm	"	112	112	112	
	110 mm	"	206	206	206	
	Bend 45 degree					
	50 mm	गोटा	46	46	46	
	75 mm	"	91	91	91	
	110 mm	"	163	163	163	
	Single Tee					
	50 mm	गोटा	70	70	70	
	75 mm	"	151	151	151	
	110 mm	"	287	287	287	
	Pipe clip					
	50 mm	गोटा	15	15	15	
	75 mm	"	29	29	29	
	110 mm	"	38	38	38	
	Bend 87.5 degree with door					
	75 mm	गोटा	143	143	143	
	110 mm	"	249	249	249	
	Single Tee with door					
	75 mm	गोटा	204	204	204	
	110 mm	"	380	380	380	
	Double Tee					
	75 mm	गोटा	332	332	332	
	110 mm	"	525	525	525	
	Double Tee with door					
	75 mm	गोटा	440	440	440	
	110 mm	"	682	682	682	
	Vent cowl					
	75 mm	गोटा	54	54	54	
	110 mm	"	90	90	90	
	Socket plug					
	75 mm	गोटा	68	68	68	
	110 mm	"	111	111	111	
	Single "Y"					
	75 mm	गोटा	173	173	173	
	110 mm	"	374	374	374	
	Single "Y" with door					
	75 mm	गोटा	237	237	237	
	110 mm	"	451	451	451	
	Double "Y"					
	75 mm	गोटा	261	261	261	
	110 mm	"	514	514	514	
	Double "Y" with door					
	75 mm	गोटा	334	334	334	
	110 mm	"	539	539	539	

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	Cleaning pipe					
	75 mm	"	152	152	152	
	110 mm	"	293	293	293	
	Reducer					
	110x 75 mm	"	135	135	135	
	75x50 mm	"	71	71	71	
	P-Trap					
	125mmx110mm	"	555	555	555	
	110mmx110mm	"	521	521	521	
	75mmx75mm	"	199	199	199	
	Multi-Floor -Trap					
	110mmx75mm	"	288	288	288	
	Nahani-Trap					
	110mmx75mm	"	263	263	263	
	W.C. Connector (bent type)	"	269	269	269	
	Square tile with jali	"	86	86	86	
	Round jali	"	40	40	40	
	End cap 50mm	"	26	26	26	
26.0	G.I Pipe threaded, 6 m. length With Cap					
	a) Light class					
	i. ½" (15 mm)	र.मी	170	170	170	
	ii. ¾" (20 mm)	"	232	232	232	
	iii. 1" (25 mm)	"	322	322	322	
	iv. 1 ¼" (32 mm)	"	411	411	411	
	v. 1 ½" (40 mm)	"	508	508	508	
	vi. 2" (50 mm)	"	641	641	641	
	vii. 2 ½" (65 mm)	"	885	885	885	
	viii. 3" (80 mm)	"	1038	1038	1038	
	ix. 4" (100 mm)	"	1485	1485	1485	
	x. 5" (125 mm)	"	2377	2377	2377	
	xi. 6" (150 mm)	"	2823	2823	2823	
	xii. 8" (200 mm)	"	4051	4051	4051	
	b) Medium class					
	i. ½" (15 mm)	र.मी	181	181	181	
	ii. ¾" (20 mm)	"	225	225	225	
	iii. 1" (25 mm)	"	344	344	344	
	iv. 1 ¼" (32 mm)	"	447	447	447	
	v. 1 ½" (40 mm)	र.मि	514	514	514	
	vi. 2" (50 mm)	"	706	706	706	
	vii. 2 ½" (65 mm)	"	901	901	901	
	viii. 3" (80 mm)	"	1122	1122	1122	
	ix. 4" (100 mm)	"	1680	1680	1680	
	x. 5" (125 mm)	"	2196	2196	2196	
	xi. 6" (150 mm)	"	2656	2656	2656	
	xii. 8" (200 mm)	"	4596	4596	4596	
	c) Heavy duty					
	i. ½" (15 mm)	र.मि	212	212	212	
	ii. ¾" (20 mm)	"	265	265	265	
	iii. 1" (25 mm)	"	396	396	396	
	iv. 1 ¼" (32 mm)	"	468	468	468	
	v. 1 ½" (40 mm)	"	593	593	593	
	vi. 2" (50 mm)	"	872	872	872	



101

भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
निम्न पत्राचार
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	गोटा	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	vii. 2 ½" (65 mm)	"	992	992	992	
	viii. 3" (80 mm)	"	1285	1285	1285	
	ix. 4" (100 mm)	"	2208	2208	2208	
	x. 5" (125 mm)	"	2503	2503	2503	
	xi. 6" (150 mm)	"	2833	2833	2833	
	xii. 8" (200 mm)	"	5083	5083	5083	
27.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
	i. ½"	गोटा	751	751	751	
	ii. ¾"	"	1050	1050	1050	
	iii. 1"	"	1600	1600	1600	
	iv. 1 ¼"	"	2350	2350	2350	
	v. 1 ½"	"	3133	3133	3133	
	vi. 2"	"	4883	4883	4883	
	vii. 2 ½"	"	8772	8772	8772	
	viii. 3"	"	12050	12050	12050	
	ix. 4"	"	20590	20590	20590	
	b) G.M Check valve					
	i. ½"	गोटा	893	893	893	
	ii. ¾"	"	1200	1200	1200	
	iii. 1"	"	1775	1775	1775	
	iv. 1 ¼"	"	2623	2623	2623	
	v. 1 ½"	"	3035	3035	3035	
	vi. 2"	"	5033	5033	5033	
	vii. 2 ½"	"	10225	10225	10225	
	viii. 3"	"	13657	13657	13657	
	ix. 4"	"	19301	19301	19301	
	c) G.I. Elbow					
	i. ½"	गोटा	42	42	42	
	ii. ¾"	"	66	66	66	
	iii. 1"	"	105	105	105	
	iv. 1 ¼"	"	162	162	162	
	v. 1 ½"	"	223	223	223	
	vi. 2"	"	344	344	344	
	vii. 2 ½"	"	653	653	653	
	viii. 3"	"	880	880	880	
	ix. 4"	"	1570	1570	1570	
	x. 5"	"	2104	2104	2104	
	xi. 6"	"	2524	2524	2524	
	d) G.I. Tee					
	i. ½"	गोटा	66	66	66	
	ii. ¾"	"	104	104	104	
	iii. 1"	"	142	142	142	
	iv. 1 ¼"	"	219	219	219	
	v. 1 ½"	"	282	282	282	
	vi. 2"	"	492	492	492	
	vii. 2 ½"	"	828	828	828	
	viii. 3"	"	1187	1187	1187	
	ix. 4"	"	1953	1953	1953	

for 9000
102

W. H. B. B. B.

भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
x.	5"		2465	2465	2465	
xi.	6"		2960	2960	2960	
e) G.I Union						
i.	1/2"	गोटा	113	113	113	
ii.	3/4"	"	153	153	153	
iii.	1"	"	210	210	210	
iv.	1 1/4"	"	329	329	329	
v.	1 1/2"	"	401	401	401	
vi.	2"	"	611	611	611	
vii.	2 1/2"	"	1138	1138	1138	
viii.	3"	"	1586	1586	1586	
ix.	4"	"	2205	2205	2205	
x.	5"	"	2770	2770	2770	
xi.	6"	"	3324	3324	3324	
f) G.I. Socket						
i.	1/2"	गोटा	38	38	38	
ii.	3/4"	"	57	57	57	
iii.	1"	"	75	75	75	
iv.	1 1/4"	"	115	115	115	
v.	1 1/2"	"	144	144	144	
vi.	2"	"	241	241	241	
vii.	2 1/2"	"	571	571	571	
viii.	3"	"	586	586	586	
ix.	4"	"	951	951	951	
x.	5"	"	1140	1140	1140	
xi.	6"	"	1368	1368	1368	
g) C.I. Plug						
i.	1/2"	गोटा	30	30	30	
ii.	3/4"	"	40	40	40	
iii.	1"	"	49	49	49	
iv.	1 1/4"	"	98	98	98	
v.	1 1/2"	"	124	124	124	
vi.	2"	"	149	149	149	
vii.	2 1/2"	"	214	214	214	
viii.	3"	"	437	437	437	
ix.	4"	"	838	838	838	
h) Hex Nipple						
i.	1/2"	गोटा	56	56	56	
ii.	3/4"	"	86	86	86	
iii.	1"	"	139	139	139	
iv.	1 1/4"	"	217	217	217	
v.	1 1/2"	"	275	275	275	
vi.	2"	"	409	409	409	
vii.	2 1/2"	"	750	750	750	
viii.	3"	"	968	968	968	
ix.	4"	"	1484	1484	1484	
i) Reducing Tee						
i.	3/4"	गोटा	120	120	120	
ii.	1"	"	148	148	148	
iii.	1 1/4"	"	162	162	162	
iv.	1 1/2"	"	325	325	325	

for

103

103

महोदय प्रमुख
जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मूल मन्त्रालय (MOT) वाहेक (र.)			कैफियत
			२०८०/८१	२०८१/८२	२०८२/८३	
v.	2"	"	517	517	517	
vi.	2 1/2"	"	918	918	918	
vii.	3"	"	1450	1450	1450	
viii.	4"	"	2750	2750	2750	
x.	5"	"	3300	3300	3300	
xi.	6"	"	3960	3960	3960	
i) Reducing Elbow						
i.	3/4"	गोटा	103	103	103	
ii.	1"	"	160	160	160	
iii.	1 1/4"	"	244	244	244	
iv.	1 1/2"	"	342	342	342	
v.	2"	"	511	511	511	
vi.	2 1/2"	"	883	883	883	
vii.	3"	"	1361	1361	1361	
viii.	4"	"	2410	2410	2410	
x.	5"	"	5878	5878	5878	
xi.	6"	"	7073	7073	7073	
j) Reducing socket						
i.	3/4"	गोटा	80	80	80	
ii.	1"	"	100	100	100	
iii.	1 1/4"	"	150	150	150	
iv.	1 1/2"	"	210	210	210	
v.	2"	"	320	320	320	
vi.	2 1/2"	"	450	450	450	
vii.	3"	"	720	720	720	
viii.	4"	"	1140	1140	1140	
x.	5"	"	1368	1368	1368	
xi.	6"	"	1482	1482	1482	
K) Short bend						
i.	1/2"	गोटा	130	130	130	
ii.	3/4"	"	150	150	150	
iii.	1"	"	190	190	190	
iv.	1 1/4"	"	290	290	290	
v.	1 1/2"	"	400	400	400	
vi.	2"	"	590	590	590	
vii.	2 1/2"	"	1500	1500	1500	
viii.	3"	"	1800	1800	1800	
ix.	4"	"	2500	2500	2500	
l) Cross Tee						
i.	1/2"	गोटा	131	131	131	
ii.	3/4"	"	186	186	186	
iii.	1"	"	293	293	293	
iv.	1 1/4"	"	509	509	509	
v.	1 1/2"	"	611	611	611	
vi.	2"	"	990	990	990	
vii.	2 1/2"	"	1670	1670	1670	
viii.	3"	"	2420	2420	2420	
ix.	4"	"	3268	3268	3268	
M) Tanki nipple						
i.	1/2"	गोटा	154	154	154	
ii.	3/4"	"	214	214	214	
iii.	1"	"	319	319	319	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.सं.क. (VAT) बाहेक (रु.)			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
iv.	1 1/4"	"	480	480	480	
v.	1 1/2 "	"	611	611	611	
vi.	2"	"	990	990	990	
vii.	2 1/2 "	"	1906	1906	1906	
viii.	3"	"	2538	2538	2538	
ix.	4"	"	3367	3367	3367	
G.I. Nipple Medium Class ISI or NS						
2" Long						
i.	1/2 "	गोटा	22	22	22	
ii.	3/4"	"	34	34	34	
iii.	1"	"	44	44	44	
iv.	1 1/4"	"	57	57	57	
v.	1 1/2 "	"	71	71	71	
vi.	2"	"	131	131	131	
3" Long						
i.	1/2 "	गोटा	34	34	34	
ii.	3/4"	"	47	47	47	
iii.	1"	"	66	66	66	
iv.	1 1/4"	"	85	85	85	
v.	1 1/2 "	"	106	106	106	
vi.	2"	"	134	134	134	
vii.	2 1/2 "	"	186	186	186	
viii.	3"	"	220	220	220	
4" Long						
i.	1/2 "	गोटा	45	45	45	
ii.	3/4"	"	63	63	63	
iii.	1"	"	88	88	88	
iv.	1 1/4"	"	113	113	113	
v.	1 1/2 "	"	142	142	142	
vi.	2"	"	179	179	179	
vii.	2 1/2 "	"	248	248	248	
viii.	3"	"	204	204	204	
ix.	4"	"	422	422	422	
6" Long						
i.	1/2 "	गोटा	68	68	68	
ii.	3/4"	"	94	94	94	
iii.	1"	"	122	122	122	
iv.	1 1/4"	"	132	132	132	
v.	1 1/2 "	"	170	170	170	
vi.	2"	"	269	269	269	
vii.	2 1/2 "	"	373	373	373	
viii.	3"	"	439	439	439	
ix.	4"	"	633	633	633	
9" Long						
i.	1/2 "	गोटा	68	68	68	
ii.	3/4"	"	94	94	94	
iii.	1"	"	122	122	122	
iv.	1 1/4"	"	132	132	132	
v.	1 1/2 "	"	170	170	170	
vi.	2"	"	269	269	269	
vii.	2 1/2 "	"	373	373	373	
viii.	3"	"	439	439	439	

105
 भारत मणी पाण्डे
 प्रमुख जिल्ला अधिकारी



क्र.सं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
ix.	4"	गोटा	633	633	633	
	12" Long					
i.	1/2"	गोटा	136	136	136	
ii.	3/4"	"	189	189	189	
iii.	1"	"	265	265	265	
iv.	1 1/4"	"	340	340	340	
v.	1 1/2"	"	425	425	425	
vi.	2"	"	537	537	537	
vii.	2 1/2"	"	746	746	746	
viii.	3"	"	877	877	877	
ix.	4"	"	1266	1266	1266	
	18" Long					
i.	1/2"	गोटा	227	227	227	
ii.	3/4"	"	280	280	280	
iii.	1"	"	378	378	378	
iv.	1 1/4"	"	614	614	614	
v.	1 1/2"	"	755	755	755	
vi.	2"	"	1136	1136	1136	
vii.	2 1/2"	"	1536	1536	1536	
viii.	3"	"	2249	2249	2249	
ix.	4"	"	2743	2743	2743	
	G.I./G.I. Flange					
i.	1 1/4"	गोटा	964	964	964	
ii.	1 1/2"	"	1186	1186	1186	
iii.	2"	"	1453	1453	1453	
iv.	2 1/2"	"	1699	1699	1699	
v.	3"	"	1892	1892	1892	
vi.	4"	"	2348	2348	2348	
vii.	5"	"	3358	3358	3358	
viii.	6"	"	3488	3488	3488	
ix.	8"	"	6948	6948	6948	
	G.I./HDP Flange					
i.	1 1/4"	गोटा	1038	1038	1038	
ii.	1 1/2"	"	1322	1322	1322	
iii.	2"	"	1562	1562	1562	
iv.	2 1/2"	"	1824	1824	1824	
v.	3"	"	1950	1950	1950	
vi.	4"	"	2406	2406	2406	
vii.	5"	"	3358	3358	3358	
viii.	6"	"	3505	3505	3505	
ix.	8"	"	7627	7627	7627	
	HDP/HDP Flange set with adaptor					
i.	1 1/4"	गोटा	1038	1038	1038	
ii.	1 1/2"	"	1322	1322	1322	
iii.	2"	"	1562	1562	1562	
iv.	2 1/2"	"	1824	1824	1824	
v.	3"	"	1950	1950	1950	
vi.	4"	"	2406	2406	2406	
vii.	5"	"	3814	3814	3814	
viii.	6"	"	3505	3505	3505	
ix.	8"	"	7627	7627	7627	
	Brass tap 1/2"					

Handwritten signatures and notes at the bottom left of the page.

Handwritten signature and stamp at the bottom right of the page.
भरत मण्डल
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामाग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
i.	1/2" (Wt. 400 gm)	गोटा	750	750	750	
ii.	1/2" ordinary	गोटा	205	205	205	
Globe Valve (GM)						
i.	1/2"	गोटा	924	924	924	
ii.	3/4"	"	1505	1505	1505	
iii.	1"	"	1859	1859	1859	
iv.	1 1/4"	"	2953	2953	2953	
v.	1 1/2"	"	3716	3716	3716	
vi.	2"	"	4640	4640	4640	
vii.	2 1/2"	"	9114	9114	9114	
viii.	3"	"	15060	15060	15060	
ix.	4"	"	24350	24350	24350	
Float Valve						
i.	1/2"	गोटा	1134	1134	1134	
ii.	3/4"	"	1283	1283	1283	
iii.	1"	"	1556	1556	1556	
iv.	1 1/4"	"	2690	2690	2690	
v.	1 1/2"	"	4042	4042	4042	
vi.	2"	"	5381	5381	5381	
C.I. Air valve (Heavy)						
i.	1/2"	गोटा	2500	2500	2500	
ii.	3/4"	"	5182	5182	5182	
iii.	1"	"	5746	5746	5746	
Brass Union with Adopter						
i.	1/2"	गोटा	150	150	150	
ii.	3/4"	"	270	270	270	
iii.	1"	"	345	345	345	
iv.	1 1/4"	"	530	530	530	
v.	1 1/2"	"	675	675	675	
vi.	2"	"	940	940	940	
Saddle Ferrule						
i.	1 1/2"	गोटा	185	185	185	
ii.	2"	"	242	242	242	
iii.	2 1/2"	"	272	272	272	
iv.	3"	"	301	301	301	
v.	4"	"	480	480	480	

By *[Signature]* *[Signature]* *[Signature]* *[Signature]* *[Signature]*

[Signature]
भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.प.			कैफियत
			२०८१/०८२	२०८२/०८३	२०८३/०८४	
	Flow Regulating Valve (G.M.)					
i.	1/2"	गोटा	1322	1322	1322	
	C.I Sluice Valve					
i.	1 1/2"	गोटा	6846	6846	6846	
ii.	2"	"	7000	7000	7000	
iii.	2 1/2"	"	8450	8450	8450	
iv.	3"	"	10500	10500	10500	
v.	4"	"	14000	14000	14000	
v.	5"	"	17500	17500	17500	
v.	6"	"	21000	21000	21000	
v.	8"	"	30000	30000	30000	
	Brass Ferrule Cock					
i.	1/2"	गोटा	600	600	600	
ii.	3/4"	"	1372	1372	1372	
iii.	1"	"	2015	2015	2015	
	Ball valve					
a)	15mm	गोटा	514	514	514	
b)	20 mm	"	650	650	650	
c)	25 mm	"	872	872	872	
d)	32 mm	"	1051	1051	1051	
e)	40 mm	"	2035	2035	2035	
f)	50 mm	"	3341	3341	3341	
28.0	Supplying of Rec ring for construction of well					
28.1	Ring					
i)	28" dia. R.C.C. ring 20 cm ht, 5 cm thick	गोटा	615	615	615	
ii)	36" dia. R.C.C. ring 20 cm ht, 5 cm thick	"	762	762	762	
iii)	42" dia. R.C.C. ring 20 cm ht, 5 cm thick	"	886	886	886	
iv)	48" dia. R.C.C. ring 20 cm ht, 5 cm thick	"	1173	1173	1173	
28.2	Supplying & fixing of metal frame and Rec cover					
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1858	1858	1858	
ii)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	2460	2460	2460	
iii)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	2699	2699	2699	
iv)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	3224	3224	3224	
29.1	ईनार खनको लागि R.C.C. रिङ आपूर्ति गरि माटो खन्ने, आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा डक्कन बाहेक)					
i)	28" dia. R.C.C. Ring	र.मी	4253	4253	4253	
ii)	36" dia. R.C.C. Ring	"	5397	5397	5397	
iii)	42" dia. R.C.C. Ring	"	6282	6282	6282	
iv)	48" dia. R.C.C. Ring	"	7750	7750	7750	
29.2	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खनको लागि R.C.C. रिङ आपूर्ति गरि माटो					
i)	28" dia. R.C.C. Ring	र.मी	5707	5707	5707	
ii)	36" dia. R.C.C. Ring	"	9650	9650	9650	
iii)	42" dia. R.C.C. Ring	"	11681	11681	11681	
iv)	48" dia. R.C.C. Ring	"	14033	14033	14033	

भरत मगर प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
		भक्तपुर	२०८०/०८१	२०८१/०८२	
30.0	Sanitary Tools				
a	Adjustable spanner				
	10"	Pc	255	255	255
	12"	Pc	482	482	482
	15"	Pc	1388	1388	1388
	18"	Pc	1643	1643	1643
b	Blow Torch				
	1/2 pint	Pc	1433	1433	1433
	1 pint	Pc	1767	1767	1767
c	Building Trowel	Pc	79	79	79
d	Chain Pipe wrench				
	50mm	Pc	1643	1643	1643
	75mm	Pc	1954	1954	1954
	100mm	Pc	2294	2294	2294
	150mm	Pc	3229	3229	3229
	200mm	Pc	5495	5495	5495
e	Chain Pulley in Ton				
	3 ton	Pc	17562	17562	17562
	5 ton	Pc	29005	29005	29005
f	Stone Chisel 1"x12"	Pc	368	368	368
g	Die teeth oil with cane (250 ml size)	Pc	283	283	283
h	Smooth steel file half round				
	8"	Pc	538	538	538
	10"	Pc	1031	1031	1031
i	Flat file 10"	Pc	538	538	538
10.0	Hacksaw Blade				
	Single	Pc	5	5	5
	double	Pc	9	9	9
j	Hacksaw Frame 6mm	Pc	193	193	193
k	Handle die set				
	25 mm	Pc	3201	3201	3201
	50 mm	Pc	3626	3626	3626
	60 mm	Pc	9631	9631	9631
l	Heating Plate				
	80 mm	Pc	963	963	963
	100 mm	Pc	1105	1105	1105
	125 mm	Pc	1416	1416	1416
	150 mm	Pc	1688	1688	1688
	200 mm	Pc	2731	2731	2731
	250 mm	Pc	3308	3308	3308
	300 mm	Pc	3864	3864	3864
m	Iron Brush 12"	Pc	74	74	74
n	Iron Pan (medium)	Pc	261	261	261
o	Pick Axe 1.7 Kg.	Pc	431	431	431
p	Pipe Cutter				
	15-50 mm	Pc	2039	2039	2039
	65-80 mm	Pc	3172	3172	3172
	100 mm	Pc	5099	5099	5099
	125 mm	Pc	5665	5665	5665
	150 mm	Pc	10084	10084	10084
q	Pipe Jack Machine (Heavy)	Pc	32291	32291	32291
r	Pipe Vice				
	2"	Pc	2493	2493	2493
	3"	Pc	3626	3626	3626
	4"	Pc	5467	5467	5467
	5"	Pc	10140	10140	10140
s	Pipe Wrench				
	10"	Pc	317	317	317

भक्तपुर जिल्ला अधिकारी
प्रमुख मण्डल पाण्डे



सि.नं.	निर्माण सामग्रीहरूको विवरण	म.प्र.क. (VAT) बाहेक (रु.)	आ.व.			कैफियत
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
	12"	Pc	589	589	589	
	14"	Pc	702	702	702	
	18"	Pc	1116	1116	1116	
	24"	Pc	1541	1541	1541	
	36"	Pc	5438	5438	5438	
	48"	Pc	9631	9631	9631	
t	Plumb Bob Line	Pc	91	91	91	
u	Ratchet Die Set					
	1/2"-1"	Pc	4305	4305	4305	
	11/4"-2"	Pc	8044	8044	8044	
	21/2"-3"	Pc	17562	17562	17562	
v	Round File 10"	Pc	368	368	368	
w	Screw Driver 12"	Pc	204	204	204	
x	Shovel 1.5 Kg	Pc	368	368	368	
y	Slide wrench					
	10"	Pc	363	363	363	
	12"	Pc	487	487	487	
	15"	Pc	1422	1422	1422	
z	Spade	Pc	442	442	442	
A	Spare Die Teeth					
	15 mm	Pc	589	589	589	
	20 mm	Pc	589	589	589	
	25 mm	Pc	589	589	589	
	32 mm	Pc	935	935	935	
	40 mm	Pc	1598	1598	1598	
	50 mm	Pc	1615	1615	1615	
	65 mm	Pc	1869	1869	1869	
	80 mm	Pc	2096	2096	2096	
B	Telflon Cover					
	5'x5'	Pc	312	312	312	
	7'x7'	Pc	425	425	425	
C	Telflon Cloth	m	3427	3427	3427	
D	Telflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	765	765	765	
	Germany	Pc	1530	1530	1530	
F	Tool Box (14"x8"x22")	Pc	2102	2102	2102	
31 PVC-O pipes and fittings						
1	Class 500 PVC-O pipes-PN 12.5					
	90 mm	र.मि	730	730	583	
	110 mm	र.मि	1050	1050	865	
	125 mm	र.मि	1450	1450	1250	
	140 mm	र.मि	1750	1750	1662	
	160 mm	र.मि	2200	2200	2090	
	200 mm	र.मि	3500	3500	3325	
	225 mm	र.मि	4400	4400	4180	
	250 mm	र.मि	5200	5200	4940	
	315 mm	र.मि	8500	8500	8075	
	355 mm	र.मि	10800	10800	10260	
	400 mm	र.मि	13778	13778	13089	
	450 mm	र.मि	19000	19000	19000	
	500 mm	र.मि	22700	22700	22700	
	630 mm	र.मि	36000	36000	36000	
	800 mm	र.मि	58000	58000	58000	
	1000 mm	र.मि	110000	110000	110000	
	1200 mm	र.मि	150000	150000	150000	
2	Class 500 PVC-O pipes-PN 16					
	90 mm	र.मि	854	854	738	
	110 mm	र.मि	1260	1260	1197	

[Handwritten signatures and marks]

[Handwritten signatures and marks]
भरत मणी पाण्डे
प्रमुख जिल्ला अधिकारी



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
भक्तपुर





सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)	आ.प.			कैफियत
			२०८०/०८१			
			२०८१/०८२	२०८२/०८३		
	125 mm	र.मि	1550	1550	1472	
	140 mm	र.मि	1950	1950	1852	
	160 mm	र.मि	2600	2600	2470	
	200 mm	र.मि	4000	4000	3800	
	225 mm	र.मि	4950	4950	4805	
	250 mm	र.मि	6300	6300	5985	
	315 mm	र.मि	9600	9600	8800	
	355 mm	र.मि	12700	12700	12065	
	400 mm	र.मि	15147	15147	13089	
	450 mm	र.मि	20131	20131	20131	
	500 mm	र.मि	24591	24591	24591	
	630 mm	र.मि	38412	38412	38412	
	800 mm	र.मि	59382	59382	59382	
3	Class 500 PVC-O pipes-PN 25					
	90 mm	र.मि	1700	1700	1700	
	110 mm	र.मि	2500	2500	2500	
	125 mm	र.मि	2700	2700	2700	
	140 mm	र.मि	3100	3100	3100	
	160 mm	र.मि	3800	3800	3800	
	200 mm	र.मि	5397	5397	5397	
	250 mm	र.मि	7688	7688	7688	
	315 mm	र.मि	10895	10895	10895	
	355 mm	र.मि	14040	14040	14040	
	400 mm	र.मि	19420	19420	19420	
	450 mm	र.मि	25705	25705	25705	
	500 mm	र.मि	31256	31256	31256	
	630 mm	र.मि	48179	48179	48179	
	PVC-O Fittings					
	Elbow 11.25° (PN 16)					
	110 mm	गोटा	6969	6969	5141	
	160 mm	गोटा	14997	14997	10568	
	200 mm	गोटा	27545	27545	16365	
	250 mm	गोटा	41943	41943	25053	
	315 mm	गोटा	79624	79624	50416	
	400 mm	गोटा	147185	147185	84200	
	Elbow 22.5° (PN 16)					
	110 mm	गोटा	7248	7248	5734	
	160 mm	गोटा	15830	15830	10089	
	200 mm	गोटा	28647	28647	16365	
	250 mm	गोटा	43621	43621	25053	
	315 mm	गोटा	82809	82809	50416	
	400 mm	गोटा	153073	153073	84200	
	Elbow 45° (PN 16)					
	110 mm	गोटा	8018	8018	6286	
	160 mm	गोटा	17382	17382	12894	
	200 mm	गोटा	31504	31504	17997	
	250 mm	गोटा	51671	51671	30641	
	315 mm	गोटा	90799	90799	55282	
	400 mm	गोटा	174184	174184	95816	
	Elbow 90° (PN 16)					
	110 mm	गोटा	11279	11279	7227	
	160 mm	गोटा	22597	22597	14700	
	200 mm	गोटा	40639	40639	23213	
	250 mm	गोटा	67038	67038	40142	
	315 mm	गोटा	103403	103403	71142	
	400 mm	गोटा	207281	207281	114021	
	COUPLER (PN 16)					
	110	गोटा	6954	6954	5171	
	160 mm	गोटा	12283	12283	8913	
	200 mm	गोटा	17754	17754	12891	


भक्तपुर जिल्ला प्रमुख अधिकारी



नेपाल सरकार गृह मन्त्रालय काठमाडौं						
		प्रशासनिक विवरण			क्रियाकलाप	
सि.नं.	निर्माण सामग्रीहरूको विवरण	जिल्ला	म.अ.क. (VAT) बाहेक (र.)		कुल मूल्य	
			आ.व.	२०८०/०८१	२०८१/०८२	२०८२/०८३
	250 mm	गोटा	33230	33230	21711	
	315 mm	गोटा	62383	62383	39787	
	400 mm	गोटा	136927	136927	68127	
	SLIDING COUPLER (PN 16)					
	110 mm	गोटा	6954	6954	5171	
	160 mm	गोटा	12283	12283	8913	
	200 mm	गोटा	17754	17754	12891	
	250 mm	गोटा	33230	33230	21711	
	315 mm	गोटा	62383	62383	39787	
	400 mm	गोटा	136927	136927	68127	
	REDUCING COUPLER (PN 16)					
	110 to 90	गोटा	8688	8688	5499	
	160 to 110	गोटा	14126	14126	9197	
	200 to 160	गोटा	14167	14167	13958	
	250 to 200	गोटा	24436	24436	20211	
	315 to 250	गोटा	54056	54056	35625	
	2. HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8)					
1	100mm dia.	मिटर	556.00	556	556	
2	150mm dia.	मिटर	1112.00	1112	1112	
3	200mm dia.	मिटर	1668.00	1668	1668	
4	250mm dia.	मिटर	2113.00	2113	2113	
5	300mm dia.	मिटर	3515.00	3515	3515	
6	400mm dia.	मिटर	4527.00	4527	4527	
7	500mm dia.	मिटर	5406.00	5406	5406	
8	600mm dia.	मिटर	9310.00	9310	9310	
9	800mm dia.	मिटर	14985.00	14985	14985	
10	1000mm dia.	मिटर	22572.00	22572	22572	
	Water Filter Media and Automatic Components					
A	Water Treatment Components					
a	Pump					
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	pc	123500	123500	123500	
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	Pc	104500	104500	104500	
b	Motorized Actuator Butterfly Valve with C1 Materials					
1	6" Dia	pc	118000	118000	118000	
2	4" Dia	pc	68500	68500	68500	
3	3" Dia	pc	57500	57500	57500	
4	2.5" Dia	pc	42000	42000	42000	
5	2" Dia	pc	37500	37500	37500	
c	Vessel Strainer Top and Bottom (2 pieces= 1 set)					
1	40m3/Hour	set	26125	26125	26125	
2	25m3/Hour	set	21375	21375	21375	

c	Vessel Strainer set)	set	26125	21375	21375
1	40m3/Hour	set	21375		
2	25m3/Hour				


 भारत नवी मण्डल
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार

सि.नं.	निर्माण सामग्रीहरूको विवरण	युनिट	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.ब.			
			२०८०/०८१	२०८१/०८२	२०८२/०८३	
3	15m3/Hour	set	14250	14250	14250	
4	9m3/Hour	set	8550	8550	8550	
d	Air Release And Vacuum Breaker valve(1 unit per Vessel)					
1	1" Small	Pc	2185	2185	2185	
2	1" Big	Pc	3325	3325	3325	
3	2" Big	Pc	8075	8075	8075	
e	Rotameter					
1	Small(upto 5m3/h in 3/4" or 1" Male or Female Thread)	Pc	7600	7600	7600	
2	Medium(upto 10m3/h in 1.5" or 2" Male or Female Thread)	Pc	19000	19000	19000	
3	Big(40m3-60m3/h in 3" Thread or Flange type)	Pc	26125	26125	26125	
f	Pressure Gauze(Glycerenine/Liquid Filled)					
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Buttom Thread	Pc	1250	1250	1250	
g	Automatic Vessel Control Panel					
1	Semi Scada Control Panel with GSM/GPRS-Support features(MASTER)	pcs	150000	150000	150000	
2	Semi Scada Control Panel (Slave)	pcs	100000	100000	100000	
h	FRP Water Filter Vessels					
1	14" Dia x 65" Height T/B 4"/Threaded	Pc	21850	21850	21850	
2	16" Dia x 65" Height T/B 4"/ Threaded	Pc	22800	22800	22800	
3	18" Dia x 65" Height T/B 4"/ Threaded	Pc	26125	26125	26125	
4	24" Dia x 72" Height T/B 4"/ Threaded	Pc	52250	52250	52250	
5	30" Dia x 72" Height T/B 4"/ Threaded	Pc	104500	104500	104500	
6	36" Dia x 72" Height T/B 4"/ Threaded	Pc	116850	116850	116850	
7	42" Dia x 72" Height T/B 6"/Flange	Pc	152000	152000	152000	
8	42" Dia x 72" Height T/B 6"/Threaded	Pc	190000	190000	190000	
9	48" Dia x 72" Height T/B 6"/ Threaded	Pc	213750	213750	213750	
10	48" Dia x 72" Height T/B 6"/Flange	Pc	242250	242250	242250	
i	Chemical Dosing Pump and Components					
1	eDose or Equivalent(4LPH at 4Kg pressure	Pc	21375	21375	21375	
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	Pc	5225	5225	5225	
3	Flaot switch Heavy with 16A wire/ 3 meter	Pc	2375	2375	2375	
4	100Ltrs Poly tank as Chemical tank	Pc	1425	1425	1425	
B						
1	Zeolite Sand(Zeosurb Germany)/ 30 ltrs/ 25Kgs	sac	16650	16650	16650	
2	Zeolite Sand(ZeoLuc- China)/ 40 ltrs/ 30Kgs	Sac	12150	12150	12150	
3	Mangnese Dioxide(MnO2)/India or China/50 Kgs	sac	5940	5940	5940	
4	Calcite(USA)/ 20 Kgs	sac	6300	6300	6300	
5	Anthracite/ 40Kgs/ India or China	sac	5550	5550	5550	
6	Local Gravel(1.5" + 1" + 1/2" + 1/4")/35Kgs	sac	650	650	650	
7	Katlox lite (Germany)/ 28.3 ltrs/30Kgs		20250	20250	20250	
8	Catalytic Carbon/Germany / 30Kgs/Ltrs	sac	54000	54000	54000	
9	Titansorb/ 60Kgs Drum	Drum	162000	162000	162000	

प्रमुख जिल्ला अधिकारी
भक्तपुर जिल्ला



Electrical Works

सि.नं		निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)			कैफियत
सब सि.नं	आ.व २०८०/०८१		आ.व २०८१/०८२	आ.व. २०८२/०८३		
1		SWITCH SOCKET				
	1	One Gang one way switch	सेट	60	60	60
	2	One Gang two way switch	सेट	71	71	71
	3	One way bell switch	सेट	74	74	74
	4	Two gang one way switch	"	99	99	99
	5	Two gang one way switch with one bell push	"	108	108	108
	6	Two gang Full two way switch	"	110	110	110
	7	Three Gang one way switch	"	131	131	131
	8	Four gang one way switch	"	166	166	166
	9	Six gang one way switch (3x5)	"	261	261	261
	10	Eight gang one way switch	"	313	313	313
	11	Dimmer single 300 watt	"	318	318	318
	12	Dimmer single 750 watt	"	473	473	473
	13	5 Step humming free dimmer	"	419	419	419
	14	16Amp 3 Pin Plug Top	"	125	125	125
	15	1 switch with dimmer	"	379	379	379
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	156	156	156
	17	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	174	174	174
	18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	382	382	382
	19	32A D.P. switch with fuse & indicator Surface Mounting	"	212	212	212
	20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	629	629	629
	21	Blanking plate single	"	41	41	41
	22	Telephone socket single	"	122	122	122
	23	Telephone socket Double	"	174	174	174
	24	Angle / bottom holder	"	36	36	36
	25	Ceiling Rose	"	36	36	36
	26	Buzzer	"	100	100	100
	27	Musical bell	"	229	229	229
	28	T.V. antenna single Socket	"	84	84	84
	29	6A 2/3 Pin unshuttered multi switch socket	"	132	132	132
	30	RJ 45 Computer Socket for modem	"	241	241	241
	31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	36	36	36
	32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	65	65	65
	33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	101	101	101
	34	Switch / socket outlet, Plate series having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" .				
1.1	1	10A 1gang 1way Switch	Set	85	85	85
	2	10A 2gang 1way Switch	Set	168	168	168
	3	10A 3gang 1way Switch	"	222	222	222
	4	10A 4gang 1way Switch	"	361	361	361
	5	10A 5gang 1way Switch	"	382	382	382
	6	10A 6gang 1way Switch	"	636	636	636
	7	10A 1gang 2way Switch	"	148	148	148
	8	10A 2gang 2way Switch	"	286	286	286
	9	10A 3gang 2way Switch	"	419	419	419
	10	10A 4gang 2way Switch	"	631	631	631
	11	T V Socket outlet	"	308	308	308
	12	Telephone Socket	"	276	276	276
	13	13A Universal socket outlet	"	478	478	478
	14	13A Socket	"	281	281	281
	15	15A switched Socket outlet	"	456	456	456
	16	5A Socket	"	350	350	350
	17	RJ 45 8way Computer Socket	"	849	849	849

1/2 Jan. 1950 114
 1/2 Jan. 1950 114
 1/2 Jan. 1950 114



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)			कैफियत
			आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३	
		18 TV and Telephone Socket	610	610	610	
		19 7+2 PIN SOCKET OUTLET	955	955	955	
		20 3+2 PIN SOCKET OUTLET	594	594	594	
		21 X5 2+2 - 2 PIN SOCKET OUTLET	806	806	806	
		22 SCHUKO SOCKET WITH ONE SWITCH	520	520	520	
		23 Bell Press	244	244	244	
		24 Blank Plate	96	96	96	
		25 400W Light Dimmer W/ Switch	933	933	933	
		26 400W Fan Controller / Multi Step Dimmer	945	945	945	
		27 5 Step Fan Controller	923	923	923	
		28 2 Pin Socket W/ Switch	467	467	467	
		29 13A Twin Socket	700	700	700	
1.2		White Plate series modular type(polycarbonate) SWITCH SOCKET power pack				
		1 One Gang one way switch	सेट 103	103	103	
		2 One Gang two way switch	सेट 115	115	115	
		3 One way bell switch	सेट 115	115	115	
		4 Two gang one way switch	॥ 137	137	137	
		5 Two gang one way switch with one bell push	॥ 150	150	150	
		6 Two gang Full two way switch	॥ 163	163	163	
		7 Three Gang one way switch	॥ 172	172	172	
		8 Four gang one way switch	॥ 208	208	208	
		9 Six gang one way switch	॥ 316	316	316	
		10 Eight gang one way switch	॥ 385	385	385	
		11 Dimmer single 300 watt	॥ 501	501	501	
		15 1 switch with dimmer	॥ 514	514	514	
		16 6/16 Amp , 2/3 Pin Power sockets with switch & indicator	॥ 268	268	268	
		17 6/13 Amp , Power sockets with switch , indicator	॥ 271	271	271	
		18 20 A D.P. switch with fuse & indicator Surface Mounting	॥ 365	365	365	
		19 4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट 403	403	403	
		20 6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट 488	488	488	
		21 Blanking plate single	॥ 64	64	64	
		22 Telephone socket single	॥ 157	157	157	
		23 Telephone socket Double	॥ 256	256	256	
		24 T.V. antenna single Socket	॥ 146	146	146	
		25 RJ 45 Computer Socket for modem	॥ 212	212	212	
		26 CAT-6 Computer Socket for modem	॥ 331	331	331	
2		Modular Type Switch Socket set				
		1 1P - 6A/10A 1 way switch	No. 143	143	143	
		2 1P - 16A/20A 1 way switch	॥ 230	230	230	
		3 1P - 25A 1 way switch	॥ 336	336	336	
		4 1P - 6A/10A 2 way switch	॥ 172	172	172	
		5 1P - 16A/20A 2 way switch	॥ 261	261	261	
		6 1P - 6A push button	॥ 190	190	190	
		7 1 gang blanking module	॥ 44	44	44	
		8 2 gang blanking module	॥ 89	89	89	
		9 FAN REGULATOR / DIMMER				
		10 Step type fan regulator	No. 657	657	657	
		11 60 - 500 W dimmer	॥ 821	821	821	
		12 1000 W dimmer	॥ 1570	1570	1570	
		SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
		13 6A - multi socket 5 pin	No. 247	247	247	
		14 6/16A twin socket 3 pin (flushed)	॥ 342	342	342	
		15 6/16A twin socket 3 pin (projected)	॥ 342	342	342	
		16 25A 3 pin socket	॥ 413	413	413	
		17 13A 3 pin socket	॥ 278	278	278	

115

भक्तपुर जिल्ला प्रमुख अधिकारी

सि.नं	विवरण	मु.अ.क. -VAT माहक (र.)			कैफियत
		आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	
	निर्माण सामग्रीहरूको विवरण				
18	RJ 11 telephone jack	164	164	164	
19	RJ 45 cat.6e computer socket	574	574	574	
20	TV socket	166	166	166	
	HOSPITALITY RANGE				
21	250V/110V shaver socket	No.	4486	4486	
22	Indicator (DO NOT DISTURB)	"	185	185	
23	LED yellow night lamp	"	577	577	
24	LED Blue night lamp	"	577	577	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)				
	(White)	No.	74	74	
25	1 module front plate	"	79	79	
26	2 module front plate	"	87	87	
27	3 module front plate	"	92	92	
28	4 module front plate	"	167	167	
29	6 module front plate	"	224	224	
30	8 module front plate(4+4)	"	179	179	
31	8 module front plate (Horizontal)	"	268	268	
32	12 module front plate	"	361	361	
33	18 module front plate				
2.2	Modular Type Switch Socket				
	Seperate Module for Modular Switch & Socket	No.	90	90	
1	1P - 6A/10A 1 way switch	"	148	148	
3	1P - 16A/20A 1 way switch	"	138	138	
7	1P - 6A/10A 2 way switch	"	180	180	
8	1P - 16A/20A 2 way switch	"	138	138	
9	1P - 6A push button	"	42	42	
11	1 gang blanking module	"	80	80	
12	2 gang blanking module	"			
	FAN REGULATOR / DIMMER	No.	721	721	
13	Step type fan regulator	"	615	615	
14	60 - 500 W dimmer				
	SOCKETS / TELEPHONE / COMPUTER	No.	191	191	
	SOCKETS / TV SOCKETS	"	297	297	
16	6A - multi socket 5 pin	"	297	297	
17	6/16A twin socket 3 pin (flushed)	"	191	191	
18	6/16A twin socket 3 pin (projected)	"	148	148	
20	13A 3 pin socket	"	244	244	
21	RJ 11 telephone jack	"	148	148	
22	RJ 45 cat.6e computer socket	No.	116	116	
23	TV socket	"	116	116	
40	1 module front plate	"	152	152	
41	2 module front plate	"	170	170	
42	3 module front plate	"	234	234	
43	4 module front plate	"	314	314	
44	6 module front plate	"	322	322	
45	8 module front plate(4+4)	"	374	374	
46	8 module front plate (Horizontal)	"	467	467	
47	12 module front plate				
	Flush mounting galvanized Metal box for modular type switch & socket	नेट	54	54	
1	1 module metal box having L x B x Depth = (78x78x45)mm	"	54	54	
2	2 module " " " = (78x78x45)mm	"	58	58	
3	3 gang " " " = (78x100x45)mm	"	70	70	
4	4 gang " " " = (78x140x50)mm	"	138	138	
5	5 gang " " " = (78x205x50)mm	"	140	140	
6	6 gang " " " = (78x205x50)mm	"			

for. 116

भरत मणि थापा
प्रमुख जिल्ला अधिकारी



क्र.सं.	सब क्र.सं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. -VAT बाहेक (रु.)	आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३	कैफियत
3	7	8 module metal box (4+4) =(78x230x60)mm	"	186	186	186	
	8	8 module metal box (Horizontal) =(135x120x60)mm	"	186	186	186	
	9	12 module metal box =(135x120x60)mm	"	238	238	238	
	10	TV socket metal box	"	54	54	54	
	11	Telephone socket metal box	"	54	54	54	
		METAL Junction BOX					
	1	4"x4"	गोटा	103	103	103	
	2	4"x6"	"	155	155	155	
	3	6"x8"	"	244	244	244	
	4	8"x10"	"	359	359	359	
4	5	8"x12"	"	359	359	359	
		PVC Junction Box					
	1	4"x4"	गोटा	35	35	35	
	2	4"x6"	"	32	32	32	
	3	6"x8"	"	47	47	47	
	4	8"x10"	"	69	69	69	
	5	8"x12"	"	133	133	133	
		Junction box cover	"	148	148	148	
		PVC Listy Double Lock { 6'length =1 no.(गोटा)}					
	1	1/2" breadth	गोटा	32	32	32	
5	2	3/4"	"	47	47	47	
	3	1"	"	69	69	69	
	4	1 1/2"	"	133	133	133	
	5	2"	"	148	148	148	
		PVC Conduit Pipe					
	1	1) 1/2" diameter	र.मी	32	32	32	
	2	2) 3/4"	"	47	47	47	
	3	3) 1"	"	69	69	69	
		Listy Pipe Accessories					
	1	1/2"-2" size Saddle	र.मी	8	8	8	
6	2	Grips (Denmark)	गोटा	6	6	6	
	3	Steel screws	गोटा	2	2	2	
	4	PVC Tape	गोटा	15	15	15	
		Distribution board (DB)					
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032, IS8632, Powder coated sheet steel					
	1	4 way SPN DB Double Cover	सेट	1114	1114	1114	
	2	6 way SPN DB " "	"	1169	1169	1169	
	3	8 way SPN DB " "	"	1458	1458	1458	
	4	12 way SPN DB " "	"	1729	1729	1729	
	5	16 way SPN DB " "	"	1849	1849	1849	
7	6	3-4 way TPN DB Double Cover	"	2748	2748	2748	
	7	6 way TPN " " " "	"	3088	3088	3088	
	8	8 way TPN " " " Vertical	"	5973	5973	5973	
	9	12 way TPN " " " Vertical	"	7959	7959	7959	
	10	50 Pair Telephone D.B.with crown tag	"	5609	5609	5609	
		PVC Box for MCB					
	1	1-pole PVC box GPS	सेट	83	83	83	
	2	2- pole PVC " "	"	83	83	83	
	3	3 and 4-pole PVC " "	"	134	134	134	
		Miniature Circuits Breaker (MCB),					
8	1	6-32 amp MCB SP (single pole)	गोटा	212	212	212	
	2	6-32 amp MCB DP (Double pole)	"	1061	1061	1061	
	3	6-32 amp MCB TP (Triple pole)	"	1761	1761	1761	
	4	32 amp MCB TPN	"	2546	2546	2546	
	5	40-63 amp MCB DP	"	1697	1697	1697	
	6	40-63 amp MCB TP	"	2716	2716	2716	
	7	40-63 amp MCB TPN	"	3252	3252	3252	

अ.स. ज.स.

र.स.स. 117/10

अ.स.स. 117/10

भारत रंगी पाण्डे
प्रमुख जिल्ला अभियन्ता



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)			कैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
	10.2	Miniature Circuits Breaker (MCB)				
	1	0.5-5 amp MCB SP (single pole)	गोटा	266	266	266
	2	6-32 amp MCB SP (single pole)	"	170	170	170
	3	6-32 amp MCB DP (Double pole)	"	637	637	637
	4	6-32 amp MCB TP (Triple pole)	"	1273	1273	1273
	5	32 amp MCB TPN	"	1539	1539	1539
	6	40-63 amp MCB DP	"	1008	1008	1008
	7	40-63 amp MCB TP	"	1433	1433	1433
	8	40-63 amp MCB TPN	"	1910	1910	1910
		Residual Current Circuit Breaker (RCCB)				
	1	25A to 40A (30mA,100,300mA) DP RCCB	गोटा	2834	2834	2834
	2	63A 30mA DP RCCB	"	3376	3376	3376
	3	63A 100mA DP RCCB	"	3104	3104	3104
	4	63A 300mA DP RCCB	"	3156	3156	3156
	5	25A to 40A (30mA,100,300mA) FP RCCB	"	3478	3478	3478
	6	63A 30mA Four Pole RCCB	"	3817	3817	3817
	7	63A 100mA Four Pole RCCB	"	3817	3817	3817
	8	63A 300mA Four Pole RCCB	"	3817	3817	3817
		Moulded Case Circuit Breaker				
		16AMP- 63AMP TP MCCB 16KA		5835	5835	5835
		80AMP TP MCCB 16KA		5835	5835	5835
		100AMP TP MCCB 16KA		6578	6578	6578
		125AMP TP MCCB 16KA		8487	8487	8487
		160AMP TP MCCB 16KA		10079	10079	10079
		16AMP- 63AMP TP MCCB 25KA		6578	6578	6578
		80AMP TP MCCB 25KA		7256	7256	7256
		100AMP TP MCCB 25KA		7256	7256	7256
		125AMP TP MCCB 25KA		11670	11670	11670
		160AMP TP MCCB 25KA		13792	13792	13792
		200AMP TP MCCB 25KA(Adjustable)		21748	21748	21748
		200AMP TP MCCB 36KA(Adjustable)		23870	23870	23870
		250AMP TP MCCB 36KA(Adjustable)		28114	28114	28114
		400AMP TP MCCB 50KA(Adjustable)		36601	36601	36601
		630AMP TP MCCB 50KA(Adjustable)		49862	49862	49862
		800AMP TP MCCB 50KA(Adjustable)		65882	65882	65882
	12	Manual Changeover Panel Type				
		63 Amp FP	"	11967	11967	11967
		80 Amp FP	"	13240	13240	13240
		100 Amp FP	"	18756	18756	18756
		125 Amp FP	"	19775	19775	19775
		160 Amp FP	"	25970	25970	25970
		200 Amp FP	"	26819	26819	26819
		250 Amp FP	"	28517	28517	28517
		315 Amp FP	"	36071	36071	36071
	13	Dome light				
	i	6" Milky type decorative dome light	सेट	185	185	185
	ii	6 " Brass base decorative dome light	"	758	758	758
	iii	8"Milky type decorative dome light	"	234	234	234
	iv	8 " Brass base decorative dome light	"	902	902	902
	v	8" Silver cast Milky base Decorative Dome Light	"	1140	1140	1140
	vi	6) 8" Silver cast Black Base base Decorative Dome Light	"	584	584	584
	vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1249	1249	1249
	viii	Wall bracket/spout light/mirror light bulk head ordinary	"	239	239	239
	ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	372	372	372

भक्तपुर जिल्ला प्रमुख

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT माहक (रु.)			कैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	
	x	Wall bracket/spout light/mirror light / bulk head light best quality with 11/13W CFL	849	849	849	
	xi	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete	997	997	997	
	xii	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set	1559	1559	1559	
	xiii	Dining lamp.	1751	1751	1751	
	xiv	Chandlers 6-8 lamp Medium	15543	15543	15543	
	xv	Chandlers 3-5 lamp Medium	11087	11087	11087	
	xvi	Mirror Light Euro Light Wipro WRF21111	478	478	478	
	xvii	Picture light Euro Light POO2	690	690	690	
	xviii	Wall spot Light E27 60W Euro or eqv.	372	372	372	
	xix	Exit Light safety sign(8.24)	849	849	849	
		Post top Lanterns				
	xx	Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	2652	2652	2652	
	xxi	Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	3183	3183	3183	
	xxii	Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	3580	3580	3580	
	xxiii	8" Globe type Post top Lamp complete set	1458	1458	1458	
14.	xxiv	10" Globe type Post top Lamp complete set	2785	2785	2785	
		Roadway light luminaires				
	xxv	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	2716	2716	2716	
	xxvi	2 x 36 W FTL street light fixture with acrylic diffuser complete set	3984	3984	3984	
	xxvii	300/500 watt halogen weather proof <u>FLOOD LIGHT</u> with glass cover Complete set	1591	1591	1591	
	xxviii	1000 watt halogen weather proof flood light with glass cover Complete set	3183	3183	3183	
	xxix	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	9548	9548	9548	
	xxx	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	11723	11723	11723	
	xxvii	Single Piece deep drawn aluminum POT optics <u>road light luminaires</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	5411	5411	5411	
	xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	2339	2339	2339	
	xxix	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	5273	5273	5273	
	xxx	2X60/100W GLS <u>aviation light</u> fixture all complete set	5857	5857	5857	
		CEILING FANS & EXHAUST Fans,				
	a	36" size ceiling Fan	2228	2228	2228	
	b	42" size " "	2334	2334	2334	
	c	48" size " "	2388	2388	2388	
	d	56" size " "	2652	2652	2652	
	e	6" Exhaust Fan	1539	1539	1539	
	f	9" Exhaust Fan	1857	1857	1857	
	g	16" size wall fan	2918	2918	2918	
	h	12" size exhaust fan	2652	2652	2652	
		BELL INDICATOR				
16	a	4 way bell indicator with plate	1293	1293	1293	
	b	6 way " " " "	2110	2110	2110	
	c	8 way " " " "	2937	2937	2937	
	d	12 way " " " "	4527	4527	4527	

149

 भक्तपुर जिल्ला प्रमुख कार्यालय



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT बाहेक (रु.)			कैफियत
				आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	
		Materials For Earthing & Lightning Protection (sp.gr. copper =8930kg/m³)					
	a	Copper plate	के.जी	945	945	945	
	b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1114	1114	1114	
	c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1114	1114	1114	
	d	Copper Strip (12 x 3)mm	के.जी	1114	1114	1114	
	e	Lightning rod copper conductor Air termination set	गोटा	2812	2812	2812	
17	f	8 SWG bare copper wire	र. मी	148	148	148	
	g	29 mm Diameter GI Pipe of 1m length	र. मी	260	260	260	
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	637	637	637	
	i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	202	202	202	
	k	Funnel with wire mesh	गोटा	372	372	372	
	l	Charcoal	प्याग	318	318	318	
	m	Salt	के.जी	12	12	12	
18		STEEL TUBELAR POLE / WOODEN POLE					
		Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
	a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12419	12419	12419	
	b	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	13367	16936	16936	
	c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12859	12859	12859	
	d	7 mtr.length Wooden Pole	No	5146	5146	5146	
	e	9 mtr.length Wooden Pole	No	7002	7002	7002	
19		Modular ceiling Luminaries					
		Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block .					
	a	1x20 watt FTL (Patti fittings)	सेट	478	478	478	
	b	1x40 watt FTL ,Energy saving electronicc striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	798	798	798	
	c	1x20 watt FTL	"	902	902	902	
	d	1x40 watt FTL with attractive & functional decorative battens	"	1051	1051	1051	
	e	1x40 watt FTL box fittings	"	1194	1194	1194	
	f	2x40 watt FTL box fittings	"	1804	1804	1804	
	g	1x40 watt FTL Industrial channel	"	1835	1835	1835	
	h	2x40 watt FTL Industrial channel	"	2356	2356	2356	
	i	1x40 watt FTL, opalite with opal Arcylic dissuser .	"	1910	1910	1910	
	j	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3183	3183	3183	
	k	4x20 watt FTL, oplite WCF 93418	"	5572	5572	5572	
	l	4x20 watt FTL mirror optic, surface/recessed mounting	"	5572	5572	5572	

120

 भारत मण्डल / प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT माहक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	कैफियत
	m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	"	3661	3661	3661	
	n	2x40 watt FTL mirror optic. surface/recessed mounting with electronic choke	"	4456	4456	4456	
	o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set	सेट	9664	9664	9664	
	p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	8492	8492	8492	
	q	Compact Fluorescent Lamp (CFL) based Luminaries set all complete .					
	r	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	"	2758	2758	2758	
	s	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	1888	1888	1888	
	t	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	2334	2334	2334	
	u	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	6249	6249	6249	
	v	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	7029	7029	7029	
	w	Recess mounting Direct Indirect LED luminaire		11139	11139	11139	
	x	Recess mounting Direct Indirect LED luminaire		14482	14482	14482	
	y	Recess Surface mounted LED luminate		13739	13739	13739	
	z	High efficiency circular LED Down Lighter		3342	3342	3342	
	a	Designer LED Streetlight with pressure die cast housing suitable for secondary roads		15038	15038	15038	
	b	IP20 and IP 65 non integral flexible LED Strip Light		1114	1114	1114	
	c	Circular LED wall/Dome Light suitable for true ceiling		3342	3342	3342	
	d	Square LED Wall/Dome light suitable for true ceiling		3342	3342	3342	
	e	Recess mounted indirect and direct luminaires		6313	6313	6313	
		2x36 Watt CFL Surface Mirror Optic		6313	6313	6313	
21	20.1	Down Light Fiam Make					
	1.1	FDLO04 SMD7W-CW		1337	1337	1337	
	1.2	FDLO04 SMD9W-WWH (145*90)		1337	1337	1337	
	1.3	FDLO04 SMD9W-CW		1913	1913	1913	
	1.4	FDLO04 SMD15W-WWH (175*90)		1913	1913	1913	
	1.5	FDLO04 SMD15W-CW		2913	2913	2913	
	1.6	FDLO04 SMD30W-WWH (200MM)		2913	2913	2913	
	1.7	FDLO04 SMD30W-CW		5244	5244	5244	
	1.8	FDLO12 COB5W-WWH (90MM)		5244	5244	5244	
	1.9	FDLO12 COB5W-CW		1340	1340	1340	
	2	FDLO12 COB10W-WWH (120MM)		1340	1340	1340	
	2.1	FDLO12 COB10W-CW		2038	2038	2038	
	2.2	FDLO12 COB15W-WWH (140MM)		2038	2038	2038	
	2.3	FDLO12 COB15W-CW		5244	5244	5244	
	2.4	FDLO12 COB25W-WWH (175MM)		5244	5244	5244	
	2.5	FDLO12 COB25W-CW		6991	6991	6991	
	2.6	FDLO12 COB30W-WWH (200MM)		6991	6991	6991	
	2.7	FDLO12 COB30W-CW		8737	8737	8737	
	2.8	FDLO07 SMD12W-WWH (130*110)		8737	8737	8737	
	2.9	FDLO07 SMD12W-CW		4310	4310	4310	
	3	FDLO07 SMD18W-WWH (165*145)		4310	4310	4310	
	3.1	FDLO07 SMD18W-CW		6291	6291	6291	
	3.2	FDLO07 SMD24W-WWH (195*175)		6291	6291	6291	
	3.3	FDLO07 SMD24W-CW		7864	7864	7864	
	3.4	FDLO01 HP5W FBK-WWH (95*110)		7864	7864	7864	
	3.5	FDLO01 HP5W FBK-CW		3262	3262	3262	
	3.6	FDLO01 HP5W FWH-WWH (80*120)		3262	3262	3262	
	3.7	FDLO01 HP5W FWH-CW		3262	3262	3262	

भरत शर्मा पाण्डे
प्रमुख निर्माण/आधिकारिक



सि.नं	सामान्य सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)			कैफियत
			आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३	
	3.8	FDL005 SMD7W-WWH (123MM)	3262	3262	3262	
	3.9	FDL005 SMD7W-CW	1340	1340	1340	
	4	FDL005 SMD12W-WWH (165MM)	1340	1340	1340	
	4.1	FDL005 SMD12W-CW	1747	1747	1747	
	4.2	FDL005 SMD20W-WWH (200MM)	1747	1747	1747	
	4.3	FDL005 SMD20W-CW Taiwan chip	3204	3204	3204	
	4.4	FM3161 HP 18W-WWH	3204	3204	3204	
	4.5	FM3161 HP 18W-CW	6991	6991	6991	
	4.6	HD-5010-13-WWH (86*75)	6991	6991	6991	
	4.7	HD-5010-13-CW	2157	2157	2157	
	4.8	HD-5010-14-WWH (115*105)	2157	2157	2157	
	4.9	HD-5010-14-CW	3262	3262	3262	
	5	HD-5010-14-WWH (140*125)	3262	3262	3262	
	5.1	HD-5010-14-CW	4078	4078	4078	
	5.2	HD-5010-18-WWH (215*200)	4078	4078	4078	
	5.3	HD-5010-18-CW	8096	8096	8096	
	5.4	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	8096	8096	8096	
	5.5	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W	2525	2525	2525	
	5.6	WHITE OPAL	2525	2525	2525	
	5.7	BLACK OPAL	1857	1857	1857	
	5.8	WHITE OPAL	1857	1857	1857	
	5.9	BLACK OPAL	1857	1857	1857	
	6	WHITE OPAL	1857	1857	1857	
	6.1	BLACK OPAL	2228	2228	2228	
	6.2	WHITE OPAL	2228	2228	2228	
	6.3	BLACK OPAL	2228	2228	2228	
	6.4	WHITE OPAL	2228	2228	2228	
	6.5	BLACK OPAL	2228	2228	2228	
	6.6	BULKHEAD WHITE OPAL	2228	2228	2228	
	6.7	BULKHEAD BLACK OPAL	1857	1857	1857	
	6.8	VE BULKHEAD WHITE OPAL	1857	1857	1857	
	6.9	VE BULKHEAD BLACK OPAL	2600	2600	2600	
	7	HL BULKHEAD WHITE OPAL	1857	1857	1857	
	7.1	HL BULKHEAD BLACK OPAL	1857	1857	1857	
	7.2	WHITE OPAL	1857	1857	1857	
	7.3	BLACK OPAL	2228	2228	2228	
	7.4	VE WHITE OPAL	2228	2228	2228	
	7.5	VE BLACK OPAL	2228	2228	2228	
	7.6	HL WHITE OPAL	2228	2228	2228	
	7.7	HL BLACK OPAL	2228	2228	2228	
	7.8	BLACK OPAL	2228	2228	2228	
	7.9	MINI1L BLACK OPAL	7426	7426	7426	
	8	1L WHITE OPAL	6684	6684	6684	
	8.1	WHITE OPAL E27	6684	6684	6684	
	8.2	BLACK OPAL E27	2971	2971	2971	
	8.3	WHITE OPAL E27	2971	2971	2971	
	8.4	BLACK OPAL E27	2971	2971	2971	
	8.5	WHITE OPAL E27	2971	2971	2971	
	8.6	BLACK OPAL E27	2971	2971	2971	
	8.7	WHITE OPAL E27	2971	2971	2971	
	8.8	BLACK OPAL E27	3342	3342	3342	
	8.9	WHITE OPAL E27	3342	3342	3342	
	9	BLACK OPAL E27	3342	3342	3342	
	9.1	BLACK WITH OPAL DIFFUSER	3342	3342	3342	
	9.2	BLACK W/OPAL DIFFUSER	3713	3713	3713	
	9.3	LANTERN BLACK W/OPAL DIFFUSER	3713	3713	3713	
	9.4	BLACK OPAL GX53 LED LAMP 3W	3342	3342	3342	
	9.5	System Sensor Product	7426	7426	7426	
	1	Photo Electric Smoke Detector	1931	1931	1931	
	2	Rate of Rise Heat Detector	1931	1931	1931	
	3	Fixed temperature Detector	2356	2356	2356	

Handwritten signature and date: 10/05/19

Handwritten signature and date: 10/05/19

भक्तपुर जिल्ला प्रमुख अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT माहक (रु.)			कैफियत
			आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	
	4	Base	382	382	382	
	5	Conv. MCP, Red, with LED, 470 Ohm,	1527	1527	1527	
	6	Wall mount Horn+Strobe	4244	4244	4244	
	7	Ceiling mount Horn+Strobe	4244	4244	4244	
		Exit Light				
	1	MODEL SLM 18	12731	12731	12731	
	2	MODEL ELS 28	12731	12731	12731	
	3	MODEL ETL 210H-4LA	12731	12731	12731	
22		LUMINARIES Accessories				
	a	500 watt halogen rod	गोटा 239	239	239	
	b	1000 watt halogen rod	" 286	286	286	
	c	70Watt SON Lamp (Sodium Vapour)	" 859	859	859	
	d	150 watt sodium vapour bulb	" 1337	1337	1337	
	e	250 watt sodium vapour bulb	" 1751	1751	1751	
	f	20-40 watt FTL rod	" 82	82	82	
	g	20-40 watt FTL Copper chowk.	" 266	266	266	
	h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	" 424	424	424	
	i	Acrylic cover for 4x20 FTL	" 1019	1019	1019	
	j	FTL starter	" 20	20	20	
	k	8 W to 11W, C.F.L.Direct fit	" 239	239	239	
	l	13 to 22W, C.F.L.Direct fit	" 308	308	308	
	m	15-100 watt bulb. (ISI)	गोटा 27	27	27	
	n	PL-S 9W/86 (CFL)	" 170	170	170	
	o	PL-S 11W/86 (CFL)	" 180	180	180	
	p	PL-L 36W/86 (CFL)	" 430	430	430	
	q	125W HPL-N (Mercury Vapour)	" 382	382	382	
	r	250W HPL-N	" 902	902	902	
		Solar LED bulb				
	s	12V/2W LED bulb	372	372	372	
	t	12V/3W LED bulb	424	424	424	
	u	12V/4W LED bulb	478	478	478	
23	22.1	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked				
	1	1/18 size p.v.c. insulated copper wire/ cable	स्वायत 976	976	976	
	2	3/22 " " "	" 1167	1167	1167	
	3	3/20 " " "	" 1857	1857	1857	
	4	7/22 " " "	" 2600	2600	2600	
	5	7/20 " " "	" 4244	4244	4244	
	6	7/18 " " "	" 6684	6684	6684	
	7	7/16 " " "	" 13792	13792	13792	
	8	19/18 " " "	" 18566	18566	18566	
	9	19/16 " " "	" 37132	37132	37132	
	10	2/20 " " "	" 1411	1411	1411	
	11	2/22 " " "	" 955	955	955	
	23.2	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1	1.0 mm PVC insulated Copper wire	स्वायत 1061	1061	1061	
	2	1.5 mm PVC insulated Copper wire	" 1697	1697	1697	
	3	2.5 mm PVC insulated Copper wire	" 2494	2494	2494	
	4	4.0 mm PVC insulated Copper wire	" 4031	4031	4031	
	5	6.0 mm PVC insulated Copper wire	" 6365	6365	6365	
	6	10.0mm PVC insulated Copper wire	" 10609	10609	10609	
24		Concentric cable NS marked Eqv.				
	1	4mm size concentric cable	र.मी 24	24	24	
	2	6mm size " "	र.मी 27	27	27	
	3	10mm size concentric cable	र.मी 40	40	40	
	4	16mm size " "	र.मी 69	69	69	
	5	25mm size " "	र.मी 92	92	92	
	6	RG6 Coaxial cable	र.मी 24	24	24	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

भक्तपुर जिल्ला प्रमुख
प्रमुख जिल्ला अधिकारी

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	यु.अ.क. -VAT बाहेक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	कैफियत
		7 RG59 Coaxial cable	र.मी	27	27	27	
		8 UTP cat -5 networking cable	र.मी	27	27	27	
25		Telephone Drop wire/pair cable NS marked Eqv.					
	1	2/20 Telephone drop wire	स्वायत	1019	1019	1019	
	2	2/22 - - -	स्वायत	690	690	690	
	3	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14	14	14	
	4	3- pair cable wire (3×2×0.45) mm Heavy	"	21	21	21	
	5	5- pair cable wire (5×2×0.45) mm Heavy	"	33	33	33	
	6	10- pair cable wire (10×2×0.45) mm Heavy	"	64	64	64	
	7	15- pair cable wire (15×2×0.45) mm Heavy	"	94	94	94	
	8	20- pair cable wire (20×2×0.45) mm Heavy	"	123	123	123	
	9	1mm drop wire	"	10	10	10	
	10	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand	सेट	7877	7877	7877	
	11	2-6 Line EPABX	"	18963	18963	18963	
	12	3-8 Line EPABX	"	21154	21154	21154	
	13	4-12 Line EPABX	"	37928	37928	37928	
	14	6-16 Line EPABX	"	51056	51056	51056	
	15	8-24 Line EPABX	"	87524	87524	87524	
	16	8-48 Line EPABX	"	93651	93651	93651	
	17	8-72 Line EPABX	"	100207	100207	100207	
		Other Accessories					
	1	6" size Dome light glass	गोटा	67	67	67	
	2	8" size " " "	"	78	78	78	
	3	wall bracket glass	"	67	67	67	
	4	Fan regulator	"	279	279	279	
26		Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .)					
	a	60/75/100 AMP, 9"×36"×48" size	सेट	22056	22056	22056	
	b	60/75/100 AMP "12×36"×48" size	"	26258	26258	26258	
	c	60/75/100 AMP 9"×48"×60" size	"	36761	36761	36761	
	d	60/75/100 AMP 12"×49"×60" size	"	43763	43763	43763	
	e	150/200 AMP 9"×38"×52" size	"	24507	24507	24507	
	f	150/200 AMP 12"×38"×52" size	"	24507	24507	24507	
	g	150/200 AMP 9"×42"×56" size	"	27291	27291	27291	
	h	150/200 AMP 12"×42"×56" size	"	29024	29024	29024	
	i	250/300AMP 12"×48"×60" size	"	35540	35540	35540	
	j	250/300AMP 12"×52"×62" size	"	39785	39785	39785	
	k	400 AMP 12"×52"×66" size	"	42352	42352	42352	
27		Panel Board measurement instrument					
	a	0-500 volt meter	पिस	1054	1054	1054	
	b	60/100 Amp meter .	"	1008	1008	1008	
	c	Panel Indicator	"	244	244	244	
	d	2 Amp glass fuse with holder 12 mm size	"	138	138	138	
	e	AMP meter selector switch	"	668	668	668	
	f	volt meter selector switch	"	732	732	732	
	g	60/100 Amp C.T. coil per set 3 Pcs	"	1475	1475	1475	
	h	150-200AMP C.T coil. 3 PC / Set	गोटा	1835	1835	1835	
	i	250-300 AMP " "	"	2494	2494	2494	
	j	400/500/600AMP " "	"	3661	3661	3661	
	k	Kilo watt hour energy meter single phase	पिस	2339	2339	2339	
	l	Kilo watt hour energy meter 3 phase direct	"	10535	10535	10535	
28		Trailing Protected Industrial Plug IP44					

124

for

124

124

124

महानगरपालिका
सुदूरपश्चिम प्रदेश



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मू.अ.क. -VAT माहक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	कैफियत
29	a	16A 3P+E 400V Industrial plug	सेट	557	557	557	
	b	32 A 3p +N+E " Plug	सेट	827	827	827	
	c	32 A 3P+N+E water tight Plug IP67	सेट	1591	1591	1591	
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	21218	21218	21218	
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	14322	14322	14322	
30		CABLE SHOE					
	a	16 sq.mm cable shoe	गोटा	66	66	66	
	b	25 sq.mm " "	"	85	85	85	
	c	35 sq.mm " "	"	66	66	66	
	d	50 sq.mm " "	"	77	77	77	
	e	70 sq.mm " "	"	95	95	95	
	f	95 sq.mm " "	"	147	147	147	
	g	150 sq.mm " "	"	221	221	221	
	h	195 sq.mm " "	"	314	314	314	
	i	250 sq.mm " "	"	500	500	500	
31		Copper Conductor Armoured Power Cables NS marked or eqv.					
		a) 2 Core					
	1	1.5 mm2	र.मी	106	106	106	
	2	2.5 mm2	"	143	143	143	
	3	4.0 mm2	"	197	197	197	
	4	6.0 mm2	"	254	254	254	
	5	10.0 mm2	"	382	382	382	
	6	16.0 mm2	"	509	509	509	
	7	25.0 mm2	"	743	743	743	
	8	35.0 mm2	"	987	987	987	
	9	50.0 mm2	"	1379	1379	1379	
		b) 3 Core					
	1	1.5 mm2	"	133	133	133	
	2	2.5 mm2	"	185	185	185	
	3	4.0 mm2	"	266	266	266	
	4	6.0 mm2	"	340	340	340	
	5	10.0 mm2	"	509	509	509	
	6	16.0 mm2	"	711	711	711	
	7	25.0 mm2	"	1083	1083	1083	
	8	35.0 mm2	"	1433	1433	1433	
	9	50.0 mm2 Copper Conductor Armoured	"	1963	1963	1963	
	10	70.0 mm2	"	2758	2758	2758	
	11	95.0 mm2	"	3713	3713	3713	
	12	120.0 mm2	"	4668	4668	4668	
	13	150.0 mm2	"	5729	5729	5729	
		c) 3.5 Core					
	1	25.0 mm2	र.मी	1295	1295	1295	
	2	35.0 mm2	"	1645	1645	1645	
	3	50.0 mm2	"	2312	2312	2312	
	4	70.0 mm2	"	3183	3183	3183	
	5	95.0 mm2	"	4244	4244	4244	
	6	120.0 mm2	"	5570	5570	5570	
	7	150.0 mm2	"	6578	6578	6578	
	8	185.0 mm2	"	8169	8169	8169	
	9	240.0 mm2	"	10715	10715	10715	
	10	300.0 mm2	"	13580	13580	13580	
	11	400.0 mm2	"	17823	17823	17823	
		d) 4 Core					

Signature

Signature

Signature

Signature

भारत मण्डल प्रमुख
प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	कीफियत
	1	1.5 mm ²	र.मी	160	160	160	
	2	2.5 mm ²	"	228	228	228	
	3	4.0 mm ²	"	329	329	329	
	4	6.0 mm ²	"	424	424	424	
	5	10.0 mm ²	"	637	637	637	
	6	16.0 mm ²	"	928	928	928	
	7	25.0 mm ²	"	1379	1379	1379	
	8	35.0 mm ²	"	1857	1857	1857	
	9	50.0 mm ²	"	2652	2652	2652	
	10	70.0 mm ²	"	3607	3607	3607	
	11	95.0 mm ² Copper Conductor Armoured	"	4880	4880	4880	
	12	120.0 mm ²	"	6153	6153	6153	
	13	150.0 mm ²	"	7638	7638	7638	
	14	185.0 mm ²	"	9336	9336	9336	
	15	240.0 mm ²	"	12731	12731	12731	
	16	300.0 mm ²	"	15277	15277	15277	
	17	400.0 mm ²	"	20688	20688	20688	
32		Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
		a) 1-core					
	1	10 sq. mm.	र.मी	44	44	44	
	2	16 sq. mm.	"	67	67	67	
	3	25 sq. mm.	"	78	78	78	
	4	35 sq. mm.	"	94	94	94	
	5	50 sq. mm.	"	125	125	125	
	6	70 sq. mm.	"	163	163	163	
	7	95 sq. mm.	"	220	220	220	
	8	120 sq. mm.	"	268	268	268	
	9	150 sq. mm.	"	317	317	317	
		b) 2- core					
	1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	74	74	74	
	2	2.5 sq.mm	"	106	106	106	
	3	4 sq.mm	"	148	148	148	
	4	6 sq.mm	"	202	202	202	
	5	10 sq.mm	"	318	318	318	
	6	16 sq.mm	"	440	440	440	
	7	25 sq.mm	"	679	679	679	
	8	35 sq.mm	"	923	923	923	
	9	50 sq.mm	"	1273	1273	1273	
	10	70 sq.mm	"	1273	1273	1273	
	11	95 sq.mm	"	2388	2388	2388	
	12	120 sq.mm	"	3130	3130	3130	
	13	150 sq.mm	"	3925	3925	3925	
		c) 3-core					
	1	1.5 sq.mm. 3- core copper conductor	र.मी	96	96	96	
	2	2.5 sq.mm	"	138	138	138	
	3	4 sq.mm	"	202	202	202	
	4	6 sq.mm	"	286	286	286	
	5	10 sq.mm	"	451	451	451	
	6	16 sq.mm	"	658	658	658	
	7	25 sq.mm	"	1008	1008	1008	
	8	35 sq.mm	"	1358	1358	1358	
	9	50 sq.mm	"	1910	1910	1910	
	10	70 sq.mm	"	2652	2652	2652	
	11	95 sq.mm	"	3607	3607	3607	
	12	120 sq.mm	"	4562	4562	4562	
	13	150 sq.mm	र.मी	5623	5623	5623	
		d) 3.5 core					
	1	25 sq.mm	र.मी	1241	1241	1241	
	2	35 sq.mm Copper Conductor Unarmoured	"	1591	1591	1591	

भारत मन्त्रालय
 प्रमुख जिल्ला अधिकारी



नेपाल सरकार
भक्तपुर जिल्ला

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मू.अ.क. -VAT बाहेक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	कैफियत
	3	50 sq.mm	"	2228	2228	2228	
	4	70 sq.mm	"	3103	3103	3103	
	5	95 sq.mm	"	4191	4191	4191	
	6	120 sq.mm	"	5517	5517	5517	
	7	150 sq.mm	"	6525	6525	6525	
		e) 4-core Copper Conductor Unarmoured					
	1	1.5 sq.mm	र.मी	116	116	116	
	2	2.5 sq.mm	"	175	175	175	
	3	4 sq.mm	"	260	260	260	
	4	6 sq.mm	"	361	361	361	
	5	10 sq.mm	"	573	573	573	
	6	16 sq.mm	"	870	870	870	
	7	25 sq.mm	"	1358	1358	1358	
	8	35 sq.mm	"	1825	1825	1825	
	9	50 sq.mm	"	2546	2546	2546	
	10	70 sq.mm	"	3555	3555	3555	
	11	95 sq.mm	"	4828	4828	4828	
	12	120 sq.mm	"	6101	6101	6101	
	13	150 sq.mm	"	7586	7586	7586	
	14	185 sq.mm	"	9336	9336	9336	
	15	240 Sq. mm	"	12625	12625	12625	
	16	300 Sq. mm	"	15277	15277	15277	
	17	400 Sq. mm	"	20688	20688	20688	
	33	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
		a) 2-core					
	1	1.5 sq.mm	र.मी				
	2	2.5 sq.mm	र.मी	96	96	96	
	3	4 sq.mm	"	122	122	122	
	4	6 sq.mm	"	138	138	138	
	5	10 sq.mm	"	165	165	165	
	6	16 sq.mm	"	185	185	185	
	7	25 sq.mm	"	222	222	222	
	8	35 sq.mm	"	254	254	254	
	9	50 sq.mm	"	329	329	329	
	10	70 sq.mm	"	409	409	409	
	11	95 sq.mm	"	520	520	520	
		b) 3-core					
	1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	111	111	111	
	2	4 sq.mm	"	138	138	138	
	3	6 sq.mm	"	153	153	153	
	4	10 sq.mm	"	185	185	185	
	5	16 sq.mm	"	212	212	212	
	6	25 sq.mm Aluminum conductor Armoured	"	286	286	286	
	7	35 sq.mm	"	345	345	345	
	8	50 sq.mm	"	440	440	440	
	9	70 sq.mm	"	557	557	557	
	10	95 sq.mm	"	509	509	509	
	11	120 sq.mm	"	859	859	859	
	12	150 sq.mm	"	1034	1034	1034	
	13	185 sq.mm	"	1273	1273	1273	
	14	240 sq.mm	"	1559	1559	1559	
	15	300 sq.mm	"	1910	1910	1910	

for 2082/83
127
भक्तपुर जिल्ला प्रमुख जिल्ला अधिकारी





सि.नं	वि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (र.)	आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३	वैकल्पिक
16		400 sq.mm		2388	2388	2388	
		c) 3.5 core					
1		25 sq.mm.	र.मी	329	329	329	
2		35 sq.mm	"	382	382	382	
3		50 sq.mm	"	504	504	504	
4		70 sq.mm	"	647	647	647	
5		95 sq.mm	"	827	827	827	
6		120 sq.mm Aluminum conductor Armoured	"	1008	1008	1008	
7		150 sq.mm	र.मी	1209	1209	1209	
8		185 sq.mm	"	1464	1464	1464	
9		240 sq.mm	"	1825	1825	1825	
10		300 sq.mm	"	2281	2281	2281	
11		400 sq.mm	"	2864	2864	2864	
		d) 4-core					
1		2.5 sq.mm	र.मी	128	128	128	
2		4 sq.mm	"	160	160	160	
3		6 sq.mm	"	185	185	185	
4		10 sq.mm	"	202	202	202	
5		16 sq.mm	"	260	260	260	
6		25 sq.mm	"	350	350	350	
7		35 sq.mm	"	414	414	414	
8		50 sq.mm	"	564	564	564	
9		70 sq.mm	"	721	721	721	
10		95 sq.mm	"	928	928	928	
11		120 sq.mm	"	1114	1114	1114	
12		150 sq.mm	"	1411	1411	1411	
13		185 sq.mm	"	1676	1676	1676	
14		240sq.mm	"	2100	2100	2100	
15		300 sq.mm Aluminum conductor Armoured	"	2600	2600	2600	
16		400sq.mm	"	3289	3289	3289	
34		Aluminium conductor unarmoured (power) cable NS marked or eqv.					
		a) 1-core					
1		16 sq.mm	र.मी	54	54	54	
2		25 sq.mm	"	74	74	74	
3		35 sq.mm	"	91	91	91	
4		50 sq.mm	"	116	116	116	
5		70 sq.mm	"	148	148	148	
6		95 sq.mm	"	202	202	202	
7		120 sq.mm	"	244	244	244	
8		150 sq.mm	"	403	403	403	
9		185 sq.mm	"	372	372	372	
10		240 sq.mm	"	456	456	456	
11		300 sq.mm	"	552	552	552	
		b) 2-core Aluminium conductor unarmoured					
1		2.5 sq.mm	र.मी	54	54	54	
2		4 sq.mm	"	64	64	64	
3		6 sq.mm	र.मी	79	79	79	
4		10 sq.mm	"	101	101	101	
5		16 sq.mm	"	106	106	106	
6		25 sq.mm	"	148	148	148	
7		35 sq.mm	"	191	191	191	
8		50 sq.mm	"	244	244	244	
9		70 sq.mm	"	308	308	308	
10		95 sq.mm 2 core	"	414	414	414	
		c) 3-core					
1		2.5 sq.mm	र.मी	64	64	64	
2		4 sq.mm	"	74	74	74	
3		6 sq.mm	"	91	91	91	
4		10 sq.mm	"	128	128	128	

भारत सम्पत्ति पाण्डे

 प्रमुख/जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)			कैफियत
			२०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३	
	5	16 sq.mm	148	148	148	
	6	25 sq.mm	212	212	212	
	7	35 sq.mm	266	266	266	
	8	50 sq.mm	350	350	350	
	9	70 sq.mm	467	467	467	
	10	95 sq.mm	615	615	615	
	11	120 sq.mm	764	764	764	
	12	150 sq.mm	913	913	913	
	13	185 sq.mm	1145	1145	1145	
	14	240 sq.mm	1421	1421	1421	
	15	300 sq.mm Aluminium conductor unarmoured	1804	1804	1804	
		d) 3.5-core				
	1	25 sq.mm	266	266	266	
	2	35 sq.mm	318	318	318	
	3	50 sq.mm	424	424	424	
	4	70 sq.mm	584	584	584	
	5	95 sq.mm	764	764	764	
	6	120 sq.mm	955	955	955	
	7	150 sq.mm	1145	1145	1145	
	8	185 sq.mm	1433	1433	1433	
	9	240 sq.mm	1804	1804	1804	
	10	300 sq.mm	2228	2228	2228	
		e) 4-core core aluminium unarmoured				
	1	2.5 sq.mm	74	74	74	
	2	4 sq.mm	84	84	84	
	3	6 sq.mm	101	101	101	
	4	10 sq.mm	138	138	138	
	5	16 sq.mm	202	202	202	
	6	25 sq.mm	297	297	297	
	7	35 sq.mm	361	361	361	
	8	50 sq.mm	499	499	499	
	9	70 sq.mm 4	658	658	658	
	10	95 sq.mm	870	870	870	
	11	120 sq.mm	1061	1061	1061	
	12	150 sq.mm	1327	1327	1327	
	13	185 sq.mm	1645	1645	1645	
	14	240 sq.mm	2069	2069	2069	
	15	300 sq.mm	2546	2546	2546	









 मरत मणी पाण्डे
 प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (र.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	कैफियत
35		General Lightig					
i		1 x 40 W FTL Patti fitting	सेट	260	260	260	
ii		1 x 20 W FTL Patti fitting	सेट	239	239	239	
iii		1 x 40 W FTL Box Fitting	सेट	440	440	440	
iv		1 x 20 W FTL Box fitting	सेट	430	430	430	
v		9/11W Mini mirror light with electronic Blast		366	366	366	
		suitable for PL lamp	सेट				
36		PVC Conduit					
		RK Range					
1		16 mm medium rigid conduit DX 25 316	Mtr.	91	91	91	
2		20 mm medium rigid conduit DX 25 320	"	128	128	128	
3		25 mm medium rigid conduit DX 25 325	"	180	180	180	
4		32 mm medium rigid conduit DX 25 332	"	260	260	260	
5		40 mm medium rigid conduit DX 25 340	"	355	355	355	
6		50 mm medium rigid conduit DX 25 350	"	546	546	546	
7		63 mm medium rigid conduit DX 25 363	"	1029	1029	1029	
8		16 mm heavy rigid conduit DX 25 716	"	170	170	170	
9		20 mm heavy rigid conduit DX 25 720	"	222	222	222	
10		25 mm heavy rigid conduit DX 25 725	"	297	297	297	
11		32 mm heavy rigid conduit DX 25 732	"	446	446	446	
12		40 mm heavy rigid conduit DX 25 740	"	605	605	605	
13		50 mm heavy rigid conduit DX 25 750	"	817	817	817	
14		63 mm heavy rigid conduit DX 25 763	"	1533	1533	1533	
15		16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	202	202	202	
16		20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	254	254	254	
17		25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	387	387	387	
18		32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	642	642	642	
19		40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	769	769	769	
20		50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	992	992	992	
21		63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1236	1236	1236	
22		16 mm shockproof polymer saddle collar clip GW 50 605	"	32	32	32	
23		20 mm shockproof polymer saddle collar clip GW 50 606	"	37	37	37	
24		25 mm shockproof polymer saddle collar clip GW 50 607	"	42	42	42	
25		32 mm shockproof polymer saddle collar clip GW 50 608	"	64	64	64	
26		40 mm shockproof polymer saddle collar clip GW 50 630	"	101	101	101	
27		50 mm shockproof polymer saddle collar clip GW 50 631	"	122	122	122	
28		16 mm conduit coupler DX 40 016	"	37	37	37	
29		20 mm conduit coupler DX 40 020	"	47	47	47	
30		25 mm conduit coupler DX 40 025	"	59	59	59	
31		32 mm conduit coupler DX 40 032	"	106	106	106	
32		40 mm conduit coupler DX 40 040	"	143	143	143	
33		50 mm conduit coupler DX 40 050	"	249	249	249	
34		63 mm conduit coupler DX 40 063	"	472	472	472	
35		16 mm tight bend DX 40 116	"	59	59	59	
36		20 mm tight bend DX 40 120	"	84	84	84	
37		25 mm tight bend DX 40 125	"	133	133	133	
38		32 mm tight bend DX 40 132	"	244	244	244	
39		40 mm tight bend DX 40 140	"	345	345	345	
40		50 mm tight bend DX 40 150	"	621	621	621	
41		63 mm tight bend DX 40 163	"	2430	2430	2430	
42		4 way junction box DX 45 004	"	690	690	690	
43		7 way junction box DX 45 007	"	827	827	827	
44		10 way junction box DX 45 010	"	1051	1051	1051	



भक्तपुर जिल्ला प्रमुख



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व. २०८२/०८३	कैफियत
45		Closing cap for junction box DX 47 000		122	122	122	
46		16 mm inspectionable T bend DX 40216		122	122	122	
47		20 mm inspectionable T bend DX 40220		153	153	153	
48		25 mm inspectionable T bend DX 40225		202	202	202	
49		32 mm inspectionable T bend DX 40232		244	244	244	
50		16 mm inspectionable bend DX 40 316		101	101	101	
51		20 mm inspectionable bend DX 40 320		122	122	122	
52		25 mm inspectionable bend DX 40 325		160	160	160	
53		32 mm inspectionable bend DX 40 332		191	191	191	
37		Cable Tray with Cover and Accessories					
1		65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	844	844	844	
2		95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	1002	1002	1002	
3		125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1209	1209	1209	
4		155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1358	1358	1358	
5		185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1586	1586	1586	
6		215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1761	1761	1761	
7		245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2201	2201	2201	
8		305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2588	2588	2588	
9		365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3183	3183	3183	
10		395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3379	3379	3379	
11		65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	1014	1014	1014	
12		95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1214	1214	1214	
13		125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1337	1337	1337	
14		155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1512	1512	1512	
15		185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1713	1713	1713	
16		215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1915	1915	1915	
17		245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2344	2344	2344	
18		305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2737	2737	2737	
19		365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3560	3560	3560	
20		395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3861	3861	3861	
21		515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4722	4722	4722	
22		95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1352	1352	1352	
23		215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2186	2186	2186	
24		305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2864	2864	2864	
25		395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3968	3968	3968	
26		515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4981	4981	4981	
27		605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5612	5612	5612	
28		125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1539	1539	1539	
29		215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2339	2339	2339	
30		305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2971	2971	2971	

[Handwritten signature]

[Handwritten signature]

भरत मण्डल पाण्डे
प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मू.अ.क. -VAT बाहेक (रु.)	आ.व २०८०/०८१	आ.व २०८१/०८२	आ.व २०८२/०८३	कैफियत
	31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4276	4276	4276	
	32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5166	5166	5166	
	38	Intrusion Detection System Make Honeywell or equivalent					
		Main Controller					
	i	CONTROL, FIRE/BURG Smoke & Heat Detector	सेट	40017	40017	40017	
	ii	Wireless Smoke and Head Detector	सेट	10861	10861	10861	
		Door Contact					
	iii	Wireless Door Contact with transmitter	सेट	2758	2758	2758	
		Motion Detector					
	iv	Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4303	4303	4303	
		Panic Switch					
	v	Wireless Panic Transmitter	सेट	5069	5069	5069	
		Key					
	vi	Wireless Key to Arm and Disarm the System	सेट	4923	4923	4923	
		Window Contact					
	vii	Wired door Contact with transmitter slim	सेट	2896	2896	2896	
		Earth Quake Detector					
		Quake Alarm	पिस	3709	3709	3709	
		Automatic Motor Operator for water motor					
	i	Upto 1/2 HP single phase motor	सेट	4244	4244	4244	
	ii	Upto 1 HP single phase motor	सेट	5835	5835	5835	
	iii	Upto 5 HP three phase motor	सेट	9548	9548	9548	
	39	Electrical Equipments					
	i	Earthing Materials (ISI or other International Standard)					
	a	6 mm thick 600mmx 600 mm G.I. Plate	No.	2914	2914	2914	
	c	Funneling Mechanism with cover (mild steel)	set	637	637	637	
	d	3.2 mm thick 600mmx 600 mm Copper Plate	No.	9803	9803	9803	
	e	Copper wire (10 SWG)	Mtr.	160	160	160	
	ii	Service wire (Al)	Mtr.	19	19	19	
	a.	2.5 mm ²	"	23	23	23	
	b.	4.0 mm ²	"	29	29	29	
	c.	6.0 mm ²	"				
	iii	Lightening Arrestor for 3 Phase .					
	a.	0.5 KV	Set	1273	1273	1273	
	b.	11 KV	Set	4456	4456	4456	
	c.	Cross Arms V Channel.	No	3183	3183	3183	
	iv	Stay set with accessories.					
	a.	GI wire	No	1217	1217	1217	
	b.	GI Plate	"	1221	1221	1221	
	c.	Gay Insulator.	"	58	58	58	
	d	Elbow	"	106	106	106	
	e	Rod , Nut	No	458	458	458	
	f	Grip	"	50	50	50	
	v	Overhead Insulators (0.4KV)					
	a.	Sackle Insulator					
	b.	D-Iron	No	32	32	32	
	c.	Nut Bolt (3" with 8 mm Ø)	"	96	96	96	
	d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	15	15	15	
	vi	Overhead Insulators with fixing accessories (11KV)	"	24	24	24	
	a.	Pin Insulator					
	b.	Disc Insulator	No	191	191	191	
	c.	Cross Arms V Channel.	"	1019	1019	1019	
	vii	Sqarrel ACSR conductor 20mm ²	"	2801	2801	2801	
	viii	weasel ACSR conductor 30 mm ²	Rm.	18	18	18	
	ix	Rabbit ACSR conductor 50 mm ²	"	26	26	26	

[Handwritten signatures and marks]

[Handwritten signatures and marks]

भरत/सुप्रीम/मण्डे
प्रमुख जिल्ला अधिकारी



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT बाहेक (रु.)	आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३	कैफियत
x		Dog ACSR conductor 100 mm ²	"	42	42	42	
xi		Supply of aluminium ABC cable	"	84	84	84	
		25mm square 4 core ABC cable					
		50 mm square 4 core ABC cable	Rm.	160	160	160	
		95 mm square 4 core ABC cable	"	266	266	266	
xii		Alternator 3 Phase Brush less with compounded Excitation. (KEL)	"	520	520	520	
40	C	AMF with ATS panel					
	i	5KVA AMF with ATS panel	set	23340	23340	23340	
	ii	7.5KVA AMF with ATS panel	"	29705	29705	29705	
	iii	10KVA AMF with ATS panel	"	37132	37132	37132	
	iv	15KVA AMF with ATS panel	"	47741	47741	47741	
	v	20KVA AMF with ATS panel	"	68959	68959	68959	
	vi	25KVA AMF with ATS panel	"	79568	79568	79568	
	vii	30KVA AMF with ATS panel	"	95481	95481	95481	
41		MCB/ISOLATOR					
		B CURVE MCB SP 6A-32A					
		B CURVE MCB SP 40A	pole	246	246	246	
		B CURVE MCB SP 50A-63A	pole	289	289	289	
		C CURVE MCB SP 0.5-4A	pole	289	289	289	
		C CURVE MCB SP 6-32A	pole	289	289	289	
		C CURVE MCB SP 40A	pole	246	246	246	
		C CURVE MCB SP 50-63A	pole	459	459	459	
		C CURVE MCB SPN 0.5-4A	pole	459	459	459	
		C CURVE MCB SPN 6-32A	pole	493	493	493	
		C CURVE MCB SPN 40A	pole	528	528	528	
		C CURVE MCB SPN 50-63A	pole	578	578	578	
		C CURVE MCB DP 0.5-4A	pole	578	578	578	
		C CURVE MCB DP 6-32A	pole	636	636	636	
		C CURVE MCB DP 40A	pole	581	581	581	
		C CURVE MCB DP 50-63A	pole	636	636	636	
		C CURVE MCB TP 0.5-4A	pole	636	636	636	
		C CURVE MCB TP 6-32A	pole	953	953	953	
		C CURVE MCB TP 40A	pole	872	872	872	
		C CURVE MCB TP 50-63A	pole	953	953	953	
		C CURVE MCB TPN 0.5-4A	pole	953	953	953	
		C CURVE MCB TPN 6-32A	pole	1242	1242	1242	
		C CURVE MCB TPN 40A	pole	1136	1136	1136	
		C CURVE MCB TPN 50-63A	pole	1242	1242	1242	
		C CURVE MCB FP 0.5-4A	pole	1242	1242	1242	
		C CURVE MCB FP 6-32A	pole	1329	1329	1329	
		C CURVE MCB FP 40A	pole	1215	1215	1215	
		C CURVE MCB FP 50-63A	pole	1329	1329	1329	
		ISOLATOR DP 40A	pole	1329	1329	1329	
		ISOLATOR DP 63A	pole	568	568	568	
		ISOLATOR DP 80-100A	pole	568	568	568	
		ISOLATOR DP 125A	pole	593	593	593	
		ISOLATOR FP 40A	pole	629	629	629	
		ISOLATOR FP 63A	pole	929	929	929	
		ISOLATOR FP 80-100A	pole	929	929	929	
		ISOLATOR FP 125A	pole	1028	1028	1028	
		RCCB DP 25A 30mA	pole	1028	1028	1028	
		RCCB DP 40A 30mA	pole	3653	3653	3653	
		RCCB DP 63A 30mA	pole	3653	3653	3653	
		RCCB DP 25A 100mA	pole	3653	3653	3653	
		RCCB DP 40A 100mA	pole	3445	3445	3445	
		RCCB DP 63A 100mA	pole	3445	3445	3445	
		RCCB DP 25A 300mA	pole	3445	3445	3445	
		RCCB DP 40A 300mA	pole	3445	3445	3445	
		RCCB DP 63A 300mA	pole	3445	3445	3445	
		RCCB FP 25A 30mA	pole	3445	3445	3445	

133

 भारत मणी पाण्डे

 प्रमुख जिल्ला अधिकारी