

ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामग्रीहरुको
स्वीकृत जिल्ला दररेट



आ.व. २०८२/०८३



जिल्ला दररेट निर्धारण समिति

ललितपुर

२०८२ चामाङ ३२

आज मिति २०८२।३।३२ गते दिनको १:०० बजे जिल्ला प्रशासन कार्यालय, ललितपुरमा आ.व. २०८२।०८३ को ललितपुर जिल्लाको जिल्ला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री रमेश ढकालको अध्यक्षतामा तपशिल बमोजिमको उपस्थितिमा बसी तपशिल बमोजिमको निर्णय गरियो।

उपस्थिति

- १) प्रमुख जिल्ला अधिकारी, श्री रमेश ढकाल, जिल्ला प्रशासन कार्यालय, ललितपुर अध्यक्ष
- २) वि.स.स. सदस्य, श्री दिनेश घोरसाइने, जिल्ला समन्वय समिति, ललितपुर सदस्य
- ३) जिल्ला समन्वय अधिकारी, श्री हरि नारायण बेल्वासे, जिल्ला समन्वय समिति, काठमाडौं सदस्य
- ४) प्रमुख कोष निबन्धक, श्री युवराज आचार्य, कोष तथा लेखा निबन्धक कार्यालय, ललितपुर सदस्य
- ५) प्रतिनिधि श्री पञ्चराम महर्जन, निर्माण व्यवसायी संघ, ललितपुर, सदस्य
- ६) कार्यालय प्रमुख श्री रानु श्रेष्ठ, पूर्वाधार विकास कार्यालय, ललितपुर सदस्य-सचिव

आमन्त्रित

- १) सहायक प्रमुख जिल्ला अधिकारी श्री गीता घिमिरे, जिल्ला प्रशासन कार्यालय, ललितपुर
- २) सि.डि.ई. श्री अनिल प्रसाद केसी, खानेपानी तथा सफाई विभिजन कार्यालय, भक्तपुर
- ३) इन्जिनियर श्री निता कुमारी इसर, जिल्ला समन्वय समिति, ललितपुर, सदस्य
- ४) इन्जिनियर श्री पुरुषोत्तम महर्जन, पूर्वाधार विकास कार्यालय, ललितपुर
- ५) इन्जिनियर श्री रविन खाती, पूर्वाधार विकास कार्यालय, ललितपुर
- ६) इन्जिनियर श्री ब्रिज कर्की, सहरी विकास तथा भवन कार्यालय, काठमाण्डौ
- ७) इलेक्ट्रिकल एण्ड इलेक्ट्रोनिक्स इन्जिनियर श्री प्रतिक श्रेष्ठ
- ८) श्री प्रमोद लामिछाने, नेपाल राष्ट्रिय निर्माण व्यवसायी महासङ्घ, काठमाण्डौ
- ९) श्री भगिरथ तिमल्सिना, निर्माण व्यवसायी संघ, ललितपुर
- १०) श्री गिता शाही, निर्माण व्यवसायी महासंघ, काठमाण्डौ

निर्णयहरू:

आर्थिक वर्ष ०८२।८३ को लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि जिल्ला दररेट निर्धारण समितिबाट जिल्ला स्थित सबै सरोकारवालाहरू, विषयगत कार्यालयहरूसँग समन्वयमा तयार गरी पेश हुन आएको कामदारहरूको ज्यालादर, ढुवानी दर, Civil Works, Sanitary Works, Electrical works सम्बन्धी प्रतिवेदन बैठकमा छलफल भयो। उक्त कार्यको लागि बजार सर्वेक्षण, चालु आ.व. को दररेट, नेपाल राष्ट्र बैंकको Index तथा सरोकारवाला निकायहरूको सुझावलाई समेत आधार मानी देहाय बमोजिम दररेट निर्धारण गर्ने निर्णय गरियो।

निर्णय नं. १:

कामदारको ज्याला दर र ढुवानी दर निर्धारण गर्ने।

निर्णय नं. २:

घर र जग्गा भाडा दररेट पुस्तिकामा उल्लेख गरिएको।

निर्णय नं. ३:

सिभिल कार्य सम्बन्धी दर रेट निर्धारण गर्ने।

निर्णय नं. ४:

ईलेक्ट्रिकल कार्यको दर रेट निर्धारण गर्ने।

निर्णय नं. ५:

स्यानिटरी कार्य सम्बन्धीको दर रेट निर्धारण गर्ने।

निर्णय नं. ६:

मेशिन, औजार तथा उपकरणहरूको भाडा दर सम्बन्धमा मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिका दर सडक विभागबाट कायम गरिएको भाडा दर अनुसार नै कायम गर्ने निर्णय गरियो।



निर्णय नं. ७:

नगरपालिकाको बजार क्षेत्र बाहेकका दुर्गम स्थानहरूमा नियमानुसार ढुवानी थप गरि दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ८:

स्थानीय निर्माण सामग्री उपलब्ध हुने खानी क्षेत्र आसपासका महानगरपालिका/नगरपालिका/गाउँपालिका क्षेत्रमा निर्माण कार्य गराउनु पर्ने अवस्थामा सम्बन्धित खानीबाट दररेट लिई खानी देखि निर्माण स्थल सम्मको दुरी (Lead) समावेश गरी दर विश्लेषण गरी जिल्ला दररेट भन्दा बढी नहुने गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ९:

यस जिल्ला दररेटमा उल्लेख नभएका विभिन्न निर्माण सामग्रीहरूको हकमा सम्बन्धित कार्यालयले गुणस्तर र स्पेसिफिकेशन एकिन गरि आयोजना/परियोजनामा आवश्यक निर्माण सामग्रीहरूको दररेट सम्बन्धित उत्पादक वा अधिकारिक विक्रेताबाट संकलन गरी, प्राप्त दररेटको आधारमा नियमानुसार कार्यान्वयन गर्न सक्ने निर्णय गरियो।



विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा पतिपुर्ति/मुआवजा निर्धारण	2
3	कलाम जल निर्माण सामग्री	4
4	सडक र पुल सम्बन्धि निर्माण सामग्री	8
5	स्थानीय निर्माण सामग्रीहरु	10
6	प्रिफेब्रिज्ड जार मि.मि पाईपहरु तथा रिडहरु	12
7	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	15
8	Aluminium Doors and Windows	21
9	कठ तथा फ्याब्रिकेटेड सेन्विच निर्माण सामग्री	25
10	UPVC Profile for Door/Window	29
11	छाना छाडने निर्माण सामग्री	31
12	Partition Board and Ceiling	37
13	Prefab Panel for wall Partition	41
14	नयाँल डोकाभा प्रयोगहुने फिनिशहरु	46
15	रमरेफन तथा पृष्ठिका सामानहरु	49
16	Water Proofing Chemicals & Treatment works	54
17	Water Proofing Membrane	61
18	Structural Strengthening & Seismic Retrofitting	62
19	Cement Concrete Block	64
20	Non Destructive test for Forensic Engineering	72
21	Geocell Technology	74
22	WPS/Fibre, Concrete Prefabricated Doors & Windows	77
23	Flooring & Ceiling	78
24	Slope Stabilization Structures	86
25	Railway	90
26	Flooring Room Heating System	91
27	बनजवन लग सम्बन्धित मिड तथा बिस्वाहरु	92
28	पाईप तथा फिटिङहरु	98
29	DI पाईप तथा फिटिङहरु	110
30	PE Electro Fusion Fittings and Combination Accessories	124

विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
31	High Pressure Valves & Fittings	128
32	पॉलिप्रोपीलेन गैस (PPR) पाइप तथा फिटिंग्स	131
33	यु.पि.सि.सि. पाइप तथा फिटिंग्स	142
34	मि.सि.सि. पाइप तथा फिटिंग्स	145
35	मि.सि.सि. बी. पाइप तथा फिटिंग्स	150
36	CP Accessories	153
37	मि.पि.मि.सि. पाइप तथा फिटिंग्स	155
38	GRP and HDPE/DWC Pipes	160
39	विचित्र र. वायुमयना प्रयोग हुने सामानहरू	167
40	विभिन्न प्रकारका वाटर टेक र सम्पुर्ण	174
41	साधारण हावे औजारहरू	177
42	RCC Ring and Boring Work	179
43	Multilayer Composite Pipe	180
44	Rainwater Collection System	185
45	सिचाई सम्बन्धित कार्य	190
46	Plastic Dustbin, Compost-Bin, Planter & Road Divider	191
47	Sewage Treatment Plant	192
48	मैतरेय कमरहरू	193
49	विद्युतीय सामग्रीहरू	196
50	Solar Power	262

श्रमिकको ज्याला दर

क्र.सं.	कामदारहरूको विवरण	एकाई	ज्याला दर प्रतिदिन रु.		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	१००.००	१२०.००	१२५.००
२	फोहर ढुङ्गा लगाउने कामदार	प्रति दिन	१०५.००	१२५.००	१२५.००
३	उच्च माध्यमिक तह उत्तिर्ण गरी ज्याज टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन	१५००.००	१५००.००	१५००.००
४	बुझा (डुक्मी, सिक्मी, नक्मी, चिक्कर, बरुक्मी), जम्बर, हुँता र काठ चुरा काट्ने साधारण श्रमिक, चिक्कर, आदिस्ट आदी ।	प्रति दिन	१२००.००	१२२५.००	१२५०.००
५	अधुन (डुक्मी, सिक्मी, नक्मी, चिक्कर, जम्बर, इलेक्ट्रिसियन, कारवाला, सुपरभाइजर, नदी विरोधक, ब्लान्क, मेकानिक, कालिगड, ड्रिलर, फोहोराफिकस, फोरमेन आदी ।	प्रति दिन	१०००.००	१०२०.००	१०३५.००
६	साइकल स्टाल, ट्रेकिंग, एमोनिया रिट्रोड फोरमेन, सामाजिक परिवर्तक, जर्बल (खानी सम्बन्धी काम गर्ने कामदार, आदी ।	प्रति दिन	८५५.००	८६०.००	८६५.००
७	निर्माण कार्यको समयमा चर्कर, जालियन सुपरभाइजर, सेक्टरडी पाई, नाइट वाचमेन, रोड सेल बर्कर, हेल्पर मेकानिक, अक्सिड वाइस्टेन्ट, नोर्नो हेल्पर, सेक्टर सहायक, रनर, गलक सेल म्यान, ट्रेप म्यान, स्ट्राफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, समय Enumerator आदी ।	प्रति दिन	७५५.००	८१०.००	८२५.००
८	माली, सहायक परिचालक, मीप, नेहलर, बोकी, सन हेरान, चौकिदार, आदी ।	प्रति दिन	७२५.००	७५०.००	७५५.००
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२५.००	२५.००	२५.००
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच व्याक्टर	प्रति दिन	८८०.००	९००.००	९१५.००
२	प्याच बर्कर दिउसी को समयमा काम गर्ने ।	प्रति दिन	८७०.००	८८५.००	९००.००
३	प्याच बर्कर सुपरभाइजर दिउसी को समयमा काम गर्ने सुपरभाइजर सरह ।	प्रति दिन	९०५.००	९२५.००	९४०.००
४	प्याच बर्कर (राती समयमा काम गर्ने) ।	प्रति दिन	१२३०.००	१२५५.००	१२७५.००
५	प्याच बर्कर सुपरभाइजर (राती समयमा काम गर्ने)	प्रति दिन	१२३०.००	१२५५.००	१२७५.००
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	८९०.००	९१०.००	९२५.००
७	४ व्हील (4WD) डबल क्लच पिक्अप, माडा इन्धन र चालक समेत	प्रति दिन	६३५०.००	६३५०.००	६३५०.००
	२ व्हील (2WD) डबल क्लच पिक्अप माडा इन्धन र चालक समेत	प्रति दिन			५२००.००
८	४ व्हील (4WD) बिना माडा इन्धन र चालक समेत	प्रति दिन	७५२०.००	७५२०.००	७५२०.००
	२ व्हील (2WD) बिना माडा इन्धन र चालक समेत	प्रति दिन			६५००.००
नोट १: नेपाल सरकारबाट तलबमान निर्धारण भएको प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा अनुवरेमा त्रिवेदी ज्याला निर्धारण रद्दो को पदको तलबमानलाई २५ दिनले माग गरी काट्ने रकमलाई प्रतिदिनको ज्याला कायम गर्ने निर्णय गरियो ।					
नोट २: नेपाल सरकारबाट तलबमान निर्धारण नभएको प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा अनुवरेमा नेपाल सरकारको स्वामित्व रहेको संस्थानबाट निर्धारण गरिएको को पदको तलबमानलाई २५ दिनले माग गरी काट्ने रकमलाई प्रतिदिनको ज्याला कायम गर्ने निर्णय गरियो ।					

घर र जग्गा भाडा निर्धारण

सर. र. जम्मा भाडा विवरणमा प्राप्तिजस्तो लागि विभिन्न प्रकारको चरको तालाब देी उपलब्ध नभोजिम रर बाध्य रने निर्णय गरियो

[illegible]

फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. सहितको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	१००.००	९४.००	९४.००
	b) 10, 12, 16, 20 mm dia	के.जी	९९.००	९०.००	९०.००
	c) 25 mm dia	के.जी	१००.००	९४.००	९४.००
	d) 28, 32 mm dia	के.जी	१००.००	९४.००	९४.००
२	विभिन्न साइजका TMT Bar (FE S500D)				
	a) 8 mm dia	के.जी		१०४.००	१०४.००
	b) 10, 12, 16, 20 mm dia	के.जी		१००.००	१००.००
	c) 25 mm dia	के.जी		१०४.००	१०४.००
	d) 28, 32 mm dia	के.जी		१०४.००	१०४.००
३	विभिन्न साइजको TOR Steel				
	a) 8 mm dia TOR steel	के.जी	९४.००	९४.००	९४.००
	b) 10-25 mm TOR steel	के.जी	९९.००	९९.००	९९.००
	c) 28-32 mm TOR steel	के.जी	९४.००	९४.००	९४.००
४	TOR kari-4, 7.5, 7 mm dia	के.जी	१०९.००	९६.००	९६.००
५	Parallel thread rebars couplers				
	a) 16 mm dia		१०४.००	९४.००	९४.००
	b) 20 mm dia		२१०.००	१८०.००	१८०.००
	c) 25 mm dia		२९८.००	२४०.००	२४०.००
	d) 28 mm dia		३८०.००	३००.००	३००.००
	e) 32 mm dia		४८०.००	३८०.००	३८०.००
	f) 36 mm dia		५४०.००	४९२.००	४९२.००
	g) 40 mm dia		८३५.००	७००.००	७००.००
६	Parallel threading of rebars with one thread cap				
	a) 16 mm dia		२७.००	२७.००	२७.००
	b) 20 mm dia		४०.००	४०.००	४०.००
	c) 25 mm dia		७४.००	७४.००	७४.००
	d) 28 mm dia		९०.००	९०.००	९०.००
	e) 32 mm dia		९९.००	९२.००	९२.००
	f) 36 mm dia		१६४.००	१६४.००	१६४.००
	g) 40 mm dia		१८०.००	१८०.००	१८०.००
७	डाण्डी मालेतार	के.जी	१०४.००	१२०.००	१२०.००
८	एम.एस.सोलिड स्पायर रड	के.जी	८०.००	८०.००	८०.००
९	विभिन्न साइजको एम.एस. एडल	के.जी	२३.००	२३.००	२३.००
१०	विभिन्न साइजको ब्याक पाईप	के.जी	२३.००	२३.००	२३.००
११	विभिन्न साइजको एन.एस. च्यामल	के.जी	९६.००	९६.००	९६.००

फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.प्र.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१२	विभिन्न साइजको वाइरिम	के.जी	१४.००	१४.००	१४.००
१३	विभिन्न साइजको एम.एस. फ्लेट	के.जी	१३९.००	१३९.००	१३९.००
१४	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१६१.००	१६१.००	१६१.००
१५	G.I. Wire				
	i) Heavy Zinc coated				
	8 gauge	के.जी	१२९.००	१२९.००	१२९.००
	10 gauge	के.जी	१२९.००	१२९.००	१२९.००
	12 gauge	के.जी	१२९.००	१२९.००	१२९.००
	ii) Medium zinc Coated				
	8 gauge	के.जी	१२४.००	१२४.००	१२४.००
	10 gauge	के.जी	१२४.००	१२४.००	१२४.००
	12 gauge	के.जी	१२४.००	१२४.००	१२४.००
	iii) Light Zinc Coated/Commercial				
	8 gauge	के.जी	११७.००	११७.००	११७.००
	10 gauge	के.जी	११७.००	११७.००	११७.००
	12 gauge	के.जी	११७.००	११७.००	११७.००
१६	मेसिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ कोटेड तयारी मेसिन बाक्स mesh size-100x120mm, mesh wire-3.0 mm, selvage wire-3.9mm and lacing wire-2.4mm	व.मि	२६५.००	२७३.००	२७०.००
१७	मेसिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ कोटेड तयारी मेसिन बाक्स mesh size-80x80mm, mesh wire-2.2 mm, selvage wire-2.7mm and lacing wire-2.2mm	व.मि	३४७.००	३३२.००	३२६.००
१८	मेसिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ र पि.मि.सि.कोटेड तयारी मेसिन बाक्स mesh size-60x80mm, mesh wire-2.2 mm, selvage wire-2.7mm and lacing wire-2.2mm	व.मि	४६६.००	४४२.००	४३५.००
१९	मेसिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ र पि.मि.सि.कोटेड तयारी जम्को मेसिन बाक्स mesh size-100x120mm, mesh wire-3.0 mm, selvage wire-3.9mm and lacing wire-2.4mm	व.मि	३७४.००	३६८.००	३६३.००
२०	मेसिनबाट बुनिएका, Mechanically selvaged double Twist wire mesh को हेवि जिङ र पि.मि.सि.कोटेड तयारी जम्को मेसिन बाक्स mesh size-100x120mm, mesh wire-2.70mm, selvage wire-3.40 mm and lacing wire-2.20mm	व.मि	३३६.००	३२२.००	३१८.००
२१	Barbed Wire (कडितार)				
	12 gauge commercial, Medium duty	के.जी	११४.००	११४.००	११४.००
	U-hook for barbed wire fencing	मोट्ट	०.८९	०.८९	०.८९
२२	Fabrication of chain link mesh of size				

फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	1"x1" 12 gauge	वर्ग मी.	८२७.००	८२७.००	८२७.००
	1.5"x1.5" 12 gauge	वर्ग मी.	७७४.००	७७४.००	७७४.००
	2"x2" 10 gauge	वर्ग मी.	६९३.००	६९३.००	६९३.००
	3"x3" 10 gauge	वर्ग मी.	४०१.००	४०१.००	४०१.००
	4"x4" 10 gauge	वर्ग मी.	३९९.००	३९९.००	३९९.००
२३	विभिन्न प्रकारको जालीहरू				
	मलिनो झालको Mosquito proof जाली	व.मि.	१३७.००	१३७.००	१३७.००
	बालुवा चान्ने जाली	व.मि.	१४३.००	१४३.००	१४३.००
	फुजुरे जाली (Chicken wire mesh)	व.मि.	८६.००	८६.००	८६.००
	बार कलिरुह जाली	व.मि.	२२४.००	२२४.००	२२४.००
	स्टील जाली (crossing)	व.मि.	१८०.००	१८०.००	१८०.००
	मलिनो झालको Steel Mosquito proof जाली	व.मि.	३९२.००	३९२.००	३९२.००
	फलामबाट निर्मित सामानहरू				
२४	विभिन्न साइजको एम.एच. फलामे पट्टिको छील बनाई जडान गर्ने काम	के.जी.	१४४.००	१४४.००	१४४.००
२५	रोलिङ स्क्वायर रडको छील बनाई जडान गर्ने काम एककोट फाईभर समेत	के.जी.	१४१.००	१४१.००	१४१.००
२६	कोन्याप्सीबल गेट बनाई जडान गर्ने	व.कि.	४९४.००	४९४.००	४९४.००
२७	१६-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.कि.	४१५.००	४१५.००	४१५.००
२८	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर भाज भएको	व.कि.	३३२.००	३३२.००	३३२.००
२९	फलामे रोलिङ सटर झन्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.कि.	४९४.००	४९४.००	४९४.००
३०	१६ गेज फलामाट कन्सालिडेटेड बालको गेट बनाई जडान गर्ने (१० X १० X ५ mm) को फ्रेम समेत	व.कि.	७७२.००	७७२.००	७७२.००
३१	३"-४" व्यासको Iron Black Pipe मा एडल र गेटे राखी खुडकिला सहितको घुम्ने मञ्चा (Spiral Staircase) लगाए गरी जडान समेत बनाइको साथै गर्दै floor to floor height लिने	व.मि.	३४१४.००	३४१४.००	३४१४.००
३२	फलामको होल्डफास्ट (५ वटाको १ के.जि.)	के.जी.	१४८.००	१४८.००	१४८.००
३३	विभिन्न साइजको किना बारी	के.जी.	१३२.००	१३२.००	१३२.००
३४	विभिन्न साइजको बट बोस्ट	के.जी.	११५.००	११५.००	११५.००
३५	फलामे सासापीको फेब्रिकेशन तथा जडान कार्य	के.जी.	४२.००	४२.००	४२.००
३६	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१६६.००	१६६.००	१६६.००
३७	Mild Steel Props for Concreting 2" dia 5.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	२३०४.००	२३०४.००	२३०४.००
३८	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	२२९.००	२२९.००	२२९.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२८८.००	२८८.००	२८८.००
	१.१/४" व्यास भएको १६ गेज मोटाई	मीटर	३६७.००	३६७.००	३६७.००

फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	१.१/२" व्यास भएको १६ गज मोटाई	मीटर	४४६.००	४४६.००	४४६.००
	२" व्यास भएको १६ गज मोटाई	मीटर	६०२.००	६०२.००	६०२.००
३९	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with variable thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, twist tie, screws etc. all complete	क्व.मी.	४३०.००	४३०.००	४३०.००

सडक र पुल सम्बन्धि निर्माण सामग्री

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Bitumen				
	VG-10 के.जी	के.जी	११४.००	१०२.००	१०८.००
	VG-30 के.जी	के.जी	११९.००	१०८.३०	११०.००
२	CRMB-DI(10) 55 Bitumen	के.जी	८९.००	८९.००	८९.००
३	Cationic Bitumen Emulsion				
	छिटो जम्ने (RS 60%) के.जी	के.जी	८६.३०	८६.३०	८९.००
	छिटो जम्ने (RS 65%) के.जी	के.जी	९१.६०	९१.६०	९४.००
	छिटो जम्ने (RS 70%) के.जी	के.जी	९६.८०	९६.८०	९९.००
	मध्यम जम्ने (MS 60%) के.जी	के.जी	८७.४०	८७.४०	९०.००
	मध्यम जम्ने (MS 65%) के.जी	के.जी	९१.६०	९१.६०	९४.००
	दीलो जम्ने (SS60%) के.जी	के.जी	८८.३०	८८.३०	९३.००
४	Slurry Seal with 60% bitumen	के.जी	९४.७०	९४.७०	९८.००
५	Hi-seal Redymix	के.जी	११२.००	११२.००	११२.००
६	Polymer Bitumen	के.जी	१२४.००	१२४.००	१२४.००
७	सडक जालोपने गर्दा बिटुमीन सतहपतनको लागि प्रयोग गर्ने सामान Anti stripping	के.जी	३७०.००	३७०.००	३७०.००
८	कालोपने सडक Pot hole टालको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३४.००	३४.००	३४.००
९	कालोपने सडकका रेखांकन गर्ने प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade के.जि	के.जि	१९८.००	१९८.००	१९८.००
	b) Most Grade के.जी	के.जी	२१९.००	२१९.००	२१९.००
	c) Glass beads के.जी	के.जी	१८०.००	१८०.००	१८०.००
१०	Elastomeric Bearing Pad				
	Free Type मोटा	मोटा	२४०३१.२८	२४०३१.२८	२६०००.००
	Fix end Dowel Type मोटा	मोटा	४०९९३.००	४०९९३.००	४०९९३.००
११	Expansion Joint Works				
	Single strip seal र. मि.	र. मि.	१०१३२.००	१०१३२.००	११०००.००
	Slab seal (320*50) र. मि.	र. मि.	१९९९९.००	१९९९९.००	२१२००.००
१२	मोटर ट्रक पुलको लागि स्टील प्लेट फोब्रिकेशन फोब्रिकेशन र हट डिप ग्यालनाइजेसन समेत गर्ने काम	टन	१७८४००.००	१७८४००.००	१७८४००.००
१३	मोटर ट्रकको लागि स्टील प्लेट गर्डको फोब्रिकेशन र हट डिप ग्यालनाइजेसन समेत गर्ने काम	टन	१७८४००.००	१७८४००.००	१७८४००.००
१४	High density polyethene geo-membrane				
	1.00 mm thickness र.मि.	र.मि.	६८४.००	६८४.००	६८४.००
	2.00 mm thickness र.मि.	र.मि.	१३६४.००	१३६४.००	१३६४.००
१५	Needle punched non woven geo-textile				

सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	weight-120gm/sqm	व.मि.	७३.००	७३.००	७३.००
	weight-150gm/sqm	व.मि.	८९.००	८९.००	८९.००
	weight-200gm/sqm	व.मि.	१२६.००	१२६.००	१२६.००
१५	Tendon sheath	मी	३८८.००	३८८.००	३८८.००
१७	Tendon wire	टन	१५५७९६.००	१५५७९६.००	१५५७९६.००
१८	Ancorage block with cap	गोटा	९०४४३.००	९०४४३.००	९०४४३.००
१९	Road divider (polythene)	गोटा	१७३२.००	१७३२.००	१७३२.००
२०	Dust bin (polythene) 165 ltr	गोटा	३२९९.००	३२९९.००	३२९९.००
२१	१ मीटर व्यास सम्मको पोस्कोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइप हेन्ड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९३८००.००	१९३८००.००	१९३८००.००
२२	१ मीटर व्यास सम्मको पोस्कोल आर.सि.सि. पाइपको Entegrity Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६२४०.००	६२४०.००	६२४०.००
२३	१ मीटर व्यास सम्मको पोस्कोल आर.सि.सि. पाइपको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०९२०.००	१०९२०.००	१०९२०.००
२४	Geogrids	व.मि.	१४०.००	१४०.००	१४०.००
	मोलुडे पुल सम्बन्धि				
१	Φ 13 mm thimble	गोटा	७९.००	७९.००	७९.००
२	Φ 26 mm thimble	गोटा	४०९.००	४०९.००	४०९.००
३	Φ 32 mm thimble	गोटा	६८७.००	६८७.००	६८७.००
४	Φ 36 mm thimble	गोटा	१३७३.००	१३७३.००	१३७३.००
५	Φ 40 mm thimble	गोटा	१७५६.००	१७५६.००	१७५६.००
६	Wire mesh netting -10 SWG 50x50 mesh size	व.मि.	४४७.००	४४७.००	४४७.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	७२२३.००	७२२३.००	७२२३.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	३१२.००	३१२.००	३१२.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	४९०.००	४९०.००	४९०.००
१०	High tensile friction grip nut bolts	के.जी.	३७७.००	३७७.००	३७७.००
११	Hot deep galvinazation	के.जी.	४९.००	४९.००	४९.००
१२	3D Semi Flexible Galvanized steel Mat/ Panels size (80x115x3000) 3D, Approx. Wt. 3.0 kg/m2	व.मि.	३८९८.००	३८९८.००	३८९८.००
१३	Binding loops stainless steel, approx wt. 8.0 Kg/Bundle	प्रति बण्डल	२२९००.००	२२९००.००	२२९००.००

स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.उ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१६२०८.००	१६२०८.००	१६२०८.००
२	चिम्ली भट्टाको ईटा	प्रति हजार	१५४२९.००	१५१४४.००	१५१४४.००
३	तराई को १ नं.ईटा	प्रति हजार	१७२००.००	१७२००.००	१७२००.००
४	टुक्रा ईटा	घ.मि.	२६२४.००	२६२४.००	२६२४.००
५	सिमेन्टको ईटा				
	BK108N प्रति हजार		१५४२०.००	१५४२०.००	१५४२०.००
	BK118A प्रति हजार		१६२७४.००	१६२७४.००	१६२७४.००
	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2'8"4"	गोटा	१३७.००	१३७.००	१३७.००
	Size 2'8"6"	गोटा	२०४.००	२०४.००	२०४.००
	Size 2'8"8"	गोटा	२७५.००	२७५.००	२७५.००
	ECO BRICK (Sada)	गोटा	१९.००	१९.००	१९.००
	ECO BRICK (Colour)	गोटा	२१.००	२१.००	२१.००
६	खानीको ढुंगा	घ.फि.	७३.००	७३.००	७३.००
७	विभिन्न प्रकारको खानीको बालुवा	घ.फि.	८८.००	९०.००	९०.००
८	कसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि.	८२.००	९०.००	९०.००
९	कसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	९०.००	९५.००	९५.००
१०	कसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	८४.००	९०.००	९०.००
११	कसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	८१.००	८४.००	८४.००
१२	Crusher run sub-base material	घ.फि.	६७.००	७०.००	७०.००
१३	CRM Base material	घ.फि.	७८.००	८२.००	८२.००
१४	छानामा छाउने क्ले टायलहरू				
	मेशिनबाट उत्पादित टायल	गोटा	१९.००	१९.००	१९.००
	चिम्ली भट्टाको टायल	गोटा	१७.००	१७.००	१७.००
	मेशिनबाट उत्पादित घुरी	गोटा	३४.००	३४.००	३४.००
	चिम्ली भट्टाको घुरी	गोटा	२८.००	२८.००	२८.००
१५	गुईमा/ कौसीमा छाउने क्ले टायलहरू				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००
	चिम्ली भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००
१६	छप्ने ढुगा (Flag stone)				
	१" सम्म बाक्लो सर्फेस ड्रेन गरेको छप्ने ढुगा	घ.फि.	८२.००	८२.००	८२.००
	१" - १" सम्म बाक्लो " " "	घ.फि.	९४.००	९४.००	९४.००
	२ सम्म बाक्लो ढुगा " " "	घ.फि.	१११.००	१११.००	१११.००
	२.५ सम्म बाक्लो ढुगा " " "	घ.फि.	११९.००	११९.००	११९.००
	३.५" - ३" सम्म बाक्लो ढुगा " " "	घ.फि.	१४८.००	१४८.००	१४८.००
१७	छानाको बोन्डर कोषन १०० मि.मि. सम्म	घ.फि.	११३.००	११३.००	११३.००
१८	स्थानीय स्तरमा पाउने प्रामेय (पेलम्ली, टिकाभैरव, अकण्ठे गैँस खानी बाहेकको) (Capping Layer 0-75 mm समेत)	घ.फि.	६१.००	६१.००	६१.००

स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१९	पछाडी माथमा स्थानीय बृश (औचाउ दूरी ६०० मिटर सम्म)	घ.मि.	७०.००	७०.००	७०.००
२०	खनको भुईँ छोडामा गुन, सीलिनको Void filling गर्ने प्रकार गरिने बालुवा	"	४८.००	४८.००	४८.००
२१	बृशको धूलो (Stone dust)	घ.मि.	३५.००	३५.००	३५.००
२२	लिङ्ग राखे माटो (टुकु दुवानी बाहेक)	घ.मि.	२१८.००	२१८.००	२१८.००
२३	सबैभन्दा राम्रो माटो (Granular soil)	घ.मि.	२५०.००	२५०.००	२५०.००
२४	बृश	के.मि.	५.००	५.००	५.००
२५	गोबर	के.मि.	५.००	५.००	५.००
२६	निर्माण कार्यको लागि पानी				
	४ कि.मी. सम्म को दूरीमा	लिट्र	०.२८	०.२८	०.२८
	५ कि.मी. देखि बाहिरको दूरीमा	लिट्र	०.३३	०.३३	०.३३
२७	१०० गेज प्लाष्टिक सिट	त.मी.	३३.००	३३.००	३३.००
२८	Plastic felt (२०मी. × १मी.)	रोल	२५५१.००	२५५१.००	२५५१.००
२९	१८-२० फिट लामो बाँस	गोट्टा	२४०.००	२४०.००	२४०.००
३०	Compressed Stabilized Earthen Block (CSEB)				
	230x110x60 mm	गोट्टा		१४.००	१४.००

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.म.क. बाईकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	NP-2 Class Pipes(Plain)				
	150 mm dia	र.मि	५३०.००	५३०.००	५३०.००
	200 mm dia	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia	र.मि	१२३०.००	१२३०.००	१२३०.००
	350 mm dia	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia	र.मि	१४२०.००	१४२०.००	१४२०.००
	400 mm dia	र.मि	१७४०.००	१७४०.००	१७४०.००
	450 mm dia	र.मि	१८५२.००	१८५२.००	१८५२.००
	500 mm dia	र.मि	२०८०.००	२०८०.००	२०८०.००
	600 mm dia	र.मि	२७४०.००	२७४०.००	२७४०.००
	700 mm dia	र.मि	३४७५.००	३४७५.००	३४७५.००
	750 mm dia	र.मि	३८७०.००	३८७०.००	३८७०.००
	800 mm dia	र.मि	४३२०.००	४३२०.००	४३२०.००
	900 mm dia	र.मि	५८३५.००	५८३५.००	५८३५.००
	1000 mm dia	र.मि	६८०५.००	६८०५.००	६८०५.००
	1200 mm dia	र.मि	८३०५.००	८३०५.००	८३०५.००
	1500 mm dia	र.मि	१३४५०.००	१३४५०.००	१३४५०.००
२	NP-3 Class Pipes(Plain)				
	150 mm dia	र.मि	१३१०.००	१३१०.००	१३१०.००
	200 mm dia	र.मि	१७४५.००	१७४५.००	१७४५.००
	250 mm dia	र.मि	२१८५.००	२१८५.००	२१८५.००
	300 mm dia	र.मि	२९४०.००	२९४०.००	२९४०.००
	350 mm dia	र.मि	३५२०.००	३५२०.००	३५२०.००
	375 mm dia	र.मि	३७५०.००	३७५०.००	३७५०.००
	400 mm dia	र.मि	४०१०.००	४०१०.००	४०१०.००
	450 mm dia	र.मि	४५००.००	४५००.००	४५००.००
	500 mm dia	र.मि	४८२०.००	४८२०.००	४८२०.००
	600 mm dia	र.मि	६२००.००	६२००.००	६२००.००
	700 mm dia	र.मि	७४८५.००	७४८५.००	७४८५.००
	750 mm dia	र.मि	८६००.००	८६००.००	८६००.००
	800 mm dia	र.मि	९३८५.००	९३८५.००	९३८५.००
	900 mm dia	र.मि	१२१७२.००	१२१७२.००	१२१७२.००
	1000 mm dia	र.मि	१३४२५.००	१३४२५.००	१३४२५.००
	1200 mm dia	र.मि	१६१००.००	१६१००.००	१६१००.००
	1500 mm dia	र.मि	२४३००.००	२४३००.००	२४३००.००
३	NP-2 RCC Collar				
	150 mm dia	गोटा	१४५.००	१४५.००	१४५.००
	200 mm dia	गोटा	१९३.००	१९३.००	१९३.००
	250 mm dia	गोटा	२३९.००	२३९.००	२३९.००

प्रकाष्ट आर.सि.सि. पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. माहेको दररेट		
			आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३
	300 mm dia	गोटा	३२४.००	३२४.००	३२४.००
	350 mm dia	गोटा	३४७.००	३४७.००	३४७.००
	375 mm dia	गोटा	३६२.००	३६२.००	३६२.००
	400 mm dia	गोटा	३८१.००	३८१.००	३८१.००
	450 mm dia	गोटा	४०६.००	४०६.००	४०६.००
	500 mm dia	गोटा	४३५.००	४३५.००	४३५.००
	600 mm dia	गोटा	५०५.००	५०५.००	५०५.००
	700 mm dia	गोटा	६२०.००	६२०.००	६२०.००
	750 mm dia	गोटा	६९५.००	६९५.००	६९५.००
	800 mm dia	गोटा	७१९.००	७१९.००	७१९.००
	900 mm dia	गोटा	९४०.००	९४०.००	९४०.००
	1000 mm dia	गोटा	१०५२.००	१०५२.००	१०५२.००
	1200 mm dia	गोटा	२१३७.००	२१३७.००	२१३७.००
	1500 mm dia	गोटा	४४९२.००	४४९२.००	४४९२.००
४	NP-3 Class Collars				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	४४४.००	४४४.००	४४४.००
	300 mm dia.	गोटा	५५३.००	५५३.००	५५३.००
	350 mm dia.	गोटा	६५९.००	६५९.००	६५९.००
	375 mm dia.	गोटा	६४०.००	६४०.००	६४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२४४.००	१२४४.००	१२४४.००
	600 mm dia.	गोटा	१४४०.००	१४४०.००	१४४०.००
	700 mm dia.	गोटा	१८५१.००	१८५१.००	१८५१.००
	750 mm dia.	गोटा	२१४०.००	२१४०.००	२१४०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३६२.००	३३६२.००	३३६२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	NP-3 Pipes Socket and Spigot				
	150 mm dia.	र.मि	१४८०.००	१४८०.००	१४८०.००
	200 mm dia.	र.मि	२०१०.००	२०१०.००	२०१०.००
	250 mm dia.	र.मि	२४१०.००	२४१०.००	२४१०.००
	300 mm dia.	र.मि	३६०४.००	३६०४.००	३६०४.००
	400 mm dia.	र.मि	४६१०.००	४६१०.००	४६१०.००
	450 mm dia.	र.मि	४९८०.००	४९८०.००	४९८०.००

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/०८१	आ.व. २०८१/०८२	आ.व. २०८२/०८३
	500 mm dia.	र.मि	४२३०.००	४७३०.००	४७३०.००
	600 mm dia.	र.मि	७९३०.००	७९३०.००	७९३०.००
	700 mm dia.	र.मि	८३१०.००	८३१०.००	८३१०.००
	800 mm dia.	र.मि	९०७९०.००	९०७९०.००	९०७९०.००
	900 mm dia.	र.मि	९४०००.००	९४०००.००	९४०००.००
	1000 mm dia.	र.मि	९४८१४.००	९४८१४.००	९४८१४.००
	1200 mm dia.	र.मि	९८६००.००	९८६००.००	९८६००.००
	1400 mm dia.	र.मि	२४७४०.००	२४७४०.००	२४७४०.००
	1600 mm dia.	र.मि	३२५००.००	३२५००.००	३२५००.००
	1800 mm dia.	र.मि	४३६००.००	४३६००.००	४३६००.००

पुनः विचार अभिलेख

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	व्याग	३००.००		
	५३ grade			६००.००	६५०.००
	४३ grade			६८५.००	६४०.००
२	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	व्याग	६००.००	६००.००	६४०.००
३	सेतो लिमार्ट (४०kg/bag)	व्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (४०kg/bag)	व्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	व्याग	११.४४	११.४४	११.४४
६	Ready Mix Concrete (घरघराट ३ कि.मि. बाहिर सम्म)				
	M 10 Grade	घ. मि	१३६४०.००	११६००.००	११६००.००
	M 15 Grade	घ. मि	१४३००.००	१२३८८.४०	१२३८८.४०
	M 20 Grade	घ. मि	१४२२५.००	१३३९२.४४	१३३९२.४४
	M 25 Grade	घ. मि	१६२७५.००	१४३९३.००	१४३९३.००
	M 30 Grade	घ. मि	१७११५.००	१७०००.००	१७०००.००
	M 35 Grade	घ. मि	१८३८२.००	१७४६०.००	१७४६०.००
	M 40 Grade	घ. मि	१९२४०.००	१८९८२.००	१८९८२.००
	Ready Mix- Concrete Premix M45 (KTM)	घ. मि	२१४४०.००	२१०००.००	२१०००.००
७	स्टेनलेस स्टील रेलीङको कार्य- २ इन्च पाइपको ठाढो पोस्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तैसा पाईप राखी तयार गरि बडान गर्ने काम (उचाई १० से.मि.)	र.मि.	१२५०.००	१२६०.००	१२६०.००
८	स्टेनलेस स्टील रेलीङको कार्य- २ इन्च पाइपको ठाढो पोस्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तैसा पाईप राखी तयार गरि बडान गर्ने काम	र.मि.	११०२.००	११०२.००	११०२.००
९	स्टेनलेस स्टील रेलीङको कार्य- १.५ इन्च पाइपको ठाढो पोस्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तैसा पाईप राखी तयार गरि बडान गर्ने काम	र.मि.	१०१६.००	१०१६.००	१०१६.००
१०	सादा सेतो सिसा				
	३ मि.मी.	व.फि.	४२.००	४२.००	४२.००
	४.५ मि.मी.	व.फि.	४९.००	४९.००	४९.००
	५ मि.मी.	व.फि.	६९.००	६९.००	६९.००
	६ मि.मी.	व.फि.	७९.००	७९.००	७९.००
	८ मि.मी.	व.फि.	१०६.००	१०६.००	१०६.००
	१० मि.मी.	व.फि.	१४९.००	१४९.००	१४९.००
	१२ मि.मी.	व.फि.	२०२.००	२०२.००	२०२.००
	१४ मि.मी.	व.फि.	२३४.००	२३४.००	२३४.००
११	बुट्टेदार सिसा				
	३ मि.मी.	व.फि.	४१.००	४१.००	४१.००
	४ मि.मी.	व.फि.	६०.००	६०.००	६०.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. माहौलको दररेट		
			मा.ब. २०६०/६१	मा.ब. २०६१/६२	मा.ब. २०६२/६३
११	पोलि फाईबर ग्लास				
	६ मी.मी	व.फि.	१६४.००	१६४.००	१६४.००
१२	कासो रङ्गको सिस्ना				
	३ मी.मी	व.फि.	१०२.००	१०२.००	१०२.००
	४ मी.मी	व.फि.	१०९.००	१०९.००	१०९.००
	५ मी.मी	व.फि.	१२७.००	१२७.००	१२७.००
	६ मी.मी	व.फि.	१८४.००	१८४.००	१८४.००
	८ मी.मी	व.फि.	२६४.००	२६४.००	२६४.००
	१० मी.मी	व.फि.	३७३.००	३७३.००	३७३.००
	१२ मी.मी	व.फि.	४२६.००	४२६.००	४२६.००
१३	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	१२३.००	१२३.००	१२३.००
१४	खानामा प्रयोग गरिने झुट्टार एना Itching Glass with simple shade and texture - ४ मी.मी. बाक्लो	व.मि.	६४१०.००	६४१०.००	६४१०.००
१५	भिभिन्न रंगको Reflector Glass (शिला) - ४ मी.मी मोटो	व.फि.	१९६.००	१९६.००	१९६.००
१६	Readymade Plaster of Parish cornice and molding				
	POP Molding 1" to 1 1/2"	र.मि.	२४३.००	२४३.००	२४३.००
	Up to 6" wide	र.मि.	३०३.००	३०३.००	३०३.००
	Up to 8" wide	र.मि.	४१९.००	४१९.००	४१९.००
	Above 8" wide	र.मि.	१७१.००	१७१.००	१७१.००
१७	Plaster of paris	कि.ग्रा.	२४.००	२४.००	२४.००
१८	Wall putty-Normal	कि.ग्रा.	३७.००	३७.००	३७.००
१९	Wall putty-water proof	कि.ग्रा.	६३.००	६३.००	६३.००
२०	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१७९.००	१७९.००	१७९.००
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१९६.००	१९६.००	१९६.००
२१	पेनाइट				
	१२ मी.मी बाक्लो पेनाइट	व.फि.	२७९.००	२७९.००	२७९.००
	१५ मी.मी बाक्लो पेनाइट	व.फि.	३६६.००	३६६.००	३६६.००
	१८ मी.मी बाक्लो पेनाइट	व.फि.	४२१.००	४२१.००	४२१.००
२२	कोटा स्टोन				
	1" thick	व.फि.	१४९.००	१४९.००	१४९.००
	3/4" thick	व.फि.	१४६.००	१४६.००	१४६.००
२३	Porcelain Glazed Tiles (संबन्धित उत्पादक रङ्गको गुणस्तर बिना प्राप्त)				
	Thai Tiles	व.फि.	१३४.००	१३४.००	१३४.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. माहौलको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	floor tile	व.फि.	१०.००	१०.००	१०.००
	Ordinary Floor and Wall tiles	व.फि.	४३.००	४३.००	४३.००
	Border Tile - 2"x8"	व.फि.	४२.००	४२.००	४२.००
	Ceramic Wall Tile (31"x45cm)	व.फि.	१२१.००	१२१.००	१२१.००
	Ceramic Floor Tile (31"x45cm)	व.फि.	१२२.००	१२२.००	१२२.००
	24" x 24" GVT	व.फि.	१२५.००	१२५.००	१२५.००
	24" x 24" GRES Vitrified (Digital Floor)	व.फि.	१२३.००	१२३.००	१२३.००
	12" x 12" GRES homogenous Vitrified parking Tile	व.फि.	१०९.००	१०९.००	१०९.००
	24" x 24" Vitrified	व.फि.	११८.००	११८.००	११८.००
	Floor tiles-				
	16"x16"	व.फि.	१०३.००	१०३.००	१०३.००
	12"x12"	व.फि.	९३.००	९३.००	९३.००
	12"x12" (White / Ivory)	व.फि.	८२.००	८२.००	८२.००
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१२९.००
	12"x24" (Walls)	व.फि.	१३३.००	१३३.००	१३३.००
	12"x18"(wall)	व.फि.	१०९.००	१०९.००	१०९.००
	Artificial Granite (800mmx800mm)	व.फि.	४३९.००	४३९.००	४३९.००
	GVT Floor Tile (800mm x 800mm)	व.फि.	३३३.००	३३३.००	३३३.००
	Double Charge Floor tile (800mmx800mm)	व.फि.	१४९.००	१४९.००	१४९.००
	Double Charge Floor tile (800mmx800mm)	व.फि.	१२३.००	१२३.००	१२३.००
	GVT Floor Tile (800mm x 800mm)	व.फि.	२१३.००	२१३.००	२१३.००
	10"x24" (Walls)	व.फि.	१३३.००	१३३.००	१३३.००
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.	२३८.००	२३८.००	२३८.००
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.	१७०.००	१७०.००	१७०.००
	Planks Tile-GVT (200mm x 1200mm)	व.फि.	२३३.००	२३३.००	२३३.००
	Planks tile-Ceramic (148mm x 600mm)	व.फि.	१६१.००	१६१.००	१६१.००
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.	१२१.००	१२१.००	१२१.००
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.	१२१.००	१२१.००	१२१.००
	Ceramic Floor-(600mm x 600 mm)	व.फि.	११९.००	११९.००	११९.००
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.	१२१.००	१२१.००	१२१.००
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.	१४२.००	१४२.००	१४२.००
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.	१२३.००	१२३.००	१२३.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.	१९८.००	१९८.००	१९८.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.	१६७.००	१६७.००	१६७.००
	DCH Floor Tile(Double Charge) (800mm x 1200mm)	व.फि.	१८०.००	१७८.००	१७८.००
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.	१४९.००	१४७.००	१४७.००
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.	१४८.००	१४७.००	१४७.००
	Vitrified Floor-Matle (600mm x 600mm)	व.फि.	१४९.००	१४८.००	१४८.००
२४	खानामा टाइलको बुझा काट्ने र पानी पछि कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि छोट राखि १" चाल्ने प्लाष्टरमा रफिड टाइलको बुझा काट्ने सामान गरिने	व.मि.	६६४.००	६६४.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि छोट राखि चर्पादको पानी पछि बनाउने काम	र.मी	७९.००	७९.००	७९.००
२५	Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि.	९२.००	९२.००	९२.००
	Heritage flakes	व.फि.	११४.००	११४.००	११४.००
	Heritage granite finish	व.फि.	९२.००	९२.००	९२.००
	Heritage Top coat (plastic lamination)	व.फि.	२३.००	२३.००	२३.००
	Plastic Sheet 500 gauge	व.मि.	४०.००	४०.००	४०.००
	Plastic Tripal 500 gauge	व.मि.	४३.००	४३.००	४३.००
२८.०	Sandwitch/EPS Non burn Panel				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि.	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि.	२४२.००	२४२.००	२४२.००
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि.	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि.	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि.	२७५.००	२७५.००	२७५.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि.	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि.	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि.	३३६.००	३३६.००	३३६.००
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि.	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि.	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि.	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि.	२४२.००	२४२.००	२४२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि.	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि.	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१४२७४.३४	१४२७४.३४	१४२७४.३४
	Steel Door (1000*2100) 80 T	गोटा	१६१४९.२९	१६१४९.२९	१६१४९.२९

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
२८.७	ABS Door (900*2100) 80 T	गोटा	१३२०४.४२	१३२०४.४२	१३२०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.२१	११७३४.२१	११७३४.२१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
	Steel door				
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8-0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि	११००.००	११००.००	११००.००
	Providing and fitting 60 Minute Fire-Rated Steel Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि	२२२२.००	२२२२.००	२२२२.००
	Providing and fitting 60 Minute Fire-Rated Steel Emergency Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि	३४००.००	३४००.००	३४००.००
	Providing and fitting Lead Line Radiation Proof Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI sheet and 2mm lead sheer frame inside its section, 2 mm lead sheet pasted inside the door leaf.	व.फि	६३००.००	६३००.००	६३००.००
	Panel door				
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminium, leaf Nonburn EPS Panel framed by 0.4mm Aluminium	व.फि	७२०.००	७२०.००	७२०.००
	UPVC Window				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm-3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि	६६६.००	६६६.००	६६६.००
	CLADDING				
१	MCM Brick Cladding	व.फि	४०४.००	४०४.००	४०४.००
२	MCM Slate Stone Cladding	व.फि	४७९.००	४७९.००	४७९.००
३	MCM Oasis Stone Cladding	व.फि	४२२.००	४२२.००	४२२.००
४	MCM Wood Cladding	व.फि	४९३.००	४९३.००	४९३.००
५	MCM Travertine Stone Cladding	व.फि	७३४.००	७३४.००	७३४.००
	Laminates				
१	Liner 0.7mm		१११९.००	१११९.००	१११९.००
२	0.8 mm SLID		१४९९.००	१४९९.००	१४९९.००
३	Texture code: UBL, WWS, VEC, FLU, BSI, FLK, PAR 0.8 mm		१८१२.००	१८१२.००	१८१२.००
४	PGL 0.8 mm		१८१२.००	१८१२.००	१८१२.००

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.ब.क. माटेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
५	Marker Grade MOD 0.8 mm	per sheet (8'X4')	१२१९.००	१२१९.००	१२१९.००
६	SUD 0.8 mm		१४२२.००	१४२२.००	१४२२.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm		१८१२.००	१८१२.००	१८१२.००
८	gloss PRG 0.8 mm		१८१२.००	१८१२.००	१८१२.००
९	marker grade MGD 0.8 mm		१९१९.००	१९१९.००	१९१९.००
१०	metal ZRL 0.8 mm		२८६४.००	२८६४.००	२८६४.००
११	Plain 1mm		२६६४.००	२६६४.००	२६६४.००
१२	Texture 1mm		३१९८.००	३१९८.००	३१९८.००
१३	SUD 1mm		२७७२.००	२७७२.००	२७७२.००
१४	Texture code: ASH/CHS,CTREMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, SIC, SPE, SRA, STN, TST, TXM		३७३९.००	३७३९.००	३७३९.००
१५	Special Texture code:SYN, VRI, ARA, SAI, TRC 1mm		४२६४.००	४२६४.००	४२६४.००
१६	HDG 1mm		४७९७.००	४७९७.००	४७९७.००
१७	Unicore 1mm		७९९६.००	७९९६.००	७९९६.००
१८	Metal 1mm		७९९६.००	७९९६.००	७९९६.००
१९	EXTERIOR FAÇADE				
	Clads Solids 6mm	sq.ft	६९३.००	६९३.००	६९३.००
	Clads Wood Grains 6mm	sq.ft	७७२.००	७७२.००	७७२.००
२०	Ceramic, glazed & glossy bathroom wall tiles size of 30X60 cm of 9mm thickness	व.फि	१०४.००	१०४.००	१०४.००
२१	Porcelain, unglazed, matte & unpolished bathroom floor tiles sizes of 30X30 cm of 8mm thickness	व.फि	८०.००	८०.००	८०.००
२२	Ceramic, glazed, matte, glossy kitchen wall tile size of 30X45cm of 9mm thickness	व.फि	८०.००	८०.००	८०.००
२३	Porcelain unglazed & unpolished kitchen floor tile size of 60X60 cm of 10mm thickness	व.फि	१०४.००	१०४.००	१०४.००
२४	Porcelain unglazed & unpolished Indoor Floor Area/Corridor Tile sizes of 60X60 cm of 10mm thickness	व.फि	१०४.००	१०४.००	१०४.००
२५	Vitrified body unglazed, matt outdoor floor area tile sizes of 60X60 cm of 10mm thickness	व.फि	१३४.००	१३४.००	१३४.००
२६	Vitrified body unglazed, matt Terrace/Balcony Tile sizes of 40X40 cm of 10 mm thickness	व.फि	१३४.००	१३४.००	१३४.००
२७	Vitrified body unglazed Parking tile sizes of 30X30 cm of thickness 10 mm thickness	व.फि	१२४.००	१२४.००	१२४.००
२८	Vitrified body unglazed trade tile size of 30X60 cm of thickness 10 mm thickness	व.फि	१६०.००	१६०.००	१६०.००
२९	Ceramic matte facade tile size of 30X45 cm of thickness of 9 mm thickness	व.फि	११०.००	११०.००	११०.००
३०	Vitrified body unglazed matt tile of size 60X120 cm of 10 mm thickness	व.फि	१७४.००	१७४.००	१७४.००
३१	Vitrified body unglazed matt tile of size 60X60 cm of 10 mm thickness	व.फि	१३४.००	१३४.००	१३४.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	भु.म.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	102 SERIES WINDOWS				
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102*45*1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६८९.००	६८९.००	६८९.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102*45*1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७९९.००	७९९.००	७९९.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102*45*1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३३.००	८३३.००	८३३.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102*45*1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९६६.००	९६६.००	९६६.००
५	Supply and installation for pre-engineered System Side window with 6063-T5 Aluminium alloy anodized conforming to JIS 4100 with Teagard coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height 400mm Max 1600 mm) and (Min Width 700mm max 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardware weather seals nano gasket all piece etc. prelifted from the factory All System Certified by ASTM E330-2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300-300 Pa, Air Infiltration Test ASTM E283, 10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at ±3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 The interlock section shall be housing antilift mechanism to enhance security.Contractor has to submit Final Product Test Certification required for items mentioned in the bqq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified installer.	Sq Mtr	१४६६.००	१४६६.००	१४६६.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
90 SERIES WINDOWS					
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	११०.००	११०.००	११०.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	१३४.००	१३४.००	१३४.००
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	१९९.००	१९९.००	१९९.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	२९०.००	२९०.००	२९०.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25x12x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel)	Sq.ft.	४१६.००	४१६.००	४१६.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25x12x1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel)	Sq.ft.	४२४.००	४२४.००	४२४.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	२००.००	२००.००	२००.००
102 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area 5.00 Sq.ft)	Sq.ft.	४१३.००	४१३.००	४१३.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area 5.00 Sq.ft).	Sq.ft.	६००.००	६००.००	६००.००
64 SERIES PARTITION					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area 8.00 Sq.ft).	Sq.ft.	४१४.००	४१४.००	४१४.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. बाहेकको दररेट		
			भा.व. २०८०/८१	भा.व. २०८१/८२	भा.व. २०८२/८३
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area 6.00 Sq.ft).	Sq.ft.	१०९.००	१०९.००	१०९.००
	ACOUSTIC PARTITION				
	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing operable partition consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.	११५००.००	११५००.००	११५००.००
	STRUCTURAL GLAZING				
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (80x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	१८१.००	१८१.००	१८१.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	१३८.००	१३८.००	१३८.००
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	८२१.००	८२१.००	८२१.००
	GLASS DOOR & PARTITION				
१	Providing and fixing Fixed Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१३२१.००	१३२१.००	१३२१.००
२	Providing and fixing Fixed Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८३१.००	८३१.००	८३१.००
३	Providing and fixing Fixed Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	११२१.००	११२१.००	११२१.००
	Aluminium Composite Panel (ACP).				
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x36 mm Aluminium Tube framing.	Sq.ft.	३११.००	३११.००	३११.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x36 mm Aluminium Tube framing.	Sq.ft.	४३६.००	४३६.००	४३६.००
	FABRIC LINED ACOUSTIC PANEL				
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND60 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (por-foration to be 20% of the surface area).	Sq.m.	२३०००.००	२५०००.००	२५०००.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	ALUMINIUM DOOR & WINDOW				
१	Supply and installation for Casement door & Window pre-engineered System with 6063-T8 Aluminium alloy anodized conforming to JIS 4100 with Toughened coating of 20 microns (± 2 microns) , available in 6 standard shades. All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 9X39.5mm with (Min Height :40mm,Max :460 mm) and (Min Width 70mm, max: 2400 mm) with Toughened Glass upto 8mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg, SUS304 grade assembly screws, mechanics. End Connection having special nano seal for superior sealing at all 04 corners with per gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardware, weather seal, nano gasket, air piece etc. procured from the factory. All System Certified by ASTM E330 2000Pa for Wind Pressure, Water Tightness penetration test ASTM E308 300 Pa, Air Infiltration Test ASTM E283 10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The casement handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS 24706. The interlock section shall be having anti-lift mechanism to enhance security. Contractor has to submit First Product Test Certification required for items mentioned in the box from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr	११९००.००	११२००.००	११९००.००
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS) Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite.	Sq.m	१०२०००.००	१०२०००.००	१०२०००.००
३	Steel Door & Windows				
	Steel Door (a set with frame)				
	900x2100	set	२९८४०.००	२९८४०.००	२९८४०.००
	1000x2100	set	२२८८०.००	२२८८०.००	२२८८०.००
	ABS Door				
	900x2100	set	१८३२०.००	१८३२०.००	१८३२०.००
	Panel Door				
	900x2100	set	१४४५०.००	१४४५०.००	१४४५०.००
	Window				
	115mm	set	९२२.००	९२२.००	९२२.००

प्रमुख निर्माण अधिकारी

काठ तथा प्लाइवुड सम्बन्धी निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			भा.व. २०८०/८१	भा.व. २०८१/८२	भा.व. २०८२/८३
१	६' सम्मको सालकाठ	घ. कि.	४८८०.००	४८८०.००	४८८०.००
२	६' देखि ८' सम्मको सालकाठ	घ. कि.	६०९०.००	६०९०.००	६०९०.००
३	८' देखि १२' सम्मको सालकाठ	घ. कि.	६४६२.००	६४६२.००	६४६२.००
४	१२' फिट देखि माथिको सालकाठ	घ. कि.	६९३०.००	६९३०.००	६९३०.००
५	बाज काठ	घ. कि.	३४१३.००	३४१३.००	३४१३.००
६	जामुन काठ	घ. कि.	२२४७.००	२२४७.००	२२४७.००
७	मालाको काठ	घ. कि.	१६२७.००	१६२७.००	१६२७.००
८	सिसौ काठ	घ. कि.	३६७७.००	३६७७.००	३६७७.००
९	जंगली सिसौ काठ	घ. कि.	४४३३.००	४४३३.००	४४३३.००
१०	उगीस को काठ	घ. कि.	६६८.००	६६८.००	६६८.००
११	काठ बाउरा	के.जी.	१९.००	१९.००	१९.००
१२	३५ मि.मि. मोटाईको केमिकल्ली ट्रिटेड पेन्सिलवेड वाटरप्रूफ, बोरर फि सोलोइकोश प्लास्कोर सटर				
	साधारण				
	Plain	व.फि.	२४३.००	२४३.००	२४३.००
	Ordinary-one side teak water proof	व.फि.	३०१.००	३०१.००	३०१.००
	Both side teak water Proof	व.फि.	३४०.००	३४०.००	३४०.००
	वाटर प्रूफ गरिएको				
	Plain	व.फि.	२६४.००	२६४.००	२६४.००
	One side teak	व.फि.	३१०.००	३१०.००	३१०.००
	Both side teak	व.फि.	३४५.००	३४५.००	३४५.००
१३	कुटिएको काठको काम तयारी				
	भन्याइको रोलिङ तथा चार्दनी जाँदमा कुटिएको सिसौ काठको हुक्का (२'-६"X३"X३")	गोटा	१०८०.००	१०८०.००	१०८०.००
	भन्याइको रोलिङ तथा चार्दनी जाँदमा कुटिएको जंगली सिसौ काठको हुक्का (२'-६"X३"X३")	गोटा	१३९३.००	१३९३.००	१३९३.००
	भन्याइको रोलिङ तथा चार्दनी जाँदमा कुटिएको सिसौ काठको हेण्ड रेन (३"X४")	र.फि.	७२४.००	७२४.००	७२४.००
	भन्याइको रोलिङको घुम्ने ठाउँमा कुटिएको सिसौ काठको गोला हेण्ड रेन (३"X४")	गोटा	२३६२.००	२३६२.००	२३६२.००
	देवी देवताको मुर्ति कुटिएको ४' देखि ५' नामो १३"X ८"। साल काठमा ट्रिडल बनाउने काम	गोटा	१३४००.००	१३४००.००	१३४००.००
	देवी देवताको मुर्ति कुटिएको ६' देखि ८' नामो १३"X ८"। साल काठमा ट्रिडल बनाउने काम	गोटा	२२२००.००	२२२००.००	२२२००.००
	विमान बूट तथा देवी देवताको मुर्ति कुटिएको साल काठको कृपाल डोका बनाउने काम (खापाको मोटाई ४० मि.मि. देखि ४० मि.मि. सम्म।	व.फि.	३१२०.००	३१२०.००	३१२०.००

काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मू.ब.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	घोडाको आकृति गरि कुटिएको ४"X ४" साइजको ३ डेजि ४" सामो साल काठको तयारी टुटाल बनाउने काम ।	गोटा	७२८०.००	७२८०.००	७२८०.००
	सामान्य प्रकारको कुटिएको सालको काठको बाँधी मूषान तयारी	ब.फि.	१३२०.००	१३२०.००	१३२०.००
	मध्यम प्रकारको कुटिएको सालको काठको बाँधी मूषान तयारी	ब.फि.	१६२०.००	१६२०.००	१६२०.००
	विशेष प्रकारको कुटिएको सालको काठको बाँधी मूषान तयारी सक महीन	ब.फि.	२३६२.००	२३६२.००	२३६२.००
	विशेष प्रकारको कुटिएको सालको काठको बाँधी मूषान तयारी सक मधुको	ब.फि.	१९८०.००	१९८०.००	१९८०.००
	३"X १.५" साइजको सालको काठको कुटिएको पत्ती तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुटिएको विभिन्न बृद्ध राखी बनाएको साल काठको ४"X ४"को कार्नेस चिम काँडे तयारी गर्ने काम	र.फि.	१९२०.००	१९२०.००	१९२०.००
	४"X ४"को साल काठको नान बृद्ध कुटि तयारी गरी जडान गर्ने कार्य	र.फि.	१७१०.००	१७१०.००	१७१०.००
१४	Wooden Parquet Flooring				
	Shisam wooden parqueting 150mm*30mm*8mm	ब.फि.	२२०.००	२२०.००	२२०.००
१५	विभिन्न मोटाईको प्लाइउडहरू				
	साधारण प्लाइउड				
	३ मी.मी	ब.फि.	३६.००	३६.००	३६.००
	३.५ मी.मी.	ब.फि.	२६.००	२६.००	२६.००
	४ मी.मी	ब.फि.	२८.००	२८.००	२८.००
	५ मी.मी	ब.फि.	३३.००	३३.००	३३.००
	६ मी.मी	ब.फि.	३७.००	३७.००	३७.००
	१२ मी.मी	ब.फि.	८०.००	८०.००	८०.००
	१९ मी.मी B/B	ब.फि.	११२.००	११२.००	११२.००
	१८ मी.मी PLY	ब.फि.	११५.००	११५.००	११५.००
१६	नाटर पुष्क प्लाइउड				
	४ मी.मी	ब.फि.	३२.००	३२.००	३२.००
	५ मी.मी	ब.फि.	३५.००	३५.००	३५.००
	६ मी.मी.	ब.फि.	३७.००	३७.००	३७.००
	९ मी.मी	ब.फि.	८९.००	८९.००	८९.००
	१२ मी.मी	ब.फि.	९९.००	९९.००	९९.००
	१५ मी.मी PLY	ब.फि.	११३.००	११३.००	११३.००
	१८ मी.मी B/B	ब.फि.	१२९.००	१२९.००	१२९.००

काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			वा.व. २०८०/८१	वा.व. २०८१/८२	वा.व. २०८२/८३
१७	Natural Teak Plywood				
	३ मी. मी	व.फि	४१.००	४१.००	४१.००
	४ मी. मी (Group Match of in 5 pcs)	व.फि	७४.००	७४.००	७४.००
	४ मी. मी (Regular)	व.फि	६४.००	६४.००	६४.००
	४ मी. मी (Crown)	व.फि	४६.००	४६.००	४६.००
	४ मी. मी (Ber)	व.फि	४२.००	४२.००	४२.००
	४ मी. मी (Whitest line)	व.फि	४२.००	४२.००	४२.००
	४ मी. मी (Beach)	व.फि	४९.००	४९.००	४९.००
	४ मी. मी (Recon 18 No.)	व.फि	३९.००	३९.००	३९.००
१८	सनमाईका तथा फरमाईका				
	सनमाईका (4' x 8')	व.फि	१८.००	१८.००	१८.००
	फरमाईका	व.फि	८०.००	८०.००	८०.००
	हार्डबोर्ड (Hard board) 12 mm thick	व.फि	४३.००	४३.००	४३.००
१९	DECORATIVE (THICKER)				
	६ OST	व.फि	१३३.००	१३३.००	१३३.००
	६ BST	व.फि	१३२.००	१३२.००	१३२.००
	९ OST	व.फि	१४०.००	१४०.००	१४०.००
	९ BST	व.फि	१४६.००	१४६.००	१४६.००
	१२ OST	व.फि	१६४.००	१६४.००	१६४.००
	१२ BST	व.फि	२०१.००	२०१.००	२०१.००
	१८ B/B OST	व.फि	१७३.००	१७३.००	१७३.००
	१८ B/B BST	व.फि	२१३.००	२१३.००	२१३.००
	१८ OST	व.फि	२०१.००	२०१.००	२०१.००
	१८ BST	व.फि	२६८.००	२६८.००	२६८.००
२०	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	९८३.००	१८३.००	१८३.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३३.००	२३३.००	२३३.००
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	२१४.००	२१४.००	२१४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२८८.००	२८८.००	२८८.००
२१	काठको सिटि				
	1/2" wide	व.फि	१४.००	१४.००	१४.००

काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.का. माहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	3/4" wide	र.फि.	१७.००	१७.००	१७.००
	1.5" wide	र.फि.	२९.००	२९.००	२९.००
	Decorative	र.फि.	४०.००	४०.००	४०.००
२२	Infill Material				
	Frame C - Studs(0.55mm*0.75mm*3m)	मोटा	४०९.००	४०९.००	४०९.००
	Frame U - Studs(0.55mm*0.75mm*3m)	मोटा	४०९.००	४०९.००	४०९.००
	Board 9 mm	मोटा	२४००.००	२४००.००	२४००.००
	Fiber mess tape (for 90mm/roll)	मोटा	३२३.००	३२३.००	३२३.००
	PU sasuage rod	मोटा	१८९०.००	१८९०.००	१८९०.००
२३	Parquet(sisam saaj & Teak)				
	1"x3"x6mm thickness	व.फि.	२१४.००	२१४.००	२१४.००
	1"x6"x8mm thickness	व.फि.	३२३.००	३२३.००	३२३.००
	2"x10"x10mm thickness	व.फि.	४३१.००	४३१.००	४३१.००
	3"x14"x12mm thickness	व.फि.	४८८.००	४८८.००	४८८.००
	3"x18"x14mm thickness	व.फि.	६९४.००	६९४.००	६९४.००
24	Tounge & Groove(T.G.)Flooring	व.फि.			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि.	७४९.००	७४९.००	७४९.००
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि.	६९४.००	६९४.००	६९४.००
25	Wall panelling	व.फि.			
	pine	व.फि.	४३४.००	४३४.००	४३४.००
	saaj, Teak	व.फि.	६४२.००	६४२.००	६४२.००
	Sisam	व.फि.	७४९.००	७४९.००	७४९.००
	3" Skirting				
	pine	र.फि.	१६१.००	१६१.००	१६१.००
	saaj, Teak	र.फि.	२१४.००	२१४.००	२१४.००
	Sisam	र.फि.	३२३.००	३२३.००	३२३.००
	4" Skirting	र.फि.			
	pine	र.फि.	२१४.००	२१४.००	२१४.००
	saaj, Teak	र.फि.	२६९.००	२६९.००	२६९.००
	Sisam	र.फि.	३७७.००	३७७.००	३७७.००
	5" Skirting				
	pine	र.फि.	२६९.००	२६९.००	२६९.००
	saaj, Teak	र.फि.	३२३.००	३२३.००	३२३.००
	Sisam	र.फि.	४३१.००	४३१.००	४३१.००

UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ज.क. मातेको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*35mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm; sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
A	Single glazing				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*35 mm, white colour with 5mm glass)	व.मि	७५७५.००	७५७५.००	७५७५.००
२	UPVC Sliding window without net (frame 50*80 mm, sash 58*42 mm, white colour with 5mm glass)	व.मि	६९९७.००	६९९७.००	६९९७.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७८६७.००	७८६७.००	७८६७.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७८६७.००	७८६७.००	७८६७.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८६२४.००	८६२४.००	८६२४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८७४४.००	८७४४.००	८७४४.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	९३२८.००	९३२८.००	९३२८.००
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	९३२८.००	९३२८.००	९३२८.००
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	९०३६.००	९०३६.००	९०३६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	१०३९०.००	१०३९०.००	१०३९०.००
११	UPVC 88x80mm Sliding white colour window with 5mm glass panele	व.मि	२०५७.००	२०५७.००	२०५७.००
११	UPVC 60x64mm white colour casement window with 5mm glass panele	व.मि	१०२८५.००	१०२८५.००	१०२८५.००
१२	UPVC 110x64mm x9mmthick board and 5mm thick glass panel white colour	व.मि	१०७५.००	१०७५.००	१०७५.००
१२	UPVC 80x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१११४५.००	१११४५.००	१११४५.००
१३	UPVC 80x60mm white colour swing door with 5mm glass panel	व.मि	७०६३.००	७०६३.००	७०६३.००
B	Double glazing				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*35 mm, white colour with 5mm double glass)	व.मि	९९०६.००	९९०६.००	९९०६.००
२	UPVC Sliding window without net (frame 50*80 mm, sash 58*42 mm, white colour with 5mm double glass)	व.मि	९३८१.००	९३८१.००	९३८१.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	१०२०३.००	१०२०३.००	१०२०३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	१०२०३.००	१०२०३.००	१०२०३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०८२९.००	१०८२९.००	१०८२९.००
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०९६८.००	१०९६८.००	१०९६८.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	११२४३.००	११२४३.००	११२४३.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	११२४८.००	११२४८.००	११२४८.००
९	Supply & fixing of 80*60 mm white colour casement window	व.मि	१००९१.००	१००९१.००	१००९१.००

UPVC Profile for Door/Window

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Supplying and installation of Rehls Compliant, 100% lead free, 100% recyclable UPVC profile/sliding window frame 50x80mm;sash 58x36mm, Sliding Door Frame 52x88, sash 80x42, Casement window frame 60x60;sash 60x104mm, white colour with reinforcement,5mm thick clear float glass, insect net,patented standard hard ware like rollers, gaskets, brush, seal, moon locks, push locks, drilling cover etc.				
	Single glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm, white colour with 5mm glass)	व.मि	१४६०१.००	१४६०१.००	१४६०१.००
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि	१४१२९.००	१४१२९.००	१४१२९.००
3	upvc top hung window (frame 60x60mm,sash 60x78mm, white colour with 5mm glass)	व.मि	१४८६३.००	१४८६३.००	१४८६३.००
4	upvc casement window (frame 60x60mm,sash 60x78mm, white colour with 5mm glass)	व.मि	१४८६३.००	१४८६३.००	१४८६३.००
5	upvc single door with half panel half glass (frame 60x60mm,sash 66x104mm, white colour with 5mm glass)	व.मि	१४०४४.००	१४०४४.००	१४०४४.००
6	upvc single door with full panel (frame 60x60mm,sash 66x104mm, white colour)	व.मि	१४०४४.००	१४०४४.००	१४०४४.००
7	upvc double door (frame 60x60mm,sash 60x104mm, white colour with 5mm glass)	व.मि	१४४८६.००	१४४८६.००	१४४८६.००
8	upvc sliding door with net (frame 52x88mm,sash 88x42mm, white colour with 5mm glass)	व.मि	१४४८६.००	१४४८६.००	१४४८६.००
9	upvc sliding door without net (frame 60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि	१४१२९.००	१४१२९.००	१४१२९.००
10	upvc swing door with half glass half upvc panel (frame 60x60mm)	व.मि	१४९२९.००	१४९२९.००	१४९२९.००
11	upvc 88x60 mm sliding white colour window with 5mm glass panel.	व.मि	१४४८६.००	१४४८६.००	१४४८६.००
12	upvc 60x64mm white colour casement window with 5mm glass panel.	व.मि	१४९२९.००	१४९२९.००	१४९२९.००
13	upvc 110x64 mm x9mm thick board and 5mm thick glass panel with white colour.	व.मि	१६८१४.००	१६८१४.००	१६८१४.००
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि	१७२४६.००	१७२४६.००	१७२४६.००
15	upvc 60x60mmx white colour swing door with 5mm glass panel.	व.मि	१४१२९.००	१४१२९.००	१४१२९.००
	Double glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x 36mm,white colour with 5mm double glass)	व.मि	१४७४२.००	१४७४२.००	१४७४२.००
2	upvc sliding window without net (frame 60x60mm, sash 66x42mm, white colour with 5mm double glass)	व.मि	१४४८६.००	१४४८६.००	१४४८६.००
3	upvc top hung window (frame 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि	१४९२९.००	१४९२९.००	१४९२९.००
4	upvc casement window (frame 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि	१४९२९.००	१४९२९.००	१४९२९.००
5	upvc single door with half panel half glass (frame 60x60mm,sash 66x104mm, white colour with 5mm double glass)	व.मि	१४०७९.००	१४०७९.००	१४०७९.००
6	upvc double door (frame 60x60mm,sash 60x78mm, white colour with 5mm double glass)	व.मि	१७२४६.००	१७२४६.००	१७२४६.००
7	upvc sliding door with net (frame 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	१४६९९.००	१४६९९.००	१४६९९.००
8	upvc sliding door without net (frame 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	१४२४६.००	१४२४६.००	१४२४६.००
9	supply and fixing of 80x50mm white colour casement window.	व.मि	१४९२९.००	१४९२९.००	१४९२९.००

छाना छाउने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			मा.व. २०६०/६१	मा.व. २०६१/६२	मा.व. २०६२/६३
१	ग्याल्वनाइज सेतो सादा जस्तापाता				
	0.20 mm (30 gauge light)	वर्गद्वारा	४७०१.००	४७०१.००	४७०१.००
	0.22 mm (30 gauge Medium)	वर्गद्वारा	४२३९.००	४२३९.००	४२३९.००
	0.24 mm (30 gauge Heavy)	वर्गद्वारा	४४९२.००	४४९२.००	४४९२.००
	0.26 mm (28 gauge light)	वर्गद्वारा	४८९०.००	४८९०.००	४८९०.००
	0.28 mm (28 gauge Medium)	वर्गद्वारा	५२७३.००	५२७३.००	५२७३.००
	0.31 mm (28 gauge Heavy)	वर्गद्वारा	५८९०.००	५८९०.००	५८९०.००
	0.35 mm (26 gauge light)	वर्गद्वारा	७५०२.००	७५०२.००	७५०२.००
	0.37 mm (26 gauge Medium)	वर्गद्वारा	८०९३.३५	८०९३.३५	८०९३.३५
	0.41 mm (26 gauge Heavy)	वर्गद्वारा	८७४३.००	८७४३.००	८७४३.००
	0.45 mm (24 gauge light)	वर्गद्वारा	९४८४.००	९४८४.००	९४८४.००
	0.50 mm (24 gauge Medium)	वर्गद्वारा	१०४३३.००	१०४३३.००	१०४३३.००
	0.52 mm (24 gauge Heavy)	वर्गद्वारा	१०७९५.००	१०७९५.००	१०७९५.००
	0.75 mm	वर्गद्वारा	१४४०२.००	१४४०२.००	१४४०२.००
२	कोरगेटेड सेतो जस्तापाता				
	0.20 mm (30 gauge light)	वर्गद्वारा	६२४९.००	६२४९.००	६२४९.००
	0.22 mm (30 gauge Medium)	वर्गद्वारा	६५८०.००	६५८०.००	६५८०.००
	0.24 mm (30 gauge Heavy)	वर्गद्वारा	७१२२.००	७०९३.००	७०९३.००
	0.26 mm (28 gauge light)	वर्गद्वारा	७६२९.००	७६१२.००	७६१२.००
	0.28 mm (28 gauge Medium)	वर्गद्वारा	७९२४.००	७८०२.००	७८०२.००
	0.31 mm (28 gauge Heavy)	वर्गद्वारा	८४१०.००	८३८१.००	८३८१.००
	0.35 mm (26 gauge light)	वर्गद्वारा	९४१६.००	९२७९.००	९२७९.००
	0.37 mm (26 gauge Medium)	वर्गद्वारा	१०४७३.००	९९२९.००	९९२९.००
	0.41 mm (26 gauge Heavy)	वर्गद्वारा	१०७४६.००	१०४८२.००	१०४८२.००
	0.45 mm (24 gauge light)	वर्गद्वारा	११६४२.००	११३६६.००	११३६६.००
	0.50 mm (24 gauge Medium)	वर्गद्वारा	१२७२८.००	१२४१२.००	१२४१२.००
	0.52 mm (24 gauge Heavy)	वर्गद्वारा	१३२००.००	१२८७४.००	१२८७४.००
	0.55 mm (24 gauge Medium)	वर्गद्वारा	१३८२२.००	१३४८३.००	१३४८३.००
	0.75 mm	वर्गद्वारा	१८४६८.००	१८११२.००	१८११२.००
३	ग्याल्वनाइज कोरगेटेड जस्तापाता				
	0.20 mm (30 gauge light)	वर्गद्वारा	४८२४.००	४८२४.००	४८२४.००
	0.22 mm (30 gauge Medium)	वर्गद्वारा	४२३३.००	४२३३.००	४२३३.००
	0.24 mm (30 gauge Heavy)	वर्गद्वारा	४६२३.००	४६२३.००	४६२३.००
	0.26 mm (28 gauge light)	वर्गद्वारा	४९४०.००	४९४०.००	४९४०.००
	0.28 mm (28 gauge Medium)	वर्गद्वारा	५२९४.००	५२९४.००	५२९४.००
	0.31 mm (28 gauge Heavy)	वर्गद्वारा	५८४८.००	५८४८.००	५८४८.००

छाना छाउने निर्माण सामग्री

शि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. माहिरको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	0.35 mm (28 gauge light)	बण्डल	७९९२.००	७९९२.००	७९९२.००
	0.37 mm (26 gauge Medium)	बण्डल	८२३६.००	८२३६.००	८२३६.००
	0.41 mm (26 gauge Heavy)	बण्डल	८३८०.००	८३८०.००	८३८०.००
	0.45 mm (24 gauge light)	बण्डल	९४९३.००	९४९३.००	९४९३.००
	0.50 mm (24 gauge Medium)	बण्डल	१०६०३.००	१०६०३.००	१०६०३.००
	0.52 mm (24 gauge Heavy)	बण्डल	१०९८४.००	१०९८४.००	१०९८४.००
	0.75 mm	बण्डल	१४८०९.००	१४८०९.००	१४८०९.००
४	जस्ता पताको घुरी				
	0.20 mm base metal	बण्डल	१६४९.००	१६४९.००	१६४९.००
	0.22 mm base metal	बण्डल	१७९४.००	१७९४.००	१७९४.००
	0.24 mm base metal	बण्डल	१९६३.००	१९६३.००	१९६३.००
	0.26 mm base metal	बण्डल	२०३२.००	२०३२.००	२०३२.००
	0.28 mm base metal	बण्डल	२१४९.००	२१४९.००	२१४९.००
	0.31 mm base metal	बण्डल	२३३३.००	२३३३.००	२३३३.००
	0.35 mm base metal	बण्डल	२६८८.००	२६८८.००	२६८८.००
	0.38 mm base metal	बण्डल	२७९८.००	२७९८.००	२७९८.००
	0.41 mm base metal	बण्डल	२९८०.००	२९८०.००	२९८०.००
५	४ फिट x ८ फिट को जि.बाई. प्लेन सिट				
	1.1 mm base metal	पिस	३३९६.००	३३९६.००	३३९६.००
	0.90 mm base metal	पिस	२८०७.००	२८०७.००	२८०७.००
	0.80 mm base metal	पिस	२४३०.००	२४३०.००	२४३०.००
	0.75 mm base metal	पिस	२३७४.००	२३७४.००	२३७४.००
	0.70 mm base metal	पिस	२२९८.००	२२९८.००	२२९८.००
	0.62 mm base metal	पिस	१९८७.००	१९८७.००	१९८७.००
	0.55 mm base metal	पिस	१७७६.००	१७७६.००	१७७६.००
	0.50 mm base metal	पिस	१६९९.००	१६९९.००	१६९९.००
	0.48 mm base metal	पिस	१६४४.००	१६४४.००	१६४४.००
	0.45 mm base metal	पिस	१४७२.००	१४७२.००	१४७२.००
	0.42 mm base metal	पिस	१३८०.००	१३८०.००	१३८०.००
	0.40 mm base metal	पिस	१३१६.००	१३१६.००	१३१६.००
	0.37 mm base metal	पिस	१२२४.००	१२२४.००	१२२४.००
	0.35 mm base metal	पिस	११७८.००	११७८.००	११७८.००
	0.30 mm base metal	पिस	१०३०.००	१०३०.००	१०३०.००
	0.25 mm base metal	पिस	९६६.००	९६६.००	९६६.००
६	४ x ८ फिट को रजिन प्लेन सिट				
	0.50 mm base metal	पिस	३०७१.००	३०७१.००	३०७१.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.म. माहेकोको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	0.80 mm base metal	चिस	२३५९.००	२३५९.००	२३५९.००
	0.75 mm base metal	चिस	२११३.००	२११३.००	२११३.००
	0.70 mm base metal	चिस	२४०६.००	२४०६.००	२४०६.००
	0.62 mm base metal	चिस	२२४२.००	२२४२.००	२२४२.००
	0.55 mm base metal	चिस	२०१४.००	२०१४.००	२०१४.००
	0.50 mm base metal	चिस	१८४९.००	१८४९.००	१८४९.००
	0.48 mm base metal	चिस	१७६८.००	१७६८.००	१७६८.००
	0.45 mm base metal	चिस	१६३८.००	१६३८.००	१६३८.००
	0.42 mm base metal	चिस	१४३८.००	१४३८.००	१४३८.००
	0.40 mm base metal	चिस	१४२१.००	१४२१.००	१४२१.००
	0.37 mm base metal	चिस	१४२१.००	१४२१.००	१४२१.००
	0.35 mm base metal	चिस	१३६५.००	१३६५.००	१३६५.००
	0.30 mm base metal	चिस	१२१२.००	१२१२.००	१२१२.००
	0.28 mm base metal	चिस	११४८.००	११४८.००	११४८.००
७	GI Expanded metal Mesh				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१४९.००	१४९.००	१४९.००
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	२१२.००	२१२.००	२१२.००
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३२.००	१३२.००	१३२.००
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१७६.००	१७६.००	१७६.००
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१२३.००	१२३.००	१२३.००
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१४९.००	१४९.००	१४९.००
८	UPVC Roofing Sheet (3mm thick)				
	PMMA coating & Mesh (Regular)	ब.मि.	१६०४.००	१४८१.००	१४८१.००
	Stone coated (18 inch* 4 feet)	ब.मि.	१२७९.००	१२६०.००	१२६०.००
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	२०४२.००	२०२१.००	१६०४.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	२०४२.००	२०२१.००	१६०४.००
	UPVC Clip	गोटा	२३.००	२३.००	२०.००
	self tapping screw 3"	गोटा	२१.००	२१.००	१४.००
	self tapping screw 2.2"	गोटा	२१.००	२१.००	१४.००
	self tapping screw 2"	गोटा	११.००	११.००	१०.००
	self tapping screw 1.5"	गोटा	९.००	९.००	९.००
	UPVC Roofing Sheet Double Mesh (Tile or regular)	ब.मि.	१४४८.००	१४३३.००	१४३३.००
	UPVC Roofing Sheet Single Mesh (Tile or regular)	ब.मि.	१३७९.००	१३६३.००	१३६३.००
	UPVC Roofing Sheet No Mesh (Tile or regular)	ब.मि.	१२०४.००	११८६.००	११८६.००
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	ब.मि.	१४२२.००	१४३०.००	१४३०.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	१३८६.००	१३९४.००	१३९४.००
९	UPVC Roofing Sheet				
	Corrugated sheets(2mm)	व.फि.	७०.००	७०.००	७०.००
	Corrugated ridge (2mm) (3"x1.4')	गोटा	७९४.००	७९४.००	७९४.००
	Corrugated ridge side(2mm)(3"x1.4')	गोटा	४७३.००	४७३.००	४७३.००
	Spanish tile without fiber mesh(3mm)	व.फि.	१०८.००	१०८.००	१०८.००
	Spanish tile with fiber mesh(3mm)	व.फि.	११७.००	११७.००	११७.००
	Spanish ridge(3mm)(3"x1.4')	गोटा	१४२२.००	१४१०.००	१४१०.००
	Spanish ridge side(3mm)	गोटा	७९४.००	७९४.००	७९४.००
	Spanish tile tripod(3mm)	गोटा	१०६२.००	१०६२.००	१०६२.००
	Clip Set	गोटा	९.००	९.००	९.००
१०	एल्युमिनियम प्लेन शिट				
	(ख) २६ गेज	व.फि.	३०.००	३०.००	३०.००
	(ख) ३० गेज	व.फि.	२८.००	२८.००	२८.००
११	Corrugated/Plain Fiber Glass Sheet				
	०.८ मी. मी. गोटा प्लेन	व.फि.	१२२.००	१२२.००	१२२.००
	०.८ मी. मी. गोटा कोरोमेटेड	व.फि.	१३९.००	१३९.००	१३९.००
	१.२ मी.मी. गोटा प्लेन	व.फि.	१३९.००	१३९.००	१३९.००
	१.२ मी.मी. गोटा कोरोमेटेड	व.फि.	१४४.००	१४४.००	१४४.००
	२ मी.मी. गोटा प्लेन	व.फि.	२३०.००	२३०.००	२३०.००
	२ मी.मी. गोटा कोरोमेटेड	व.फि.	२७१.००	२७१.००	२७१.००
	३ मी.मी. गोटा प्लेन	व.फि.	३९६.००	३९२.००	३९२.००
	३ मी.मी. गोटा कोरोमेटेड	व.फि.	४०७.००	४०७.००	४०७.००
१२	ASP Corrugated roofingSheet (L-8, 8, 10, 12, 14, 16, 18 ft W-38)				
	Corrugated steel Sheet-Thickness-1.1mm, Weight-5.5Kg/sqm)	व.मिटर	११४३.००	११२९.००	११२९.००
	Ridge Cover corrugated	र.मिटर	११३२.००	११२३.००	११२३.००
	Self tapping screw 75mm with clip set	गोटा	२१.००	२१.००	२१.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर	१३०४.००	१२८०.००	१२८०.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर	१३०४.००	१२६०.००	१२६०.००
	Self tapping screw 3" with clip set	गोटा	२१.००	२१.००	२१.००
	Self tapping screw 2.2" with clip set	गोटा	२१.००	२१.००	२१.००
१३	Fiber Glass छानाको लागि Aluminium strip (25 x 1.5) mm	र.मि.	७१.००	७१.००	७१.००
१४	Fiber Glass छानाको लागि Ribet nut	गोटा	७.००	३.००	३.००
१५	विभिन्न साईजको ने-टुक, पु-टुक	केजी	१४६.००	१४६.००	१४६.००
१६	२" साईज स्क्रिड नेल्स	गोटा	४.००	४.००	४.००
१७	३" साईज स्क्रिड नेल्स	गोटा	१०.००	१०.००	१०.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.थ.क. माहिरको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१८	Roofing Material				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness: 0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TGT (inclusive of stone chip): 2.00 mm)	व.मि.	४२६४.००	४२००.००	४२००.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness: 0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TGT (inclusive of stone chip): 2.00 mm)	व.मि.	३९९०.००	३९२०.००	३९२०.००
१९	Fiber Plain Sheet				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.	१०६.००	१०६.००	१०६.००
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.	१२३.००	१२३.००	१२३.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.	१४४.००	१४४.००	१४४.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.	१६४.००	१६४.००	१६४.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.	२०७.००	२०३.००	२०३.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.	२४४.००	२४४.००	२४४.००
२०	Fiber Corrugated Sheet				
	Fiber S span Thickness 2mm, width 42"	र.फि.	६८२.००	६८२.००	६८२.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र.फि.	९३३.००	९३३.००	९३३.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र.फि.	१०१.००	१०१.००	१०१.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र.फि.	४९७.००	४९३.००	४९३.००
२१	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear-resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	व.मी.	३९४४.००	३९०८.००	३९०८.००
२२	Roof Gard-cool Grey or Stormite underlayment is an innovative RoofGard/ Stormite synthetic underlayment for giving total deck protection.	व.मी.	४२६.००	४२६.००	४२६.००

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बातेको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
23	Providing and installing 12mm thick Cement Fiber Board complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	व.मी.	१६६२.००	१६६५.००	१६६८.००
24	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3-0.4mm PPCI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m-13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
२४.१	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm	व.मी.	४८६.००	४८६.००	४८६.००
	75mm	व.मी.	४९३.००	४९३.००	४९३.००
	100mm	व.मी.	४९४.००	४९४.००	४९४.००
	125mm	व.मी.	४९८.००	४९८.००	४९८.००
	150mm	व.मी.	४९४.००	४९४.००	४९४.००
२४.२	Blue & Orange Color Roofing Panel				
	50mm	व.मी.	४२४.००	४२४.००	४२४.००
	75mm	व.मी.	४३६.००	४३६.००	४३६.००
	100mm	व.मी.	४३७.००	४३७.००	४३७.००
	125mm	व.मी.	४८१.००	४८१.००	४८१.००
	150mm	व.मी.	४३२.००	४३२.००	४३२.००

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. माहिरको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Plain Particle Board (Exteriors Grade)				
	९ मी.मी	व.फि	४०.००	४०.००	४०.००
	१२ मी.मी	व.फि	४५.००	४५.००	४५.००
	१८ मी.मी	व.फि	५८.००	५८.००	५८.००
	२५ मी.मी	व.फि	७८.००	७८.००	७८.००
२	PPB One side lamination Melaminated faced (Exterior Grade)				
	९ मी.मी	व.फि	८२.००	८२.००	८२.००
	१२ मी.मी	व.फि	९१.००	९१.००	९१.००
	१८ मी.मी	व.फि	१०८.००	१०८.००	१०८.००
	२५ मी.मी	व.फि	१२०.००	१२०.००	१२०.००
३	PPB Both side lamination Melaminated faced (Exteriors Grade)				
	९ मी.मी	व.फि	९१.००	९१.००	९१.००
	१२ मी.मी	व.फि	१०५.००	१०५.००	१०५.००
	१८ मी.मी	व.फि	१२१.००	१२१.००	१२१.००
	२५ मी.मी	व.फि	१२४.००	१२४.००	१२४.००
४	Plain Particle Board (Interiors Grade)				
	९ मी.मी	व.फि	२९.००	२९.००	२९.००
	१२ मी.मी	व.फि	३४.००	३४.००	३४.००
	१८ मी.मी	व.फि	४१.००	४१.००	४१.००
	२५ मी.मी	व.फि	६५.००	६५.००	६५.००
५	PPB One side lamination Melaminated faced (Interior Grade)				
	९ मी.मी	व.फि	४४.००	४४.००	४४.००
	९ मी.मी	व.फि	६२.००	६२.००	६२.००
	९ मी.मी	व.फि	७२.००	७२.००	७२.००
	१२ मी.मी	व.फि	८२.००	८२.००	८२.००
	१८ मी.मी	व.फि	९४.००	९४.००	९४.००
	२५ मी.मी	व.फि	११८.००	११८.००	११८.००
६	PPB Both side lamination Melaminated faced (Interiors Grade)				
	९ मी.मी	व.फि	४१.००	४१.००	४१.००
	९ मी.मी	व.फि	६८.००	६८.००	६८.००
	९ मी.मी	व.फि	८२.००	८२.००	८२.००
७	PPB One side lamination Melaminated faced (Interior Grade)				
	९ मी.मी	व.फि	४१.००	४१.००	४१.००
	९ मी.मी	व.फि	४८.००	४८.००	४८.००



Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	६ मी.मी. च.फि.	च.फि.	७२.००	७२.००	७२.००
	९ मी.मी. च.फि.	च.फि.	९३.००	९३.००	९३.००
	१२ मी.मी. च.फि.	च.फि.	१०५.००	१०५.००	१०५.००
	१८ मी.मी. च.फि.	च.फि.	१३५.००	१३५.००	१३५.००
	२५ मी.मी. च.फि.	च.फि.	१८३.००	१८३.००	१८५.००
८	PPB Both side lamination Melaminated faced - Hybrid board (WPC Board)				
	३ मी.मी. च.फि.	च.फि.	४८.००	४८.००	४८.००
	४ मी.मी. च.फि.	च.फि.	६५.००	६५.००	६५.००
	६ मी.मी. च.फि.	च.फि.	८१.००	८१.००	८१.००
	९ मी.मी. च.फि.	च.फि.	१०१.००	१०१.००	१०१.००
	१२ मी.मी. च.फि.	च.फि.	१११.००	१११.००	१११.००
	१८ मी.मी. च.फि.	च.फि.	१४१.००	१४१.००	१४१.००
	२५ मी.मी. च.फि.	च.फि.	१९१.००	१९१.००	१९१.००
९	Alstone Hybrid Board (WPC Board)				
	६ मी.मी. (१२१० x २४४०) च.फि.	च.फि.	१८६.००	१८६.००	
	१२ मी.मी. च.फि.	च.फि.	२९८.००	२९८.००	
	१८ मी.मी. च.फि.	च.फि.	४५९.००	४५९.००	
१०	Alstone Hybrid Board				
	४ मी.मी. बाक्लो Hybrid Board (WPC Board)	च.फि.	८९.००	८९.००	
	६ मी.मी. बाक्लो Hybrid Board (WPC Board)	च.फि.	१२७.००	१२७.००	
	१२ मी.मी. बाक्लो Hybrid Board (WPC Board)	च.फि.	२३३.००	२३३.००	
	१८ मी.मी. बाक्लो Hybrid Board (WPC Board)	च.फि.	३२५.००	३२५.००	
	६ मी.मी. बाक्लो Hybrid Board (WPC Art Jali)	च.फि.	३९.४.००	३९.४.००	
	१२ मी.मी. बाक्लो Hybrid Board (WPC Art Jali)	च.फि.	४८९.००	४८९.००	
	१८ मी.मी. बाक्लो Hybrid Board (WPC Art Jali)	च.फि.	७६०.००	७६०.००	
	WPC door frame 100*50 mm upto ht 7 ft.	च.फि.	४०४.००	४०४.००	
	WPC door shutter 30 mm th. (7*3) size	च.फि.	२७५.००	२७५.००	
	18 mm th. WPC OLIGO (colour)	च.फि.	६१३.००	६१३.००	
११	Alstone Hybrid Board (WPC Board)				
	६ मी.मी. size (1220*2440) mm	च.फि.	१७९.००	१७९.००	
	१२ मी.मी. size (1221*2440) mm	च.फि.	३४०.००	३४०.००	
	१८ मी.मी. size (1222*2440) mm	च.फि.	४७३.००	४७३.००	
१२	Supplying and fixing of gypsum board				
	Wall partition	च.फि.	१३२.००	१३२.००	१३२.००

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature and stamp: सुनितपुर जिल्ला अधिकारी]

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Wall paneling	व.फि.	८७.००	८७.००	८७.००
	12.5mm thick Gypsum Board False ceiling	व.फि.	८८.००	८८.००	८८.००
१३	Fiber cement board (Wall)				
	3.2 MM (2'x2')	व.फि.	२३.००	२३.००	२३.००
	3.2 MM (4'x8')	व.फि.	२९.००	२९.००	२९.००
	3.5 MM (4'x8')	व.फि.	३४.००	३४.००	३४.००
	4MM (4'x8')	व.फि.	३५.००	३५.००	३५.००
	6MM (4'x8')	व.फि.	४०.००	४०.००	४०.००
	8MM (4'x8')	व.फि.	५३.००	५३.००	५३.००
	9MM (4'x8')	व.फि.	७४.००	७४.००	७४.००
	10MM (4'x8')	व.फि.	८४.००	८४.००	८४.००
	12MM (4'x8')	व.फि.	९४.००	९४.००	९४.००
	Fiber cement board (Floor)				
	15MM (4'x8')	व.फि.	१४३.००	१४३.००	१४३.००
	18MM (4'x8')	व.फि.	१७१.००	१७१.००	१७१.००
	20MM (4'x8')	व.फि.	१९२.००	१९२.००	१९२.००
	Fiber cement board (Cassiano)				
	8MM (4'x8')	व.फि.	९४.००	९४.००	९४.००
१४	Fiber Cement Board (Planck)				
	8MM (3"x 9'-10") 9'-10"Rft	व.फि.	३४.००	३४.००	३४.००
	8MM (6"x 9'-10") 9'-10"Rft	व.फि.	४२.००	४२.००	४२.००
	8MM (8"x 9'-10") 9'-10"Rft	व.फि.	७४.००	७४.००	७४.००
	8MM Coloured Teak Texture Walnut (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
	8MM Coloured Teak Texture GST (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
	8MM Coloured Teak Texture Cherry Red (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
	8MM Coloured Teak Texture Afromoria -Brown (6"x 9'-10") 9'-10"Rft	व.फि.	६९.००	६९.००	६९.००
१५	Infill wall Partition using 6mm Board on 74mm Stud	व.मि.	४२४३.००	४२४३.००	४२४३.००
	Infill wall Partition using 10mm Board on 74mm Stud	व.मि.	६२६१.००	६२६१.००	६२६१.००
	Infill wall Partition using 8mm Board on 50mm Stud	व.मि.	४२४९.००	४२४९.००	४२४९.००
	Dry wall Partition using 10mm Board on 74mm Stud	व.मि.	४२६४.००	४२६४.००	४२६४.००
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९४.००	९४.००	९४.००
१७	Material for Wall				

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Mural Wall: 20-25mm thk. Cement tile from Craft Beton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	ब.मि	१४६००.००	१४६००.००	१४६००.००
१८	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m-13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
१८.१	Ivory Color Flat Wall Panel				
	50mm	ब.फी.	३६४.००	३६४.००	३६४.००
	75mm	ब.फी.	३७३.००	३७३.००	३७३.००
	100mm	ब.फी.	४२४.००	४२४.००	४२४.००
	125mm	ब.फी.	४२८.००	४२८.००	४२८.००
	150mm	ब.फी.	४८१.००	४८१.००	४८१.००
१८.२	Gray Color RP Wall Panel				
	50mm	ब.फी.	३९९.००	३९९.००	३९९.००
	75mm	ब.फी.	४०७.००	४०७.००	४०७.००
	100mm	ब.फी.	४४९.००	४४९.००	४४९.००
	125mm	ब.फी.	४६२.००	४६२.००	४६२.००
	150mm	ब.फी.	६१४.००	६१४.००	६१४.००
१८.३	Wooden Color Siding Wall Panel				
	75mm	ब.फी.	४९३.००	४९३.००	४९३.००
	100mm	ब.फी.	४४४.००	४४४.००	४४४.००
	125mm	ब.फी.	६०४.००	६०४.००	६०४.००
	150mm	ब.फी.	६४०.००	६४०.००	६४०.००

Prefab Panel for wall Partition

सि.न.	निर्माण सामग्रीहरूको विवरण	एफआई	मु.ब.क. माहेकोको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
1	Supply and erection of different mm th. cement base prefabricated solid wall panel non asbestos including 1:1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partition wall all complete				
	a) 75 mm thick	व.फि	३२१.००	३२१.००	३२१.००
	b) १०० mm thick	व.फि	२४४.००	२४४.००	२४४.००
2	False Ceiling/Partition/External cladding Fiber Board				
	Supplying, making, fixing of false ceiling with fibre designer board in U-grid	व.फि	९९.००	९९.००	९९.००
	Supplying, making, fixing of १०mm thick exterior with full height of partition with fibre cement board	व.फि	२९७.००	२९७.००	२९७.००
	Supplying, making, fixing of १०mm thick exterior with full height of partition with fibre cement board	व.फि	२९०.००	२९०.००	२९०.००
	Supplying, making, fixing of ९mm thick exterior with full height of partition with fibre cement board	व.फि	३३१.००	३३१.००	३३१.००
	Supplying, making, fixing of external cladding with ९ mm HD/ 7.5mm sliding board	व.फि	२९२.००	२९२.००	२९२.००
	Supplying, making, fixing of ५०mm thick full height of partition with wall panels	व.फि	२३१.००	२३१.००	२३१.००
	Supplying, making, fixing of ७५mm thick full height of partition with wall panels	व.फि	३०३.००	३०३.००	३०३.००
	६ mm thick Water proof cement board ६mm thick for false ceiling	व.फि	३३.००	३३.००	३३.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on ८ mm thick teak tile fixed on 12mm thick marine plywood (BW/P) base fixed to wall with adequate hardware/fixing arrangement as design.				
	150X150Tile	मोटा	२९४०.००	२९४०.००	२९४०.००
	150X300 Tile	मोटा	३३७४.००	३३७४.००	३३७४.००
	300X300 Tile	मोटा	४२००.००	४२००.००	४२००.००
3	Cement board				
	६ mm thick	व.फि	३६.००	३६.००	३६.००
	८ mm thick	व.फि	४४.००	४४.००	४४.००
	१२ mm thick	व.फि	४६.००	४६.००	४६.००
	१२ mm thick	व.फि	६८.००	६८.००	६८.००
4	Supplying and fixing 136 mm thick EVG 3D panel with mesh size ५० x ५० GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size ५० x ५० GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४९९.००	४९९.००	४९९.००
	Supplying and fixing 136 mm thick EVG 3D panel with mesh size ५० x ५० GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४३२.००	४३२.००	४३२.००
	Supplying and fixing 150 mm thick EVG 3D panel with mesh size ५० x ५० GI wire 4 mm both side 40 mm thick 1:१ cement sand plaster all complete work.	व.फि	४४८.००	४४८.००	४४८.००
	Joint less false ceiling channel ८.५mm thick flange of 20 mm and another flange १०mm (conform to IS 4३६२ : 20००) all complete work	व.फि	११९.००	११९.००	११९.००
	solid wall panel ५०/७५ mm thick conform to IS 1०४६२ (density more than 1200kg /cu)			०.००	०.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.ब.क. बाहेकको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
	50 mm thick	व.मि.	२८०.००	२८०.००	२८०.००
	75 mm thick	व.मि.	३२९.००	३२९.००	३२९.००
	External cladding with 9mm (7.5 mm siding board and G.I steel frame work	व.मि.	३००.००	३००.००	३००.००
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.मि.	३०४.००	३०४.००	३०४.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.मि.	२६६.००	२६६.००	२६६.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.मि.	३४०.००	३४०.००	३४०.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) conforming to IS 14862 : 2000	व.मि.	३६२.००	३६२.००	३६२.००
5	EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non-Asbestos) as face board on both sides (Size 2270*610mm) excluding installation				
	50mm thickness	व.मि.	१९१.००	१९१.००	१९१.००
	60mm thickness	व.मि.	२९३.००	२९३.००	२९३.००
	75mm thickness	व.मि.	३२१.००	३२१.००	३२१.००
	90mm thickness	व.मि.	४१०.००	४१०.००	४१०.००
	120mm thickness	व.मि.	४९४.००	४९४.००	४९४.००
	Installation charge	व.मि.	२६.००	२६.००	२६.००
	Other Accessories	व.मि.	४३.००	४३.००	४३.००
6	Precast boundary wall, Precast slab, Precast Beam				
	H-beam	व.मि.	१९७.००	१९७.००	१९७.००
	50 mm wall slab	व.मि.	१३०.००	१३०.००	१३०.००
	120 mm floor slab (with installation)	व.मि.	३७२.००	३७२.००	३७२.००
	70 mm water permeable			०.००	०.००
	Color Block	व.मि.	१४३.००	१४३.००	१४३.००
	Non Color Block	व.मि.	१२३.००	१२३.००	१२३.००
7	PUF स्किङ प्यानल				
	३० मि.मि. मोटाई, रङ्गिन	व.मि.	२१०.००	२१०.००	२१०.००
	४० मि.मि. मोटाई, रङ्गिन	व.मि.	२७१.००	२७१.००	२७१.००
	५० मि.मि. मोटाई, रङ्गिन	व.मि.	२९९.००	२९९.००	२९९.००
	६० मि.मि. मोटाई, रङ्गिन		३२४.००	३२४.००	३२४.००
8	PUF बाल प्यानल				
	४० मि.मि. मोटाई, रङ्गिन	व.मि.	२४९.००	२४९.००	२४९.००
	५० मि.मि. मोटाई, रङ्गिन	व.मि.	२७५.००	२७५.००	२७५.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.न.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	६० मि.मि.मोटाई,रङ्ग किम	व.फि	३४४.००	३४४.००	३४४.००
	७५ मि.मि.मोटाई,रङ्ग किम	व.फि	३४८.००	३४८.००	३४८.००
	९० मि.मि.मोटाई,रङ्ग किम	व.फि	४००.००	४००.००	४००.००
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि	४२४.००	४२४.००	४२४.००
	१२५ मि.मि.मोटाई,रङ्ग किम	व.फि	४३८.००	४३८.००	४३८.००
	१५० मि.मि.मोटाई,रङ्ग किम	व.फि	४२२.००	४२२.००	४२२.००
9	पफ स्लेब सिट				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	१७४.००	१७४.००	१७४.००
	५० मि.मि.मोटाई,रङ्ग किम	व.फि	२००.००	२००.००	२००.००
	६० मि.मि.मोटाई,रङ्ग किम	व.फि	२२४.००	२२४.००	२२४.००
	८० मि.मि.मोटाई,रङ्ग किम	व.फि	२८२.००	२८२.००	२८२.००
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि	३४०.००	३४०.००	३४०.००
10	EPE Sandwich Panel (Puff Density=20kg=2)				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	२४४.००	२४४.००	२४४.००
	६० मि.मि.मोटाई,रङ्ग किम	व.फि	२६०.००	२६०.००	२६०.००
	८० मि.मि.मोटाई,रङ्ग किम	व.फि	३१४.००	३१४.००	३१४.००
	८० मि.मि.मोटाई,रङ्ग किम	व.फि	३७०.००	३७०.००	३७०.००
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि	४३०.००	४३०.००	४३०.००
11	PUF थिंक पाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग दुवै तर्फ थिंक(इष्ट)	व.फि	२९८.००	२९८.००	२९८.००
	६० मि.मि.मोटाई,रङ्ग दुवै तर्फ थिंक(इष्ट)	व.फि	३९९.००	३९९.००	३९९.००
	७५ मि.मि.मोटाई,रङ्ग दुवै तर्फ थिंक(इष्ट)	व.फि	३९९.००	३९९.००	३९९.००
	१०० मि.मि.मोटाई,रङ्ग दुवै तर्फ थिंक(इष्ट)	व.फि	४९०.००	४९०.००	४९०.००
	१५० मि.मि.मोटाई,रङ्ग दुवै तर्फ थिंक(इष्ट)	व.फि	५७०.००	५७०.००	५७०.००
12	PUF थिंक पाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ थिंक(इष्ट) अर्को तर्फ किम	व.फि	२७१.००	२७१.००	२७१.००
	६० मि.मि.मोटाई,रङ्ग एका तर्फ थिंक(इष्ट) अर्को तर्फ किम	व.फि	२९३.००	२९३.००	२९३.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ थिंक(इष्ट) अर्को तर्फ किम	व.फि	३७३.००	३७३.००	३७३.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ थिंक(इष्ट) अर्को तर्फ किम	व.फि	४५३.००	४५३.००	४५३.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ थिंक(इष्ट) अर्को तर्फ किम	व.फि	५४९.००	५४९.००	५४९.००
13	पोलिकारोनेट रीफिन्ड सिट				
	नर्मल कारोनेट (सादा,हरियो,निनी,सेतो)मोटाई ०.८ मि.मि चौडाई ३२ इन्च	व.फि	१२६.००	१२६.००	१२६.००
	नर्मल कारोनेट (सादा,हरियो,निनी,सेतो)मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि	१४८.००	१४८.००	१४८.००
	नर्मल कारोनेट (सादा,हरियो,निनी,सेतो)मोटाई १.२ मि.मि चौडाई ३२ इन्च	व.फि	१८८.००	१८८.००	१८८.००

Prefab Panel for wall Partition

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.का. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	नर्मल-काचेचेटेड (साचा,हरियो,निर्लो,सेतो) मोटाइ १.४ मि.मि चौडाई ३३ इन्च	व.मि	२३८.००	२३८.००	२३८.००
14	पोलिक्लोरोमिट प्लेन तथा फिस्टल शिट				
	नर्मल तथा फिस्टल शिट मोटाइ १.४ मि.मि चौडाई ३२ इन्च	व.मि	१९७.००	१९७.००	१९७.००
	नर्मल तथा फिस्टल शिट मोटाइ २ मि.मि चौडाई ३२ इन्च	व.मि	२६३.००	२६३.००	२६३.००
	नर्मल तथा फिस्टल शिट मोटाइ १ मि.मि चौडाई ३२ इन्च	व.मि	१९४.००	१९४.००	१९४.००
	टाउन प्रोफाइल मेटल रफिङ शिट शिट मोटाइ ०.४ मि.मि चौडाई ३२ इन्च	व.मि	१२३.००	१२३.००	१२३.००
15	सि एण्ड जेड पर्सिन				
	सि एण्ड जेड पर्सिन २९० मि.मि. शिट, मोटाइ १.८ मि.मि ग्यालनाइज्ड	प्रति केजी	१४८.००	१४८.००	१४८.००
	सि एण्ड जेड पर्सिन ३२०/३६०/४१० मि.मि. शिट, मोटाइ २ मि.मि ग्यालनाइज्ड	प्रति केजी	१४६.००	१४६.००	१४६.००
16	अल्युमिनम				
	फन्टेड अल्युमिनम एस स्पास शिट मोटाइ ०.६ मि.मि	प्रति वर्गइन्च	१९२४०.००	१९२४०.००	१९२४०.००
	फन्टेड अल्युमिनम एस स्पास शिट नर्मल मोटाइ ०.६ मि.मि	प्रति वर्गइन्च	१४०८०.००	१४०८०.००	१४०८०.००
	फन्टेड अल्युमिनम एस स्पास शिट मोटाइ ०.४ मि.मि	प्रति वर्गइन्च	१३९६०.००	१३९६०.००	१३९६०.००
	फन्टेड अल्युमिनम नर्मल शिट मोटाइ ०.४ मि.मि	प्रति वर्गइन्च	१३०००.००	१३०००.००	१३०००.००
17	Metal Tile Roofing Sheet				
	0.45 Thickness - (Red, Green, Blue)	व.मि	२३०३६.००	२३०३६.००	२३०३६.००
	0.5 Thickness - (Chocolate)	व.मि	२४४३२.००	२४४३२.००	२४४३२.००
18	Ridge Cap(0.4 Thickness)	र.मि	२००.००	२००.००	२००.००
	Gutter				
	0.50 mm Thickness (Size- 12")	र.मि	१०१.००	१०१.००	१०१.००
	0.50 mm Thickness (Size- 16")	र.मि	१२४.००	१२४.००	१२४.००
	0.50 mm Thickness (Size- 18")	र.मि	१३४.००	१३४.००	१३४.००
	0.40 mm Thickness (Size- 12")	र.मि	१२२.००	१२२.००	१२२.००
	0.40 mm Thickness (Size- 16")	र.मि	१३०.००	१३०.००	१३०.००
	0.40 mm Thickness (Size- 12")	र.मि	१३४.००	१३४.००	१३४.००
19	Polycarbonate Corrugated Sheet				
	0.8 mm Thickness	व.मि	१०४.००	१०४.००	१०४.००
	1 mm Thickness	व.मि	१०८.००	१०८.००	१०८.००
	1.25mm Thickness	व.मि	१३०.००	१३०.००	१३०.००
	1.5 mm Thickness	व.मि	१४३.००	१४३.००	१४३.००
	1.75mm Thickness	व.मि	१७९.००	१७९.००	१७९.००
	2mm Thickness	व.मि	२०६.००	२०६.००	२०६.००
	2.5 mm Thickness	व.मि	२४०.००	२४०.००	२४०.००
	3 mm Thickness	व.मि	२८४.००	२८४.००	२८४.००
20	Polycarbonate Plain Sheet				
	1 mm Thickness	व.मि	८३.००	८३.००	८३.००
	1.5 mm Thickness	व.मि	१३८.००	१३८.००	१३८.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.स.का. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	2 mm Thickness	व.फि	१९०.००	१९०.००	१९०.००
	2.5 mm Thickness	व.फि	२२१.००	२२१.००	२२१.००
	3 mm Thickness	व.फि	२४४.००	२४४.००	२४४.००
	4 mm Thickness	व.फि	३६०.००	३६०.००	३६०.००
	5 mm Thickness	व.फि	४२०.३४	४२०.३४	४२०.३४
	6 mm Thickness	व.फि	४०८.८४	४०८.८४	४०८.८४
	7 mm Thickness	व.फि	६०६.१९	६०६.१९	६०६.१९
	8 mm Thickness	व.फि	७६९.००	७६९.००	७६९.००
	9 mm Thickness	व.फि	८२९.००	८२९.००	८२९.००
	10 mm Thickness	व.फि	९४७.००	९४७.००	९४७.००
	12 mm Thickness	व.फि	११२९.००	११२९.००	११२९.००
21	Angle & U channel				
	CZU Non Galvanized 2mm thickness	के.सी	१४९.००	१४९.००	१४९.००
	CZU Galvanized 2mm thickness	के.सी	२३८.००	२३८.००	२३८.००
	Angle ०.5 mm thickness	र.फि	९.००	९.००	९.००
22	Fake Ceiling boards and zinc coated metal profile 120 GSM				
	Standard plaster board plain 12.5 mm thick	व.फि	२९८.००	२९८.००	२९८.००
	Metal ceiling section 80x26x51x0.5x3660 mm	गोटा	३२२.००	३२२.००	३२२.००
	Intermediate Channel 45x15x15x0.9x3660 mm	गोटा	३१४.००	३१४.००	३१४.००
	Perimeter channel 20x28x30x0.5x3660 mm	गोटा	१९४.००	१९४.००	१९४.००
	Ceiling Angle 25x10x0.5x3660 mm	गोटा	१०९.००	१०९.००	१०९.००
23	Thermal and Acoustic Insulation for roofing & Drywall				
	Roofing Insulation				
	Glass wool 50 mm thickness	व.फि	४०.००	४०.००	४०.००
	Stone wool 50mm thickness	व.फि	६४.००	६४.००	६४.००
	Stone wool 100mm thickness	व.फि	११४.००	११४.००	११४.००
	Drywall Insulation				
	Stone wool 50mm thickness	व.फि	६०.००	६०.००	६०.००
	Stone wool 75mm thickness	व.फि	१००.००	१००.००	१००.००
	Stone wool 100mm thickness	व.फि	१२०.००	१२०.००	१२०.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	फलामको कच्चा				
	(क) ३" साइज गोटा	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज गोटा	गोटा	२९.००	२९.००	२९.००
	(ग) ५" साइज गोटा	गोटा	४५.००	४५.००	४५.००
	(घ) ६" साइज गोटा	गोटा	५९.००	५९.००	५९.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२७३.००	२७३.००	२७३.००
	225 mm	गोटा	२४२.००	२४२.००	२४२.००
	150 mm	गोटा	२०७.००	२०७.००	२०७.००
३	Aluminum Towerbolt (छेल्कीनी)				
	(क) ३" लामो गोटा	गोटा	२९.००	२९.००	२९.००
	(ख) ४" लामो गोटा	गोटा	४२.००	४२.००	४२.००
	(ग) ५" लामो गोटा	गोटा	७१.००	७१.००	७१.००
	(घ) ६" लामो गोटा	गोटा	८५.००	८५.००	८५.००
	(ङ) १०" लामो गोटा	गोटा	१००.००	१००.००	१००.००
	(च) १२" लामो गोटा	गोटा	११४.००	११४.००	११४.००
४	Aluminum Handle (हलकल)				
	Ordinary	गोटा	३४.००	३४.००	३४.००
	Special	गोटा	४०.००	४०.००	४०.००
५	ब्रासको कच्चा				
	2" x 1/2"	गोटा	६७.००	६७.००	६७.००
	2 1/2" x 3/4"	गोटा	७५.००	७५.००	७५.००
	3" x 1/4"	गोटा	९२.००	९२.००	९२.००
	2" x 3/4"	गोटा	७५.००	७५.००	७५.००
	2 1/2" x 3/4"	गोटा	८४.००	८४.००	८४.००
	3" x 1/4"	गोटा	९२.००	९२.००	९२.००
	3" x 1"	गोटा	२०१.००	२०१.००	२०१.००
	4" x 1"	गोटा	३०२.००	३०२.००	३०२.००
	5" x 1"	गोटा	४०४.००	४०४.००	४०४.००
	6" x 1"	गोटा	४८८.००	४८८.००	४८८.००
६	Brass Towerbolt (छेल्कीनी)				
	(क) ३" लामो गोटा	गोटा	१४१.००	१४१.००	१४१.००
	(ख) ४" लामो गोटा	गोटा	२०१.००	२०१.००	२०१.००
	(ग) ५" लामो गोटा	गोटा	३०२.००	३०२.००	३०२.००
	(घ) ६" लामो गोटा	गोटा	४०४.००	४०४.००	४०४.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. मातेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	ड) १०" लामो	गोटा	४०४.००	४०४.००	४०४.००
	घ) १२" लामो	गोटा	६०४.००	६०४.००	६०४.००
७	Brass Handle (हतकल)				
	४" Brass handle	गोटा	१४९.००	१४९.००	१४९.००
	६" Brass handle	गोटा	४८८.००	४८८.००	४८८.००
	१०" Brass handle	गोटा	१००९.००	१००९.००	१००९.००
८	Brass Locking Set (L-drop)				
	क) ८" लामो	गोटा	१००९.००	१००९.००	१००९.००
	ख) १०" लामो	गोटा	१६४०.००	१६४०.००	१६४०.००
	ग) १२" लामो	गोटा	१८२९.००	१८२९.००	१८२९.००
	Special Fittings				
९	एल ड्रप				
	८" लामो	गोटा	१११४.००	१११४.००	१११४.००
	१०" लामो	गोटा	१२४८.००	१२४८.००	१२४८.००
	१२" लामो	गोटा	१३११.००	१३११.००	१३११.००
१०	ह्याण्डल ८" लामो	गोटा	१३११.००	१३११.००	१३११.००
११	टावर बोल्ट				
	४" लामो	गोटा	२३९.००	२३९.००	२३९.००
	६" लामो	गोटा	३१९.००	३१९.००	३१९.००
	१०" लामो	गोटा	३९९.००	३९९.००	३९९.००
१२	डबल क्लर (गोल्ड सिल्वर/ब्ल्याक सिल्वर)				
	एल ड्रप				
	८" लामो	गोटा	९४१.००	९४१.००	९४१.००
	१०" लामो	गोटा	११८६.००	११८६.००	११८६.००
	१२" लामो	गोटा	१३११.००	१३११.००	१३११.००
	ह्याण्डल				
	६" लामो	गोटा	२६६.००	२६६.००	२६६.००
	८" लामो	गोटा	३१९.००	३१९.००	३१९.००
	मोर्टिस लक				
	Ordinary	गोटा	६६६.००	६६६.००	६६६.००
	Chinese	गोटा	४४३.००	४४३.००	४४३.००
	Indian Godrej Company	गोटा	२६८४.००	२६८४.००	२६८४.००
	Brass		११८६.००	११८६.००	११८६.००
१३	Door Spring (Door Closer)				
	Ordinary	गोटा	१८९.००	१८९.००	१८९.००

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. भाडैको दररेड		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	hydraulic	गोटा	१९६७.००	१९६७.००	१९६७.००
	Window l-hook	गोटा	१९.००	१९.००	१९.००
१४	Gate Hook				
	4" Gate hook	गोटा	३३.००	३३.००	३३.००
	5" Gate hook	गोटा	३७.००	३७.००	३७.००
	6" Gate hook	गोटा	४४.००	४४.००	४४.००
	Brass Gate hook	गोटा	७९.००	७९.००	७९.००
१५	Door stopper				
	Butterfly	गोटा	१४३.००	१४३.००	१४३.००
	Bell catch 2" size	गोटा	२०८.००	२०८.००	२०८.००
	C.P. handle	गोटा	४४३.००	४४३.००	४४३.००
	Power coated handle	गोटा	४३२.००	४३२.००	४३२.००
	Brass coated handle	गोटा	९३१.००	९३१.००	९३१.००
	Door stopper, single brass stopper	गोटा	१०६.००	१०६.००	१०६.००
	Door stopper double brass stopper	गोटा	१८९.००	१८९.००	१८९.००
१६	Screw Brass				
	20mm	गोटा	२.००	२.००	२.००
	25mm	गोटा	२.५०	२.५०	२.५०
	35mm	गोटा	४.००	४.००	४.००
	50mm	गोटा	१२.००	१२.००	१२.००
	75mm	गोटा	१६.००	१६.००	१६.००
१७	Screw Steel				
	20mm	गोटा	१.००	१.००	१.००
	25mm	गोटा	२.००	२.००	२.००
	35mm	गोटा	२.००	२.००	२.००
	50mm	गोटा	७.००	७.००	७.००
	75mm	गोटा	८.००	८.००	८.००
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९८.००	९८.००	९८.००
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१०४.००	१०४.००	१०४.००

रंगरोगन तथा पुटिका सामानहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	सिमेन्ट पेन्ट	के.मि.	६९.००	६९.००	६९.००
२	सिमेन्ट प्राइमर सेतो	के.मि.	२८८.००	२८८.००	२८८.००
३	उद प्राइमर	लिटर	३८९.००	३८९.००	३८९.००
४	सेन्थेटिक इनामेल पेन्ट	लिटर	४४२.००	४४२.००	४४२.००
५	नेपाल रेडको म्याट फिनिशिंग	लिटर	४२३.००	४२३.००	४२३.००
६	कोबोटेड लफ पेन्ट	लिटर	४९२.००	४९२.००	४९२.००
७	तयारी अल्मुनियम पेन्ट	लिटर	४६४.००	४६४.००	४६४.००
८	तयारी चार्मेड	लिटर	४४५.००	४४५.००	४४५.००
९	तयारी चार्मेड सेन्थेटिक	लिटर	३४९.००	३४९.००	३४९.००
१०	भारीतय चिमेर	लिटर	२३८.००	२३८.००	२३८.००
११	उद एण्ड ग्लास पुटिग	के.मी.	१३६.००	१३६.००	१३६.००
१२	ग्रेटल पुटिग	के.मी.	१६०.००	१६०.००	१६०.००
१३	चुन पेन्ट गर्ने राम्रो राम	के.मी.	२१०.००	२१०.००	२१०.००
१४	नेपाली चिमेर	लिटर	२२४.००	२२४.००	२२४.००
१५	तारपिन तेल	लिटर	२२९.००	२२९.००	२२९.००
१६	रेड अक्साइड पेन्ट	लिटर	२७०.००	२७०.००	२७०.००
१७	उद प्रिजरभेटिभ पेन्ट	लिटर	२३६.००	२३६.००	२३६.००
१८	ब्याक जागत	लिटर	४९६.००	४९६.००	४९६.००
१९	राम तिलक	के.मि.	४७.००	४७.००	४७.००
२०	रेड रंग	के.मि.	१४९.००	१४९.००	१४९.००
२१	बुध्रा	के.मि.	१३४४.००	१३४४.००	१३४४.००
२२	लिट	लिटर	२२.००	२२.००	२२.००
२३	वास्केल डिस्लेम्पर	लिटर	२३९.००	२३९.००	२३९.००
२४	प्लास्टिक्स इमल्टन पेन्ट (interior)	लिटर	४४४.००	४४४.००	४४४.००
२५	वेटरकोट पेन्ट (exterior)	लिटर	६४२.००	६४२.००	६४२.००
२६	प्लास्टिक इमल्टन पेन्ट	लिटर	६९३.००	६९३.००	६९३.००
२७	निगनिङ अथल	लिटर	२०३.००	२०३.००	२०३.००
२८	स्वामीय स्पीट	लिटर	१२९.००	१२९.००	१२९.००
२९	मोबिकल/केचिकल	के.मि.	२७९.००	२७९.००	२७९.००
३०	ग्रेन पातिस	के.मि.	३६७.००	३६७.००	३६७.००
३१	अक्साइड एमिड	के.मि.	१२२.००	१२२.००	१२२.००
३२	१" चौडा पेन्ट ब्रश	गोटा	७४.००	७४.००	७४.००
३३	२" चौडा पेन्ट ब्रश	गोटा	१४९.००	१४९.००	१४९.००
३४	३" चौडा पेन्ट ब्रश	गोटा	२२३.००	२२३.००	२२३.००
३५	४" चौडा पेन्ट ब्रश	गोटा	२९६.००	२९६.००	२९६.००
३६	रङ्ग लगाउने रोलर	गोटा	४२६.००	४२६.००	४२६.००
३७	Sand paper	गोटा	६.००	६.००	६.००
३८	Wall putty plain	के.मि.	३८.००	३८.००	३८.००

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
३९	Wall putty- water Proof	क.मि.	६३.००	६३.००	६३.००
४०	Plaster of Parish (POP)	क.मि.	२३.००	२३.००	२३.००
४१	Redoxide zink cromate primer For Bridge	लिटर	४७९.००	४७९.००	४७९.००
४३	Epoxy Paint for Operation theater	व.मी.	१२१७४.००	१२१७४.००	१२१७४.००
४४	Exterior Primer	लिटर	२४८.००	२४८.००	२४८.००
४५	Interior Primer	लिटर	१७९.००	१७९.००	१७९.००
४६	Enamel Paints	लिटर	४३४.००	४३४.००	४३४.००
	Decorative Painting Material				
A	Specialized paints				
१	Anti bacterial Hospital Paint	लिटर	११४३.००	११४३.००	११४३.००
२	Anti carbonisation paint	लिटर	८१२.००	८१२.००	८१२.००
३	Heat Reflecting Energy Saving Insulation Paint	लिटर	११८६.००	११८६.००	११८६.००
४	Intumescent weather resistant chlorinated rubber fire resistant retardant coating	लिटर	११६६.००	११६६.००	११६६.००
५	Silver Ion higienic Coating Paint	क.मि.	९७३४	९७३४.००	९७३४.००
६	Self Sanitizing Silver Ion Higienic Coating	लिटर	९७०.००	९७०.००	९७०.००
B	Texture paints				
१	Mediterano	क.मि.	१८७.००	१८७.००	
२	Stucco Veneziano	क.मि.	१३१६.००	१३१६.००	
३	Velvetino	क.मि.	४४२०.००	४४२०.००	
४	Travertino	क.मि.	३६२.००	३६२.००	
५	Gtong plaster	क.मि.	१२९.००	१२९.००	
६	Colorato (Multi color)	क.मि.	९४०.००	९४०.००	
७	Pearl skin texture	क.मि.	१२८.००	१२८.००	
८	TS 52 Spray white	क.मि.	२१२.००	२१२.००	
९	Rustic	क.मि.	१९९.००	१९९.००	
१०	Rockait	लिटर	१९६.००	१९६.००	
११	Manhattan	क.मि.	२४०.००	२४०.००	
१२	Sabbia	क.मि.	२४०.००	२४०.००	
१३	Sandy Stone	क.मि.	१८४.००	१८४.००	
१४	Insulplast	क.मि.	२३३.००	२३३.००	
१५	Poly Under White	क.मि.	२८९.००	२८९.००	
१६	Antica(Top coat)	क.मि.	१३३०.००	१३३०.००	
१७	T.C 103(Top coat)	क.मि.	७५४.००	७५४.००	
१८	Dekorica White	क.मि.	२७५३.००	२७५३.००	
१९	Poly Plaster	क.मि.	११२.३४	११२.३४	
२०	Granite tone	क.मि.	१३०.००	१३०.००	
२१	Graffato	क.मि.	१६४.००	१६४.००	
२२	Elligance stone	क.मि.	१६२.००	१६२.००	

पुनः विवेचना अधिकाारी

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
२३	Marmorino Base	के.मि.	४१२.००	४१२.००	
२४	Acro fine	लिटर	१८६.००	१८६.००	
२५	Marmocastro base	के.मि.	१४६.००	१४६.००	
२६	Selva Granite	के.मि.	२१४.००	२१४.००	
२७	Romart	के.मि.	२३२.००	२३२.००	
२८	Rensu plaster putty	के.मि.	९९.००	९९.००	
२९	Hyperion base putty	के.मि.	४०७.००	४०७.००	
३०	Cementzio base putty	के.मि.	२४४.००	२४४.००	
३१	Helios base putty	के.मि.	४९७.००	४९७.००	
३२	Cratere base putty	के.मि.	४८८.००	४८८.००	
३३	Carrota base putty	के.मि.	४८८.००	४८८.००	
३४	Coppotto Di cemento	के.मि.	१७७८.००	१७७८.००	
३५	Muroplast putty	के.मि.	७९.००	७९.००	
३६	Acro pure (PU top coat)	के.मि.	११४४.००	११४४.००	
३७	Satenatto emulsion	लिटर	६३०.००	६३०.००	
३८	StuccoPlaster	लिटर	२८९.००	२८९.००	
३९	Elegantile	के.मि.	१९९.४०	१९९.४०	
४०	Multi Granite	के.मि.	१९९.४०	१९९.४०	
४१	Hermes Base	के.मि.	२४६.७४	२४६.७४	
४२	Botticelli Base	के.मि.	२९६.१०	२९६.१०	
४३	Granito Wall	के.मि.	१४४.००	१४४.००	
C	Weather coat paints				
१	Guard	लिटर	४३६.००	४३६.००	
२	Guard -3x	लिटर	६२६.००	६२६.००	
३	Shield	लिटर	३४३.००	३४३.००	
४	Acrotex matt	लिटर	४२०.००	४२०.००	
५	Ext wall Primer	लिटर	२४३.००	२४३.००	
६	SPC ExterShield Premium	लिटर	३१४.००	३१४.००	
७	SPC ExterShield Smooth	लिटर	४२४.००	४२४.००	
८	SPC ExterShield Standard	लिटर	३३६.००	३३६.००	
D	Emulsion Paints/Distemper				
१	silk Emulsion paints	लिटर	४४६.००	४४६.००	
२	Aqualin InEmulsion	लिटर	२९८.००	२९८.००	
३	pearl Emulsion paints	लिटर	८२३.००	८२३.००	
४	Int. wall Primer	लिटर	१८३.००	१८३.००	
५	Acrylic Washable Distemper	लिटर	१४१.००	१४१.००	
६	Gold Enamel	लिटर	४४४.००	४४४.००	
७	Universal primer (wood primer)	लिटर	३३३.००	३३३.००	
८	Red oxide metal primer	लिटर	२९४.००	२९४.००	
९	Water seal stretch (Damp coat)	लिटर	४२७.००	४२७.००	
१०	Construction Chemical / waterproof coating system				
	crack sill	लिटर	४१२.००	४१२.००	

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.प्र.क. बालेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	crack fill A+B	लिटर	१८१.००	१८१.००	
१०	Silicon Based water repellent impregnation				
	Acropreg	लिटर	४९६.००	४९६.००	
	Acropreg W	लिटर	६२९.००	६२९.००	
	Wall putty	के.कि.	४०.००	४०.००	
११	Premium Emulsion	लिटर	७४४.००	७४४.००	
१२	Smooth Emulsion	लिटर	४४२.००	४४२.००	
१३	Standard Emulsion	लिटर	३९३.००	३९३.००	
E	Wall Paper				
	Wall paper (10m x 0.53m)	रोल	१२१७.००	१२१७.००	१२१७.००
	Fittings for wall paper	व.फि	३.००	३.००	३.००
	White glue for wall paper	लि.	११२.००	११२.००	११२.००
F	Pro Plaster Material	के.जी	३४.००	३४.००	३४.००
	Environment Friendly Paints				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L	२१४०६.००	२१४०६.००	२१४०६.००
		10 L	११७५३.००	११७५३.००	११७५३.००
		4 L	४७०३.००	४७०३.००	४७०३.००
		1 L	११८४.००	११८४.००	११८४.००
2	Environmentally Friendly Natural Exterior Paint				
		20 L	१४२१४.००	१४२१४.००	१४२१४.००
		10 L	७११३.००	७११३.००	७११३.००
		4 L	३०६९.००	३०६९.००	३०६९.००
		1 L	८४४.००	८४४.००	८४४.००
3	Environmentally Friendly Constant Color Exterior Paint				
		20 L	११२०६.००	११२०६.००	११२०६.००
		10 L	६११८.००	६११८.००	६११८.००
		4 L	२६२३.००	२६२३.००	२६२३.००
		1 L	६६९.००	६६९.००	६६९.००
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint				
		20 L	१२९४४.००	१२९४४.००	१२९४४.००
		10 L	६४९२.००	६४९२.००	६४९२.००
		4 L	२८४३.००	२८४३.००	२८४३.००
		1 L	७११.००	७११.००	७११.००
6	Eco - Friendly High glossy Interior Wall Paint				
		20 L	१९३६४.००	१९३६४.००	१९३६४.००
		10 L	९०१९३.००	९०१९३.००	९०१९३.००
		4 L	४०७८.००	४०७८.००	४०७८.००
		1 L	१०१९.००	१०१९.००	१०१९.००
6	Environmentally Friendly Natural Interior Wall paint				

रंगरोगन तथा घुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेकको वररैट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
		20 L	१३१८४.००	१३१८४.००	१३१८४.००
		10 L	६५९८.००	६५९८.००	६५९८.००
		4 L	२६४२.००	२६४२.००	२६४२.००
		1 L	६६१.००	६६१.००	६६१.००
7	Environmentally Friendly Constant Interior wall Paint				
		20 L	१००९४.००	१००९४.००	१००९४.००
		10 L	४२४३.००	४२४३.००	४२४३.००
		4 L	२३२४.००	२३२४.००	२३२४.००
		1 L	५९७.००	५९७.००	५९७.००
8	Eco Friendly Interior Wall Paint				
		20 L	६०७७.००	६०७७.००	६०७७.००
		10 L	३२४४.००	३२४४.००	३२४४.००
		4 L	१४२९.००	१४२९.००	१४२९.००
		1 L	४१२.००	४१२.००	४१२.००
9	Environmentally Efficient Exterior Wall Primer				
		20 L	१११२४.००	१११२४.००	१११२४.००
		10 L	६०९८.००	६०९८.००	६०९८.००
		4 L	४०७८.००	४०७८.००	४०७८.००
		1 L	१२७३.००	१२७३.००	१२७३.००
10	Environmentally Friendly Alkali Resistant wall primer interior				
		20 L	८६५२.००	८६५२.००	८६५२.००
		10 L	४३२६.००	४३२६.००	४३२६.००
		4 L	२६३६.००	२६३६.००	२६३६.००
		1 L	१११९.००	१११९.००	१११९.००
11	Eco Friendly Primer				
		20 L	६४९२.००	६४९२.००	६४९२.००
		10 L	४४२९.००	४४२९.००	४४२९.००
		4 L	२२६६.००	२२६६.००	२२६६.००
		1 L	९०६.००	९०६.००	९०६.००
12	Granite texture Spray / Imitation Stone Paint				
		1 sq ft	१४९.००	१४९.००	१४९.००
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg	४९९४.००	४९९४.००	४९९४.००
	Intermediate Coating Paint	7 Kg	७२९०.००	७२९०.००	७२९०.००
	Granite Surface Paint	8 kg	१२४४०.००	१२४४०.००	१२४४०.००
	Dust proof Surface Paint	3 kg	४९२९.००	४९२९.००	४९२९.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.म.क. बहिर्गको दररेड		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
A	CONCRETE ADMIXTURES (Chemical)				
१	Form Oil	लिट्र	१०६.००	१०६.००	१०६.००
२	Polymer for M35 M 40 or higher concrete	लिट्र	३३३.००	३३३.००	३३३.००
३	Epoxy Bonding agent for old and new construction	लिट्र	२१००.००	२१००.००	२१००.००
४	(Damp proof, Anti Termite, Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)	लिट्र	२४०.००	२४०.००	२४०.००
	Waterproof Coating With Latex	के.जी.	३७३.००	३७३.००	३७३.००
	Waterproof Coating with Polymer	के.जी.	४७९.००	४७९.००	४७९.००
५	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS 9103/2645/1981	के.जी.	१४९.००	१४९.००	१४९.००
६	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formiatehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79/1999 Dose 0.2 to 3% by wt of	के.जी.	२६६.००	२६६.००	२६६.००
७	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999/1981	के.जी.	४७९.००	४७९.००	४७९.००
८	Integral Waterproofing Additive for Concrete & Plaster ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	३१९.००	३१९.००	३१९.००
९०	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991	के.जी.	१०४०.००	१०४०.००	१०४०.००
९१	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 DIN 1048-1991	के.जी.	१०४०.००	१०४०.००	१०४०.००
९२	Integral Crystalline Waterproofing Powder Admixture STD Conformance : ASTM C 494 IS 3085-1997 DIN 1048 -1991	के.जी.	१३१२.००	१३१२.००	१३१२.००
९३	Integral Waterproofing Powder Admixture for Mortars Std Conformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part	के.जी.	१९१.००	१९१.००	१९१.००
९४	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२६६.००	२६६.००	२६६.००
९५	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	३७३.००	३७३.००	३७३.००
९६	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३७३.००	३७३.००	३७३.००
९७	Retarding Superplasticizer for Concrete [Naphthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	२६६.००	२६६.००	२६६.००
९८	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	४७९.००	४७९.००	४७९.००
B	CONCRETE ADMIXTURES (Mineral)				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३४१.००	३४१.००	३४१.००
२	Micro Silica -for High Performance Concrete ASTM C 1240 -2005 , IS 15388-2003	के.जी.	११३.००	११३.००	११३.००
३	Processed FA Based Mineral Additives	के.जी.	९०.००	९०.००	९०.००
C	FOR JOINT SEALANTS & SYSTEMS				
१	Two Component Gun Grade Polysulfide Sealant for Vertical Surfaces	के.जी.	१८९०.००	१८९०.००	१८९०.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८९०.००	१८९०.००	१८९०.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३१२०.००	३१२०.००	३१२०.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२१००.००	२१००.००	२१००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३१२०.००	३१२०.००	३१२०.००

Water Proofing Chemicals & Treatment works

क्र.नं.	निर्माण सामग्री/कार्य का विवरण	एकाइ	मु.व.क. माहककी दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२६०.००	१२६०.००	१२६०.००
७	HD1 APPLIED Epoximodis Sealing Compound Sealant (TYPE A)	के.जी.	३३३.००	३३३.००	३३३.००
८	HD1 APPLIED Epoximodis Sealing Compound Sealant (TYPE B)	के.जी.	४७९.००	४७९.००	४७९.००
९	Butyl Tape for various Applications	र. मि.	१३३.००	१३३.००	१३३.००
१०	Waterproofing Joint Tape [120 mm]	र. मि.	४८६.००	४८६.००	४८६.००
११	Waterproofing Joint Tape [200 mm]	र. मि.	७९९.००	७९९.००	७९९.००
१२	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	४२००.००	४२००.००	४२००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३१४.००	३१४.००	३१४.००
१४	Glass Fiber Joint Tape	र. मि.	२९३.००	२९३.००	२९३.००
१५	Waterproofing / Expansion Joint Tape (100 mm)	र. मि.	१४७४.००	१४७४.००	१४७४.००
१६	Waterproofing / Expansion Joint Tape (200 mm)	र. मि.	२८३४.००	२८३४.००	२८३४.००
१७	Construction Joint Tape [100 mm]	र. मि.	८४२.००	८४२.००	८४२.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	व. मि.	२४७२.००	२४७२.००	२४७२.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	व. मि.	४०९२.००	४०९२.००	४०९२.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	व. मि.	८४२.००	८४२.००	८४२.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	व. मि.	१४७४.००	१४७४.००	१४७४.००
२२	Compressible Resilient Non- Extrudible Joint EXJO FILLER (12 mm (4' X 4'))	व. मि.	२६२४.००	२६२४.००	२६२४.००
२३	Compressible Resilient Non- Extrudible Joint EXJO FILLER (18 mm (4' X 4'))	व. मि.	३६७४.००	३६७४.००	३६७४.००
२४	Compressible Resilient Non- Extrudible Joint EXJO FILLER (25 mm (4' X 4'))	व. मि.	४७२४.००	४७२४.००	४७२४.००
D INDUSTRIAL FLOORING SOLUTIONS					
१	Handwearing, abrasion resistant monolithic industrial flooring camoyad (Metallic)	के.जी.	१२३.००	१२३.००	१२३.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४७९.००	४७९.००	४७९.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.	७४६.००	७४६.००	७४६.००
४	Anti Bacterial Wall Coating [Polyurethane] Walgard WBA	के.जी.	१०९७.००	१०९७.००	१०९७.००
५	Anti bacterial Wall Coating Clearseal	के.जी.	८३६.००	८३६.००	८३६.००
६	Self Levelling Flooring System [Epoxy] Florgard SL	के.जी.	१३००.००	१३००.००	१३००.००
७	Flooring System [Polyurethane] Flurthane	के.जी.	१३७०.००	१३७०.००	१३७०.००
८	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	२६२४.००	२६२४.००	२६२४.००
९	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	३६७४.००	३६७४.००	३६७४.००
१०	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	२१००.००	२१००.००	२१००.००
११	Self Levelling Flooring System [Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००
१२	Self Levelling Flooring System [Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
१३	Self Levelling Cementitious Flooring System	के.जी.	४००.००	४००.००	४००.००
E ENGINEERING GROUTS					
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	११७.००	११७.००	११७.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१३३.००	१३३.००	१३३.००
३	Hard wearing cementitious tile grout	के.जी.	१७०.००	१७०.००	१७०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०४०.००	१०४०.००	१०४०.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	४३३.००	४३३.००	४३३.००

Water Proofing Chemicals & Treatment works

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२६२५.००	२६२५.००	२६२५.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	मि.लि. बिटर	४७२५.००	४७२५.००	४७२५.००
८	Low Viscosity Injection Epoxy Grout	के.जी.	७८७५.००	७८७५.००	७८७५.००
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१३०००.००	१३०००.००	१३०००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८९२५.००	८९२५.००	८९२५.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४५६०.००	१४५६०.००	१४५६०.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive solvent and phthalate free Injection Grout	के.जी.	९९७५.००	९९७५.००	९९७५.००
१३	Resin Capsule (32*300mm)	पिस	१३८.००	१३८.००	१३८.००
१४	Cement Capsule(32*300mm)	पिस	६३.००	६३.००	६३.००
१५	Microfine Cement (MFC)	के.जी.	२६६.००	२६६.००	२६६.००
१६	Durasport (Sport court coating)		९३७०.००	९३७०.००	९३७०.००
१७	Epoxal (for water storage tanks)		१३७०.००	१३७०.००	१३७०.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)		७४२.००	७४२.००	७४२.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)		७४२.००	७४२.००	७४२.००
२०	K10 Sovacryl (Waterproofs external surfaces)		१०९७.००	१०९७.००	१०९७.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)		८३६.००	८३६.००	८३६.००
२२	Coaltar Epoxy (Excellent resistance to water and alkali in steel surface)		४९७.००	४९७.००	४९७.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper etc)		८३६.००	८३६.००	८३६.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)		७४२.००	७४२.००	७४२.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)		७४२.००	७४२.००	७४२.००
२६	ROZO Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environment)		३७१.००	३७१.००	३७१.००
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७९९.००	७९९.००	७९९.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	१०९२.००	१०९२.००	१०९२.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	के.जी.	१२६०.००	१२६०.००	१२६०.००
४	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	१८९०.००	१८९०.००	१८९०.००
G	FIBERS (Steel & Polypropylene)				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२६०.००	१२६०.००	१२६०.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१४७५.००	१४७५.००	१४७५.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२१००.००	२१००.००	२१००.००
४	Loose steel Fibers	के.जी.	२६६.००	२६६.००	२६६.००
५	Glued Steel Fibers	के.जी.	३७३.००	३७३.००	३७३.००
६	Crimped Steel Fibers	के.जी.	२६६.००	२६६.००	२६६.००
H	SURFACE TREATMENT				

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			सा.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२६०.००	१२६०.००	१२६०.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१४१३.००	१४१३.००	१४१३.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४७२५.००	४७२५.००	४७२५.००
४	Protective Acrylic Sealer	के.जी.	१४७५.००	१४७५.००	१४७५.००
५	Protective Polyurethane Sealer	के.जी.	१८९०.००	१८९०.००	१८९०.००
६	Water Based Fire Retardant Coating	के.जी.	१४७५.००	१४७५.००	१४७५.००
७	High Performance Water Repellent Paint	लिट्र	९४९.००	९४९.००	९४९.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	४३३.००	४३३.००	४३३.००
९	Ready to use Chemical Mould Release Agent	लिट्र	४३३.००	४३३.००	४३३.००
१०	Concrete Curing Aid	के.जी.	४७९.००	४७९.००	४७९.००
I	CONCRETE REPAIRS				
१	Rust Remover & Passivator	लिट्र	१०४०.००	१०४०.००	१०४०.००
२	Corrosion Inhibitor	के.जी.	१२६०.००	१२६०.००	१२६०.००
३	Micro Concrete [M60] for Permanent Repairs	के.जी.	१४९.००	१४९.००	१४९.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१८६.००	१८६.००	१८६.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२६६.००	२६६.००	२६६.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२९३.००	२९३.००	२९३.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२६०.००	१२६०.००	१२६०.००
J	PREPACKED MORTARS				
१	Tile, Marble, Granite etc. Adhesive	के.जी.	९०.००	९०.००	९०.००
२	Marble & Granite etc. Adhesive	के.जी.	३७३.००	३७३.००	३७३.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	९०.००	९०.००	९०.००
४	High Performance Polymer Based Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९०.००
५	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	९४.००	९४.००	९४.००
K	WATERPROOFING SYSTEMS				
	INTEGRAL				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२९३.००	२९३.००	२९३.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७८७५.००	७८७५.००	७८७५.००
L	LIQUID APPLIED				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. - 45 sqft /kg 2 coat	के.जी.	७४६.००	७४६.००	७४६.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft - 7 sqft /kg 2 coat	के.जी.	४३३.००	४३३.००	४३३.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1kg/m ²	के.जी.	७९९.००	७९९.००	७९९.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat	के.जी.	९०६.००	९०६.००	९०६.००
५	Acrylic-elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat	के.जी.	७९९.००	७९९.००	७९९.००
६	Crystalline Based Waterproofing System	के.जी.	३७३.००	३७३.००	३७३.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४२६.००	४२६.००	४२६.००
८	Polyurethane based waterproof coating system	के.जी.	१७३२.००	१७३२.००	१७३२.००

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१३१२.००	१३१२.००	१३१२.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area 80sqft/tr 1 coat	के.जी.	६३९.००	६३९.००	६३९.००
M	PREFORMED				
१	Fiber Reinforced Polymer Modified Bituminous Membranes (3mm Plain)	व. मि.	१८९०.००	१८९०.००	१८९०.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes (3mm Mineral / Sand Finish)	व. मि.	२१००.००	२१००.००	२१००.००
३	Polymer Modified Self Adhesive Bituminous Membranes (1mm)	व. मि.	११०२.००	११०२.००	११०२.००
४	Polymer Modified Self Adhesive Bituminous Membranes (2mm)	व. मि.	१२५२.००	१२५२.००	१२५२.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	व. मि.	१५५५.००	१५५५.००	१५५५.००
६	1.2 mm High Polymer PVC Membranes	व. मि.	२१००.००	२१००.००	२१००.००
७	PVC Adhesive	के.जी.	२६२५.००	२६२५.००	२६२५.००
८	1.2 mm EPDM Membranes	व. मि.	२६२५.००	२६२५.००	२६२५.००
९	EPDM Adhesive	के.जी.	२६२५.००	२६२५.००	२६२५.००
१०	EPDM Primer	के.जी.	३१५०.००	३१५०.००	३१५०.००
११	2mm TPO Membranes	व. मि.	३६५५.००	३६५५.००	३६५५.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	व. मि.	८५२.००	८५२.००	८५२.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४७२५.००	४७२५.००	४७२५.००
N	SPECIALTY				
१	Antistripping Agent for Bitumen	के.जी.	४८६.००	४८६.००	४८६.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२३९.००	२३९.००	२३९.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Rat / Pipe / Footings etc)	के.जी.	४४९.००	४४९.००	४४९.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६९३.००	६९३.००	६९३.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१३१२.००	१३१२.००	१३१२.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०५०.००	१०५०.००	१०५०.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७९९.००	७९९.००	७९९.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०५०.००	१०५०.००	१०५०.००
९	Anti Termite [Imidacloprid 30.5%]	के.जी.	१२०००.००	१२०००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२६२५.००	२६२५.००	२६२५.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिटर	७८५५.००	७८५५.००	७८५५.००
१२	Swelable WATERSTOP	र. मि.	२६२५.००	२६२५.००	२६२५.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२६२५.००	२६२५.००	२६२५.००
१४	Nodular Drain with Geotextile Roof Garden	व. मि.	२६२५.००	२६२५.००	२६२५.००
१५	SEALGUARD GEOTEX (P) - Polyester Geotextile	व. मि.	११७.००	११७.००	११७.००
१६	XPS - Extruded Polystyrene Boards [25 mm]	व. मि.	२८००.००	२८००.००	२८००.००
१७	XPS - Extruded Polystyrene Boards [50 mm]	व. मि.	३६५५.००	३६५५.००	३६५५.००
	Water Treatment Components				
a	Pump				

Water Proofing Chemicals & Treatment works

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मू.म.क. बाहेकको दररेट		
			मा.नं. २०८०/८१	मा.नं. २०८१/८२	मा.नं. २०८२/८३
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	गोटा	१०००००.००	१०००००.००	१०००००.००
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	गोटा	१२३०००.००	१२३०००.००	१२३०००.००
b	Motorized Actuator Butterfly Valve with CI Materials				
1	6" Dia	गोटा	११८०००.००	११८०००.००	११८०००.००
2	4" Dia	गोटा	६८५००.००	६८५००.००	६८५००.००
3	3" Dia	गोटा	४७२००.००	४७२००.००	४७२००.००
4	2.5" Dia	गोटा	४२०००.००	४२०००.००	४२०००.००
5	2" Dia	गोटा	३७५००.००	३७५००.००	३७५००.००
c	Vessel Strainer Top and Bottom (2 pieces= 1 set)				
1	40m3/Hour	सेट	२६१२५.००	२६१२५.००	२६१२५.००
2	25m3/Hour	सेट	२१३७५.००	२१३७५.००	२१३७५.००
3	15m3/Hour	सेट	१४२५०.००	१४२५०.००	१४२५०.००
4	9m3/Hour	सेट	७१२५.००	७१२५.००	७१२५.००
d	Air Release And Vacuum Breaker valve(1 unit per Vessel)				
1	1" Small	गोटा	१२००.००	१२००.००	१२००.००
2	1" Big	गोटा	३३२५.००	३३२५.००	३३२५.००
3	2" Big	गोटा	८०७५.००	८०७५.००	८०७५.००
e	Rotameter				
1	Small(upto 5m3/h in 3/4" or 1" Male or Female Thread)	गोटा	७५००.००	७५००.००	७५००.००
2	Medium(upto 10m3/h in 1.5" or 2" Male or Female Thread)	गोटा	१९०००.००	१९०००.००	१९०००.००
3	Big(40m3-60m3/h in 3" Thread or Flange type)	गोटा	२६१२५.००	२६१२५.००	२६१२५.००
f	Pressure Gauge(Glycerine/Liquid Filled)				
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Bottom Thread	गोटा	१२५०.००	१२५०.००	१२५०.००
g	Automatic Vessel Control Panel				
1	Semi Scada Control Panel with GSM/GPRS- Support features(MASTER)	गोटा	१२००००.००	१२००००.००	१२००००.००
2	Semi Scada Control Panel (Slave)	गोटा	७००००.००	७००००.००	७००००.००
h	FRP Water Filter Vessels				
1	14" Dia x 65" Height T/B 4"/Threaded	गोटा	२८५०.००	२८५०.००	२८५०.००
2	16" Dia x 65" Height T/B 4"/ Threaded	गोटा	२२८००.००	२२८००.००	२२८००.००
3	18" Dia x 65" Height T/B 4"/ Threaded	गोटा	२६१२५.००	२६१२५.००	२६१२५.००
4	24" Dia x 72" Height T/B 4"/ Threaded	गोटा	४२२५०.००	४२२५०.००	४२२५०.००
5	30" Dia x 72" Height T/B 4"/ Threaded	गोटा	१०४५००.००	१०४५००.००	१०४५००.००
6	36" Dia x 72" Height T/B 4"/ Threaded	गोटा	११६५५०.००	११६५५०.००	११६५५०.००

Water Proofing Chemicals & Treatment works

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. माहौलको दरद		
			आ.म. २०८०/८१	आ.म. २०८१/८२	आ.म. २०८२/८३
7	42" Dia x 72" Height T/B 6"/Flange	मोटा	१४२०००.००	१४२०००.००	१४२०००.००
8	42" Dia x 72" Height T/B 6"/Threaded	मोटा	१९००००.००	१९००००.००	१९००००.००
9	48" Dia x 72" Height T/B 6"/ Threaded	मोटा	२१३५०.००	२१३५०.००	२१३५०.००
10	48" Dia x 72" Height T/B 6"/Flange	मोटा	२४२२५०.००	२४२२५०.००	२४२२५०.००
i	Chemical Dosing Pump and Components				
1	4 Liter Per Hour at 4Kg pressure	मोटा	२१३५०.००	२१३५०.००	२१३५०.००
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	मोटा	४२२५.००	४२२५.००	४२२५.००
3	Float switch Heavy with 16A wire/ 3 meter	मोटा	२३५५.००	२३५५.००	२३५५.००
4	100Ltrs Poly tank as Chemical tank	मोटा	१४२५.००	१४२५.००	१४२५.००
5	Zeolite Sub Sand	के.जी.	६१६.००	६१६.००	६१६.००
7	Manganese Dioxide(MnO2)	के.जी.	११८.००	११८.००	११८.००
8	Calcite	के.जी.	३१५.००	३१५.००	३१५.००
9	Anthracite	के.जी.	२७३.५०	२७३.५०	२७३.५०
10	Katlox lite	के.जी.	४०६.२५	४०६.२५	४०६.२५
11	Catalytic Carbon	के.जी.	१८००.००	१८००.००	१८००.००
12	Titansorb	के.जी.	२७००.००	२७००.००	२७००.००

[Signature]

[Signature]

[Signature]

[Signature]

प्रमुख जिल्ला अधिकारी

WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
१	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	४६२०.००	४६२०.००	४६२०.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bonded membrane.	व.मि.	३९९०.००	३९९०.००	३९९०.००
३	Supply and installing hydrophobic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	९२६०.००	९२६०.००	९२६०.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.	४४१०.००	४४१०.००	४४१०.००
५	Waterproofing of elevated Swimming Pool/ Terrace Garden with ESSELAC based Advanced resin system- Integritank @ 2mm thick(No protection required)	व.मि.	२९४०.००	२९४०.००	२९४०.००
६	Providing and Applying polymer modified acrylic base two component flexible waterproofing coating in two layers applied in horizontal and vertical strokes when each coat is in tacky condition. Aquafin-2KTM plus or equivalent having Crack-bridging to ASTM C836 > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces. After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	१०५५.००	१०५५.००	१०५५.००
७	Providing and Applying crystalline base waterproofing coating in two layers applied in horizontal and vertical strokes when each coat is in tacky condition, Aquafin-1C that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces. After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	६२९.००	६२९.००	६२९.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 5 days and expansive pressure approx 1.05 N/MM2 for waterproofing construction joints	र.फि.	१७५.००	१७५.००	१७५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints	हे.जी.	१०५५.००	१०५५.००	१०५५.००
१०	Providing the ASD-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.	४२१.००	४२१.००	४२१.००
	20 cm	र.मि.	६१३.००	६१३.००	६१३.००

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बढेको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
A	STRUCTURAL STRENGTHENING				
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८९२५.००	८९२५.००	८९२५.००
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१०४००.००	१०४००.००	१०४००.००
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	व. मि.	८४००.००	८४००.००	८४००.००
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	व. मि.	१२४८०.००	१२४८०.००	१२४८०.००
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 840	व. मि.	१६६४०.००	१६६४०.००	१६६४०.००
६	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	व. मि.	१२४८०.००	१२४८०.००	१२४८०.००
७	EPOXY PRIMER	के.मी.	३६७५.००	३६७५.००	३६७५.००
८	SATURANT	के.मी.	३६७५.००	३६७५.००	३६७५.००
९	LAMINATE ADHESIVE	के.मी.	२६२५.००	२६२५.००	२६२५.००
१०	EPOXY TOPCOAT	के.मी.	३६७५.००	३६७५.००	३६७५.००
११	POLYURETHANE TOPCOAT	के.मी.	४७३५.००	४७३५.००	४७३५.००
१२	Glass Fiber anchor system 5to 10 mm	र. मि.	२६२५.००	२६२५.००	२६२५.००
१३	Carbon Fiber anchor system 5to 10 mm	र. मि.	३६७५.००	३६७५.००	३६७५.००
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१०४००.००	१०४००.००	१०४००.००
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२४८०.००	१२४८०.००	१२४८०.००
B	Horizontal Expansion Joint for Slab				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०९०९.००	१०९०९.००	१०९०९.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२९४८.००	१२९४८.००	१२९४८.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४३३०.००	१४३३०.००	१४३३०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२०४६७.००	२०४६७.००	२०४६७.००
C	Expansion Joint for Basement				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८७९१.००	१८७९१.००	१८७९१.००
D	Expansion Joint for Roof				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१३०८३.००	१३०८३.००	१३०८३.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४४४३.००	१४४४३.००	१४४४३.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१८४९८.००	१८४९८.००	१८४९८.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२४४४९.००	२४४४९.००	२४४४९.००
E	Inside Vertical Expansion Joint				

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	सु.म.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६८८८.००	६८८८.००	६८८८.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८३१०.००	८३१०.००	८३१०.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१०३३२.००	१०३३२.००	१०३३२.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३६४४.००	१३६४४.००	१३६४४.००
F	Outside Vertical Expansion Joint				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७९१७.००	७९१७.००	७९१७.००
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९९०१.००	९९०१.००	९९०१.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११७६२.००	११७६२.००	११७६२.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१४६८३.००	१४६८३.००	१४६८३.००

नवितपुर जिल्लाको आ. व. २०८२/८३ को दररेट

Cement Concrete Block

क्र.सं.	निर्माण सामग्री/कार्य विवरण	एकक	मु.म.क. बाहेकको दररेट		
			मा.सं. २०६०/८१	मा.सं. २०६१/८२	मा.सं. २०६२/८३
१	Interlocking Cement Concrete Block (Not less than M20 concrete				
	Curbs and Not less than M20 concrete	द.मि.	1103.00	1103.00	1103.00
	25 mm thick C.C. Tile (Grey color)-Burr / Round, Doby Chevron	व.मि.	42.00	42.00	42.00
	25 mm thick C.C. Tile (Red color)-Burr / Round, Doby Chevron	व.मि.	44.00	44.00	44.00
	50 mm thick C.C. Block (Grey color)-Crown, Hexagon, Triangles, Royal tone Interlock, Plus Interlock	व.मि.	51.00	51.00	51.00
	50 mm thick C.C. Block (Red color)-Crown, Hexagon, Triangles, Royal tone Interlock, Plus Interlock	व.मि.	52.00	52.00	52.00
	60 mm thick C.C. Block (Grey color)-Crown, Hexagon, Triangles, Royal tone Interlock, Plus Interlock	व.मि.	53.00	53.00	53.00
	60 mm thick C.C. Block (Red color)-Crown, Hexagon, Triangles, Royal tone Interlock, Plus Interlock	व.मि.	55.00	55.00	55.00
	70 mm thick C.C. Block (Red color)-Crown, Hexagon, Triangles, Royal tone Interlock, Plus Interlock	व.मि.	62.00	62.00	62.00
२	60 mm thick C.C. Block (Chem or equivalent)				
	Block type (23*11*5cm) non colour	गोटा	10.00	10.00	10.00
	Hexagon (22*22 cm) non colour	गोटा	23.00	23.00	23.00
	Hexagon (22*22 cm) colour	गोटा	25.00	25.00	25.00
	Square paver (30*30*4.5cm) non colour	गोटा	31.00	31.00	31.00
	Square paver (30*30*4.5cm) colour	गोटा	35.00	35.00	35.00
	Star block (24*15*6cm)	गोटा	15.00	15.00	15.00
	Wave paver (20*15*6cm)	गोटा	17.00	17.00	17.00
३	Concrete Block different items				
	Flow Block (16*8*6")	गोटा	79.00	79.00	79.00
	Flow Block (16*8*6")	गोटा	79.00	79.00	79.00
	Crown Hollow Block (16*8*6")	गोटा	89.00	89.00	89.00
	Lintel Block (16*8*6")	गोटा	89.00	89.00	89.00
	Paving Block (fish or other shape) 60mm thick	गोटा	20.00	20.00	20.00
	Concrete Block (9*4*1.5")	गोटा	12.00	12.00	12.00
४	Concrete Block				
	Concrete block size (40*15*20) cm	गोटा	40.00	40.00	40.00
	Concrete block size (40*10*20) cm	गोटा	35.00	35.00	35.00
	Concrete block size (39*14*19) cm	गोटा	55.00	55.00	55.00
५	Cellular light weight concrete (CLC) block				
	Cellular light weight concrete (CLC) block- 24"x8"x8"	गोटा	124.00	124.00	124.00
	Cellular light weight concrete (CLC) block- 24"x8"x8"	गोटा	187.00	187.00	187.00
	Cellular light weight concrete (CLC) block- 24"x8"x8"	गोटा	250.00	250.00	250.00
६	Interlock Concrete Paving Blocks				
	Behman Interlock Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness	व.मि.	2391.00	2391.00	2391.00
	Behman Interlock Paver (Single Color) with Compressive Strength M25 or Above 80MM Thickness	व.मि.	2968.00	2968.00	2968.00

Cement Concrete Block

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	म.स.क. बाहेकको दररेड		
			मा.स. २०६०/६१	मा.स. २०६१/६२	मा.स. २०६२/६३
	Decorative Interlock Paver (Multi Color) with Compressive Strength M25 or Above, 80MM Thickness	व.मी.	3639.00	3529.00	3639.00
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above, 80MM Thickness	व.मी.	1768.00	1768.00	1768.00
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above, 60MM Thickness	व.मी.	2223.00	2223.00	2223.00
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above, 80MM Thickness	व.मी.	2701.00	2701.00	2701.00
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above, 60MM Thickness	व.मी.	1920.00	1920.00	1920.00
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above, 80MM Thickness	व.मी.	2439.00	2439.00	2439.00
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above, 60MM Thickness	व.मी.	2958.00	2958.00	2958.00
	Full Battered Kerb Stone with Compressive Strength M25 or Above	र.मी.	1668.00	1668.00	1668.00
	Ball Nose Kerb Stone with Compressive Strength M25 or Above	र.मी.	1944.00	1944.00	1944.00
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above, 40MM Thickness	व.मी.	1136.00	1136.00	1136.00
	Matrix Slab (Single Color) with Compressive Strength M25 or Above, 40MM Thickness	व.मी.	1362.00	1362.00	1362.00
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above, 40MM Thickness	व.मी.	1768.00	1768.00	1768.00
CONCRETE PAVING BLOCKS					
	Decorative Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 50mm, Dimension: 200*165*50	व.मी.	1656.45	1656.45	1656.45
	Decorative Interlock Pavers Single Color with compressive strength M35 or above, Thickness: 50mm, Dimension: 200*165*50	व.मी.	1987.74	1987.74	1987.74
	Decorative Interlock Pavers Blended Color with compressive strength M35 or above, Thickness: 50mm, Dimension: 200*165*50	व.मी.	2098.17	2098.17	2098.17
	Decorative Interlock Pavers Grey Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 200*165*80	व.मी.	2080.00	2080.00	2080.00
	Decorative Interlock Pavers Single Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 200*165*80	व.मी.	2325.00	2325.00	2325.00
	Decorative Interlock Pavers Blended Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 200*165*80	व.मी.	2428.00	2428.00	2428.00
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above, Thickness: 50mm, Dimension: 226*200*50	व.मी.	1336.39	1336.39	1336.39
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above, Thickness: 50mm, Dimension: 226*200*50	व.मी.	1603.67	1603.67	1603.67
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above, Thickness: 50mm, Dimension: 226*200*50	व.मी.	1692.76	1692.76	1692.76
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above, (Specification: Thickness: 80mm, Dimension: 226*200*80 mm)	व.मी.	1848.00	1848.00	1848.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above, (Specification: Thickness: 80mm, Dimension: 226*200*80 mm)	व.मी.	2014.00	2014.00	2014.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above, (Specification: Thickness: 80mm, Dimension: 226*200*80mm)	व.मी.	2097.00	2097.00	2097.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 60mm, Dimension: 226*200*60	व.मी.	1324.00	1324.00	1324.00

पञ्चसिद्धि अभियन्ता

Cement Concrete Block

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	स. नं. क. मासिकको दररेट		
			मा. नं. २०८०/८१	मा. नं. २०८१/८२	मा. नं. २०८२/८३
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*60	व.मी.	1490.00	1490.00	1490.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*60	व.मी.	1572.00	1572.00	1572.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50 mm)	व.मी.	1076.00	1076.00	1076.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50 mm)	व.मी.	1296.00	1296.00	1296.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50 mm)	व.मी.	1379.00	1379.00	1379.00
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	1930.34	1930.34	1930.34
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	2138.23	2138.23	2138.23
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	2227.32	2227.32	2227.32
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	1848.00	1848.00	1848.00
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2014.00	2014.00	2014.00
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2097.00	2097.00	2097.00
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2055.00	2055.00	2055.00
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2349.00	2349.00	2349.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2459.00	2459.00	2459.00
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	3766.00	3766.00	3766.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	4051.00	4051.00	4051.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	4332.00	4332.00	4332.00
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	5648.49	5648.49	5648.49
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	6043.49	6043.49	6043.49
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	6477.99	6477.99	6477.99
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	1784.00	1784.00	1784.00
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	2275.00	2275.00	2275.00

Cement Concrete Block

क्र.सं.	निर्माण सामग्रीकरण विवरण	एकक	मु.न.क. बाइकको दररेट		
			मा.न. २०८०/८१	मा.न. २०८१/८२	मा.न. २०८२/८३
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	2814.00	2814.00	2814.00
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	3921.00	3921.00	3921.00
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	4297.00	4297.00	4297.00
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	4618.00	4618.00	4618.00
	Round 3D Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*173*60mm)	व.मी.	1618.00	1618.00	1618.00
	Round 3D Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*173*60mm)	व.मी.	1782.00	1782.00	1782.00
	Round 3D Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*173*60mm)	व.मी.	1837.00	1837.00	1837.00
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60	व.मी.	1480.00	1480.00	1480.00
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60	व.मी.	1706.00	1706.00	1706.00
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60	व.मी.	1802.00	1802.00	1802.00
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*200*50	व.मी.	1774.68	1774.68	1774.68
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*200*50	व.मी.	2249.59	2249.59	2249.59
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*200*50	व.मी.	2799.49	2799.49	2799.49
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1749.00	1749.00	1749.00
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	2060.00	2060.00	2060.00
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	2332.00	2332.00	2332.00
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 100*100*60	व.मी.	1710.00	1710.00	1710.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 100*100*60	व.मी.	2022.00	2022.00	2022.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 100*100*60	व.मी.	2333.00	2333.00	2333.00
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1618.00	1618.00	1618.00
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1783.00	1783.00	1783.00
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1858.00	1858.00	1858.00
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1579.00	1579.00	1579.00

Cement Concrete Block

क्र.सं.	निर्माण सामग्री/वस्तु का विवरण	एकक	प्रति वर्ग मीटर के दर		
			मा.सं. २०६०/८१	मा.सं. २०६१/६२	मा.सं. २०६२/६३
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1741.00	1741.00	1741.00
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*200*60	व.मी.	1834.00	1834.00	1834.00
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 400*600*80mm	व.मी.	1741.00	1741.00	1741.00
१	CONCRETE PAVING TILES (M35 Grade)				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1361.00	1361.00	1361.00
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1507.00	1507.00	1507.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 400*400*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1701.00	1701.00	1701.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2625.66	2625.66	2625.66
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2938.23	2938.23	2938.23
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	3282.07	3282.07	3282.07
१*	CONCRETE KERB-STONES				
	Half beveled Kerbstone: Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 300*200*150mm)	र.फि.		0.00	0.00
	Half beveled Kerbstone: Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension: 300*200*150mm)	र.फि.	350.00	350.00	350.00
	Half beveled Kerbstone: Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension: 300*200*150mm)	र.फि.	363.00	363.00	363.00
	Half beveled Kerbstone: Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (L-shaped)	र.फि.	401.00	401.00	401.00
	Half beveled Kerbstone: Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (L-shaped)	र.फि.	449.00	449.00	449.00
	Half beveled Kerbstone: Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (L-shaped)	र.फि.	465.00	465.00	465.00
		र.फि.	513.00	513.00	513.00

Cement Concrete Block

क्र.सं.	निर्माण सामग्रीहरूको विवरण	यु.काई	मु.सं.क. माहिरको दरदर		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	Hollow Kerestone: Grey Color with compressive strength M15 (Specification: Thickness: 200mm, Dimension: 200*350*300mm)	र.फि.	391.00	391.00	391.00
	Fullsize Kerestone: Grey Color with compressive strength M20, Thickness: 200mm, Dimension: 300*200*150 (LxHxD)	र.फि.	447.00	447.00	447.00
	Fullsize Kerestone: Grey Color with compressive strength M25, Thickness: 200mm, Dimension: 300*200*150 (LxHxD)	र.फि.	477.00	477.00	477.00
	V-Shape Unit: Male & Female set with compressive strength M35, Thickness: 70mm, Dimension: 300*75*99.5 (LxHxD)	र.मो.	1775.00	1775.00	1775.00
११	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks: Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	20.00	20.00	20.00
	Bricks: Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	22.00	22.00	22.00
	Bricks: Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	18.00	18.00	18.00
	Bricks: Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	19.00	19.00	19.00
	Hollowcon: Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा	152.00	152.00	152.00
	Hollowcon: Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा	180.00	180.00	180.00
	Hollowcon: Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*150, Tolerance/others: Machine Made)	गोटा	109.00	109.00	109.00
	Hollowcon: Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*150, Tolerance/others: Machine Made)	गोटा	125.00	125.00	125.00
	Hollowcon: Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	गोटा	92.00	92.00	92.00
	Hollowcon: Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	गोटा	104.00	104.00	104.00
१२	CONCRETE PAVING BLOCKS				
	Hexagon: Interlock Pavers: Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 225*200*70mm)	च.मी.	1545.00	1545.00	1545.00
	Hexagon: Interlock Pavers: Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 225*200*70mm)	च.मी.	1738.00	1738.00	1738.00
	Hexagon: Interlock Pavers: Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 225*200*70mm)	च.मी.	1821.00	1821.00	1821.00
	Behaton Interlock I Pavers: Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*155*50mm)	च.मी.	1333.00	1333.00	1333.00

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			आ.व. २०६०/६१	आ.व. २०६१/६२	आ.व. २०६२/६३
	Belton Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*165*60mm)	व.मी.	1590.00	1590.00	1590.00
	Belton Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*165*60mm)	व.मी.	1675.00	1675.00	1675.00
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 225*112.5*60mm)	व.मी.	2855.00	2855.00	2855.00
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80mm)	व.मी.	2349.00	2349.00	2349.00
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80mm)	व.मी.	2459.00	2459.00	2459.00
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 1140x960x60mm/ Pallet	व.मी.	2501.00	2501.00	2501.00
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 1140x960x60mm/ Pallet	व.मी.	2769.00	2769.00	2769.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 1140x960x60mm/ Pallet	व.मी.	2858.00	2858.00	2858.00
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 400x600x80mm)	व.मी.	1741.00	1741.00	1741.00
१३	CONCRETE PAVING TILES (M35 Grade)				
	Mixed Finish Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1481.00	1481.00	1481.00
	Mixed Finish Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1618.00	1618.00	1618.00
	Mixed Finish Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1803.00	1803.00	1803.00
१४	CONCRETE KERB/STONES				
	Half bordered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension: 300*165*325mm)	र.कि.	278.00	278.00	278.00
	Half bordered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.कि.	297.00	297.00	297.00
	Half bordered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.कि.	330.00	330.00	330.00
	Half bordered Kerbstone Grey Color with compressive strength M28. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.कि.	451.78	451.78	451.78
	Half bordered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.कि.	492.39	492.39	492.39

Cement Concrete Block

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मूल्य, बालेको दररेट /		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Half battered Kerbstone: Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 380*200*250mm)	र.फि.	350.00	350.00	350.00
	Half battered Kerbstone: Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH)	र.फि.	363.00	363.00	363.00
	Half battered Kerbstone: Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH)	र.फि.	401.00	401.00	401.00
	Bullnose Kerbstone: Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension: 340*200*350mm)	र.फि.	341.00	341.00	341.00
	Bullnose Kerbstone: Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 340*200*350 (LxBxH)	र.फि.	419.00	419.00	419.00
	Bullnose Kerbstone: Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 340*200*350 (LxBxH)	र.फि.	448.00	448.00	448.00
	EPS-C (Expanded polystyreneconcrete) Block				
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	146.00	146.00	146.00
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	219.00	219.00	219.00
३	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	292.00	292.00	292.00

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.फ. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Surface Hardness	Element	१०२७.००	१०२७.००	१०२७.००
२	Cover Survey/ Rebar Orientation	Element	४१०८.००	४१०८.००	४१०८.००
३	Homogeneity	Element	४१३४.००	४१३४.००	४१३४.००
४	Crack Depth Measurement	Element	४१३४.००	४१३४.००	४१३४.००
५	E-Modulus Calculation Test	Element	४१३४.००	४१३४.००	४१३४.००
६	Resistivity	Element	२४६७.००	२४६७.००	२४६७.००
७	Curing Efficiency Test	Element	२४६७.००	२४६७.००	२४६७.००
८	Corrosion Mapping	Element	१२४०४.००	१२४०४.००	१२४०४.००
९	Half Cell Potential	Element	७९८९.००	७९८९.००	७९८९.००
१०	Sonic Echo/ Void Detection Test	Element	१०२७०.००	१०२७०.००	१०२७०.००
११	Pulloff Test/ Bond Test	Element	७९८९.००	७९८९.००	७९८९.००
१२	Concrete Tensile Strength Test	Element	७९८९.००	७९८९.००	७९८९.००
१३	Moisture Content	Element	४६२१.००	४६२१.००	४६२१.००
१४	Core Extraction				
	32 mm Dia	Element	७७०२.००	७७०२.००	७७०२.००
	52 mm Dia	Element	८२१९.००	८२१९.००	८२१९.००
	75 mm Dia	Element	८७२९.००	८७२९.००	८७२९.००
	100 mm Dia	Element	१०२७०.००	१०२७०.००	१०२७०.००
	150 mm Dia	Element	१२८३३.००	१२८३३.००	१२८३३.००
	200 mm Dia	Element	१४४०४.००	१४४०४.००	१४४०४.००
	250 mm Dia	Element	१७९७२.००	१७९७२.००	१७९७२.००
	300 mm Dia	Element	२०४४०.००	२०४४०.००	२०४४०.००
	350 mm Dia	Element	२४६७४.००	२४६७४.००	२४६७४.००
१५	Rapid Chloride Penetration Test	Element	१४४०४.००	१४४०४.००	१४४०४.००
१६	Anchor Pullout Test	Element	२०४४०.००	२०४४०.००	२०४४०.००
१७	Infrared Thermography	Element	३४९४.००	३४९४.००	३४९४.००
१८	Low Strain Pile Integrity Test	Element	११२९७.००	११२९७.००	११२९७.००
१९	High Strain Dynamic Pile Load Test	Element	४१३४००.००	४१३४००.००	४१३४००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४१०८.००	४१०८.००	४१०८.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३४९४.००	३४९४.००	३४९४.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३४९४.००	३४९४.००	३४९४.००
२३	Cross Hole Sonic Logging	Element	१२८३३.००	१२८३३.००	१२८३३.००
२४	Impulse Echo	Element	१०२७०.००	१०२७०.००	१०२७०.००
२५	Maturity Meter Test	Element	३४९४४.००	३४९४४.००	३४९४४.००
२६	Chloride Profile	Element	१२८३३.००	१२८३३.००	१२८३३.००
२७	Carbonation Depth Detection Test	Element	२४६७.००	२४६७.००	२४६७.००
२८	Boroscope	Element	३४९४४.००	३४९४४.००	३४९४४.००
२९	Videoscope	Element	८७२९४.००	८७२९४.००	८७२९४.००
३०	Ground Penetrating Radar	Element	४१३४०.००	४१३४०.००	४१३४०.००
३१	CAPO Test	Element	१२८३३.००	१२८३३.००	१२८३३.००
३२	Permeability Test	Element			
	Air		३०८१०.००	३०८१०.००	३०८१०.००
	Water		४१०८०.००	४१०८०.००	४१०८०.००
३३	Concrete Cutting Services	R. M.	३०८१०.००	३०८१०.००	३०८१०.००
३४	Wall Cutting Services	R. M.	४१३४०.००	४१३४०.००	४१३४०.००
३५	Impact Echo	Element	१०२७०.००	१०२७०.००	१०२७०.००
३६	Mortar Strength Test (Penetrometer)	Element	४१३४.००	४१३४.००	४१३४.००
३७	ASR Detection Test	Element	१०२७०.००	१०२७०.००	१०२७०.००

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.नं.क. माहिरको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
२८	Moisture Content Test				
	Concrete	Element	२०५४.००	२०५४.००	२०५४.००
	Brick	Element	२०५४.००	२०५४.००	२०५४.००
	Masonry	Element	२०५४.००	२०५४.००	२०५४.००
	Wood	Element	२४६७.००	२४६७.००	२४६७.००








प्रमुख जिल्ला अधिकारी

Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मि.	६३०.००	६३०.००	६६०.००
	cell height-75 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-100 mm	व.मि.	९९००.००	९९००.००	१२००.००
	cell height-120 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-150 mm	व.मि.	१३५०.००	१३५०.००	१३५०.००
	cell height-200 mm	व.मि.	२४२१.००	२४२१.००	२४२१.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मि.	३१०.००	३१०.००	३१०.००
	cell height-75 mm	व.मि.	३२१.००	३२१.००	३२१.००
	cell height-100 mm	व.मि.	१२१०.००	१२१०.००	१२१०.००
	cell height-120 mm	व.मि.	१११०.००	१११०.००	१११०.००
	cell height-150 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मि.	९१०.००	९१०.००	९१०.००
	cell height-75 mm	व.मि.	१३१०.००	१३१०.००	१३१०.००
	cell height-100 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-120 mm	व.मि.	२३००.००	२३००.००	२३००.००
	cell height-150 mm	व.मि.	२६००.००	२६००.००	२६००.००
	cell height-200 mm	व.मि.	३६१०.००	३६१०.००	३६१०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-75 mm	व.मि.	८१०.००	८१०.००	८१०.००
	cell height-100 mm	व.मि.	१११०.००	१११०.००	१११०.००
	cell height-120 mm	व.मि.	१४१०.००	१४१०.००	१४१०.००
	cell height-150 mm	व.मि.	१६०१.००	१६०१.००	१६०१.००
	cell height-200 mm	व.मि.	२३००.००	२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-75 mm	व.मि.	८१०.००	८१०.००	८१०.००
	cell height-100 mm	व.मि.	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-150 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००

Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ज.क. बाहिरीको दररेट		
			आ.व. २०६०/६१	आ.व. २०६१/६२	आ.व. २०६२/६३
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मि.	१००.००	२००.००	१००.००
	cell height-75 mm	व.मि.	१२२०.००	१२२०.००	१२२०.००
	cell height-100 mm	व.मि.	१७००.००	१७००.००	१७००.००
	cell height-120 mm	व.मि.	२१२०.००	२१२०.००	२१२०.००
	cell height-150 mm	व.मि.	२५००.००	२५००.००	२५००.००
	cell height-200 mm	व.मि.	३४२०.००	३४२०.००	३४२०.००
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मि.	४२५.००	४२५.००	४२५.००
	cell height-75 mm	व.मि.	७२०.००	७२०.००	७२०.००
	cell height-100 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-120 mm	व.मि.	१२७५.००	१२७५.००	१२७५.००
	cell height-150 mm	व.मि.	१४७५.००	१४७५.००	१४७५.००
	cell height-200 mm	व.मि.	२०२०.००	२०२०.००	२०२०.००
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मि.	५२०.००	५२०.००	५२०.००
	cell height-75 mm	व.मि.	७७५.००	७७५.००	७७५.००
	cell height-100 mm	व.मि.	१०२०.००	१०२०.००	१०२०.००
	cell height-120 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-150 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मि.	८००.००	८००.००	८००.००
	cell height-75 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-100 mm	व.मि.	१५००.००	१५००.००	१५००.००
	cell height-120 mm	व.मि.	१९२०.००	१९२०.००	१९२०.००
	cell height-150 mm	व.मि.	२२००.००	२२००.००	२२००.००
	cell height-200 mm	व.मि.	२९००.००	२९००.००	२९००.००
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मि.	३५५.००	३५५.००	३५५.००
	cell height-75 mm	व.मि.	५२५.००	५२५.००	५२५.००
	cell height-100 mm	व.मि.	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-150 mm	व.मि.	१०००.००	१०००.००	१०००.००
	cell height-200 mm	व.मि.	१४००.००	१४००.००	१४००.००
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मि.	३७५.००	३७५.००	३७५.००

Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.भ.क. बाहिरीको दररेड		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	cell height-75 mm	व.मि.	४४०.००	४४०.००	४४०.००
	cell height-100 mm	व.मि.	३२५.००	३२५.००	३२५.००
	cell height-120 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-150 mm	व.मि.	१०५०.००	१०५०.००	१०५०.००
	cell height-200 mm	व.मि.	१४५०.००	१४५०.००	१४५०.००
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मि.	४४०.००	४४०.००	४४०.००
	cell height-75 mm	व.मि.	८००.००	८००.००	८००.००
	cell height-100 mm	व.मि.	१०४०.००	१०४०.००	१०४०.००
	cell height-120 mm	व.मि.	१३२५.००	१३२५.००	१३२५.००
	cell height-150 mm	व.मि.	१५४०.००	१५४०.००	१५४०.००
	cell height-200 mm	व.मि.	२१००.००	२१००.००	२१००.००
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मि.	२९०.००	२९०.००	२९०.००
	cell height-75 mm	व.मि.	४२५.००	४२५.००	४२५.००
	cell height-100 mm	व.मि.	५९०.००	५९०.००	५९०.००
	cell height-120 mm	व.मि.	७६०.००	७६०.००	७६०.००
	cell height-150 mm	व.मि.	८६५.००	८६५.००	८६५.००
	cell height-200 mm	व.मि.	१२००.००	१२००.००	१२००.००
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मि.	३००.००	३००.००	३००.००
	cell height-75 mm	व.मि.	४४०.००	४४०.००	४४०.००
	cell height-100 mm	व.मि.	६००.००	६००.००	६००.००
	cell height-120 mm	व.मि.	७५०.००	७५०.००	७५०.००
	cell height-150 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-200 mm	व.मि.	१२५०.००	१२५०.००	१२५०.००
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मि.	४४०.००	४४०.००	४४०.००
	cell height-75 mm	व.मि.	६२५.००	६२५.००	६२५.००
	cell height-100 mm	व.मि.	९००.००	९००.००	९००.००
	cell height-120 mm	व.मि.	११००.००	११००.००	११००.००
	cell height-150 mm	व.मि.	१३००.००	१३००.००	१३००.००
	cell height-200 mm	व.मि.	१६००.००	१६००.००	१६००.००

WPS/Fibre, Concrete Prefabricated Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८६/८७	आ.व. २०८७/८८	आ.व. २०८८/८९
१	WPC Single Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि.	७०३.००	७०३.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि.	८१४.००	८१४.००	८१४.००
२	WPC Single Room Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि.	७०३.००	७०३.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि.	८१४.००	८१४.००	८१४.००
३	FRP Composite Door Frame Thickness: 100 mm	र.फि.	४६३.००	४६३.००	४६३.००
	Thickness: 110 mm	र.फि.	६००.००	६००.००	६००.००
४	FRP Composite Window or Ventilation Frame Thickness: 110 mm	र.फि.	४२३.००	४२३.००	४२३.००
५	FRP Composite Window Net Panel Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)	गोटा	४९७३.००	४९७३.००	४९७३.००
६	FRP Composite Window Panel Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	गोटा	४२२९.००	४२२९.००	४२२९.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	४९७३.००	४९७३.००	४९७३.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black	गोटा	४७५३.००	४७५३.००	४७५३.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	३७५३.००	३७५३.००	३७५३.००
७	FRP Composite Ventilation Panel (Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा	४०००.००	४०००.००	४०००.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा	३४२८.००	३४२८.००	३४२८.००
८	FRP Composite Ventilation Net Panel (Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा	३४२८.००	३४२८.००	३४२८.००
९	Fiber Door Panel Single Fiber Door	व.फि.	१०९०.००	१०९०.००	१०९०.००
	Double Fiber Door	व.फि.	१३१०.००	१३१०.००	१३१०.००
	Double Fiber Door	व.फि.	१९२०.००	१९२०.००	१९२०.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. माहेकाको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Vinyl Flooring				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 1000 g/m ² . XR PUR (polyurethane reinforced, Abrasion group T: <2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability <0.40%, static electrical charge < 2kv, impact sound reduction approx 14db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than <10µg/m ³). Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	४८००.००	४८००.००	४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 1150g/m ² . XR PUR (polyurethane reinforced, Abrasion group T: <2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability <0.40%, static electrical charge < 2kv, impact sound reduction approx 14db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than <10µg/m ³). Phthalate Free. Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	३७००.००	३७००.००	३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m ² , polyurethane reinforced (PUR), dimensional stability <0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than <100µg/m ³). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी	३१००.००	३१००.००	३१००.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बातेको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
५	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ³ heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m ² in sheet of size 2mtr. X 23 mtr. In approved pattern & color combination with PUR Reinforced - patented polyurethane surface treatment. The vinyl flooring having wear resistance of < 1g as per EN ISO 5470-1. Resistance to indentation should be < 0.16mm confirming to EN 1516 and shock absorption > 17% as per EN 14808. Vertical deformation < 5mm confirming to EN 14809 with Vertical ball behavior > 90% as per EN 12235. Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cfl-s1 with slip resistance to rolling load < 0.30mm on EN 1569. NPS 31-074 certified Class A < 65db noise reduction with Thermal resistance Approx. 0.07m ² K/W as per EN 105 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method - only 2% of the surface is glued - offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%); Omnisports Reference, Excel, & Pure Play's Weight; The honeycomb backing, creating a suction effect.	व.मी	६२००.००	६२००.००	६२००.००
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogeneous Acoustic PVC Vinyl Phthalate free, flooring Tarket/Mohawk/Polyflor or equivalent brand, total weight is 3250g/m ² , PUR, No wax no polish for life (Abrasion group T: < 2.00 mm, residual indentation approx. 0.03 mm, castor wheel test qualified, dimensional stability < 0.40%, impact sound reduction approx -19db with acoustic improvement < 65Db class A, Slip Resistance R9/R10 woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, 100% recyclable. Low VOC emissions after 28days of installation (lower than < 10ug/m ³) in roll form 25m running meter x 200cm. Phthalate Free. Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Not	व.मी	१०००.००	१०००.००	१०००.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ³ (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granite) indoor floor covering of approved manufacturer, having total weight 2950 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granite is cocatalyzed with the extended Granite family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have blinder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425 Flooring containing Electrical insulation R _i ≥5x10 ⁴ Ohm; Electrical resistance R ≤ 109 Ohm with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987-EN 423 ; Bacteria resistance does not favor growth by ISO 846 Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches Thermal resistance Approx. 0.01m ² K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	१८००.००	१८००.००	१८००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ³ (after 28 days) permanently static conductive pressed homogeneous compact (IQ Tono SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. As Carbon coated on the top of the floor it will prevent any kind of electric shock. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class Clfls1 with surface treatment new IQ PUR. Flooring follows excellent dry buffing system which always give new looks to the floor. Flooring have blinder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical insulation R _i ≥5x10 ⁴ Ohm; Electrical resistance R ≤ 109 Ohm with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846/Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m ² K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions.	व.मी	१८००.००	१८००.००	१८००.००
	False Ceiling			०.००	

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.न.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,00 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the box from the manufacturer's letterhead.	व.मी	२१५२.००	२१५२.००	२१५२.००
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,00 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the box from the manufacturer's letterhead.	व.मी	४७४०.००	४७४०.००	४७४०.००
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,00 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the box from the manufacturer's letterhead.	व.मी	४८४२.००	४८४२.००	४८४२.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kg/m ² . Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kg/m ² . Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kg/m ² . Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. नाहिकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
7	Providing and fixing mineral fiber false ceiling Scaff board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kgs/m ² . Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the box from the manufacturer's letterhead.	व.मी	१२३७४.००	१२३७४.००	१२३७४.००
8	Providing and fixing mineral fiber false ceiling Scaff board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50, Humidity Resistance (RH) of 70%, Light Reflectance = 84%, Thermal conductivity $k = 0.06$ w/m K, Weight 2.5kgs/m ² . Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the box from the manufacturer's letterhead.	व.मी	१२९१२.००	१२९१२.००	१२९१२.००
Leveling Compound for Vinyl Flooring					
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compound. In case of uneven sub floor the same should be levelled using self levelling compound. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor, self levelling compound to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for Vinyl flooring.	व.मी	४९२.००	४९२.००	४९२.००
2	Providing and fixing 4mm thick curve shape LPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring.	व.मी	२९४.००	२९४.००	२९४.००
WPC Items					

FLOORING AND CEILING

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. माहोकाको दररेट		
			मा.व. २०६०/८१	मा.व. २०६१/८२	मा.व. २०६२/८३
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Clap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 - 2008. Baffle must comply with including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thickening swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	३४६९.००	९४६९.००	९४६९.००
2	Providing and installing WPC Wall panel cladding in pre-painted finish color with the size of 8" x 9" (W x H) & 16mm thick . Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 - 2008, The material should conform the following tests, like - Thickening swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	३४९०.००	३४९०.००	३४९०.००
	Ceiling				

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. माहौलको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
१	Supply & Fixing of U-Baffle Ceiling System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CH green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Set fi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U-Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005 carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.	व.मी	१४४२६.००	१४४२६.००	१४४२६.००

Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Reinforced Soil Wall) utilizing precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	Up to 5 Height (in Metre)	व.मी	१८२९२.००	१८२९२.००	१८२९२.००
	10 Height (in Metre)	व.मी	२३०२९.००	२३०२९.००	२३०२९.००
	15 Height (in Metre)	व.मी	२७९४४.००	२७९४४.००	२७९४४.००
	20 Height (in Metre)	व.मी	३२९४४.००	३२९४४.००	३२९४४.००
	25 Height (in Metre)	व.मी	३८९८९.००	३८९८९.००	३८९८९.००
	30 Height (in Metre)	व.मी	४९८४८.००	४९८४८.००	४९८४८.००
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 300 grams/sqm) and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	२२०४९.००	२२०४९.००	२२०४९.००
	20 Height (in meter)	व.मी	३९५८६.००	३९५८६.००	३९५८६.००
	30 Height (in meter)	व.मी	५७४१०.००	५७४१०.००	५७४१०.००
३	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7% with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	३६३५२.००	३६३५२.००	३६३५२.००
४	Geo-composite Drainage with mini pipe				

Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	Geocomposite drainage consisting of a filter layer, draining mat and 26mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one meterwidthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	९९१.००	९९१.००	९९१.००
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one meterwidthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	१२८०.००	१२८०.००	१२८०.००
	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one meterwidthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, enclosed within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	१४२४.००	१४२४.००	१४२४.००
	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one meterwidthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	२१९२.००	२१९२.००	२१९२.००
४	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ENR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm ² , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी	१४९८६३.००	१४९८६३.००	१४९८६३.००
	Capacity 1000 KJ and height 5m	र.मी	२९९२३४.००	२९९२३४.००	२९९२३४.००
	Capacity 1500 KJ and height 5m	र.मी	३४९१४६.००	३४९१४६.००	३४९१४६.००
	Capacity 2000 KJ and height 5m	र.मी	४३९४३४.००	४३९४३४.००	४३९४३४.००
	Capacity 3000 KJ and height 5m	र.मी	५०९४६४.००	५०९४६४.००	५०९४६४.००

Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.म. बाहिरीको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	Capacity 5000 KI and height 7m	२ मी	९३०२१२.००	९३०२१२.००	९३०२१२.००
१	High Tensile Wire mesh (wire strength $\geq 1770 \text{ N/mm}^2$)				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength $\geq 1770 \text{ N/mm}^2$) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m ² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी	१३६९७.००	१३६९७.००	१३६९७.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1\text{mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together well welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	२१९२.००	२१९२.००	२१९२.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1\text{mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together well welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	९४६६.००	९४६६.००	९४६६.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1\text{mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral notch) on both sides of the strap to generate high coefficient of friction and together well welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	२८२४.००	२८२४.००	२८२४.००
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ($\pm 1\text{mm}$ tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral notch) on both sides of the strap to generate high coefficient of friction and together well welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	१२१६४.००	१२१६४.००	१२१६४.००
८	Fabric formed erosion and water protection concrete mattresses				

ललितपुर विज्ञानको. भ. व. २०८२/८३ को दररेट



Slope Stabilizing Structures


क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.स.क. माइकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid in one direction. Cables shall be of minimum form diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	२११३.००	२११३.००	२११३.००
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid in both directions. Cables shall be of minimum form diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	५२२१.००	५२२१.००	५२२१.००
	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी	३२२०.००	३२२०.००	३२२०.००
	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी	४२७२.००	४२७२.००	४२७२.००
	Supply of 1m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	मीटर	८४९१.००	८४९१.००	८४९१.००
	Supply of 1m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	मीटर	११९०२.००	११९०२.००	११९०२.००

प्रमुख जिल्ला अधिकारी

Railway

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१	Bore Pile Machine for Railway bridge for $\phi > 1.5m$ diameter with piling ring and assories.	प्रति घण्टा	८३७९.००	८३७९.००	८३७९.००
२	Spherical bearing $\phi > 2250$ KN Fixed type	गोटा	१३३३७२.००	१३३३७२.००	१३३३७२.००
३	Spherical bearing $\phi > 2250$ KN Free type	गोटा	१४८४३०.००	१४८४३०.००	१४८४३०.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene elastomer for elastomeric slab for railway bridge	र.मि	१४७०८.००	१४७०८.००	१४७०८.००
५	Crane $\phi > 100$ tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा	१४४३८.००	१४४३८.००	१४४३८.००
६	Ultra sonic cross-hole test Machine hire	गोटा	२३४९.००	२३४९.००	२३४९.००
७	Sheath tube. D75mm (Mild steel)	र.मि	३७३.००	३७३.००	३७३.००
८	Carrying out Dynamic pile load test	गोटा	२९४४६४.००	२९४४६४.००	२९४४६४.००
९	Earthing cable(GV70)	र.मि	६९४.००	६९४.००	६९४.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा	४४३९.००	४४३९.००	४४३९.००
११	Unbonded Pre stressed concrete strand	क.जी	१६२.००	१६२.००	१६२.००





Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
१	Electric Hot Film	व.मी.	११५०.००	११५०.००	११५०.००
२	Thermostat UTH-200/Sensor	गोटा	४५००.००	४५००.००	४५००.००
३	Insulation Pad	व.मी.	३५०.००	३५०.००	३५०.००
४	Eye Clip	गोटा	५०.००	५०.००	५०.००
५	2.5 mm Multi Strand wire	र.मि	६०.००	६०.००	६०.००
६	Installation Charge	व.मी.	३००.००	३००.००	३००.००
७	Parqueting	व.मि.	१००.००	१००.००	१००.००
८	Seoting readymade	र.मि	१३०.००	१३०.००	१३०.००
९	Seoting Local mare	र.मि	१३०.००	१३०.००	१३०.००
१०	Protected Mat	व.मी.	३००.००	३००.००	३००.००
११	Special Tape	र.मि	१००.००	१००.००	१००.००

प्रमुख जिल्ला अधिकारी

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.न.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			सा.व. २०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
१	ढोका ८ इन्च पोली	गोटा	४४.००	४४.००	४४.००
२	कापेट दुबो	ब.कि.	३८.००	३८.००	३८.००
३	कापेट दुबोको लागि टाढो काँचो ग्याला	म.वि.	२९.००	२९.००	२९.००
४	निचालो (जरा खोला)	गोटा	१४.००	१४.००	१४.००
५	स्थानीय स्तरमा उत्पादित विरुवा फलफूल बाहेक	गोटा	१२.००	१२.००	१२.००
६	गडै पैयोको मल/सोडे मल	के.जी.	६.००	६.००	६.००
७	नेपसो कचुराको मल	के.जी.	७.००	७.००	७.००
८	बोईलर कचुराको मल	के.जी.	८.००	८.००	८.००
९	तोरीको चिन	के.जी.	४८.००	४८.००	४८.००
१०	गोरवन डोरो	के.जी.	१७२.००	१७२.००	१७२.००
११	नखल डोरो	के.जी.	३३२.००	३३२.००	३३२.००
१२	ठूला बाइलको बाँसको विरुवा विउबाट उत्पादित	गोटा	२६१.००	२६१.००	२६१.००
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु				
१	पोलिथिन ट्याप ४ फ्याल भाएको २०० सेजको विभिन्न साइज	के.जी.	४४४.००	४४४.००	४४४.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१६२.००	१६२.००	१६२.००
३	ठूला विरुवा रोपन ४ फिट देखि ६ फिट सम्म	प्रति विरुवा	१८२.००	१८२.००	१८२.००
४	मझा विरुवा रोपन ६ फिट देखि ८ फिट सम्म	प्रति विरुवा	२७४.००	२७४.००	२७४.००
५	सावरा लेख	पट्टा	३४६०.००	३४६०.००	३४६०.००
७	बाउरा बलमोड	पट्टा	१३०७.००	१३०७.००	१३०७.००
८	सकलन कटारो, मुछन	पट्टा	४७४३.००	४७४३.००	४७४३.००
९	बुचानी (४ कि.मी.सम्म)	पट्टा	४७४३.००	४७४३.००	४७४३.००
१०	अल्लोडिङ	चल	१६६१.००	१६६१.००	१६६१.००
११	चट्टा निर्माण	चल	१७८०.००	१७८०.००	१७८०.००
१२	ठूला उखेली बाटगरी स्थल १०० मी. सम्म लैजाने प्याप	गोटा	३२.००	३२.००	३२.००
१३	वन सुपारी	प्रति विरुवा	४७.००	४७.००	४७.००
	शहरी बुझारीपणकार्य				
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१६६.००	१६६.००	
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१८२.००	१८२.००	
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१८२.००	१८२.००	
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२८४.००	२८४.००	
५	४ फिट सोलाइ ४ फिट उचाइको	प्रति विरुवा	४३१६.००	४३१६.००	
६	५ फिट सोलाइ ५ फिट उचाइको	प्रति विरुवा	४९३९.००	४९३९.००	
	४ फिट सम्मको विरुवाको मुल्य				
१	कपूर	प्रति विरुवा	९१३.००	९१३.००	९१३.००
२	गुला	प्रति विरुवा	११२७.००	११२७.००	११२७.००
३	कन्की बाटल बस	प्रति विरुवा	७८३.००	७८३.००	७८३.००
४	ज्याकारण्ड गोल्डमोहोर	प्रति विरुवा	७८३.००	७८३.००	७८३.००
५	जसले	प्रति विरुवा	७८३.००	७८३.००	७८३.००

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			सा.म. २०८०/८१	सा.म. २०८१/८२	सा.म. २०८२/८३
९	गैस	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१०	लाली	प्रति विरुवा	५२२.००	५२२.००	५२२.००
११	दुधी	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१२	बसमबेली	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१३	काइजा	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१४	रुकाकमल	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१५	सुवी	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१६	बर	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१७	पिपल	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१८	२ फिट सम्मको करीवर विरुवा	प्रति विरुवा	५२२.००	५२२.००	५२२.००
१९	३ फिट सम्मको टिकोना विरुवा	प्रति विरुवा	५२२.००	५२२.००	५२२.००
२०	४ फिट सम्मको चापको विरुवा	प्रति विरुवा	५२२.००	५२२.००	५२२.००
	४ फिट देखि ६ फिट सम्मको विरुवाको मूल्य				
१	टिथोमा	प्रति विरुवा	५२२.००	५२२.००	
	बायो इन्जिनियरिङ सम्बन्धि काम				
	भासको विउ				
१	जई	कि.ग्र	२२.००	२२.००	२२.००
२	मेच	कि.ग्र	२०१.००	२०१.००	२०१.००
३	नेपीगर	सेट	३.००	३.००	३.००
४	बर्षिम	कि.ग्र	२०३.००	२०३.००	२०३.००
५	पासको विउ र जीपधि गिल्ला भित्र डुबानी गर्दा	कि.ग्र	५२२.००	५२२.००	५२२.००
६	पासको विउ गिल्ला बाहेरबाट डुबानी गरा	कि.ग्र	५.००	५.००	५.००
७	भाटो भन्ने बाली बोरा	भाटो	३.००	३.००	३.००
८	भास काटेको सिंगो घाना	घाना	४१२.००	४१२.००	४१२.००
९	पासको काटिग स्टन्ड विरुवा/२ महिने नर्सरीमा राखेको ५.५ फिट देखि २ फिट लामो	प्रति काटिग	६४.००	६४.००	६४.००
	Vegitation/Shrubs Cuttings/Slip/Plants/etc.				
१	बिचलो/राइलोम	प्रति विरुवा	७.००	७.००	७.००
२	गालीची गान्ध	प्रति विरुवा	१२.००	१२.००	१२.००
३	बालीची विरुवा	प्रति विरुवा	११.००	११.००	११.००
४	हाइड्रड काटिग (बिच) पोन्चल साउन	प्रति विरुवा	६.००	६.००	६.००
५	नेपीगर काटिग	प्रति विरुवा	२.००	२.००	२.००
६	NB ₂₁ पाँस	प्रति विरुवा	२.००	२.००	२.००
७	निचलो राइलोम	प्रति विरुवा	२२.००	२२.००	२२.००
८	पासको घाना (काटिग राइलोम)	प्रति विरुवा	४१२.००	४१२.००	४१२.००
९	बाँसको तडुबानी दुवो	प्रति विरुवा	३.००	३.००	३.००
१०	विजयल फुल र इन्ध पोली	मोटो	२९.००	२९.००	२९.००
११	मुलाक फुल र इन्ध पोली	मोटो	१७५.००	१७५.००	१७५.००

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेड		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१२	कार्पेट बुन्ने	व.फी.	३८.००	३८.००	३८.००
१३	कार्पेट बुन्ने को लागि छप्ने कार्यको ज्याला	व.फी.	२२.००	२२.००	२२.००
१४	मिचाली जरा राख्ने	गोटा	१४.००	१४.००	१४.००
१५	स्वामीय स्तरमा जापानीत बिरुवा फलफूल काटेक	गोटा	१२.००	१२.००	१२.००
१६	छान्ने घासको बिरुवा	गोटा	१२.००	१२.००	१२.००
१७	छोटाटी बिरुवा	गोटा	२.००	२.००	२.००
१८	गोठ सन्ना गेवाली	गोटा	१२६.००	१२६.००	१२६.००
१९	गोठ सन्ना अमेरिकन	गोटा	३३२.००	३३२.००	३३२.००
२०	बर	गोटा	११.००	११.००	११.००
२१	बन्वा	प्रति बिरुवा	१४२.००	१४२.००	१४२.००
२२	डोम, धर्मो, गसुरो, बकलको, निम जापी	गोटा	४४२.००	४४२.००	४४२.००
२३	धुलोको	के.जी.	१६३२.००	१६३२.००	१६३२.००
२४	छर, फुले भिटा आदिको विउ	के.जी.	१४६४.००	१४६४.००	१४६४.००
२५	गुठ गेट	व.मी.	४२३.००	४२३.००	४२३.००
६ टिम्बर कन्प्रेसनबाट सम्पादन गरिने कार्यहरु					
१	चिप्लम उत्पादनकाकल, भुप, फाल्ने कम काटेक दररेड	क्यू.फि.	३६.००	३६.००	३६.००
२	चिप्लम लोड	क्यू.फि.	२४.००	२४.००	२४.००
३	चिप्लम पाइपिग	क्यू.फि.	८.००	८.००	८.००
४	चिप्लम अनलोड	क्यू.फि.	९.००	९.००	९.००
५	मिल सिपमेन्टको भोलिच अनलोड	क्यू.फि.	१२.००	१२.००	१२.००
६	काडाको कमिलबाट भोलिच चिप्लम ज्याला भोलिचामा	क्यू.फि.	१०६.००	१०६.००	१०६.००
७	वाउरा लोड	क्वीन्टन	२९.००	२९.००	२९.००
८	वाउरा अनलोड	क्वीन्टन	१९.००	१९.००	१९.००
९	चोल् लोड	प्रति गोटा	३९.००	३९.००	३९.००
१०	चोल् अनलोड	प्रति गोटा	३४.००	३४.००	३४.००
पाल्मका प्रजाति					
१	किस्टन पाल्म	प्रति गोटा	१६१८.००	१६१८.००	१६१८.००
२	रोयल पाल्म	प्रति गोटा	१९४२.००	१९४२.००	१९४२.००
३	बोटल पाल्म	प्रति गोटा	१०२४.००	१०२४.००	१०२४.००
४	लि पाल्म	प्रति गोटा	१९४२.००	१९४२.००	१९४२.००
५	गवाई पाल्म	प्रति गोटा	२४८९.००	२४८९.००	२४८९.००
६	सोचो हुने प्रजाति १ देखि २ किट साम	प्रति गोटा			
७	साइकल पाल्म	प्रति गोटा	१२९४.००	१२९४.००	१२९४.००
८	स्पाइरल पाल्म	प्रति गोटा	१०२४.००	१०२४.००	१०२४.००
९	क्रिस्मस पाल्म	प्रति गोटा	१२९४.००	१२९४.००	१२९४.००
१०	कोमिन्स पाल्म	प्रति गोटा	७४४.००	७४४.००	७४४.००
११	ब्याम्बोरो पाल्म	प्रति गोटा	७४४.००	७४४.००	७४४.००
१२	सिपेरिया पाल्म	प्रति गोटा	४३२.००	४३२.००	४३२.००
१३	क्रयान पाल्म	प्रति गोटा	८०९.००	८०९.००	८०९.००

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेरको दररेट		
			आ.न. २०८०/८१	आ.न. २०८१/८२	आ.न. २०८२/८३
१४	एरिका पाल्ल	प्रति गोठा	८०९.००	८०९.००	८०९.००
	४ देखि ५ फिट उचाई सम्म				
१	मेचि बरुवा	प्रति गोठा	१०३.००	१०३.००	१०३.००
२	एजेनिया	प्रति गोठा	१९४२.००	१९४२.००	१९४२.००
३	क्यामेनिया	प्रति गोठा	१९४२.००	१९४२.००	१९४२.००
४	साउथ कभर	प्रति गोठा	३२३.००	३२३.००	३२३.००
	स्थानिय वास्तुवादर प्रजाति ४ देखि ६ फिट				
५	फारिजात	प्रति गोठा	१४१०.००	१४१०.००	१४१०.००
६	धमेली	प्रति गोठा	१२९४.००	१२९४.००	१२९४.००
७	गाइ	प्रति गोठा	१०२४.००	१०२४.००	१०२४.००
८	वेल्गन	प्रति गोठा	१०२४.००	१०२४.००	१०२४.००
	स्थानिय प्रजाति २ देखि ४ फिट				
१	मानली	प्रति गोठा	४३९.००	४३९.००	४३९.००
२	बगमबेली	प्रति गोठा	६४७.००	६४७.००	६४७.००
३	बेली	प्रति गोठा	६४७.००	६४७.००	६४७.००
४	पेसन फुलावर	प्रति गोठा	७४४.००	७४४.००	७४४.००
५	गान्धिमिला	प्रति गोठा	१२९४.००	१२९४.००	१२९४.००
६	काइफन घुमिला	प्रति गोठा	२१४.००	२१४.००	२१४.००
७	गान्धिम पलाश	प्रति गोठा	३२३.००	३२३.००	३२३.००
८	कपुर	प्रति गोठा	८०९.००	८०९.००	८०९.००
९	कडवा	प्रति गोठा	१०३४.००	१०३४.००	१०३४.००
१०	कण्ठि	प्रति गोठा	७४७.००	७४७.००	७४७.००
११	जाकारुडा	प्रति गोठा	७४७.००	७४७.००	७४७.००
१२	अमारे	प्रति गोठा	७४७.००	७४७.००	७४७.००
१३	शिदिम	प्रति गोठा	८०९.००	८०९.००	८०९.००
१४	मैयू	प्रति गोठा	४९८.००	४९८.००	४९८.००
१५	लन्धी	प्रति गोठा	४९८.००	४९८.००	४९८.००
१६	धुपी	प्रति गोठा	४९८.००	४९८.००	४९८.००
१७	बगमबेली	प्रति गोठा	७४७.००	७४७.००	७४७.००
१८	काईयो	प्रति गोठा	७४७.००	७४७.००	७४७.००
१९	अकोली/सानो विरुवा	प्रति गोठा	६.००	६.००	६.००
२०	वेल्गन	प्रति गोठा	१०३४.००	१०३४.००	१०३४.००
२१	बगमबेली	प्रति गोठा	८०९.००	८०९.००	८०९.००
२२	हुरी	प्रति गोठा	१९४.००	१९४.००	१९४.००
२३	बरो	प्रति गोठा	१९४.००	१९४.००	१९४.००
२४	बगमबेली	प्रति गोठा	१९४.००	१९४.००	१९४.००
२५	हगडकन	प्रति गोठा	१९४२.००	१९४२.००	१९४२.००

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

क्र.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
२६	लालीगुरास	प्रति गोटा	१३८०.००	१४८०.००	१५८०.००
२७	सालकसुरे	प्रति गोटा	१३८०.००	१४८०.००	१५८०.००
२८	एकाले	प्रति गोटा	१३८०.००	१४८०.००	१५८०.००
२९	देवदार	प्रति गोटा	२८२९.००	२८२९.००	२८२९.००
३०	किलिमस	प्रति चिरवा	३२३०.००	३२३०.००	३२३०.००
३१	मोड्डेन धुपि	प्रति चिरवा	२४८९.००	२४८९.००	२४८९.००
३२	गुल्मी	प्रति चिरवा	२९०४.००	२९०४.००	२९०४.००
३३	बन्य	प्रति चिरवा	१०८०.००	१०८०.००	१०८०.००
	बस्ती भेड भित्रका रुख कटान मुखान गरी गिध्या पाले				
१	सामान्य जोखिम भएको	प्रति गोटा	८४.००	८४.००	८४.००
२	मध्यम	प्रति गोटा	१४१.००	१४१.००	१४१.००
३	अति जोखिम	प्रति गोटा	२२६.००	२२६.००	२२६.००
	वन पैदावर संकलन तथा घाटमही खर्च				
१	रुख सम्पत्ति/उपलब्ध/लेबोर्ड गर्ने ०१००२ जना प्रति क्यू.फि.	क्यू.फि.	२.००	२.००	२.००
२	हलपडा रुख कटान मुखान	क्यू.फि.	४३.००	४३.००	४३.००
३	गोतिवा काठ सम्पत्ति तथा नाप पैमाइल (०१००८ जना प्रति क्यू.फि.)	क्यू.फि.	६४.००	६४.००	६४.००
४	नोका तारको (सातखकला अनुमान) (०१००८ जना प्रति क्यू.फि.)	क्यू.फि.	६.००	६.००	६.००
५	घाटमही गर्ने भित्रको नौसोलिक बढेपलासा मात्र। (०१२२७ जना प्रति क्यू.फि.)	क्यू.फि.	१२४.००	१२४.००	१२४.००
६	गोतिवा काठ लोड गर्ने (०१०३२ जना प्रति क्यू.फि.)	क्यू.फि.	२१.००	२१.००	२१.००
७	गोतिवा काठ हुवाको घाटमही सम्म (४ कि.मी दूरीतमा) (०१०५७ जना प्रति क्यू.फि.)	क्यू.फि.	४८.००	४८.००	४८.००
८	गोतिवा काठ वनकोट गर्ने (०१०२१ जना प्रति क्यू.फि.)	क्यू.फि.	१९.००	१९.००	१९.००
९	घाटमही अनुमान घाटमही गर्ने (०१०५७ जना प्रति क्यू.फि.)	क्यू.फि.	२६.००	२६.००	२६.००
१०	खुन सफाउन खर्च (०१२७१ जना प्रति क्यू.फि.)	क्यू.फि.	२४८.००	२४८.००	२४८.००









प्रमुख जिल्ला अधिकारी

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	गिर्वाण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
४	मुल्य				
१	डिभुल	गोटा	४९.००	४९.००	४९.००
२	सुपुवा	गोटा	१४०.००	१४०.००	१४०.००
३	डीभर	गोटा	२६९.००	२६९.००	२६९.००
४	मडुल	गोटा	७४.००	७४.००	७४.००
५	कटुल	गोटा	५६.००	५६.००	५६.००
६	सुपुवा	गोटा	२८०.००	२८०.००	२८०.००
७	लौखल	गोटा	२८०.००	२८०.००	२८०.००
८	गोखल कटुल	गोटा	४३.००	४३.००	४३.००
९	बिरुवा	गोटा	४३.००	४३.००	४३.००
१०	सुपुवा	गोटा	४३.००	४३.००	४३.००
११	सुपुवा	गोटा	२६.००	२६.००	२६.००
१२	सुपुवा	गोटा	१७६.००	१७६.००	१७६.००
१३	सुपुवा	गोटा	३२.००	३२.००	३२.००
१४	सुपुवाकोखल	गोटा	४२.००	४२.००	४२.००
१५	सुपुवाकोखल	गोटा	७४.००	७४.००	७४.००
१६	सुपुवाकोखल	गोटा	३७.००	३७.००	
१७	सुपुवाकोखल	गोटा	९१.००	९१.००	९१.००
१८	सुपुवाकोखल	गोटा	४३.००	४३.००	४३.००
१९	सुपुवाकोखल	गोटा	२९६.००	२९६.००	२९६.००
२०	सुपुवाकोखल	गोटा	१०४६.००	१०४६.००	१०४६.००
२१	सुपुवाकोखल	गोटा	१८३४.००	१८३४.००	१८३४.००
२२	सुपुवाकोखल	गोटा	३२३.००	३२३.००	३२३.००
२३	सुपुवाकोखल	गोटा	१४४.००	१४४.००	
२४	सुपुवाकोखल	गोटा	२१४.००	२१४.००	२१४.००
२५	सुपुवाकोखल	गोटा	४३.००	४३.००	४३.००
२६	सुपुवाकोखल	गोटा	८३.००	८३.००	८३.००
२७	सुपुवाकोखल	गोटा	७४.००	७४.००	७४.००
२८	सुपुवाकोखल	गोटा	३९९.००	३९९.००	३९९.००
२९	सुपुवाकोखल	गोटा	२९९.००	२९९.००	२९९.००
३०	सुपुवाकोखल	गोटा	७४.००	७४.००	७४.००
३१	सुपुवाकोखल	गोटा	३९९.००	३९९.००	३९९.००
३२	सुपुवाकोखल	गोटा	२९९.००	२९९.००	२९९.००
३३	सुपुवाकोखल	गोटा	७४.००	७४.००	७४.००
३४	सुपुवाकोखल	गोटा			
३५	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
३६	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
३७	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
३८	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
३९	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४०	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४१	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४२	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४३	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४४	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४५	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४६	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४७	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४८	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
४९	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००
५०	सुपुवाकोखल	गोटा	२३७.००	२३७.००	२३७.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मु.व.क बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
१	High Density Polythene Pipe NS-40	के.मी.	२८२.००	२८३.००	२८२.००
२	G.I Pipe threaded - Light class				
	15mm	र.मी.	१५०.००	१५०.००	१५३.००
	२०mm	र.मी.	२३२.००	२३२.००	२३२.००
	२५mm	र.मी.	३२२.००	३२२.००	३२४.००
	३२mm	र.मी.	४११.००	४११.००	४१२.००
	४०mm	र.मी.	५०८.००	५०८.००	५११.००
	५०mm	र.मी.	६४१.००	६४१.००	६४२.००
	६५mm	र.मी.	८८५.००	८८५.००	९३४.००
	८०mm	र.मी.	९०३८.००	९०३८.००	९१४२.००
	१००mm	र.मी.	१४८४.००	१४८४.००	१४२३.००
	१२५mm	र.मी.	२३७३.००	२३७३.००	२४१४.००
	१५०mm	र.मी.	२८२३.००	२८२३.००	३०५०.००
	२००mm	र.मी.	४०४९.००	४०४९.००	४२५३.००
३	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी.	४१९.००	४१९.००	४१९.००
	28.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी.	६२२.००	६२३.००	६२३.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी.	७८२.००	७८२.००	७८२.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी.	९६४.००	९६४.००	९६४.००
	48.3 mm OD 1.5" SCH.40, 3.65 mm thickness	र.मी.	११०४.००	११०४.००	११०४.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी.	१४१३.००	१४१३.००	१४१३.००
	73mm OD 2 1/2" SCH.40, 5.16 mm thickness	र.मी.	२१७९.००	२१७९.००	२१७९.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी.	२३००.००	२३००.००	२३००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी.	३३१२.००	३३१२.००	३३१२.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी.	४०६०.००	४०६०.००	४०६०.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी.	४४९९.००	४४९९.००	४४९९.००
	168.3mm OD 8" SCH.40, 7.11 mm thickness	र.मी.	७१३८.००	७१३८.००	७१३८.००
	65 mm ID SCH.40	र.मी.	२१८५.००	२१८५.००	२१८५.००
	80 mm ID SCH.40	र.मी.	२६४४.००	२६४४.००	२६४४.००
	१२५ mm ID SCH.40	र.मी.	४३३०.००	४३३०.००	४३३०.००
	१५० mm ID SCH.40	र.मी.	४०९४.००	४०९४.००	४०९४.००
	२०० mm ID SCH.40	र.मी.	६३४८.००	६३४८.००	६३४८.००
	२५०mm ID SCH.40	र.मी.	८९९९.००	८९९९.००	८९९९.००
	३०० mm ID SCH.40	र.मी.	११२४७.००	११२४७.००	११२४७.००
	३५० mm ID SCH.40	र.मी.	२११६०.००	२११६०.००	२११६०.००
	४०० mm ID SCH.40	र.मी.	२७६००.००	२७६००.००	२७६००.००
	४५० mm ID SCH.40	र.मी.	३४८७९.००	३४८७९.००	३४८७९.००
	५०० mm ID SCH.40	र.मी.	४९०४३.००	४९०४३.००	४९०४३.००
४	G.I Pipe threaded -Medium class				
	15mm	र.मी.	१८१.००	१८१.००	१२९.००
	२०mm	र.मी.	२२२.००	२२२.००	२६५.००

पाईप तथा फिटिङहरू

श.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.न.क बाहेकको दररेट		
			सा.व. २०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
	25mm र.मी		३४४.००	३४४.००	३७८.००
	32mm र.मी		४४७.००	४४७.००	४९२.००
	40mm र.मी		४९४.००	४९४.००	५३४.००
	50mm र.मी		७०६.००	७०६.००	७३३.००
	65mm र.मी		९०९.००	९०९.००	९९१.००
	80mm र.मी		११२२.००	११२२.००	१२३४.००
	100mm र.मी		१६८०.००	१६८०.००	१८४८.००
	125mm र.मी		२१९६.००	२१९६.००	२४१६.००
	150mm र.मी		२६४६.००	२६४६.००	२९२२.००
	200mm र.मी		४४९६.००	४४९६.००	४८४६.००
५	G.I Pipe threaded - Heavy duty				
	15mm र.मी		२९२.००	२९२.००	२३३.००
	20mm र.मी		२६४.००	२६४.००	२९८.००
	25mm र.मी		३९६.००	३९६.००	४३६.००
	32mm र.मी		४६८.००	४६८.००	४९६.००
	40mm र.मी		५९३.००	५९३.००	६४२.००
	50mm र.मी		८७२.००	८७२.००	९४९.००
	65mm र.मी		९९२.००	९९२.००	१०९१.००
	80mm र.मी		१२८५.००	१२८५.००	१४१४.००
	100mm र.मी		२२०८.००	२२०८.००	२३४०.००
	125mm र.मी		२४०३.००	२४०३.००	२५६३.००
	150mm र.मी		२८३३.००	२८३३.००	३१९६.००
	200mm र.मी		४०८३.००	४०८३.००	४४००.००
६	G.M. Gate valve				
	15mm र.मी		७५१.००	७५१.००	७५१.००
	20mm र.मी		१०४०.००	१०४०.००	१०४०.००
	25mm र.मी		१६००.००	१६००.००	१६००.००
	32mm र.मी		२३५०.००	२३५०.००	२३५०.००
	40mm र.मी		२९३३.००	२९३३.००	२९३३.००
	50mm र.मी		४८८३.००	४८८३.००	४८८३.००
	65mm र.मी		८७७२.००	८७७२.००	८७७२.००
	80mm र.मी		१२०४०.००	१२०४०.००	१२०४०.००
	100mm र.मी		२०४९०.००	२०४९०.००	२०४९०.००
७	G.M Check valve				
	15mm गोटा		८९३.००	८९३.००	८९३.००
	20mm गोटा		१२००.००	१२००.००	१२००.००
	25mm गोटा		१७७४.००	१७७४.००	१७७४.००
	32mm गोटा		२६३३.००	२६३३.००	२६३३.००
	40mm गोटा		३०३४.००	३०३४.००	३०३४.००
	50mm गोटा		४०३३.००	४०३३.००	४०३३.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकक	मु.व.क बाहेकको दररेट		
			मा.व. २०६०/६१	मा.व. २०६१/६२	मा.व. २०६२/६३
	85mm गोटा		१०२२५.००	१०२२५.००	१०२२५.००
	80mm गोटा		१३५५३.००	१३५५३.००	१३५५३.००
	100mm गोटा		१९३०१.००	१९३०१.००	१९३०१.००
८	G.I. Elbow				
	15mm गोटा		४२.००	४२.००	४२.००
	20mm गोटा		६६.००	६६.००	६६.००
	25mm गोटा		१०५.००	१०५.००	१०५.००
	32mm गोटा		१६२.००	१६२.००	१६२.००
	40mm गोटा		२२३.००	२२३.००	२२३.००
	50mm गोटा		३४४.००	३४४.००	३४४.००
	65mm गोटा		६५३.००	६५३.००	६५३.००
	80mm गोटा		८८०.००	८८०.००	८८०.००
	100mm गोटा		१५००.००	१५००.००	१५००.००
	125mm गोटा		२१०३.६०	२१०३.६०	२१०३.६०
	150mm गोटा		२४२४.३२	२४२४.३२	२४२४.३२
९	G.I. Tee				
	15mm गोटा		६६.००	६६.००	६६.००
	20mm गोटा		१०४.००	१०४.००	१०४.००
	25mm गोटा		१४२.००	१४२.००	१४२.००
	32mm गोटा		२१९.००	२१९.००	२१९.००
	40mm गोटा		२८२.००	२८२.००	२८२.००
	50mm गोटा		४९२.००	४९२.००	४९२.००
	65mm गोटा		८२८.००	८२८.००	८२८.००
	80mm गोटा		११८३.००	११८३.००	११८३.००
	100mm गोटा		१९४३.००	१९४३.००	१९४३.००
	125mm गोटा		२४६५.००	२४६५.००	२४६५.००
	150mm गोटा		२९६०.००	२९६०.००	२९६०.००
१०	G.I. Union				
	15mm गोटा		११३.००	११३.००	११३.००
	20mm गोटा		१४३.००	१४३.००	१४३.००
	25mm गोटा		२१०.००	२१०.००	२१०.००
	32mm गोटा		३२९.००	३२९.००	३२९.००
	40mm गोटा		४०९.००	४०९.००	४०९.००
	50mm गोटा		६९९.००	६९९.००	६९९.००
	65mm गोटा		११३८.००	११३८.००	११३८.००
	80mm गोटा		१४८६.००	१४८६.००	१४८६.००
	100mm गोटा		२२०५.००	२२०५.००	२२०५.००
	125mm गोटा		२७७०.००	२७७०.००	२७७०.००

पाईप तथा फिटिङहरू

श.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ज.क माहेको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	150mm	मोटा	३३२४.००	३३२४.००	३३२४.००
११	G.I. Socket				
	15mm	मोटा	३८.००	३८.००	३८.००
	20mm	मोटा	४७.००	४७.००	४७.००
	25mm	मोटा	७२.००	७२.००	७२.००
	32mm	मोटा	११४.००	११४.००	११४.००
	40mm	मोटा	१४४.००	१४४.००	१४४.००
	50mm	मोटा	२४१.००	२४१.००	२४१.००
	65mm	मोटा	३९१.००	३९१.००	३९१.००
	80mm	मोटा	४८९.००	४८९.००	४८९.००
	100mm	मोटा	९२९.००	९२९.००	९२९.००
	125mm	मोटा	११४०.००	११४०.००	११४०.००
	150mm	मोटा	१३६८.००	१३६८.००	१३६८.००
१२	C.I. Plug				
	15mm	मोटा	३०.००	३०.००	३०.००
	20mm	मोटा	४०.००	४०.००	४०.००
	25mm	मोटा	४९.००	४९.००	४९.००
	32mm	मोटा	९८.००	९८.००	९८.००
	40mm	मोटा	१२४.००	१२४.००	१२४.००
	50mm	मोटा	१४९.००	१४९.००	१४९.००
	65mm	मोटा	२१४.००	२१४.००	२१४.००
	80mm	मोटा	३३७.००	३३७.००	३३७.००
	100mm	मोटा	८३८.००	८३८.००	८३८.००
१३	Hex Nipple				
	15mm	मोटा	४६.००	४६.००	४६.००
	20mm	मोटा	८६.००	८६.००	८६.००
	25mm	मोटा	१३९.००	१३९.००	१३९.००
	32mm	मोटा	२९७.००	२९७.००	२९७.००
	40mm	मोटा	३७२.००	३७२.००	३७२.००
	50mm	मोटा	४०९.००	४०९.००	४०९.००
	65mm	मोटा	७४०.००	७४०.००	७४०.००
	80mm	मोटा	९६८.००	९६८.००	९६८.००
	100mm	मोटा	१४८४.००	१४८४.००	१४८४.००
१४	Reducing Tee				
	20mm	मोटा	१३०.००	१३०.००	१३०.००
	25mm	मोटा	१४८.००	१४८.००	१४८.००
	32mm	मोटा	१६२.००	१६२.००	१६२.००
	40mm	मोटा	३३४.००	३३४.००	३३४.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मु.भा.का बाहेकको दररेड		
			भा.व. २०८०/८१	भा.व. २०८१/८२	भा.व. २०८२/८३
	50mm गोटा		२१७.००	२१७.००	२१७.००
	65mm गोटा		२१८.००	२१८.००	२१८.००
	80mm गोटा		१२४०.००	१२४०.००	१२४०.००
	100mm गोटा		२७४०.००	२७४०.००	२७४०.००
	125mm गोटा		३३००.००	३३००.००	३३००.००
	150mm गोटा		३९६०.००	३९६०.००	३९६०.००
१४	Reducing Elbow				
	20mm गोटा		१०३.००	१०३.००	१०३.००
	25mm गोटा		१२०.००	१२०.००	१२०.००
	32mm गोटा		२४४.००	२४४.००	२४४.००
	40mm गोटा		३४२.००	३४२.००	३४२.००
	50mm गोटा		३९१.००	३९१.००	३९१.००
	65mm गोटा		५८३.००	५८३.००	५८३.००
	80mm गोटा		१३६१.००	१३६१.००	१३६१.००
	100mm गोटा		२४९०.००	२४९०.००	२४९०.००
	125mm गोटा		४८३८.००	४८३८.००	४८३८.००
	150mm गोटा		५७७३.००	५७७३.००	५७७३.००
१५	Reducing socket				
	15mm(1/2") गोटा			४०.००	४०.००
	20mm गोटा		६०.००	६०.००	६०.००
	25mm गोटा		१००.००	१००.००	१००.००
	32mm गोटा		१४०.००	१४०.००	१४०.००
	40mm गोटा		२१०.००	२१०.००	२१०.००
	50mm गोटा		३२०.००	३२०.००	३२०.००
	65mm गोटा		४४०.००	४४०.००	४४०.००
	80mm गोटा		७२०.००	७२०.००	७२०.००
	100mm गोटा		११४०.००	११४०.००	११४०.००
	125mm गोटा		१३६८.००	१३६८.००	१३६८.००
	150mm गोटा		१४८२.००	१४८२.००	१४८२.००
१६	Short bend				
	15mm गोटा		१३०.००	१३०.००	१३०.००
	20mm गोटा		१४०.००	१४०.००	१४०.००
	25mm गोटा		१९०.००	१९०.००	१९०.००
	32mm गोटा		२९०.००	२९०.००	२९०.००
	40mm गोटा		४००.००	४००.००	४००.००
	50mm गोटा		४९०.००	४९०.००	४९०.००
	65mm गोटा		१४००.००	१४००.००	१४००.००
	80mm गोटा		१८००.००	१८००.००	१८००.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. थ. क बाहेकको दररेट		
			मा. व. २०८०/८१	मा. व. २०८१/८२	मा. व. २०८२/८३
	100mm	मोटा	२४००.००	२४००.००	२४००.००
१८	Cross Tee				
	15mm	मोटा	१३१.००	१३१.००	१३१.००
	20mm	मोटा	१८६.००	१८६.००	१८६.००
	25mm	मोटा	२२३.००	२२३.००	२२३.००
	32mm	मोटा	२०९.००	२०९.००	२०९.००
	40mm	मोटा	२११.००	२११.००	२११.००
	50mm	मोटा	१९०.००	१९०.००	१९०.००
	65mm	मोटा	१६३०.००	१६३०.००	१६३०.००
	80mm	मोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	मोटा	३२६०.००	३२६०.००	३२६०.००
१९	Tank Nipple				
	15mm	मोटा	१५४.००	१५४.००	१५४.००
	20mm	मोटा	२१४.००	२१४.००	२१४.००
	25mm	मोटा	२१९.००	२१९.००	२१९.००
	32mm	मोटा	४८०.००	४८०.००	४८०.००
	40mm	मोटा	६११.००	६११.००	६११.००
	50mm	मोटा	९९०.००	९९०.००	९९०.००
	65mm	मोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	मोटा	२४३८.००	२४३८.००	२४३८.००
	100mm	मोटा	३३६७.००	३३६७.००	३३६७.००
२०	G.I. Nipple Medium Class - 2" Long				
	15mm	मोटा	२२.००	२२.००	२२.००
	20mm	मोटा	३४.००	३४.००	३४.००
	25mm	मोटा	४४.००	४४.००	४४.००
	32mm	मोटा	४७.००	४७.००	४७.००
	40mm	मोटा	७९.००	७९.००	७९.००
	50mm	मोटा	१२३.००	१२३.००	१२३.००
२१	G.I. Nipple Medium Class - 3" Long				
	15mm	मोटा	३४.००	३४.००	३४.००
	20mm	मोटा	४७.००	४७.००	४७.००
	25mm	मोटा	६६.००	६६.००	६६.००
	32mm	मोटा	८३.००	८३.००	८३.००
	40mm	मोटा	१०६.००	१०६.००	१०६.००
	50mm	मोटा	१३४.००	१३४.००	१३४.००
	65mm	मोटा	१८६.००	१८६.००	१८६.००
	80mm	मोटा	२२०.००	२२०.००	२२०.००
२२	G.I. Nipple Medium Class - 4" Long				

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.वा.क. बाहिरीको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	15mm गोटा		४२.००	४२.००	४२.००
	20mm गोटा		६३.००	६३.००	६३.००
	25mm गोटा		८८.००	८८.००	८८.००
	32mm गोटा		११३.००	११३.००	११३.००
	40mm गोटा		१४२.००	१४२.००	१४२.००
	50mm गोटा		१७९.००	१७९.००	१७९.००
	65mm गोटा		२४८.००	२४८.००	२४८.००
	80mm गोटा		२०४.००	२०४.००	२०४.००
	100mm गोटा		४२२.००	४२२.००	४२२.००
	125mm गोटा		६४३.००	६४३.००	६४३.००
	150mm गोटा		७६३.००	७६३.००	७६३.००
२३	G.I. Nipple Medium Class -6" Long				
	15mm गोटा		६८.००	६८.००	६८.००
	20mm गोटा		९४.००	९४.००	९४.००
	25mm गोटा		१२२.००	१२२.००	१२२.००
	32mm गोटा		१३२.००	१३२.००	१३२.००
	40mm गोटा		१४०.००	१४०.००	
	50mm गोटा		२६९.००	२६९.००	२६९.००
	65mm गोटा		३७३.००	३७३.००	३७३.००
	80mm गोटा		४३९.००	४३९.००	४३९.००
	100mm गोटा		६३३.००	६३३.००	६३३.००
	125mm गोटा		९६४.००	९६४.००	९६४.००
	150mm गोटा		११४६.००	११४६.००	११४६.००
२४	G.I. Nipple Medium Class -9" Long				
	15mm गोटा		१०२.००	१०२.००	१०२.००
	20mm गोटा		१४२.००	१४२.००	१४२.००
	25mm गोटा		१९९.००	१९९.००	१९९.००
	32mm गोटा		२४४.००	२४४.००	२४४.००
	40mm गोटा		३१९.००	३१९.००	३१९.००
	50mm गोटा		४०३.००	४०३.००	४०३.००
	65mm गोटा		५६०.००	५६०.००	५६०.००
	80mm गोटा		६६८.००	६६८.००	६६८.००
	100mm गोटा		९४९.००	९४९.००	९४९.००
	125mm गोटा		१४४८.००	१४४८.००	१४४८.००
	150mm गोटा		१७१९.००	१७१९.००	१७१९.००
२५	G.I. Nipple Medium Class -12" Long				
	15mm गोटा		१३६.००	१३६.००	१३६.००
	20mm गोटा		१८९.००	१८९.००	१८९.००

पाईप तथा फिटिङहरू

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सू.व.क. बहिर्गतको दररेट		
			सा.व. २०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
	25mm गोटा		२६४.००	२६४.००	२६४.००
	32mm गोटा		३४०.००	३४०.००	३४०.००
	40mm गोटा		४२४.००	४२४.००	४२४.००
	50mm गोटा		५२३.००	५२३.००	५२३.००
	65mm गोटा		७४६.००	७४६.००	७४६.००
	80mm गोटा		८७३.००	८७३.००	८७३.००
	100mm गोटा		१२६६.००	१२६६.००	१२६६.००
	125mm गोटा		१९२९.००	१९२९.००	१९२९.००
	150mm गोटा		२२९९.००	२२९९.००	२२९९.००
२६	G.I. Nipple Medium Class -18" Long				
	15mm गोटा		२२३.००	२२३.००	२२३.००
	20mm गोटा		२८०.००	२८०.००	२८०.००
	25mm गोटा		३३८.००	३३८.००	३३८.००
	32mm गोटा		४१४.००	४१४.००	४१४.००
	40mm गोटा		४९४.००	४९४.००	४९४.००
	50mm गोटा		५९३६.००	५९३६.००	५९३६.००
	65mm गोटा		१४३६.००	१४३६.००	१४३६.००
	80mm गोटा		२२४९.००	२२४९.००	२२४९.००
	100mm गोटा		२७४३.००	२७४३.००	२७४३.००
२७	GI End Cap				
	15mm गोटा		२४.००	२४.००	२४.००
	20mm गोटा		४०.००	४०.००	४०.००
	25mm गोटा		६४.००	६४.००	६४.००
	32mm गोटा		८०.००	८०.००	८०.००
	40mm गोटा		१०४.००	१०४.००	१०४.००
	50mm गोटा		२४०.००	२४०.००	२४०.००
२८	G.I./G.I. Flange				
	32mm गोटा		२३४.००	२३४.००	२३४.००
	40mm गोटा		३९८६.००	३९८६.००	३९८६.००
	50mm गोटा		५४२३.००	५४२३.००	५४२३.००
	65mm गोटा		१६९९.००	१६९९.००	१६९९.००
	80mm गोटा		१८९२.००	१८९२.००	१८९२.००
	100mm गोटा		२३४८.००	२३४८.००	२३४८.००
	125mm गोटा		३३४८.००	३३४८.००	३३४८.००
	150mm गोटा		३४८८.००	३४८८.००	३४८८.००
	200mm गोटा		६९४८.००	६९४८.००	६९४८.००
२९	G.I./ Flange Set				
	32mm (1-1/4") गोटा		६६०.००	६६०.००	६६०.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क माहेकको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
	40mm(1-1/2")	मोटा	८८०.००	८८०.००	८८०.००
	50mm(2")	मोटा	१३५५.००	१३५५.००	१३५५.००
	65mm(2-1/2")	मोटा	१७५५.००	१७५५.००	१७५५.००
	80mm(3")	मोटा	२३५०.००	२३५०.००	२३५०.००
	100mm(4")	मोटा	२७५०.००	२७५०.००	२७५०.००
	125mm(5")	मोटा	२९९२.००	२९९२.००	२९९२.००
	150mm(6")	मोटा	३२९१.००	३२९१.००	३२९१.००
	200mm(8")	मोटा	३६२०.००	३६२०.००	३६२०.००
२०	G.I./HDP Flange				
	32mm	मोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	मोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	मोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	मोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	मोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	मोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	मोटा	३३४८.००	३३४८.००	३३४८.००
	150mm	मोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	मोटा	५६२७.००	५६२७.००	५६२७.००
२१	G.I./HDPE Flange set with adaptor				
	50mm(2")	मोटा	१२८०.००	१२८०.००	१२८०.००
	65mm(2-1/2")	मोटा	१९८०.००	१९८०.००	१९८०.००
	80mm(3")	मोटा	२४२०.००	२४२०.००	२४२०.००
	100mm(4")	मोटा	२७५५.००	२७५५.००	२७५५.००
	125mm(5")	मोटा	३०४३.००	३०४३.००	३०४३.००
	150mm(6")	मोटा	३३३८.००	३३३८.००	३३३८.००
	200mm(8")	मोटा	३६९४.००	३६९४.००	३६९४.००
२२	HDP/HDP Flange set with adaptor				
	32mm	मोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	मोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	मोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	मोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	मोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	मोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	मोटा	३८१४.००	३८१४.००	३८१४.००
	150mm	मोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	मोटा	५६२३.००	५६२३.००	५६२३.००
२३	Brass Compression Fittings				
	15mm	मोटा	२१०.००	२१०.००	२१०.००
	20mm	मोटा	३२०.००	३२०.००	३२०.००
	25mm	मोटा	८१०.००	८१०.००	८१०.००
	32mm	मोटा	१३८०.००	१३८०.००	१३८०.००
	40mm	मोटा	१४८०.००	१४८०.००	१४८०.००
	1/2" dia Brass Female (400gm)	मोटा	३८०.००	३८०.००	३८०.००
	1/2"(25-50mm dia) HDPE Saddle	मोटा	१८०.००	१८०.००	१८०.००

पाईप तथा फिटिङहरू

सं.स	निर्माण सामग्रीहरूको विवरण	एकक	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
३४	Brass-tap - 1/2"				
	15mm 400 gm heavy	मेटा	३४०.००	३४०.००	३४०.००
	Ordinary	मेटा	२०४.००	२०४.००	२०४.००
३५	Globe Valve (GM)				
	15mm	मेटा	१२४.००	१२४.००	१२४.००
	20mm	मेटा	१५०४.००	१५०४.००	१५०४.००
	25mm	मेटा	१८५९.००	१८५९.००	१८५९.००
	32mm	मेटा	२९५३.००	२९५३.००	२९५३.००
	40mm	मेटा	३७९९.००	३७९९.००	३७९९.००
	50mm	मेटा	४६४०.००	४६४०.००	४६४०.००
	65mm	मेटा	९११४.००	९११४.००	९११४.००
	80mm	मेटा	१४०६०.००	१४०६०.००	१४०६०.००
	100mm	मेटा	२४३५०.००	२४३५०.००	२४३५०.००
३६	Float Valve				
	15mm	मेटा	११३४.००	११३४.००	११३४.००
	20mm	मेटा	१२८३.००	१२८३.००	१२८३.००
	25mm	मेटा	१४५६.००	१४५६.००	१४५६.००
	32mm	मेटा	२६९०.००	२६९०.००	२६९०.००
	40mm	मेटा	४०४२.००	४०४२.००	४०४२.००
	50mm	मेटा	४३८१.००	४३८१.००	४३८१.००
३७	C.I. Air valve (Heavy)				
	15mm	मेटा	२४००.००	२४००.००	२४००.००
	20mm	मेटा	४१८२.००	४१८२.००	४१८२.००
	25mm	मेटा	४७४६.००	४७४६.००	४७४६.००
३८	Brass Union with Adopter				
	15mm	मेटा	१४०.००	१४०.००	१४०.००
	20mm	मेटा	२७०.००	२७०.००	२७०.००
	25mm	मेटा	३४४.००	३४४.००	३४४.००
	32mm	मेटा	४३०.००	४३०.००	४३०.००
	40mm	मेटा	६७४.००	६७४.००	६७४.००
	50mm	मेटा	९४०.००	९४०.००	९४०.००
३९	Saddle Ferrule				
	40mm	मेटा	९८४.००	९८४.००	९८४.००
	50mm	मेटा	२४२.००	२४२.००	२४२.००
	65mm	मेटा	२७२.००	२७२.००	२७२.००
	80mm	मेटा	३०९.००	३०९.००	३०९.००
	100mm	मेटा	४६०.००	४६०.००	४६०.००
४०	Flow Regulating Valve (G.M.)				
	15mm	मेटा	१३२२.००	१३२२.००	१३२२.००
४१	C.I. Sluice Valve				
	40mm	मेटा	६८४६.००	६८४६.००	६८४६.००
	50mm	मेटा	७०००.००	७०००.००	७०००.००
	65mm	मेटा	८४४०.००	८४४०.००	८४४०.००

पाईप तथा फिटिङहरू

वि.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	80mm गोटा		१०१००.००	१०१००.००	१०१००.००
	100mm गोटा		१४०००.००	१४०००.००	१४०००.००
	125mm गोटा		१७१००.००	१७१००.००	१७१००.००
	150mm गोटा		२१०००.००	२१०००.००	२१०००.००
	200mm गोटा		३००००.००	३००००.००	३००००.००
८२	Brass Ferrule Cock				
	15mm गोटा		६००.००	६००.००	६००.००
	20mm गोटा		१२३२.००	१२३२.००	१२३२.००
	25mm गोटा		२०१४.००	२०१४.००	२०१४.००
८३	Ball valve				
	15mm गोटा		४१४.००	४१४.००	४१४.००
	20mm गोटा		६४०.००	६४०.००	६४०.००
	25mm गोटा		८७२.००	८७२.००	८७२.००
	32mm गोटा		१०५१.००	१०५१.००	१०५१.००
	40mm गोटा		२०३२.००	२०३२.००	२०३२.००
	50mm गोटा		२३४१.००	२३४१.००	२३४१.००
८४	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	४३१.००	४३१.००	४३१.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	१०३.००	१०३.००	१०३.००
	Single Socket Self Fit	गोटा	११६.४.००	११६.४.००	११६.४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९४६.००	१९४६.००	१९४६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७२.००	३०७२.००	३०७२.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	१९२१.००	१९२१.००	१९२१.००
	Long Radius Bend - 45 Degree	गोटा	२१७७.००	२१७७.००	२१७७.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३९२.००	१३९२.००	१३९२.००
	Long Radius Bend - 60 Degree	गोटा	२४०४.००	२४०४.००	२४०४.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३२२.००	८३२२.००	८३२२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१४२४.००	१४२४.००	१४२४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	४३६१.००	४३६१.००	४३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८५८.००	९८५८.००	९८५८.००
	Fab. Coupler	गोटा	१८४.००	१८४.००	१८४.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९४६.००	९४६.००	९४६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क बाहेकको दररेट		
			सा.व. २०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५९.००	६५९.००	६५९.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१४९८.००	१४९८.००	१४९८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६४२५.००	६४२५.००	६४२५.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०२८.००	१०२८.००	१०२८.००
	Rodding Point	गोटा	६२३.००	६२३.००	६२३.००
	Adjustable Band 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Band 7 Degree to ३७.५ Degree	गोटा	९९३.००	९९३.००	९९३.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३१९२.००	३१९२.००	३१९२.००
	Inspection Chamber Body	गोटा	९९९२.००	९९९२.००	९९९२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३२.००	४८३२.००	४८३२.००

प्राप्त विवरण नभएको

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Densol or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी	२२९९.००	२२९९.००	२२९९.००
	DN150 C40	र.मी	३१६०.००	३१६०.००	३१६०.००
	DN200 C40	र.मी	४३४३.००	४३४३.००	४३४३.००
	DN250 C40	र.मी	६०४८.००	६०४८.००	६०४८.००
	DN300 C40	र.मी	७५३९.००	७५३९.००	७५३९.००
	DN350 C40	र.मी	८८०९.००	८८०९.००	८८०९.००
	DN400 C30	र.मी	१०४८९.००	१०४८९.००	१०४८९.००
	DN450 C30	र.मी	१२२४०.००	१२२४०.००	१२२४०.००
	DN500 C30	र.मी	१४४६६.००	१४४६६.००	१४४६६.००
	DN600 C30	र.मी	१९६०४.००	१९६०४.००	१९६०४.००
	DN700 C25	र.मी	२४०१२.००	२४०१२.००	२४०१२.००
	DN800 C25	र.मी	३२११४.००	३२११४.००	३२११४.००
	DN900 C25	र.मी	४२३२८.००	४२३२८.००	४२३२८.००
	DN1000 C25	र.मी	५०९७०.००	५०९७०.००	५०९७०.००
	DI pipes with flanged end				
	Dia 1000mm C25	र.मी	६८६०८.००	६८६०८.००	६८६०८.००
	Dia 900mm C25	र.मी	६६४६८.००	६६४६८.००	६६४६८.००
	Dia 800mm C25	र.मी	६४०१२.००	६४०१२.००	६४०१२.००
	Dia 700mm C25	र.मी	४४२४२.००	४४२४२.००	४४२४२.००
	Dia 600mm C30	र.मी	३६२३३.००	३६२३३.००	३६२३३.००
	Dia 500mm C30	र.मी	२६७६९.००	२६७६९.००	२६७६९.००
	Dia 450mm C30	र.मी	२२४६४.००	२२४६४.००	२२४६४.००
	Dia 400mm C30	र.मी	१८७३०.००	१८७३०.००	१८७३०.००
	Dia 350mm C30	र.मी	१४४१६.००	१४४१६.००	१४४१६.००
	Dia 300mm C30	र.मी	१२२४०.००	१२२४०.००	१२२४०.००
	Dia 250mm C40	र.मी	९८१३.००	९८१३.००	९८१३.००
	Dia 200mm C40	र.मी	७३३९.००	७३३९.००	७३३९.००
	Dia 150mm C40	र.मी	४४३९.००	४४३९.००	४४३९.००
	Dia 100mm C40	र.मी	४०११.००	४०११.००	४०११.००
	Dia 80mm C40	र.मी	३४७५.००	३४७५.००	३४७५.००
	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मु.म.क. बाहेकको दररेट		
			सा.व. ०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
	The rate shall include for supply and delivery of all DI fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI double socket bends				
	90 deg bend				
	Dia 700mm	गोटा	१०७७२.००	१०७७२.००	१०७७२.००
	Dia 600mm	गोटा	७५२००.००	७५२००.००	७५२००.००
	Dia 500mm	गोटा	४८८०५.००	४८८०५.००	४८८०५.००
	Dia 450mm	गोटा	४३४३०.००	४३४३०.००	४३४३०.००
	Dia 300mm	गोटा	१७६०३.००	१७६०३.००	१७६०३.००
	Dia 250mm	गोटा	१२९०६.००	१२९०६.००	१२९०६.००
	Dia 200mm	गोटा	८९४६.००	८९४६.००	८९४६.००
	Dia 150mm	गोटा	४४४४.००	४४४४.००	४४४४.००
	Dia 100mm	गोटा	३९१८.००	३९१८.००	३९१८.००
	45 deg bend				
	Dia 1000mm	गोटा	१८६८४३.००	१८६८४३.००	१८६८४३.००
	Dia 700mm	गोटा	८४६७५.००	८४६७५.००	८४६७५.००
	Dia 600mm	गोटा	६२०९८.००	६२०९८.००	६२०९८.००
	Dia 500mm	गोटा	४०४२८.००	४०४२८.००	४०४२८.००
	Dia 450mm	गोटा	३२९३६.००	३२९३६.००	३२९३६.००
	Dia 400mm	गोटा	२५६४६.००	२५६४६.००	२५६४६.००
	Dia 350mm	गोटा	१९३१२.००	१९३१२.००	१९३१२.००
	Dia 300mm	गोटा	१४८८२.००	१४८८२.००	१४८८२.००
	Dia 250mm	गोटा	१०८४३.००	१०८४३.००	१०८४३.००
	Dia 200mm	गोटा	७७४९.००	७७४९.००	७७४९.००
	Dia 150mm	गोटा	४९७३.००	४९७३.००	४९७३.००
	22.5 deg bend				
	Dia 1000mm	गोटा	१४०८११.००	१४०८११.००	१४०८११.००
	Dia 900mm	गोटा	१०९९४६.००	१०९९४६.००	१०९९४६.००
	Dia 700mm	गोटा	६१३२६.००	६१३२६.००	६१३२६.००
	Dia 600mm	गोटा	४१९८४.००	४१९८४.००	४१९८४.००
	Dia 500mm	गोटा	३०८१५.००	३०८१५.००	३०८१५.००
	Dia 450mm	गोटा	२४१६९.००	२४१६९.००	२४१६९.००
	Dia 400mm	गोटा	१८७३०.००	१८७३०.००	१८७३०.००
	Dia 350mm	गोटा	१४१००.००	१४१००.००	१४१००.००
	Dia 300mm	गोटा	१२०८४.००	१२०८४.००	१२०८४.००
	Dia 250mm	गोटा	९१६६.००	९१६६.००	९१६६.००
	Dia 200mm	गोटा	६६४६.००	६६४६.००	६६४६.००
	Dia 150mm	गोटा	४३६८.००	४३६८.००	४३६८.००

DI पाईप तथा फिटिङहरू



क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.ब.क. बाहेको दररेट		
			आ.व. ०८००/८१	आ.व. १०८१/८२	आ.व. २०८२/८३
	11.25 deg bend				
	Dia 1000mm	मोटा	११९८९९.००	११९८९९.००	११९८९९.००
	Dia 900mm	मोटा	९४९२४.००	९४९२४.००	९४९२४.००
	Dia 800mm	मोटा	७२००३.००	७२००३.००	७२००३.००
	Dia 700mm	मोटा	५४६५१.००	५४६५१.००	५४६५१.००
	Dia 600mm	मोटा	३६९४०.००	३६९४०.००	३६९४०.००
	Dia 300mm	मोटा	११०६५.००	११०६५.००	११०६५.००
	Dia 250mm	मोटा	८४१०.००	८४१०.००	८४१०.००
	Dia 200mm	मोटा	६१३२.००	६१३२.००	६१३२.००
	Dia 150mm	मोटा	४५३८.००	४५३८.००	४५३८.००
	DI double flanged bends				
	90 deg bend				
	Dia 900mm	मोटा	२१४४०४.००	२१४४०४.००	२१४४०४.००
	Dia 600mm	मोटा	९१६८०.००	९१६८०.००	९१६८०.००
	Dia 300mm	मोटा	१९६३६.००	१९६३६.००	१९६३६.००
	Dia 250mm	मोटा	९९३५.००	९९३५.००	९९३५.००
	Dia 200mm	मोटा	८८५१.००	८८५१.००	८८५१.००
	Dia 150mm	मोटा	४७९६.००	४७९६.००	४७९६.००
	Dia 100mm	मोटा	३४३३.००	३४३३.००	३४३३.००
	45 deg bend				
	Dia 900mm	मोटा	१६४७४०.००	१६४७४०.००	१६४७४०.००
	Dia 800mm	मोटा	१२७८४६.००	१२७८४६.००	१२७८४६.००
	Dia 600mm	मोटा	७६९४१.००	७६९४१.००	७६९४१.००
	Dia 300mm	मोटा	२१४४४.००	२१४४४.००	२१४४४.००
	Dia 250mm	मोटा	१६०८८.००	१६०८८.००	१६०८८.००
	Dia 200mm	मोटा	१०७२९.००	१०७२९.००	१०७२९.००
	Dia 150mm	मोटा	४४०३.००	४४०३.००	४४०३.००
	Dia 100mm	मोटा	३२८६.००	३२८६.००	३२८६.००
	22.5 deg bend				
	Dia 900mm	मोटा	१६८९४२.००	१६८९४२.००	१६८९४२.००
	Dia 700mm	मोटा	९५८००.००	९५८००.००	९५८००.००
	Dia 300mm	मोटा	२१९१२.००	२१९१२.००	२१९१२.००
	Dia 200mm	मोटा	८१०६.००	८१०६.००	८१०६.००
	Dia 150mm	मोटा	४५४४.००	४५४४.००	४५४४.००
	11.25 deg bend				
	Dia 900mm	मोटा	१६७०७६.००	१६७०७६.००	१६७०७६.००
	Dia 600mm	मोटा	७६०१.००	७६०१.००	७६०१.००
	Dia 500mm	मोटा	४१६९८.००	४१६९८.००	४१६९८.००
	Dia 300mm	मोटा	२१९८५.००	२१९८५.००	२१९८५.००
	Dia 200mm	मोटा	८२९४.००	८२९४.००	८२९४.००
	Dia 150mm	मोटा	४६२८.००	४६२८.००	४६२८.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.श.क. बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	DI mechanical joint bends				
	90 deg bend				
	Dia 600mm	गोटा	८२०२९.००	८२०२९.००	८२०२९.००
	Dia 450mm	गोटा	४९९१०.००	४९९१०.००	४९९१०.००
	Dia 350mm	गोटा	३३३६३.००	३३३६३.००	३३३६३.००
	Dia 300mm	गोटा	२६१८३.००	२६१८३.००	२६१८३.००
	Dia 250mm	गोटा	१८७९२.००	१८७९२.००	१८७९२.००
	Dia 200mm	गोटा	१४०४०.००	१४०४०.००	१४०४०.००
	Dia 150mm	गोटा	१०३५३.००	१०३५३.००	१०३५३.००
	Dia 100mm	गोटा	६४५७.००	६४५७.००	६४५७.००
	Dia 80mm	गोटा	४४१२.००	४४१२.००	४४१२.००
	DI Duck Foot 90 deg Bend				
	Dia 80mm	गोटा	३९९०.००	३९९०.००	३९९०.००
	Dia 100mm	गोटा	४९८५.००	४९८५.००	४९८५.००
	Dia 150mm	गोटा	७३४०.००	७३४०.००	७३४०.००
	Dia 200mm	गोटा	१०४०५.००	१०४०५.००	१०४०५.००
	Dia 250mm	गोटा	१४७६१.००	१४७६१.००	१४७६१.००
	Dia 300mm	गोटा	२१२१६.००	२१२१६.००	२१२१६.००
	DI long radius bend				
	Dia 100mm	गोटा	४९८७.००	४९८७.००	४९८७.००
	Dia 150mm	गोटा	८४२९.००	८४२९.००	८४२९.००
	Dia 200mm	गोटा	१२५४२.००	१२५४२.००	१२५४२.००
	Dia 250mm	गोटा	१८५०१.००	१८५०१.००	१८५०१.००
	DI double socket reducer				
	Dia 1000mmX900mm	गोटा	१००४७९.००	१००४७९.००	१००४७९.००
	Dia 900mmX800mm	गोटा	८११९४.००	८११९४.००	८११९४.००
	Dia 800mmX700mm	गोटा	६३३३४.००	६३३३४.००	६३३३४.००
	Dia 700mmX600mm	गोटा	५०६९१.००	५०६९१.००	५०६९१.००
	Dia 600mmX500mm	गोटा	४०८५.००	४०८५.००	४०८५.००
	DI double flanged reducer				
	Dia 900mmX700mm	गोटा	१०५९०३.००	१०५९०३.००	१०५९०३.००
	Dia 700mmX600mm	गोटा	७१५२.००	७१५२.००	७१५२.००
	Dia 700mmX400mm	गोटा	६१७८९.००	६१७८९.००	६१७८९.००
	Dia 600mmX500mm	गोटा	४७६१८.००	४७६१८.००	४७६१८.००
	Dia 600mmX400mm	गोटा	४२६५३.००	४२६५३.००	४२६५३.००
	Dia 500mmX400mm	गोटा	३८०३२.००	३८०३२.००	३८०३२.००
	Dia 400X350mm	गोटा	१९३५४.००	१९३५४.००	१९३५४.००
	Dia 400mmX300mm	गोटा	२४७९३.००	२४७९३.००	२४७९३.००
	Dia 400mmX250mm	गोटा	२३५८७.००	२३५८७.००	२३५८७.००
	Dia 300mmX250mm	गोटा	११६३९.००	११६३९.००	११६३९.००
	Dia 300mmX200mm	गोटा	१४९८३.००	१४९८३.००	१४९८३.००

DI पाईप तथा फिटिंग्स

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मूल्यको दररेट		
			मा.सं. ०८०/सं.	मा.सं. २००/सं.	मा.सं. २००/सं.
	Dia 300mmx150mm	मीटर	१४१५.४००	१४१५.४००	१४१५.४००
	Dia 250mmx200mm	मीटर	९०९९.००	९०९९.००	९०९९.००
	Dia 250mmx150mm	मीटर	८५६८.००	८५६८.००	८५६८.००
	Dia 200mmx150mm	मीटर	६३४२.००	६३४२.००	६३४२.००
	Dia 200mmx100mm	मीटर	७३३०.००	७३३०.००	७३३०.००
	Dia 150mmx100mm	मीटर	४४४२.००	४४४२.००	४४४२.००
	Dia 150mmx80mm	मीटर	४६०९.००	४६०९.००	४६०९.००
	Dia 150mmx65mm	मीटर	४६२०.००	४६२०.००	४६२०.००
	DI Blank flange				
	Dia 1000mm	मीटर	११४६४.००	११४६४.००	११४६४.००
	Dia 900mm	मीटर	८६३२.४००	८६३२.४००	८६३२.४००
	Dia 800mm	मीटर	६४१७.००	६४१७.००	६४१७.००
	Dia 700mm	मीटर	४७६९.४००	४७६९.४००	४७६९.४००
	Dia 600mm	मीटर	३६७९.४००	३६७९.४००	३६७९.४००
	Dia 500mm	मीटर	२३४१.००	२३४१.००	२३४१.००
	Dia 450mm	मीटर	१८३९.३००	१८३९.३००	१८३९.३००
	Dia 400mm	मीटर	१३४९.२००	१३४९.२००	१३४९.२००
	Dia 350mm	मीटर	१०१६.४००	१०१६.४००	१०१६.४००
	Dia 300mm	मीटर	६९७२.००	६९७२.००	६९७२.००
	Dia 250mm	मीटर	५२२९.००	५२२९.००	५२२९.००
	Dia 200mm	मीटर	३३१८.००	३३१८.००	३३१८.००
	Dia 150mm	मीटर	२२४३.००	२२४३.००	२२४३.००
	Dia 100mm	मीटर	१३३३.००	१३३३.००	१३३३.००
	Dia 80mm	मीटर	११८६.००	११८६.००	११८६.००
	Double Socket Tee with Flanged Branch				
	Dia 900mmx150mm	मीटर	१०४७४.४००	१०४७४.४००	१०४७४.४००
	Dia 800mmx600mm	मीटर	१६४२८.००	१६४२८.००	१६४२८.००
	Dia 800mmx400mm	मीटर	११००७.००	११००७.००	११००७.००
	Dia 700mmx150mm	मीटर	६७२६.९००	६७२६.९००	६७२६.९००
	Dia 600mmx150mm	मीटर	४७८८.४००	४७८८.४००	४७८८.४००
	Dia 600mmx100mm	मीटर	४१८८.००	४१८८.००	४१८८.००
	Dia 500mmx100mm	मीटर	३१२३.००	३१२३.००	३१२३.००
	Dia 400mmx150mm	मीटर	२८७९.३००	२८७९.३००	२८७९.३००
	Dia 300mmx100mm	मीटर	१४८३.००	१४८३.००	१४८३.००
	Dia 300mmx80mm	मीटर	१४६१.२००	१४६१.२००	१४६१.२००
	Dia 300mmx65mm	मीटर	१४४३.९००	१४४३.९००	१४४३.९००
	Dia 250mmx250mm	मीटर	१८३४.४००	१८३४.४००	१८३४.४००
	Dia 250mmx150mm	मीटर	१४३१.९००	१४३१.९००	१४३१.९००
	Dia 250mmx100mm	मीटर	१२०४.३००	१२०४.३००	१२०४.३००
	Dia 250mmx80mm	मीटर	११८४.४००	११८४.४००	११८४.४००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 250mmx65mm	गोटा	११७२६.००	११७२६.००	११७२६.००
	Dia 200mmx150mm	गोटा	१०७७२.००	१०७७२.००	१०७७२.००
	Dia 200mmx100mm	गोटा	९३१३.००	९३१३.००	९३१३.००
	Dia 200mmx80mm	गोटा	८४००.००	८४००.००	८४००.००
	Dia 200mmx65mm	गोटा	८३१६.००	८३१६.००	८३१६.००
	Dia 150mmx150mm	गोटा	८२२१.००	८२२१.००	८२२१.००
	Dia 150mmx100mm	गोटा	६७८३.००	६७८३.००	६७८३.००
	Dia 150mmx80mm	गोटा	६३२१.००	६३२१.००	६३२१.००
	Dia 150mmx65mm	गोटा	६२४७.००	६२४७.००	६२४७.००
	Mechanical joint Tee with flanged branch				
	Dia 600mmx600mm	गोटा	१०७३२८.००	१०७३२८.००	१०७३२८.००
	Dia 500mmx500mm	गोटा	७६६४८.००	७६६४८.००	७६६४८.००
	Dia 400mmx400mm	गोटा	४१४४२.००	४१४४२.००	४१४४२.००
	Dia 350mmx350mm	गोटा	४११८४.००	४११८४.००	४११८४.००
	Dia 300mmx300mm	गोटा	३२९१४.००	३२९१४.००	३२९१४.००
	Dia 250mmx250mm	गोटा	२३४७६.००	२३४७६.००	२३४७६.००
	Dia 200mmx200mm	गोटा	१७८८०.००	१७८८०.००	१७८८०.००
	Dia 150mmx150mm	गोटा	१२४००.००	१२४००.००	१२४००.००
	Dia 100mmx100mm	गोटा	७९३८.००	७९३८.००	७९३८.००
	Dia 80mmx80mm	गोटा	६८३४.००	६८३४.००	६८३४.००
	All Socket Tee				
	Dia 300mmx200mm	गोटा	१९१८८.००	१९१८८.००	१९१८८.००
	Dia 300mmx150mm	गोटा	१८२७२.००	१८२७२.००	१८२७२.००
	Dia 250mmx200mm	गोटा	१६००४.००	१६००४.००	१६००४.००
	Dia 250mmx150mm	गोटा	१४६६४.००	१४६६४.००	१४६६४.००
	Dia 200mmx200mm	गोटा	१२४०३.००	१२४०३.००	१२४०३.००
	Dia 200mmx150mm	गोटा	१०१७४.००	१०१७४.००	१०१७४.००
	Dia 150mmx150mm	गोटा	७६४४.००	७६४४.००	७६४४.००
	All Flanged Tee				
	Dia 900mmx900mm	गोटा	२६६७६०.००	२६६७६०.००	२६६७६०.००
	Dia 700mmx300mm	गोटा	१०२४४४.००	१०२४४४.००	१०२४४४.००
	Dia 600mmx500mm	गोटा	११८६४६.००	११८६४६.००	११८६४६.००
	Dia 600mmx400mm	गोटा	१०९४२३.००	१०९४२३.००	१०९४२३.००
	Dia 600mmx300mm	गोटा	१०४४४९.००	१०४४४९.००	१०४४४९.००
	Dia 500mmx300mm	गोटा	७४४८९.००	७४४८९.००	७४४८९.००
	Dia 500mmx200mm	गोटा	६७४४४.००	६७४४४.००	६७४४४.००
	Dia 450mmx150mm	गोटा	४२७०४.००	४२७०४.००	४२७०४.००
	Dia 400mmx400mm	गोटा	४४२२९.००	४४२२९.००	४४२२९.००
	Dia 400mmx300mm	गोटा	४९४८३.००	४९४८३.००	४९४८३.००
	Dia 400mmx150mm	गोटा	४७९४.००	४७९४.००	४७९४.००

DI पाईप तथा फिटिङहरू

वि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 350mmx350mm	गोटा	४४३४५.००	४४३४५.००	४४३४५.००
	Dia 350mmx300mm	गोटा	४३३९९.००	४३३९९.००	४३३९९.००
	Dia 300mmx300mm	गोटा	३४६४०.००	३४६४०.००	३४६४०.००
	Dia 300mmx250mm	गोटा	३०३६६.००	३०३६६.००	३०३६६.००
	Dia 300mmx200mm	गोटा	२६०६०.००	२६०६०.००	२६०६०.००
	Dia 300mmx150mm	गोटा	२३०४०.००	२३०४०.००	२३०४०.००
	Dia 300mmx100mm	गोटा	२४४४२.००	२४४४२.००	२४४४२.००
	Dia 300mmx80mm	गोटा	२४९३९.००	२४९३९.००	२४९३९.००
	Dia250mmx250mm	गोटा	२३४४१.००	२३४४१.००	२३४४१.००
	Dia250mmx200mm	गोटा	२१४४५.००	२१४४५.००	२१४४५.००
	Dia250mmx150mm	गोटा	२०८४१.००	२०८४१.००	२०८४१.००
	Dia250mmx100mm	गोटा	१९१०४.००	१९१०४.००	१९१०४.००
	Dia250mmx80mm	गोटा	१८८१३.००	१८८१३.००	१८८१३.००
	Dia250mmx65mm	गोटा	१४९४३.००	१४९४३.००	१४९४३.००
	Dia200mmx200mm	गोटा	१३९३६.००	१३९३६.००	१३९३६.००
	Dia200mmx150mm	गोटा	१२८८५.००	१२८८५.००	१२८८५.००
	Dia200mmx100mm	गोटा	११८५६.००	११८५६.००	११८५६.००
	Dia200mmx80mm	गोटा	११३७९.००	११३७९.००	११३७९.००
	Dia150mmx150mm	गोटा	९३४५.००	९३४५.००	९३४५.००
	Dia150mmx100mm	गोटा	८४६३.००	८४६३.००	८४६३.००
	Dia150mmx80mm	गोटा	८२७४.००	८२७४.००	८२७४.००
	Dia150mmx65mm	गोटा	८१४८.००	८१४८.००	८१४८.००
	Dia125mmx125mm	गोटा	८९७३.००	८९७३.००	८९७३.००
	Dia125mmx100mm	गोटा	८४१०.००	८४१०.००	८४१०.००
	Dia125mmx80mm	गोटा	८०६४.००	८०६४.००	८०६४.००
	Dia125mmx65mm	गोटा	७७१७.००	७७१७.००	७७१७.००
	Dia100mmx100mm	गोटा	६९३०.००	६९३०.००	६९३०.००
	Dia100mmx80mm	गोटा	६७७२.००	६७७२.००	६७७२.००
	Dia100mmx65mm	गोटा	६५१०.००	६५१०.००	६५१०.००
	Level invert/ Tangential socket Tee with flanged branch				
	Dia 1000mmx200mm	गोटा	१४७०६३.००	१४७०६३.००	१४७०६३.००
	Dia 900mmx150mm	गोटा	१२०४८२.००	१२०४८२.००	१२०४८२.००
	Dia 700mmx150mm	गोटा	७४२१०.००	७४२१०.००	७४२१०.००
	Dia 600mmx100mm	गोटा	४४६८८.००	४४६८८.००	४४६८८.००
	Dia 500mmx100mm	गोटा	३४४९६.००	३४४९६.००	३४४९६.००
	Dia 400mmx80mm	गोटा	२४२२०.००	२४२२०.००	२४२२०.००
	Dia 300mmx80mm	गोटा	१४०६८.००	१४०६८.००	१४०६८.००
	Dia 250mm x 80mm	गोटा	१२७८१.००	१२७८१.००	१२७८१.००
	Dia 200mmx80mm	गोटा	१००४८.००	१००४८.००	१००४८.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 150mmx80mm	मीटर	१०००६.००	१०००६.००	१०००६.००
	DI Flanged Socket (FS)				
	Dia 1400mm	मीटर	३४५३३३.००	३४५३३३.००	३४५३३३.००
	Dia 1200mm	मीटर	२४६०६०.००	२४६०६०.००	२४६०६०.००
	Dia 1100mm	मीटर	३३९८७३.००	३३९८७३.००	३३९८७३.००
	Dia 1000mm	मीटर	१६९४७३.००	१६९४७३.००	१६९४७३.००
	Dia 900mm	मीटर	१३२४४३.००	१३२४४३.००	१३२४४३.००
	Dia 800mm	मीटर	१०८१२०.००	१०८१२०.००	१०८१२०.००
	Dia 700mm	मीटर	८२३८९.००	८२३८९.००	८२३८९.००
	Dia 600mm	मीटर	७३९४३.००	७३९४३.००	७३९४३.००
	Dia 500mm	मीटर	४९१०८.००	४९१०८.००	४९१०८.००
	Dia 400mm	मीटर	३४४८०.००	३४४८०.००	३४४८०.००
	Dia 350mm	मीटर	३१३८३.००	३१३८३.००	३१३८३.००
	Dia 300mm	मीटर	२२३३९.००	२२३३९.००	२२३३९.००
	Dia 250mm	मीटर	१६६४०.००	१६६४०.००	१६६४०.००
	Dia 200mm	मीटर	१०८४७०.००	१०८४७०.००	१०८४७०.००
	Dia 150mm	मीटर	९१८३.००	९१८३.००	९१८३.००
	Dia 100mm	मीटर	६८६३.००	६८६३.००	६८६३.००
	DI Single Flanged Tail Piece (SFTP)				
	1400mm dia	मीटर	३४९७६.४.००	३४९७६.४.००	३४९७६.४.००
	1200mm dia	मीटर	३७००७६.००	३७००७६.००	३७००७६.००
	1100mm dia	मीटर	३३४८३४.००	३३४८३४.००	३३४८३४.००
	1000mm dia	मीटर	१८२२३३.००	१८२२३३.००	१८२२३३.००
	900mm dia	मीटर	१४६६७६.००	१४६६७६.००	१४६६७६.००
	800mm dia	मीटर	१२१२८८.००	१२१२८८.००	१२१२८८.००
	700mm dia	मीटर	९३१९४.००	९३१९४.००	९३१९४.००
	600mm dia	मीटर	७०४०३.००	७०४०३.००	७०४०३.००
	500mm dia	मीटर	४९९०९.००	४९९०९.००	४९९०९.००
	450mm dia	मीटर	४१२६३.००	४१२६३.००	४१२६३.००
	400mm dia	मीटर	३१२६२.००	३१२६२.००	३१२६२.००
	350mm dia	मीटर	२३३७९.००	२३३७९.००	२३३७९.००
	300mm dia	मीटर	१८६६८.००	१८६६८.००	१८६६८.००
	250mm dia	मीटर	१३४७२.००	१३४७२.००	१३४७२.००
	200mm dia	मीटर	९८१३.००	९८१३.००	९८१३.००
	150mm dia	मीटर	६९३०.००	६९३०.००	६९३०.००
	100mm dia	मीटर	४९१६.००	४९१६.००	४९१६.००
	80mm dia	मीटर	३३२८.००	३३२८.००	३३२८.००
	DI Double Flanged Tail Piece (DFTP-1m)				
	1400mm dia	मीटर	४१४८४४.००	४१४८४४.००	४१४८४४.००
	1200mm dia	मीटर	२९१८४३.००	२९१८४३.००	२९१८४३.००
	1000mm dia	मीटर	१६२४७६.००	१६२४७६.००	१६२४७६.००

DI पाईप तथा फिटिंग्स

क्र.सं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु. व. क. बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	900mm dia	मीटर	१३५१५.००	१३५१५.००	१३५१५.००
	800mm dia	मीटर	१०२९८९.००	१०२९८९.००	१०२९८९.००
	700mm dia	मीटर	९२४३२.००	९२४३२.००	९२४३२.००
	600mm dia	मीटर	६०८००.००	६०८००.००	६०८००.००
	500mm dia	मीटर	४३२२२.००	४३२२२.००	४३२२२.००
	400mm dia	मीटर	३९२३९.००	३९२३९.००	३९२३९.००
	300mm dia	मीटर	२७९२४.००	२७९२४.००	२७९२४.००
	250mm dia	मीटर	२०८१०.००	२०८१०.००	२०८१०.००
	200mm dia	मीटर	१३५६९.००	१३५६९.००	१३५६९.००
	150mm dia	मीटर	११३५३.००	११३५३.००	११३५३.००
	100mm dia	मीटर	८४८९.००	८४८९.००	८४८९.००
	80mm dia	मीटर	७२१३.००	७२१३.००	७२१३.००
	DI all Flanged cross				
	Dia 900mm	मीटर	३००७४७.००	३००७४७.००	३००७४७.००
	Dia 800mm	मीटर	२३७४४५.००	२३७४४५.००	२३७४४५.००
	Dia 700mm	मीटर	१८७८२२.००	१८७८२२.००	१८७८२२.००
	Dia 600mm	मीटर	१५६३०६.००	१५६३०६.००	१५६३०६.००
	Dia 500mm	मीटर	१०२६०९.००	१०२६०९.००	१०२६०९.००
	Dia 400mm	मीटर	६९४९४.००	६९४९४.००	६९४९४.००
	Dia 300mm	मीटर	४१९५३.००	४१९५३.००	४१९५३.००
	Dia 250mm	मीटर	३०६९०.००	३०६९०.००	३०६९०.००
	Dia 200mm	मीटर	१८२३१.००	१८२३१.००	१८२३१.००
	Dia 150mm	मीटर	१२१९९.००	१२१९९.००	१२१९९.००
	DI all socket cross				
	Dia 900mm	मीटर	३२५१४४.००	३२५१४४.००	३२५१४४.००
	Dia 800mm	मीटर	२४३४८४.००	२४३४८४.००	२४३४८४.००
	Dia 700mm	मीटर	१८१२७४.००	१८१२७४.००	१८१२७४.००
	Dia 600mm	मीटर	१०९३०३.००	१०९३०३.००	१०९३०३.००
	Dia 500mm	मीटर	७४५४९.००	७४५४९.००	७४५४९.००
	Dia 400mm	मीटर	४८९३२.००	४८९३२.००	४८९३२.००
	Dia 300mm	मीटर	२८०४८.००	२८०४८.००	२८०४८.००
	Dia 250mm	मीटर	२०१९६.००	२०१९६.००	२०१९६.००
	Dia 200mm	मीटर	१४४४५.००	१४४४५.००	१४४४५.००
	Dia 150mm	मीटर	९५४४.००	९५४४.००	९५४४.००
	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	मीटर	१०३६११.००	१०३६११.००	१०३६११.००
	Dia 900mm	मीटर	८३९९६.००	८३९९६.००	८३९९६.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 800mm	गोटा	५८४२२.००	५८४२२.००	५८४२२.००
	Dia 700mm	गोटा	४३३२७.००	४३३२७.००	४३३२७.००
	Dia 600mm	गोटा	४२८२७.००	४२८२७.००	४२८२७.००
	Dia 500mm	गोटा	३२८९४.००	३२८९४.००	३२८९४.००
	Dia 450mm	गोटा	२६७२८.००	२६७२८.००	२६७२८.००
	Dia 400mm	गोटा	२२२७५.००	२२२७५.००	२२२७५.००
	Dia 350mm	गोटा	१७५८६.००	१७५८६.००	१७५८६.००
	Dia 300mm	गोटा	१३०९३.००	१३०९३.००	१३०९३.००
	Dia 250mm	गोटा	१०४४१.००	१०४४१.००	१०४४१.००
	Dia 200mm	गोटा	७६७५.००	७६७५.००	७६७५.००
	Dia 150mm	गोटा	४६२८.००	४६२८.००	४६२८.००
	Dia 100mm	गोटा	३४६४.००	३४६४.००	३४६४.००
	Dia 80mm	गोटा	३१८१.००	३१८१.००	३१८१.००
	Dia 65mm	गोटा	२२०४.००	२२०४.००	२२०४.००
	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा	२६६४७३.००	२६६४७३.००	२६६४७३.००
	Dia 900mm	गोटा	२०८४४७.००	२०८४४७.००	२०८४४७.००
	Dia 800mm	गोटा	१६२८०२.००	१६२८०२.००	१६२८०२.००
	Dia 700mm	गोटा	१३७३९.००	१३७३९.००	१३७३९.००
	Dia 600mm	गोटा	१०९०२७.००	१०९०२७.००	१०९०२७.००
	Dia 500mm	गोटा	८४८७१.००	८४८७१.००	८४८७१.००
	Dia 450mm	गोटा	६६४३४.००	६६४३४.००	६६४३४.००
	Dia 400mm	गोटा	४४०४४.००	४४०४४.००	४४०४४.००
	Dia 350mm	गोटा	४१७९७.००	४१७९७.००	४१७९७.००
	Dia 300mm	गोटा	३२४२७.००	३२४२७.००	३२४२७.००
	Dia 250mm	गोटा	२४१२८.००	२४१२८.००	२४१२८.००
	Dia 200mm	गोटा	१७४०१.००	१७४०१.००	१७४०१.००
	Dia 150mm	गोटा	१३६२४.००	१३६२४.००	१३६२४.००
	Dia 100mm	गोटा	८१०६.००	८१०६.००	८१०६.००
	Dia 80mm	गोटा	७०३४.००	७०३४.००	७०३४.००
	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा	४०६२७.००	४०६२७.००	४०६२७.००
	Dia 700mm	गोटा	३२४२७.००	३२४२७.००	३२४२७.००
	Dia 600mm	गोटा	२११४३.००	२११४३.००	२११४३.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 500mm	मीटर	१६९८३.००	१६९८३.००	१६९८३.००
	Dia 450mm	मीटर	१४७०४.००	१४७०४.००	१४७०४.००
	Dia 400mm	मीटर	१४३७२.००	१४३७२.००	१४३७२.००
	Dia 350mm	मीटर	११२२९.००	११२२९.००	११२२९.००
	Dia 300mm	मीटर	७९८०.००	७९८०.००	७९८०.००
	Dia 250mm	मीटर	६४४३.००	६४४३.००	६४४३.००
	Dia 200mm	मीटर	४४७८.००	४४७८.००	४४७८.००
	Dia 150mm	मीटर	३६६४.००	३६६४.००	३६६४.००
	Dia 100mm	मीटर	२२६८.००	२२६८.००	२२६८.००
	Dia 80mm	मीटर	२०४८.००	२०४८.००	२०४८.००
	Dia 65mm	मीटर	२०४८.००	२०४८.००	२०४८.००
	DI basket type strainer (FE x FE) with all compelte nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	मीटर	१६३९८४.००	१६३९८४.००	१६३९८४.००
	Dia 350mm	मीटर	१२६१४३.००	१२६१४३.००	१२६१४३.००
	Dia 300mm	मीटर	६९३४९.००	६९३४९.००	६९३४९.००
	Dia 250mm	मीटर	४६९२४.००	४६९२४.००	४६९२४.००
	Dia 200mm	मीटर	२९२४४.००	२९२४४.००	२९२४४.००
	Dia 150mm	मीटर	१६८७९.००	१६८७९.००	१६८७९.००
	Dia 100mm	मीटर	८३४८.००	८३४८.००	८३४८.००
	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	मीटर	७४४६८.००	७४४६८.००	७४४६८.००
	900 mm dia	मीटर	७३२२२.००	७३२२२.००	७३२२२.००
	800 mm dia	मीटर	६०४१२.००	६०४१२.००	६०४१२.००
	700 mm dia	मीटर	४८६८२.००	४८६८२.००	४८६८२.००
	600 mm dia	मीटर	३९८४२.००	३९८४२.००	३९८४२.००
	500 mm dia	मीटर	२९४४२.००	२९४४२.००	२९४४२.००
	450 mm dia	मीटर	२४७१०.००	२४७१०.००	२४७१०.००
	400 mm dia	मीटर	२०६०२.००	२०६०२.००	२०६०२.००
	350 mm dia	मीटर	१७०६६.००	१७०६६.००	१७०६६.००
	300 mm dia	मीटर	१३४६८.००	१३४६८.००	१३४६८.००
	250 mm dia	मीटर	१०७०१.००	१०७०१.००	१०७०१.००
	200 mm dia	मीटर	८०७४.००	८०७४.००	८०७४.००
	150 mm dia	मीटर	४९८४.००	४९८४.००	४९८४.००
	100 mm dia	मीटर	४४१०.००	४४१०.००	४४१०.००
	80 mm dia	मीटर	३८२२.००	३८२२.००	३८२२.००
	DI Flange Bell Mouth				
	Dia 700mm	मीटर	७४८२८.००	७४८२८.००	७४८२८.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 600mm	मोटा	५४८७८.००	५४८७८.००	५४८७८.००
	Dia 500mm	मोटा	३८४४२.००	३८४४२.००	३८४४२.००
	Dia 450mm	मोटा	१७६४८.००	१७६४८.००	१७६४८.००
	Dia 400mm	मोटा	१३२४३.००	१३२४३.००	१३२४३.००
	Dia 350mm	मोटा	१३४६८.००	१३४६८.००	१३४६८.००
	Dia 300mm	मोटा	९५७६.००	९५७६.००	९५७६.००
	Dia 250mm	मोटा	७७३८.००	७७३८.००	७७३८.००
	Dia 200mm	मोटा	५४९१.००	५४९१.००	५४९१.००
	Dia 150mm	मोटा	४३९९.००	४३९९.००	४३९९.००
	Dia 100mm	मोटा	२७१९.००	२७१९.००	२७१९.००
	Dia 80mm	मोटा	२४६७.००	२४६७.००	२४६७.००
	Dia 65mm	मोटा	२४६७.००	२४६७.००	२४६७.००
DI Strainer					
	1200 mm dia	मोटा	३७०७२९.००	३७०७२९.००	३७०७२९.००
	1100 mm dia	मोटा	२९२००४.००	२९२००४.००	२९२००४.००
	1000 mm dia	मोटा	२१३२७१.००	२१३२७१.००	२१३२७१.००
	900 mm dia	मोटा	१६०१७०.००	१६०१७०.००	१६०१७०.००
Supply of double flanged butterfly valve PN16 as per specification all complete					
	Dia 1000mm	मोटा	७४२९४२.००	७४२९४२.००	७४२९४२.००
	Dia 900mm	मोटा	४९२४६९.००	४९२४६९.००	४९२४६९.००
	Dia 800mm	मोटा	४३४६४६.००	४३४६४६.००	४३४६४६.००
	Dia 700mm	मोटा	३४३७८०.००	३४३७८०.००	३४३७८०.००
	Dia 600mm	मोटा	२३०२०३.००	२३०२०३.००	२३०२०३.००
	Dia 500mm	मोटा	१७३८२८.००	१७३८२८.००	१७३८२८.००
	Dia 450mm	मोटा	१३०१४१.००	१३०१४१.००	१३०१४१.००
	Dia 400mm	मोटा	१०३७३३.००	१०३७३३.००	१०३७३३.००
	Dia 350mm	मोटा	७६८७६.००	७६८७६.००	७६८७६.००
	Dia 300mm	मोटा	६३०९६.००	६३०९६.००	६३०९६.००
	Dia 250mm	मोटा	४९६७०.००	४९६७०.००	४९६७०.००
	Dia 200mm	मोटा	४०८३०.००	४०८३०.००	४०८३०.००
	Dia 150mm	मोटा	१६०२६.००	१६०२६.००	१६०२६.००
Supply of double flanged Gate valve PN16 as per specification all complete					
	Dia 600mm	मोटा	४२७०८४.००	४२७०८४.००	४२७०८४.००
	Dia 500mm	मोटा	२९१३८३.००	२९१३८३.००	२९१३८३.००
	Dia 450mm	मोटा	२०१७६६.००	२०१७६६.००	२०१७६६.००
	Dia 400mm	मोटा	१४२२२८.००	१४२२२८.००	१४२२२८.००
	Dia 350mm	मोटा	१०४२२३.००	१०४२२३.००	१०४२२३.००
	Dia 300mm	मोटा	६४०८६.००	६४०८६.००	६४०८६.००
	Dia 250mm	मोटा	४८१९३.००	४८१९३.००	४८१९३.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बहिष्कृत दररेट		
			आ.व. ०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Dia 350mm	मीटर	९५९६०.००	९५९६०.००	९५९६०.००
	Dia 300mm	मीटर	५८८२२.००	५८८२२.००	५८८२२.००
	Dia 250mm	मीटर	४५०००.००	४५०००.००	४५०००.००
	Dia 200mm	मीटर	२६८४२.००	२६८४२.००	२६८४२.००
	Dia 150mm	मीटर	२०६४४.००	२०६४४.००	२०६४४.००
	Dia 125mm	मीटर	१७६०.००	१७६०.००	१७६०.००
	Dia 100mm	मीटर	१८४६४.००	१८४६४.००	१८४६४.००
	Dia 80mm	मीटर	१३३८०.००	१३३८०.००	१३३८०.००
	Dia 65mm	मीटर	१०१४३.००	१०१४३.००	१०१४३.००
	Dia 50mm	मीटर	९०८४.००	९०८४.००	९०८४.००
	Fire Hydrant				
	Dia 80mm	मीटर	११९२८.००	११९२८.००	११९२८.००
	Dia 100mm	मीटर	२३९३१.००	२३९३१.००	२३९३१.००
	160mm dia CI ROAD SURFACE BOX	मीटर	३३०७.००	३३०७.००	३३०७.००
	Ball Valve				
	15mm	मीटर	१९१.००	१९१.००	१९१.००
	25mm	मीटर	३४१.००	३४१.००	३४१.००
	32mm	मीटर	९०६.००	९०६.००	९०६.००
	40mm	मीटर	१४०३.००	१४०३.००	१४०३.००
	50mm	मीटर	२३१०.००	२३१०.००	२३१०.००
	Check valve (Horizontal Flow)				
	15mm	मीटर	४४४.००	४४४.००	४४४.००
	20mm	मीटर	८३४.००	८३४.००	८३४.००
	25mm	मीटर	१४८०.००	१४८०.००	१४८०.००
	Check valve (vertical Flow)				
	15mm	मीटर	३४१.००	३४१.००	३४१.००
	20mm	मीटर	४३३.००	४३३.००	४३३.००
	25mm	मीटर	४७९.००	४७९.००	४७९.००
	Check valve				
	150mm	मीटर	१८६८८.००	१८६८८.००	१८६८८.००
	200mm	मीटर	२८०२८.००	२८०२८.००	२८०२८.००
	250mm	मीटर	४२०४७.००	४२०४७.००	४२०४७.००
	300mm	मीटर	६२४६१.००	६२४६१.००	६२४६१.००
	Pressure Gauge (Pressure up to) including Fitting & accessories				
	PN10	मीटर	२५७२.००	२५७२.००	२५७२.००
	PN15	मीटर	३३६०.००	३३६०.००	३३६०.००
	PN30	मीटर	४८३०.००	४८३०.००	४८३०.००
	PN45	मीटर	४७७२.००	४७७२.००	४७७२.००
	Bulk Water Meter				
	300mm	मीटर	१४६७२.००	१४६७२.००	१४६७२.००

DI पाईप तथा फिटिङहरू

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०६०/८१	आ.व. २०६१/६२	आ.व. २०६२/८३
	200mm	मीटर	१०४४३८.००	१०४४३८.००	१०४४३८.००
	150mm	मीटर	७८०१२.००	७८०१२.००	७८०१२.००
	100mm	मीटर	४५४४८.००	४५४४८.००	४५४४८.००
	80mm	मीटर	३०२९४.००	३०२९४.००	३०२९४.००
	65mm	मीटर	२०१९६.००	२०१९६.००	२०१९६.००
	15mm	मीटर	१२५५.००	१२५५.००	१२५५.००
	Supply of water meter volumetric type including fittings and accessories				
	15mm	मीटर	१६१०.००	१६१०.००	१६१०.००
	20mm	मीटर	२४०४.००	२४०४.००	२४०४.००
	25mm	मीटर	६२३७.००	६२३७.००	६२३७.००
	Float Valve				
	15mm	मीटर	७३८.००	७३८.००	७३८.००
	20mm	मीटर	१४८०.००	१४८०.००	१४८०.००
	25mm	मीटर	२४३६.००	२४३६.००	२४३६.००
	GM Gate/ Globe Valve				
	15mm	मीटर	६२०.००	६२०.००	६२०.००
	20mm	मीटर	११४४.००	११४४.००	११४४.००
	25mm	मीटर	१५४४.००	१५४४.००	१५४४.००
	32mm	मीटर	२३४१.००	२३४१.००	२३४१.००
	40mm	मीटर	२७०९.००	२७०९.००	२७०९.००
	50mm	मीटर	४४६८.००	४४६८.००	४४६८.००
	65mm	मीटर	९१२४.००	९१२४.००	९१२४.००
	80mm	मीटर	१२०६४.००	१२०६४.००	१२०६४.००
	100mm	मीटर	१५०५६.००	१५०५६.००	१५०५६.००
	DI Sluice Valve				
	65mm(2-1/2")	मीटर	१२७३०.००	१२७३०.००	१२७३०.००
	80mm(3")	मीटर	१७७३०.००	१७७३०.००	१७७३०.००
	100mm(4")	मीटर	२५०००.००	२५०००.००	२५०००.००
	125mm(5")	मीटर	३०४५०.००	३०४५०.००	३०४५०.००
	150mm(6")	मीटर	३५५००.००	३५५००.००	३५५००.००

E Electro Fusion Fittings and Combination Accessorie

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.नं.क बाहेकको दररेट		
			मा.नं. ०८०१८१	मा.नं. ०८११८२	मा.नं. ०८२१८३
१	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	मोटा	१०२.००	१०२.००	१०२.००
	25mm	मोटा	१२३.००	१२३.००	१२३.००
	32mm	मोटा	१३४.००	१३४.००	१३४.००
	40mm	मोटा	२६७.००	२६७.००	२६७.००
	50mm	मोटा	२४४.००	२४४.००	२४४.००
	63mm	मोटा	२६३.००	२६३.००	२६३.००
	75mm	मोटा	४०५.००	४०५.००	४०५.००
	90mm	मोटा	४७३.००	४७३.००	४७३.००
	110mm	मोटा	६४६.००	६४६.००	६४६.००
	125mm	मोटा	८२५.००	८२५.००	८२५.००
	140mm	मोटा	९२२.००	९२२.००	९२२.००
	160mm	मोटा	१४९०.००	१४९०.००	१४९०.००
	180mm	मोटा	२२३६.००	२२३६.००	२२३६.००
	200mm	मोटा	२६४८.००	२६४८.००	२६४८.००
	225mm	मोटा	३६४३.००	३६४३.००	३६४३.००
	250mm	मोटा	४७९४.००	४७९४.००	४७९४.००
	280mm	मोटा	६९३३.००	६९३३.००	६९३३.००
	Electrofusion Reducer				
	50mm × 40mm	मोटा	२१७.००	२१७.००	२१७.००
	63mm × 50mm	मोटा	२४३.००	२४३.००	२४३.००
	75mm × 63mm	मोटा	२०४.००	२०४.००	२०४.००
	90mm × 75mm	मोटा	६२७.००	६२७.००	६२७.००
	90mm × 63mm	मोटा	६८७.००	६८७.००	६८७.००
	90mm × 50mm	मोटा	९४१.००	९४१.००	९४१.००
	110mm × 63mm	मोटा	८२६.००	८२६.००	८२६.००
	110mm × 75mm	मोटा	१४२१.००	१४२१.००	१४२१.००
	110mm × 90mm	मोटा	८९४.००	८९४.००	८९४.००
	125mm × 63mm	मोटा	९०६.००	९०६.००	९०६.००
	125mm × 75mm	मोटा	१३७८.००	१३७८.००	१३७८.००
	125mm × 90mm	मोटा	११३१.००	११३१.००	११३१.००
	125mm × 110mm	मोटा	९००.००	९००.००	९००.००
	140mm × 90mm	मोटा	३४६४.००	३४६४.००	३४६४.००
	140mm × 110mm	मोटा	४९७३.००	४९७३.००	४९७३.००
	140mm × 125mm	मोटा	४६४१.००	४६४१.००	४६४१.००
	160mm × 90mm	मोटा	४२३४.००	४२३४.००	४२३४.००
	160mm × 110mm	मोटा	४८१४.००	४८१४.००	४८१४.००
	160mm × 125mm	मोटा	४३६३.००	४३६३.००	४३६३.००
	160mm × 140mm	मोटा	६०७८.००	६०७८.००	६०७८.००
	180mm × 90mm	मोटा	६४३३.००	६४३३.००	६४३३.००

प्रमुख निजामा अधिकारी

E Electro Fusion Fittings and Combination Accessorie

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क बाहेकको दररेट		
			आ.व. ०८/०८/११	आ.व. ०८/११/१२	आ.व. ०८/१२/१३
	180mm x 125mm	गोटा	३७९१.००	३७९१.००	३७९१.००
	180mm x 140mm	गोटा	७६९३.००	७६९३.००	७६९३.००
	180mm x 160mm	गोटा	८४४२.००	८४४२.००	८४४२.००
	200mm x 110mm	गोटा	७००२.००	७००२.००	७००२.००
	200mm x 140mm	गोटा	९०९४.००	९०९४.००	९०९४.००
	200mm x 160mm	गोटा	९४७३.००	९४७३.००	९४७३.००
	200mm x 180mm	गोटा	९९०६४.००	९९०६४.००	९९०६४.००
	225mm x 90mm	गोटा	१०९८७.००	१०९८७.००	१०९८७.००
	225mm x 110mm	गोटा	९९२८.००	९९२८.००	९९२८.००
	225mm x 225mm	गोटा	१४६९४.००	१४६९४.००	१४६९४.००
	225mm x 160mm	गोटा	११७३९.००	११७३९.००	११७३९.००
	225mm x 180mm	गोटा	१३६०४.००	१३६०४.००	१३६०४.००
	225mm x 200mm	गोटा	१४९४९.००	१४९४९.००	१४९४९.००
	250mm x 160mm	गोटा	१४९४९.००	१४९४९.००	१४९४९.००
	225mm x 180mm	गोटा	१७३३१.००	१७३३१.००	१७३३१.००
	225mm x 200mm	गोटा	१८२६८.००	१८२६८.००	१८२६८.००
	225mm x 225mm	गोटा	२१०८६.००	२१०८६.००	२१०८६.००
	280mm x 180mm	गोटा	२०६६४.००	२०६६४.००	२०६६४.००
	280mm x 200mm	गोटा	२२०७४.००	२२०७४.००	२२०७४.००
	280mm x 225mm	गोटा	२४१३९.००	२४१३९.००	२४१३९.००
	280mm x 250mm	गोटा	२९२३४.००	२९२३४.००	२९२३४.००
	Electrofusion Elbow 45°				
	50mm	गोटा	३९६.००	३९६.००	३९६.००
	63mm	गोटा	४६४.००	४६४.००	४६४.००
	75mm	गोटा	१२१६.००	१२१६.००	१२१६.००
	90mm	गोटा	१०४७.००	१०४७.००	१०४७.००
	110mm	गोटा	३१३३.००	३१३३.००	३१३३.००
	125mm	गोटा	४३२६.००	४३२६.००	४३२६.००
	140mm	गोटा	४८४७.००	४८४७.००	४८४७.००
	160mm	गोटा	७४३४.००	७४३४.००	७४३४.००
	180mm	गोटा	१०८१९.००	१०८१९.००	१०८१९.००
	200mm	गोटा	१३९१२.००	१३९१२.००	१३९१२.००
	225mm	गोटा	१८४९३.००	१८४९३.००	१८४९३.००
	250mm	गोटा	२६७७४.००	२६७७४.००	२६७७४.००
	280mm	गोटा	३४३३०.००	३४३३०.००	३४३३०.००
	90				
	50mm	गोटा	२६३.००	२६३.००	२६३.००
	63mm	गोटा	४१९.००	४१९.००	४१९.००
	75mm	गोटा	४४२.००	४४२.००	४४२.००
	90mm	गोटा	९०६६.००	९०६६.००	९०६६.००

E Electro Fusion Fittings and Combination Accessorie

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क बाहेकको दररेट		
			आ.व. ०८०८८१	आ.व. ०८११८२	आ.व. ०८२०८३
	110mm	मीटर	१४२६.००	१४२६.००	१४२६.००
	125mm	मीटर	१८००.००	१८००.००	१८००.००
	140mm	मीटर	२०१०.००	२०१०.००	२०१०.००
	160mm	मीटर	२४२२.००	२४२२.००	२४२२.००
	180mm	मीटर	१२४२४.००	१२४२४.००	१२४२४.००
	200mm	मीटर	१६४४६.००	१६४४६.००	१६४४६.००
	225mm	मीटर	२१२३८.००	२१२३८.००	२१२३८.००
	250mm	मीटर	२१२१०.००	२१२१०.००	२१२१०.००
	280mm	मीटर	४४४४६.००	४४४४६.००	४४४४६.००
	Electrofusion End Cap				
	50mm	मीटर	३४९.००	३४९.००	३४९.००
	63mm	मीटर	४३३.००	४३३.००	४३३.००
	75mm	मीटर	६१७.००	६१७.००	६१७.००
	90mm	मीटर	७९२.००	७९२.००	७९२.००
	110mm	मीटर	१४१९.००	१४१९.००	१४१९.००
	125mm	मीटर	१२२२.००	१२२२.००	१२२२.००
	140mm	मीटर	२४९०.००	२४९०.००	२४९०.००
	160mm	मीटर	३६०८.००	३६०८.००	३६०८.००
	180mm	मीटर	४१७१.००	४१७१.००	४१७१.००
	200mm	मीटर	६७६८.००	६७६८.००	६७६८.००
	225mm	मीटर	८७६९.००	८७६९.००	८७६९.००
	250mm	मीटर	१२४४४.००	१२४४४.००	१२४४४.००
	280mm	मीटर	१६०९६.००	१६०९६.००	१६०९६.००
	Electrofusion Equal Tee				
	50mm	मीटर	३४८.००	३४८.००	३४८.००
	63mm	मीटर	४००.००	४००.००	४००.००
	75mm	मीटर	७८२.००	७८२.००	७८२.००
	90mm	मीटर	१२४४.००	१२४४.००	१२४४.००
	110mm	मीटर	१६०४.००	१६०४.००	१६०४.००
	125mm	मीटर	१९८४.००	१९८४.००	१९८४.००
	140mm	मीटर	७९२४.००	७९२४.००	७९२४.००
	160mm	मीटर	१०८९६.००	१०८९६.००	१०८९६.००
	180mm	मीटर	१२४९६.००	१२४९६.००	१२४९६.००
	200mm	मीटर	१६४९३.००	१६४९३.००	१६४९३.००
	225mm	मीटर	२६४३६.००	२६४३६.००	२६४३६.००
	250mm	मीटर	३८४४३.००	३८४४३.००	३८४४३.००
	280mm	मीटर	४४६३३.००	४४६३३.००	४४६३३.००
	Electrofusion Saddle Clamp				
	50mm x 40mm	मीटर	७२७.००	७२७.००	७२७.००
	75-225mm x 50mm	मीटर	९९०.००	९९०.००	९९०.००
	HDPE Adaptor PN 16				
	50mm	मीटर	२८०.००	२८०.००	२८०.००

E Electro Fusion Fittings and Combination Accessorie

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. बाहेकको दररेट		
			आ.व. ०८०१८१	आ.व. ०८११८२	आ.व. ०८२१८३
	63mm	मीटर	३२३.००	३२३.००	३२३.००
	75mm	मीटर	४९९.००	४९९.००	४९९.००
	90mm	मीटर	६४४.००	६४४.००	६४४.००
	110mm	मीटर	८९४.००	८९४.००	८९४.००
	125mm	मीटर	९८८.००	९८८.००	९८८.००
	140mm	मीटर	१३४२.००	१३४२.००	१३४२.००
	160mm	मीटर	१९४४.००	१९४४.००	१९४४.००
	180mm	मीटर	२७८७.००	२७८७.००	२७८७.००
	200mm	मीटर	३०४३.००	३०४३.००	३०४३.००
	225mm	मीटर	३९४२.००	३९४२.००	३९४२.००
	250mm	मीटर	४२४९.००	४२४९.००	४२४९.००
	280mm	मीटर	४२४८.००	४२४८.००	४२४८.००

महाराष्ट्र शासन, नगरपालिका, आ. व. २०८३/८३ को दररेट

High Pressure Valve and Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.ब.०८०८८१	आ.ब.०८११८२	आ.ब.०८२२८३
१	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 conforming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² , Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket, Set.				
	DN 40	गोटा	२९९९८.००	२९९९८.००	२९९९८.००
	DN 50	गोटा	२९९९२.००	२९९९२.००	२९९९२.००
	DN 65	गोटा	३४४३४.००	३४४३४.००	३४४३४.००
	DN 80	गोटा	४९४४३.००	४९४४३.००	४९४४३.००
	DN 100	गोटा	४७३८०.००	४७३८०.००	४७३८०.००
	DN 125	गोटा	४९२२४.००	४९२२४.००	४९२२४.००
	DN 150	गोटा	५९९९२.००	५९९९२.००	५९९९२.००
	DN 200	गोटा	९०५४७०.००	९०५४७०.००	९०५४७०.००
	DN 250	गोटा	९४२४९०.००	९४२४९०.००	९४२४९०.००
	DN 300	गोटा	२०४२७४.००	२०४२७४.००	२०४२७४.००
	DN 350	गोटा	३२२४७४.००	३२२४७४.००	३२२४७४.००
	Cast Steel Non Return Valve (NRV), Class 300 conforming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² , Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा	२३६९०.००	२३६९०.००	२३६९०.००
	DN 50	गोटा	३९३९४.००	३९३९४.००	३९३९४.००
	DN 65	गोटा	३७९९३.००	३७९९३.००	३७९९३.००
	DN 80	गोटा	४३२३९.००	४३२३९.००	४३२३९.००
	DN 100	गोटा	४९९६९.००	४९९६९.००	४९९६९.००
	DN 125	गोटा	६९००६.००	६९००६.००	६९००६.००
	DN 150	गोटा	७६७७४.००	७६७७४.००	७६७७४.००
	DN 200	गोटा	९०७३३४.००	९०७३३४.००	९०७३३४.००
	DN 250	गोटा	९४४२४४.००	९४४२४४.००	९४४२४४.००
	DN 300	गोटा	२०७०३९.००	२०७०३९.००	२०७०३९.००
	DN 350	गोटा	३२४३३९.००	३२४३३९.००	३२४३३९.००
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा	४९२.००	४९२.००	४९२.००
	DN 50	गोटा	४४२.००	४४२.००	४४२.००
	DN 65	गोटा	४९३.००	४९३.००	४९३.००
	DN 80	गोटा	६४८.००	६४८.००	६४८.००
	DN 100	गोटा	६६९.००	६६९.००	६६९.००
	DN 150	गोटा	७३२.००	७३२.००	७३२.००
	DN 125	गोटा	९०६.००	९०६.००	९०६.००
	DN 200	गोटा	९४८३.००	९४८३.००	९४८३.००
	DN 250	गोटा	२२२४.००	२२२४.००	२२२४.००
	DN 300	गोटा	२६६७.००	२६६७.००	२६६७.००

High Pressure Valve and Fittings

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मू.व.क बाहेकको दरिद		
			आ.व. ०६०६०१	आ.व. ०६०६०२	आ.व. ०६०६०३
	DN 150 गोटा		३६००.००	३६००.००	३६००.००
	MS Blind Flange, ISOD 16mm thick				
	DN 40 गोटा		४३४.००	४३४.००	४३४.००
	DN 50 गोटा		४७६.००	४७६.००	४७६.००
	DN 65 गोटा		७३२.००	७३२.००	७३२.००
	DN 80 गोटा		८४४.००	८४४.००	८४४.००
	DN 100 गोटा		८७४.००	८७४.००	८७४.००
	DN 125 गोटा		९९९.००	९९९.००	९९९.००
	DN 150 गोटा		११८४.००	११८४.००	११८४.००
	DN 200 गोटा		१९२६.००	१९२६.००	१९२६.००
	DN 250 गोटा		२८६४.००	२८६४.००	२८६४.००
	DN 300 गोटा		३४६०.००	३४६०.००	३४६०.००
	DN 350 गोटा		४७६८.००	४७६८.००	४७६८.००
	MS Flange, ISOD 22mm thick				
	DN 40 गोटा		९४७.००	९४७.००	९४७.००
	DN 50 गोटा		१०१९.००	१०१९.००	१०१९.००
	DN 65 गोटा		१३०८.००	१३०८.००	१३०८.००
	DN 80 गोटा		१४८३.००	१४८३.००	१४८३.००
	DN 100 गोटा		१७८९.००	१७८९.००	१७८९.००
	DN 125 गोटा		२१३२.००	२१३२.००	२१३२.००
	DN 150 गोटा		२७२९.००	२७२९.००	२७२९.००
	DN 200 गोटा		४४४९.००	४४४९.००	४४४९.००
	DN 250 गोटा		४८१९.००	४८१९.००	४८१९.००
	DN 300 गोटा		८४९९.००	८४९९.००	८४९९.००
	DN 350 गोटा		९४९९.००	९४९९.००	९४९९.००
	MS Blind Flange, ISOD 32mm thick				
	DN 40 गोटा		१२३६.००	१२३६.००	१२३६.००
	DN 50 गोटा		१३२८.००	१३२८.००	१३२८.००
	DN 65 गोटा		१६८९.००	१६८९.००	१६८९.००
	DN 80 गोटा		१९२६.००	१९२६.००	१९२६.००
	DN 100 गोटा		२३०७.००	२३०७.००	२३०७.००
	DN 125 गोटा		२७७०.००	२७७०.००	२७७०.००
	DN 150 गोटा		३४४३.००	३४४३.००	३४४३.००
	DN 200 गोटा		४८०९.००	४८०९.००	४८०९.००
	DN 250 गोटा		७४८०.००	७४८०.००	७४८०.००
	DN 300 गोटा		१११३४.००	१११३४.००	१११३४.००
	DN 350 गोटा		१२४७३.००	१२४७३.००	१२४७३.००
	Seamless (90°-22°) CARBON STEEL BEND, size dia				
	2" गोटा		३३९.००	३३९.००	३३९.००
	2 1/2" गोटा		४९७.००	४९७.००	४९७.००

High Pressure Valve and Fittings

वि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क माहेको दररेट		
			मा.व.०८०१८१	मा.व.०८०१८२	मा.व.०८०१८३
	3" गोटा		८५४.००	८५४.००	८५४.००
	4" गोटा		१४२१.००	१४२१.००	१४२१.००
	5" गोटा		२६०५.००	२६०५.००	२६०५.००
	6" गोटा		३६१५.००	३६१५.००	३६१५.००
	8" गोटा		६०५६.००	६०५६.००	६०५६.००
	10" गोटा		९३२६६.००	९३२६६.००	९३२६६.००
	12" गोटा		१८३६४.००	१८३६४.००	१८३६४.००
	14" गोटा		२०७३३.००	२०७३३.००	२०७३३.००
	Seamless REDUCER ASTM-40. (size dia larger dia.)				
	2" गोटा		२६७.००	२६७.००	२६७.००
	2 1/2" गोटा		४७३.००	४७३.००	४७३.००
	3" गोटा		६९०.००	६९०.००	६९०.००
	4" गोटा		११३३.००	११३३.००	११३३.००
	5" गोटा		२०८०.००	२०८०.००	२०८०.००
	6" गोटा		२८९४.००	२८९४.००	२८९४.००
	8" गोटा		५३९७.००	५३९७.००	५३९७.००
	10" गोटा		१०६०९.००	१०६०९.००	१०६०९.००
	12" गोटा		१४६८७.००	१४६८७.००	१४६८७.००
	14" गोटा		१६५८३.००	१६५८३.००	१६५८३.००
	Nut & Bolt (FORZED, Size, set/kg)	गोटा	३०९.००	३०९.००	३०९.००
	3 mm thick Gasket liner	गोटा	२६३६.००	२६३६.००	२६३६.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. मातेको दररेट		
			आ.व. ०८०१८१	आ.व. ०८११८२	आ.व. ०८२१८३
१	PP-R Pipe (PN-10)				
	20mm outer, 1.8 mm thick 0.107 kg/m	र.मि.	४६.००	४६.००	४६.००
	25mm * 2.3 mm thick 0.154kg/m	र.मि.	६६.००	६६.००	६६.००
	32mm 2.9 mm thick 0.25kg/m	र.मि.	९३३.००	९३३.००	९३३.००
	40mm 3.7 mm thick 0.412kg/m	र.मि.	२१३.००	२१३.००	२१३.००
	50mm 4.6 mm thick 0.638kg/m	र.मि.	३३६.००	३३६.००	३३६.००
	63 mm 8.6 mm thick 0.638kg/m	र.मि.	४३३.००	४३३.००	४३३.००
	75 mm	र.मि.	७४३.००	७४३.००	७४३.००
	90 mm	र.मि.	१०७०.००	१०७०.००	१०७०.००
	110 mm	र.मि.	१४८८.००	१४८८.००	१४८८.००
२	PP-R Pipe (PN-16)				
	20mm 2.80 mm thick 0.148kg/m	र.मि.	७४.००	७४.००	७४.००
	25mm 3.50 mm thick 0.26kg/m	र.मि.	११८.००	११८.००	११८.००
	32mm 3.7 mm thick 0.230kg/m	र.मि.	१८८.००	१८८.००	१८८.००
	40mm 5.50 mm thick 0.575kg/m	र.मि.	३०३.००	३०३.००	३०३.००
	50mm 6.90 mm thick 0.898kg/m	र.मि.	४७३.००	४७३.००	४७३.००
	63 mm 4.6 mm thick 0.638kg/m	र.मि.	७४३.००	७४३.००	७४३.००
	75 mm	र.मि.	१०६१.००	१०६१.००	१०६१.००
	90 mm	र.मि.	१४१४.००	१४१४.००	१४१४.००
	110 mm	र.मि.	२२६२.००	२२६२.००	२२६२.००
३	PP-R Pipe (PN-20)				
	20mm 3.4 mm thick 0.172 kg/m	र.मि.	९०.००	९०.००	९०.००
	25mm 4.20 mm thick 0.266kg/m	र.मि.	१४०.००	१४०.००	१४०.००
	32mm 5.40 mm thick 0.434kg/m	र.मि.	२२८.००	२२८.००	२२८.००
	40mm 6.70 mm thick 0.671kg/m	र.मि.	३४४.००	३४४.००	३४४.००
	50mm 8.30 mm thick 1.04kg/m	र.मि.	४४९.००	४४९.००	४४९.००
	63mm 8.8mm thick 1.04kg/m	र.मि.	८७०.००	८७०.००	८७०.००
	75 mm	र.मि.	१२३४.००	१२३४.००	१२३४.००
	90 mm	र.मि.	१७७२.००	१७७२.००	१७७२.००
	110 mm	र.मि.	२६४३.००	२६४३.००	२६४३.००
४	PP-R Pipe Accessories				
	Elbow (87.5 °)				
	20mm	गोटा	२३.००	२३.००	२३.००
	25mm	गोटा	४३.००	४३.००	४३.००
	32mm	गोटा	७०.००	७०.००	७०.००
	40mm	गोटा	१४८.००	१४८.००	१४८.००
	50mm	गोटा	२४९.००	२४९.००	२४९.००
	63 mm	गोटा	४३९.००	४३९.००	४३९.००
	75 mm	गोटा	८४३.००	८४३.००	८४३.००
	90 mm	गोटा	१३७६.००	१३७६.००	१३७६.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. बाहेकको दररेट		
			आ.व./०८०/८१	आ.व./०८१/८२	आ.व./०८२/८३
	110 mm	गोटा	२१४८.००	२१४८.००	२१४८.००
	Elbow (90°)				
	20mm	गोटा	११.००	११.००	११.००
	25mm	गोटा	२२.००	२२.००	२२.००
	32mm	गोटा	३८.००	३८.००	३८.००
	40mm	गोटा	८०.००	८०.००	८०.००
	50mm	गोटा	१३४.००	१३४.००	१३४.००
	63 mm	गोटा	२३८.००	२३८.००	२३८.००
	75 mm	गोटा	४४६.००	४४६.००	४४६.००
	90 mm	गोटा	७४४.००	७४४.००	७४४.००
	110 mm	गोटा	१४०४.००	१४०४.००	१४०४.००
४	Equal Tee				
	20mm	गोटा	१४.००	१४.००	१४.००
	25mm	गोटा	२३.००	२३.००	२३.००
	32mm	गोटा	४०.००	४०.००	४०.००
	40mm	गोटा	९२.००	९२.००	९२.००
	50mm	गोटा	१४७.००	१४७.००	१४७.००
	63mm	गोटा	२८६.००	२८६.००	२८६.००
	75 mm	गोटा	४९६.००	४९६.००	४९६.००
	90 mm	गोटा	९०९.००	९०९.००	९०९.००
	110 mm	गोटा	१४७८.००	१४७८.००	१४७८.००
५	Coupler				
	20mm	गोटा	९.००	९.००	९.००
	25mm	गोटा	११.००	११.००	११.००
	32mm	गोटा	२२.००	२२.००	२२.००
	40mm	गोटा	४३.००	४३.००	४३.००
	50mm	गोटा	७३.००	७३.००	७३.००
	63 mm	गोटा	१२८.००	१२८.००	१२८.००
	75 mm	गोटा	२४८.००	२४८.००	२४८.००
	90 mm	गोटा	३६६.००	३६६.००	३६६.००
	110 mm	गोटा	६७०.००	६७०.००	६७०.००
७	45 Degree Elbow				
	20 mm	गोटा	१४.००	१४.००	१४.००
	25 mm	गोटा	२४.००	२४.००	२४.००
	32 mm	गोटा	३८.००	३८.००	३८.००
	40 mm	गोटा	७३.००	७३.००	७३.००
	50 mm	गोटा	१२२.००	१२२.००	१२२.००
	63 mm	गोटा	२०२.००	२०२.००	२०२.००
	75 mm	गोटा	३९७.००	३९७.००	३९७.००
	90 mm	गोटा	६७०.००	६७०.००	६७०.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. माहेकको दररेट		
			आ.व. ०८०१८१	आ.व. ०८०१८२	आ.व. ०८०१८३
	110 mm	मेटा	११७.००	११७.००	११७.००
८	Union (Plastic)				
	20mm	मेटा	४९.००	४९.००	४९.००
	25mm	मेटा	१०१.००	१०१.००	१०१.००
	32mm	मेटा	१६३.००	१६३.००	१६३.००
	40mm	मेटा	२४७.००	२४७.००	२४७.००
	50mm	मेटा	३८७.००	३८७.००	३८७.००
	63mm	मेटा	४६२.००	४६२.००	४६२.००
९	Reducing Coupler				
	25mm*20mm	मेटा	१६.००	१६.००	१६.००
	32mm*20mm	मेटा	२०.००	२०.००	२०.००
	32mm*25mm	मेटा	२३.००	२३.००	२३.००
	40mm*20mm	मेटा	३४.००	३४.००	३४.००
	40mm*25mm	मेटा	३४.००	३४.००	३४.००
	40mm*32mm	मेटा	४७.००	४७.००	४७.००
	50mm*20mm	मेटा	६४.००	६४.००	६४.००
	50mm*25mm	मेटा	६९.००	६९.००	६९.००
	50mm*32mm	मेटा	७०.००	७०.००	७०.००
	50mm*40mm	मेटा	७३.००	७३.००	७३.००
	63mm*20mm	मेटा	१००.००	१००.००	१००.००
	63mm*25mm	मेटा	१२३.००	१२३.००	१२३.००
	63mm*32mm	मेटा	१२४.००	१२४.००	१२४.००
	63mm*40mm	मेटा	१२४.००	१२४.००	१२४.००
	63mm*50mm	मेटा	१२४.००	१२४.००	१२४.००
	75mm*40mm	मेटा	२४८.००	२४८.००	२४८.००
	75mm*50mm	मेटा	२४३.००	२४३.००	२४३.००
	75mm*63mm	मेटा	२४६.००	२४६.००	२४६.००
	90mm*50mm	मेटा	४७२.००	४७२.००	४७२.००
	90mm*63mm	मेटा	४०६.००	४०६.००	४०६.००
	90mm*75mm	मेटा	४९४.००	४९४.००	४९४.००
	110mm*75mm	मेटा	८३४.००	८३४.००	८३४.००
	110mm*90mm	मेटा	९२८.००	९२८.००	९२८.००
	75mm	मेटा	४७६.००	४७६.००	४७६.००
	90mm	मेटा	७३८.००	७३८.००	७३८.००
	110mm	मेटा	१२४१.००	१२४१.००	१२४१.००
१०	Reducing Tee				
	25*20*25 mm	मेटा	२९.००	२९.००	२९.००
	32*20*32 mm	मेटा	४४.००	४४.००	४४.००
	32*25*32 mm	मेटा	४७.००	४७.००	४७.००
	40*20*40 mm	मेटा	६४.००	६४.००	६४.००
	40*25*40 mm	मेटा	७२.००	७२.००	७२.००
	40*32*40 mm	मेटा	७६.००	७६.००	७६.००
	50*20*50 mm	मेटा	१३०.००	१३०.००	१३०.००
	50*25*50 mm	मेटा	१३४.००	१३४.००	१३४.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. ०६०६/०७	आ.व. ०६०७/०८	आ.व. ०६०८/०९
	50*32*50 mm	मीटर	१४४.००	१४४.००	१४४.००
	50*40*50 mm	मीटर	१४६.००	१४६.००	१४६.००
	63*20*63 mm	मीटर	१६६.००	१६६.००	१६६.००
	63*25*63 mm	मीटर	२०९.००	२०९.००	२०९.००
	63*32*63 mm	मीटर	२२३.००	२२३.००	२२३.००
	63*40*63 mm	मीटर	२२७.००	२२७.००	२२७.००
	63*50*63 mm	मीटर	२३४.००	२३४.००	२३४.००
	75*50*75 mm	मीटर	४२३.००	४२३.००	४२३.००
	75*63*75 mm	मीटर	४४४.००	४४४.००	४४४.००
	90*63*90 mm	मीटर	६९४.००	६९४.००	६९४.००
	90*75*90 mm	मीटर	१०९०.००	१०९०.००	१०९०.००
	110*75*110 mm	मीटर	१६३६.००	१६३६.००	१६३६.००
	110*90*110 mm	मीटर	१६८४.००	१६८४.००	१६८४.००
	75mm	मीटर	१०३९.००	१०३९.००	१०३९.००
	90mm	मीटर	१२९४.००	१२९४.००	१२९४.००
	110mm	मीटर	२९६८.००	२९६८.००	२९६८.००
११	Reducing Elbow				
	25mm*20mm	मीटर	२२.००	२२.००	२२.००
	32mm*20mm	मीटर	४०.००	४०.००	४०.००
	32mm*25mm	मीटर	४०.००	४०.००	४०.००
	40*20mm	मीटर	१४०.००	१४०.००	१४०.००
	40*25mm	मीटर	१४२.००	१४२.००	१४२.००
	40*32mm	मीटर	१६८.००	१६८.००	१६८.००
	75mm	मीटर	१००७.००	१००७.००	१००७.००
	90mm	मीटर	१३७९.००	१३७९.००	१३७९.००
	110mm	मीटर	२६९३.००	२६९३.००	२६९३.००
	U CLAMP LONG				
	20mm	मीटर	३०.००	३०.००	३०.००
	25mm	मीटर	३४.००	३४.००	३४.००
	32mm	मीटर	४६.००	४६.००	४६.००
	40mm	मीटर	४२.००	४२.००	४२.००
	50mm	मीटर	७०.००	७०.००	७०.००
	63mm	मीटर	७८.००	७८.००	७८.००
	U CLAMP				
	20mm	मीटर	१३.००	१३.००	१३.००
	25mm	मीटर	१६.००	१६.००	१६.००
	32mm	मीटर	३०.००	३०.००	३०.००
	40mm	मीटर	३७.००	३७.००	३७.००
	50mm	मीटर	४९.००	४९.००	४९.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु. व. क. बाहेकको दररेट		
			आ. व. ०८०/८१	आ. व. ०८१/८२	आ. व. ०८२/८३
	63mm	गोटा	७६.००	७६.००	७६.००
	PLUG				
	20mm	गोटा	१३.००	१३.००	१३.००
	25mm	गोटा	२१.००	२१.००	२१.००
	32mm	गोटा	२६.००	२६.००	२६.००
	CAPS				
	20mm	गोटा	३१.००	३१.००	३१.००
	25mm	गोटा	४६.००	४६.००	४६.००
	32mm	गोटा	७०.००	७०.००	७०.००
	40mm	गोटा	१११.००	१११.००	१११.००
	50mm	गोटा	१८७.००	१८७.००	१८७.००
	63mm	गोटा	३३८.००	३३८.००	३३८.००
	75mm	गोटा	४१३.००	४१३.००	४१३.००
	90mm	गोटा	४७६.००	४७६.००	४७६.००
	110mm	गोटा	११८२.००	११८२.००	११८२.००
	CROSS OVER				
	20mm	गोटा	१४२.००	१४२.००	१४२.००
	25mm	गोटा	२०३.००	२०३.००	२०३.००
	32mm	गोटा	२९४.००	२९४.००	२९४.००
१२	High Footed Pipe Clip				
	20mm	गोटा	१२.००	१२.००	१२.००
	25mm	गोटा	१४.००	१४.००	१४.००
	32mm	गोटा	२२.००	२२.००	२२.००
	40mm	गोटा	२४.००	२४.००	२४.००
	50mm	गोटा	२७.००	२७.००	२७.००
	63 mm	गोटा	३६.००	३६.००	३६.००
१३	Low Footed Pipe Clip				
	20mm	गोटा	६.००	६.००	६.००
	25mm	गोटा	७.००	७.००	७.००
	32mm	गोटा	१४.००	१४.००	१४.००
	40mm	गोटा	२०.००	२०.००	२०.००
	50mm	गोटा	२१.००	२१.००	२१.००
	63 mm	गोटा	३१.००	३१.००	३१.००
१४	"Y" type Pipe Clip				
	20mm	गोटा	२०.००	२०.००	२०.००
	25mm	गोटा	२३.००	२३.००	२३.००
	32mm	गोटा	२८.००	२८.००	२८.००
	40 mm	गोटा	४४.००	४४.००	४४.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.व.क माहेको दररेट		
			आ.व. ०८०१८१	आ.व. ०८११८२	आ.व. ०८२०८३
१५	End Plug (short)				
	20mm	गोटा	६.००	६.००	६.००
	25mm	गोटा	१०.००	१०.००	१०.००
	32mm	गोटा	१३.००	१३.००	१३.००
१६	End Plug with Ring				
	20mm	गोटा	२२.००	२२.००	२२.००
१७	End Plug (long)				
	20mm	गोटा	१०.००	१०.००	१०.००
१८	End Cap				
	20mm	गोटा	१२.००	१२.००	१२.००
	25mm	गोटा	२०.००	२०.००	२०.००
	32mm	गोटा	३०.००	३०.००	३०.००
	40mm	गोटा	४४.००	४४.००	४४.००
	50mm	गोटा	७८.००	७८.००	७८.००
	63mm	गोटा	१४१.००	१४१.००	१४१.००
	75mm	गोटा	२४३.००	२४३.००	२४३.००
१९	Cross Tee				
	20mm	गोटा	२६.००	२६.००	२६.००
	25mm	गोटा	३८.००	३८.००	३८.००
	32mm	गोटा	६८.००	६८.००	६८.००
२०	Short Passover				
	20mm	गोटा	७४.००	७४.००	७४.००
	25mm	गोटा	१०९.००	१०९.००	१०९.००
	32mm	गोटा	१६९.००	१६९.००	१६९.००
२१	Long Bypass				
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१४४.००	१४४.००	१४४.००
	32mm	गोटा	२११.००	२११.००	२११.००
२२	Male Tee				
	20mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	20mmx3/4"	गोटा	१४६.००	१४६.००	१४६.००
	25mmx1/2"	गोटा	१४१.००	१४१.००	१४१.००
	25mmx3/4"	गोटा	१८१.००	१८१.००	१८१.००
	32mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	32mmx3/4"	गोटा	२२०.००	२२०.००	२२०.००
	32mmx1"	गोटा	२९६.००	२९६.००	२९६.००
	40mmx1/2"	गोटा	६७३.००	६७३.००	६७३.००
	40mmx3/4"	गोटा	६४४.००	६४४.००	६४४.००
	50mmx3/4"	गोटा	१०३८.००	१०३८.००	१०३८.००
	63mmx1"	गोटा	१२३४.००	१२३४.००	१२३४.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.का माहकको दररेट		
			भा.व. ०८०८८१	भा.व. ०८११८२	भा.व. ०८२०८३
	63mm*2"	गोटा	१३८१.००	१३४१.००	१३४१.००
२३	Female Tee				
	20mm*1/2"	गोटा	११६.००	११६.००	११६.००
	20mm*3/4"	गोटा	१२१.००	१२१.००	१२१.००
	25mm*1/2"	गोटा	१४१.००	१४१.००	१४१.००
	25mm*3/4"	गोटा	१४६.००	१४६.००	१४६.००
	32mm*1/2"	गोटा	१७३.००	१७३.००	१७३.००
	32mm*3/4"	गोटा	२०३.००	२०३.००	२०३.००
	32mm*1"	गोटा	३४२.००	३४२.००	३४२.००
	40mm*1/2"	गोटा	४२०.००	४२०.००	४२०.००
	40mm*5/4"	गोटा	४२१.००	४२१.००	४२१.००
	50mm*5/4"	गोटा	७१०.००	७१०.००	७१०.००
	63mm*1"	गोटा	९२२.००	९२२.००	९२२.००
	63mm*2"	गोटा	१०४८.००	१०४८.००	१०४८.००
२४	Male elbow				
	20mm*1/2"	गोटा	१३८.००	१३८.००	१३८.००
	25mm*1/2"	गोटा	१४१.००	१४१.००	१४१.००
	25mm*3/4"	गोटा	१८२.००	१८२.००	१८२.००
	32mm*1/2"	गोटा	३१२.००	३१२.००	३१२.००
	32mm*3/4"	गोटा	२४८.००	२४८.००	२४८.००
	32mm*1"	गोटा	४११.००	४११.००	४११.००
	40mm*5/4"	गोटा	४९२.४०	४९२.४०	४९२.४०
२५	Female elbow				
	20mm*1/2"	गोटा	९१३.००	९१३.००	९१३.००
	25mm*1/2"	गोटा	९८४.००	९८४.००	९८४.००
	25mm*3/4"	गोटा	१४१.००	१४१.००	१४१.००
	32mm*1/2"	गोटा	२०२.००	२०२.००	२०२.००
	32mm*3/4"	गोटा	२३८.००	२३८.००	२३८.००
	32mm*1"	गोटा	३३३.००	३३३.००	३३३.००
	40mm*5/4"	गोटा	६७४.००	६७४.००	६७४.००
	50mm*5/4"	गोटा	७७४.००	७७४.००	७७४.००
	63mm*2"	गोटा	८९२.००	८९२.००	८९२.००
	MALE SOCKET				
	20mm*1/2"	गोटा	१४४.००	१४४.००	१४४.००
	20mm*3/4"	गोटा	१७४.००	१७४.००	१७४.००
	25mm*1/2"	गोटा	१४४.००	१४४.००	१४४.००
	25mm*3/4"	गोटा	१७६.००	१७६.००	१७६.००
	32mm*1/2"	गोटा	१९६.००	१९६.००	१९६.००
	32mm*3/4"	गोटा	२०६.००	२०६.००	२०६.००
	32mm*1"	गोटा	३९२.००	३९२.००	३९२.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म.अ.क. बाहेकको दररेट		
			मा.स. ०८०८०१	मा.स. ०८०१०८२	मा.स. ०८०१०८३
	40mm*5/4"	गोटा	६४९.००	६४९.००	६४९.००
	50mm*6/4"	गोटा	१०४८.००	१०४८.००	१०४८.००
	63mm*2"	गोटा	१३९५.००	१३९५.००	१३९५.००
	75mm	गोटा	३४८०.००	३४८०.००	३४८०.००
	90mm	गोटा	४७६९.००	४७६९.००	४७६९.००
	110mm	गोटा	८९६८.००	८९६८.००	८९६८.००
	FEMALE SOCKET				
	20mm*1/2"	गोटा	११०.००	११०.००	११०.००
	20mm*3/4"	गोटा	१२५.००	१२५.००	१२५.००
	25mm*1/2"	गोटा	१३३.००	१३३.००	१३३.००
	25mm*3/4"	गोटा	१३७.००	१३७.००	१३७.००
	32mm*1/2"	गोटा	१३९.००	१३९.००	१३९.००
	32mm*3/4"	गोटा	१४१.००	१४१.००	१४१.००
	32mm*1"	गोटा	३०६.००	३०६.००	३०६.००
	40mm*5/4"	गोटा	४७०.००	४७०.००	४७०.००
	50mm*6/4"	गोटा	७९१.००	७९१.००	७९१.००
	63mm*2"	गोटा	१०७०.००	१०७०.००	१०७०.००
	75mm	गोटा	३०४२.००	३०४२.००	३०४२.००
	90mm	गोटा	४१८४.००	४१८४.००	४१८४.००
	110mm	गोटा	७९००.००	७९००.००	७९००.००
२६	Male Coupling				
	20mmx1/2"	गोटा	१३४.००	१३४.००	१३४.००
	20mmx3/4"	गोटा	१४२.००	१४२.००	१४२.००
	25mmx1/2"	गोटा	१६३.००	१६३.००	१६३.००
	25mmx3/4"	गोटा	१८३.००	१८३.००	१८३.००
	32mmx1/2"	गोटा	१६९.००	१६९.००	१६९.००
	32mmx3/4"	गोटा	१८१.००	१८१.००	१८१.००
	32mmx1"	गोटा	३६३.००	३६३.००	३६३.००
	40mmx1-1/4"	गोटा	६१४.००	६१४.००	६१४.००
	50mmx1-1/2"	गोटा	९२५.००	९२५.००	९२५.००
	63mmx2"	गोटा	१२२१.००	१२२१.००	१२२१.००
	75mmx2-1/2"	गोटा	३०३७.००	३०३७.००	३०३७.००
२७	Female Coupling				
	20mmx1/2"	गोटा	१०९.००	१०९.००	१०९.००
	20mmx3/4"	गोटा	१२८.००	१२८.००	१२८.००
	25mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	25mmx3/4"	गोटा	१४६.००	१४६.००	१४६.००
	32mmx1/2"	गोटा	१६३.००	१६३.००	१६३.००
	32mmx3/4"	गोटा	१६२.००	१६२.००	१६२.००
	32mmx1"	गोटा	३११.००	३११.००	३११.००
	40mmx1-1/4"	गोटा	४३९.००	४३९.००	४३९.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.व.क बाहेकको दररेट		
			जा.नं. ०८०१८१	जा.नं. ०८११८२	जा.नं. ०८२१८३
	50mmx1-1/2"	गोटा	६९८.००	६९८.००	६९८.००
	६३mmx2"	गोटा	९३६.००	९३६.००	९३६.००
	75mmx2-1/2"	गोटा	२७७९.००	२७७९.००	२७७९.००
२८	Male Union				
	20mmx1/2"	गोटा	३०२.००	३०२.००	३०२.००
	25mmx3/4"	गोटा	४३४.००	४३४.००	४३४.००
	32mmx1"	गोटा	६३९.००	६३९.००	६३९.००
	40mmx1 1/4"	गोटा	९९४.००	९९४.००	९९४.००
	50mmx1/2"	गोटा	९४३९.००	९४३९.००	९४३९.००
	६३mmx2"	गोटा	३९००.००	३९००.००	३९००.००
२९	Female Union				
	20mmx1/2"	गोटा	२९२.००	२९२.००	२९२.००
	25mmx3/4"	गोटा	३७८.००	३७८.००	३७८.००
	32mmx1"	गोटा	६९९.००	६९९.००	६९९.००
	40mmx1 1/4"	गोटा	८४३.००	८४३.००	८४३.००
	50mmx1/2"	गोटा	९४४९.००	९४४९.००	९४४९.००
	६३mmx2"	गोटा	२६३०.००	२६३०.००	२६३०.००
३०	Stop Valve				
	20 mm	गोटा	३४९.००	३४९.००	३४९.००
	25 mm	गोटा	४६०.००	४६०.००	४६०.००
	32 mm	गोटा	४४४.००	४४४.००	४४४.००
	40mm	गोटा	४९४.००	४९४.००	४९४.००
	50 mm	गोटा	९९२.००	९९२.००	९९२.००
	63 mm	गोटा	९४३९.००	९४३९.००	९४३९.००
	75 mm	गोटा	२८४०.००	२८४०.००	२८४०.००
	90 mm	गोटा	३९०९.००	३९०९.००	३९०९.००
	110 mm	गोटा	४२४९.००	४२४९.००	४२४९.००
	MALE SEATED ELBOW				
	20mm*1/2"	गोटा	९४४.००	९४४.००	९४४.००
	25mm*1/2"	गोटा	९७८.००	९७८.००	९७८.००
	25mm*3/4"	गोटा	९९८.००	९९८.००	९९८.००
	FEMALE SEATED ELBOW				
	20mm*1/2"	गोटा	९६८.००	९६८.००	९६८.००
	25mm*1/2"	गोटा	३९०.००	३९०.००	३९०.००
	25mm*3/4"	गोटा	२३०.००	२३०.००	२३०.००
३१	Male base elbow				
	20mm x 1/2"	गोटा	९४६.००	९४६.००	९४६.००
	25mm x 1/2"	गोटा	९९३.००	९९३.००	९९३.००
	25mm x 3/4"	गोटा	९९३.००	९९३.००	९९३.००
३२	Female base elbow				

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	सु.अ.क. माहेको दररेट		
			आ.व. ०८०।८१	आ.व. ०८१।८२	आ.व. ०८२।८३
	20mm x 1/2"	मीटर	१५३.००	१५३.००	१५३.००
	25mm x 1/2"	मीटर	१८८.००	१८८.००	१८८.००
	25mm x 3/4"	मीटर	१८४.००	१८४.००	१८४.००
३३	Metal Ball valve (double)				
	20mmx1/2"	मीटर	६४५.००	६४५.००	६४५.००
	25mmx3/4"	मीटर	९४५.००	९४५.००	९४५.००
	32mmx1"	मीटर	११६७.००	११६७.००	११६७.००
	40mmx1-1/4"	मीटर	३३२३.००	३३२३.००	३३२३.००
	50mmx1-1/2"	मीटर	४४६६.००	४४६६.००	४४६६.००
३४	Metal Ball valve (Single)				
	20mmx1/2"	मीटर	४९५.००	४९५.००	४९५.००
	25mmx3/4"	मीटर	७३५.००	७३५.००	७३५.००
	32mmx1"	मीटर	९२१२.००	९२१२.००	९२१२.००
३५	Conceal Valve (Lux)				
	20mm	मीटर	१११३.००	१११३.००	१११३.००
३६	Conceal Valve (Nor)				
	20mm	मीटर	९३७.००	९३७.००	९३७.००
३७	Ball Valve (Plastic)				
	20mm	मीटर	९४.००	९४.००	९४.००
	25mm	मीटर	१२८.००	१२८.००	१२८.००
	32mm	मीटर	२१९.००	२१९.००	२१९.००
	40mm	मीटर	४७६.००	४७६.००	४७६.००
	50mm	मीटर	६९७.००	६९७.००	६९७.००
	63 mm	मीटर	११६७.००	११६७.००	११६७.००
	75 mm	मीटर	१६३३.००	१६३३.००	१६३३.००
	90 mm	मीटर	३२३७.००	३२३७.००	३२३७.००
	110 mm	मीटर	४४२७.००	४४२७.००	४४२७.००
३८	Ball Valve (Brass)				
	20mm	मीटर	३४२.००	३४२.००	३४२.००
	25mm	मीटर	४२२.००	४२२.००	४२२.००
	32mm	मीटर	४७३.००	४७३.००	४७३.००
	40mm	मीटर	९४८.००	९४८.००	९४८.००
	TANK NIPPLE				
	32mm	मीटर	२६४.००	२६४.००	२६४.००
	40mm	मीटर	३२७.००	३२७.००	३२७.००
	PIPE TANK NIPPLE				
	32mm	मीटर	१४८.००	१४८.००	१४८.००
	BALL VALVE METAL BODY				
	20mm	मीटर	४९२.००	४९२.००	४९२.००

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.ख.क. माहौलको दररेट		
			मा.व. ०८०१८१	मा.व. ०८११८२	मा.व. ०८२१८३
	25mm	मोटा	८०४.००	८०४.००	८०४.००
	32mm	मोटा	११६६.००	११६६.००	११६६.००
	40mm	मोटा	१४४२.००	१४४२.००	१४४२.००
	50mm	मोटा	१९४१.००	१९४१.००	१९४१.००
	63mm	मोटा	२४८४.००	२४८४.००	२४८४.००
	75mm	मोटा	३०२४.००	३०२४.००	३०२४.००
	90mm	मोटा	१०८८४.००	१०८८४.००	१०८८४.००
	110mm	मोटा	१३०६२.००	१३०६२.००	१३०६२.००
	BALL VALVE FEMALE				
	20mm	मोटा	४९२.००	४९२.००	४९२.००
	25mm	मोटा	८०४.००	८०४.००	८०४.००
	32mm	मोटा	११६६.००	११६६.००	११६६.००
	40mm	मोटा	१४४२.००	१४४२.००	१४४२.००
	50mm	मोटा	१९४१.००	१९४१.००	१९४१.००
	63mm	मोटा	२४८४.००	२४८४.००	२४८४.००
	75mm	मोटा	३०२४.००	३०२४.००	३०२४.००
	90mm	मोटा	१०८८४.००	१०८८४.००	१०८८४.००
	110mm	मोटा	१३०६२.००	१३०६२.००	१३०६२.००
	PLUG NIPPLE				
	20mm	मोटा	११.००	११.००	११.००
	DOUBLE FEMALE ELBOW				
	20mm*1/2"	मोटा	२४६.००	२४६.००	२४६.००
	25mm*1/2"	मोटा	२९४.००	२९४.००	२९४.००

यु.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.व.क. बाहिरीको दररेट		
			मा.व.०८०/८१	मा.व.०८१/८२	मा.व.०८२/८३
A	UPVC Pipes				
१	UPVC Pipe NS 206/046 - 2.5 kg /cm ² Pressure				
	80 mm	र.मी	१६६.००	१६६.००	१६६.००
	110 mm	र.मी	२४३.००	२४३.००	२४३.००
	125 mm	र.मी	३५५.००	३५५.००	३५५.००
	140 mm	र.मी	३८९.००	३८९.००	३८९.००
	160 mm	र.मी	४०८.००	४०८.००	४०८.००
	180 mm	र.मी	६५१.००	६५१.००	६५१.००
	200 mm	र.मी	७९६.००	७९६.००	७९६.००
२	UPVC Pipe NS 206/046 - 4 kg /cm ² Pressure				
	63mm	र.मी	१३२.००	१३२.००	१३२.००
	75mm	र.मी	१८१.००	१८१.००	१८१.००
	90 mm	र.मी	२६०.००	२६०.००	२६०.००
	110 mm	र.मी	३४७.००	३४७.००	३४७.००
	125 mm	र.मी	४९२.००	४९२.००	४९२.००
	140 mm	र.मी	६२४.००	६२४.००	६२४.००
	160 mm	र.मी	८०८.००	८०८.००	८०८.००
	180 mm	र.मी	१०४०.००	१०४०.००	१०४०.००
	200 mm	र.मी	१२६२.००	१२६२.००	१२६२.००
३	UPVC Pipe NS 206/046 - 6 kg /cm ² Pressure				
	40mm	र.मी	७३.००	७३.००	७३.००
	50mm	र.मी	११७.००	११७.००	११७.००
	63mm	र.मी	१८२.००	१८२.००	१८२.००
	75mm	र.मी	२६३.००	२६३.००	२६३.००
	90 mm	र.मी	३७८.००	३७८.००	३७८.००
	110 mm	र.मी	५४८.००	५४८.००	५४८.००
	125 mm	र.मी	७३०.००	७३०.००	७३०.००
	140 mm	र.मी	९०९.००	९०९.००	९०९.००
	160 mm	र.मी	११६४.००	११६४.००	११६४.००
	180 mm	र.मी	१४८४.००	१४८४.००	१४८४.००
	200 mm	र.मी	१८१९.००	१८१९.००	१८१९.००
४	UPVC Pipe NS 206/046 - 10 kg /cm ² Pressure				
	20 mm	र.मी	३०.००	३०.००	३०.००
	25 mm	र.मी	४३.००	४३.००	४३.००
	32mm	र.मी	७३.००	७३.००	७३.००
	40mm	र.मी	११६.००	११६.००	११६.००
	50mm	र.मी	१८३.००	१८३.००	१८३.००
	63mm	र.मी	२९२.००	२९२.००	२९२.००
	75mm	र.मी	४१४.००	४१४.००	४१४.००
	90 mm	र.मी	५९३.००	५९३.००	५९३.००
	110 mm	र.मी	८८०.००	८८०.००	८८०.००
	125 mm	र.मी	११२६.००	११२६.००	११२६.००
	140 mm	र.मी	१४२२.००	१४२२.००	१४२२.००

यु.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. बाहिरको दररेट		
			मा.व.०८०/८१	मा.व.०८१/८२	मा.व.०८२/८३
	180 mm	र.मी	१८३०.००	१८३०.००	१८३०.००
	180 mm	र.मी	२३३२.००	२३३२.००	२३३२.००
	200 mm	र.मी	२८८३.००	२८८३.००	२८८३.००
	UPVC PIPE AS PER IS 13592				
	50mm	र.मी	८८.००	८८.००	८८.००
	75mm	र.मी	१४१.००	१४१.००	१४१.००
	110mm	र.मी	२७८.००	२७८.००	२७८.००
	160mm	र.मी	४८६.००	४८६.००	४८६.००
	200mm	र.मी	९०२.००	९०२.००	९०२.००
	DURADRAIN				
	110mm SN 8	र.मी	४२४.००	४२४.००	४२४.००
	75mm SN 8	र.मी	२१०.००	२१०.००	२१०.००
B	UPVC fittings				
१	Coupler				
	50 mm	गोटा	३६.००	३६.००	३६.००
	75 mm	गोटा	८८.००	८८.००	८८.००
	110 mm	गोटा	१४०.००	१४०.००	१४०.००
२	Bend 87.5 degree				
	50 mm	गोटा	४४.००	४४.००	४४.००
	75 mm	गोटा	१२६.००	१२६.००	१२६.००
	110 mm	गोटा	२३४.००	२३४.००	२३४.००
३	Bend 45 degree				
	50 mm	गोटा	४२.००	४२.००	४२.००
	75 mm	गोटा	१०३.००	१०३.००	१०३.००
	110 mm	गोटा	१८४.००	१८४.००	१८४.००
४	Single Tee				
	50 mm	गोटा	७९.००	७९.००	७९.००
	75 mm	गोटा	१७२.००	१७२.००	१७२.००
	110 mm	गोटा	३२७.००	३२७.००	३२७.००
५	Pipe clip				
	50 mm	गोटा	१६.००	१६.००	१६.००
	75 mm	गोटा	३२.००	३२.००	३२.००
	110 mm	गोटा	४३.००	४३.००	४३.००
६	Bend 87.5 degree with door				
	75 mm	गोटा	१६३.००	१६३.००	१६३.००
	110 mm	गोटा	२८४.००	२८४.००	२८४.००
७	Single Tee with door				
	75 mm	गोटा	२३२.००	२३२.००	२३२.००
	110 mm	गोटा	४३३.००	४३३.००	४३३.००
८	Double Tee				
	75 mm	गोटा	३७८.००	३७८.००	३७८.००
	110 mm	गोटा	४९९.००	४९९.००	४९९.००
९	Double Tee with door				

यु.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.व.क. बाहिरीको दररेट		
			भा.व. ०८०१८१	भा.व. ०८११८२	भा.व. ०८२१८३
	75 mm	मोटा	१०१.००	१०१.००	१०१.००
	110 mm	मोटा	१३६.००	१३६.००	१३६.००
१०	Vent cowl				
	75 mm	मोटा	६२.००	६२.००	६२.००
	110 mm	मोटा	१०२.००	१०२.००	१०२.००
११	Socket plug				
	75 mm	मोटा	३३.००	३३.००	३३.००
	110 mm	मोटा	१२६.००	१२६.००	१२६.००
१२	Single "Y"				
	75 mm	मोटा	१९७.००	१९७.००	१९७.००
	110 mm	मोटा	४२६.००	४२६.००	४२६.००
१३	Single "Y" with door				
	75 mm	मोटा	२३०.००	२३०.००	२३०.००
	110 mm	मोटा	४१४.००	४१४.००	४१४.००
१४	Double "Y"				
	75 mm	मोटा	२९७.००	२९७.००	२९७.००
	110 mm	मोटा	४८६.००	४८६.००	४८६.००
१५	Double "Y" with door				
	75 mm	मोटा	३६२.००	३६२.००	३६२.००
	110 mm	मोटा	६१४.००	६१४.००	६१४.००
१६	Cleaning pipe				
	75 mm	मोटा	१३२.००	१३२.००	१३२.००
	110 mm	मोटा	३३३.००	३३३.००	३३३.००
१७	Reducer				
	110x75 mm	मोटा	१५३.००	१५३.००	१५३.००
	75x50 mm	मोटा	८१.००	८१.००	८१.००
१८	P-Trap				
	125mmx110mm	मोटा	६३३.००	६३३.००	६३३.००
	110mmx110mm	मोटा	४९३.००	४९३.००	४९३.००
	75mmx75mm	मोटा	२२६.००	२२६.००	२२६.००
१९	Multi-Floor-Trap				
	110mmx75mm	मोटा	३२९.००	३२९.००	३२९.००
२०	Nahani-Trap				
	110mmx75mm	मोटा	२९९.००	२९९.००	२९९.००
२१	W.C. Connector (bent type)	मोटा	३०६.००	३०६.००	३०६.००
२२	Square tie with jali	मोटा	९८.००	९८.००	९८.००
२३	Round jali	मोटा	४४.००	४४.००	४४.००
२४	End cap 50mm	मोटा	२९.००	२९.००	२९.००

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहिरीको दररेट		
			आ. व. ०८३/८३	आ. व. ०८३/८३	आ. व. ०८३/८३
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2" dia. (42.19 Kg/cm ²)	र.मि	१२९.००	१२९.००	१२९.००
	3/4" dia. (33.76 Kg/cm ²)	र.मि	१२३.००	१२३.००	१२३.००
	1" dia. (31.84 Kg/cm ²)	र.मि	२४०.००	२४०.००	२४०.००
	1-1/4" dia. (26.01 Kg/cm ²)	र.मि	२९७.००	२९७.००	२९७.००
	1-1/2" dia. (23.20 Kg/cm ²)	र.मि	३६४.००	३६४.००	३६४.००
	2" dia. (19.69 Kg/cm ²)	र.मि	४९७.००	४९७.००	४९७.००
	2-1/2" dia. (21.09 Kg/cm ²)	र.मि	७२२.००	७२२.००	७२२.००
	3" dia. (18.28 Kg/cm ²)	र.मि	९९२.००	९९२.००	९९२.००
	4" dia. (16.47 Kg/cm ²)	र.मि	१३९८.००	१३९८.००	१३९८.००
	6" dia. (12.66 Kg/cm ²)	र.मि	२७४६.००	२७४६.००	२७४६.००
	PVC FITTINGS as per ASTM D 2466				
	PVC Tee - Soc				
	1/2"	गोटा	३४.००	३४.००	३४.००
	3/4"	गोटा	४६.००	४६.००	४६.००
	1"	गोटा	७३.००	७३.००	७३.००
	1-1/4"	गोटा	११६.००	११६.००	११६.००
	1-1/2"	गोटा	१४२.००	१४२.००	१४२.००
	2"	गोटा	२३४.००	२३४.००	२३४.००
	2-1/2"	गोटा	३७४.००	३७४.००	३७४.००
	3"	गोटा	५८६.००	५८६.००	५८६.००
	4"	गोटा	१४७८.००	१४७८.००	१४७८.००
	6"	गोटा	८७४२.००	८७४२.००	८७४२.००
	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	६७.००	६७.००	६७.००
	1 x 1/2	गोटा	१०३.००	१०३.००	१०३.००
	1 x 3/4	गोटा	१०३.००	१०३.००	१०३.००
	1-1/2 x 1/2	गोटा	३४०.००	३४०.००	३४०.००
	1-1/2 x 3/4	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 x 1	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 x 1-1/4	गोटा	३४०.००	३४०.००	३४०.००
	2 x 1/2	गोटा	४३२.००	४३२.००	४३२.००
	2 x 3/4	गोटा	४३२.००	४३२.००	४३२.००
	2 x 1	गोटा	४३२.००	४३२.००	४३२.००
	2 x 1-1/4	गोटा	४३२.००	४३२.००	४३२.००
	2 x 1-1/2	गोटा	४३२.००	४३२.००	४३२.००
	2-1/2 x 1/2	गोटा	१०९४.००	१०९४.००	१०९४.००
	2-1/2 x 3/4	गोटा	१०९४.००	१०९४.००	१०९४.००
	2-1/2 x 1	गोटा	१०९४.००	१०९४.००	१०९४.००
	2-1/2 x 1-1/4	गोटा	१०९४.००	१०९४.००	१०९४.००
	2-1/2 x 1-1/2	गोटा	१०९४.००	१०९४.००	१०९४.००

सुनसरी जिल्ला अधिकारी

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरीको दररेड		
			आ.व.०८०/८१	आ.व.०८१/८२	आ.व.०८२/८३
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2 X 2	मोटा	१०९५.००	१०९५.००	१०९५.००
	3 X 1/2	मोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 3/4	मोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1	मोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1-1/4	मोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1-1/2	मोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 2	मोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 2-1/2	मोटा	१५९९.००	१५९९.००	१५९९.००
	6 X 1-1/4	मोटा	८४०३.००	८४०३.००	८४०३.००
	6 X 1-1/2	मोटा	८४०३.००	८४०३.००	८४०३.००
	6 X 2	मोटा	८४०३.००	८४०३.००	८४०३.००
	6 X 2-1/2	मोटा	८४०३.००	८४०३.००	८४०३.००
	6 X 3	मोटा	८४०३.००	८४०३.००	८४०३.००
	6 X 4	मोटा	८४०३.००	८४०३.००	८४०३.००
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	मोटा	१५१.००	१५१.००	१५१.००
	3/4"	मोटा	३११.००	३११.००	३११.००
	3/4" X 1/2"	मोटा	२२२.००	२२२.००	२२२.००
	1" X 1/2"	मोटा	४४३.००	४४३.००	४४३.००
	PVC 90° Elbow - Soc				
	1/2"	मोटा	२३.००	२३.००	२३.००
	3/4"	मोटा	३१.००	३१.००	३१.००
	1"	मोटा	४६.००	४६.००	४६.००
	1-1/4"	मोटा	९९.००	९९.००	९९.००
	1-1/2"	मोटा	११६.००	११६.००	११६.००
	2"	मोटा	१७८.००	१७८.००	१७८.००
	2-1/2"	मोटा	४२८.००	४२८.००	४२८.००
	3"	मोटा	६३३.००	६३३.००	६३३.००
	4"	मोटा	९२३६.००	९२३६.००	९२३६.००
	6"	मोटा	४३७३.००	४३७३.००	४३७३.००
	PVC Brass 90° Elbow Soc x Fipt SCH 80			०.००	०.००
	1/2"	मोटा	१८४.००	१८४.००	१८४.००
	3/4"	मोटा	२४८.००	२४८.००	२४८.००
	3/4" X 1/2"	मोटा	२५५.००	२५५.००	२५५.००
	PVC 45° Elbow - Soc				
	1/2"	मोटा	४६.००	४६.००	४६.००
	3/4"	मोटा	९१.००	९१.००	९१.००
	1"	मोटा	१०६.००	१०६.००	१०६.००
	1-1/4"	मोटा	१४२.००	१४२.००	१४२.००
	1-1/2"	मोटा	१९१.००	१९१.००	१९१.००

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.भ.क. माहिरको दररेट		
			भा.व.०८०८०९	भा.व.०८०९१०	भा.व.०८०९११
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2" गोटा		२४९.००	२४९.००	२४९.००
	2-1/2" गोटा		३७३.००	३७३.००	३७३.००
	3" गोटा		५०९.२००	५०९.२.००	५०९.२.००
	4" गोटा		९९५.९.००	९९५.९.००	९९५.९.००
	6" गोटा		१३९९.००	१३९९.००	१३९९.००
	PVC Coupling - Soc				
	1/2" गोटा		१८.००	१८.००	१८.००
	3/4" गोटा		२३.००	२३.००	२३.००
	1" गोटा		४३.००	४३.००	४३.००
	1-1/4" गोटा		५९.००	५९.००	५९.००
	1-1/2" गोटा		८९.००	८९.००	८९.००
	2" गोटा		१२४.००	१२४.००	१२४.००
	2-1/2" गोटा		२६३.००	२६३.००	२६३.००
	3" गोटा		४९९.००	४९९.००	४९९.००
	4" गोटा		६४३.००	६४३.००	६४३.००
	6" गोटा		१३४९.००	१३४९.००	१३४९.००
	PVC Reducer Coupling - Soc				
	3/4 X 1/2 गोटा		४४.००	४४.००	४४.००
	1 X 3/4 गोटा		७७.००	७७.००	७७.००
	1-1/2 X 1-1/4 गोटा		१३९.००	१३९.००	१३९.००
	2 X 1-1/2 गोटा		२२९.००	२२९.००	२२९.००
	4 X 2 गोटा		१४६९.००	१४६९.००	१४६९.००
	4 X 3 गोटा		१४६९.००	१४६९.००	१४६९.००
	6 X 4 गोटा		३०३९.००	३०३९.००	३०३९.००
	PVC Reducer Bushing - (Flush Style)				
	3/4 X 1/2 गोटा		३७.००	३७.००	३७.००
	1 X 1/2 गोटा		५३.००	५३.००	५३.००
	1 X 3/4 गोटा		५३.००	५३.००	५३.००
	1-1/4 X 1/2 गोटा		९९.००	९९.००	९९.००
	1-1/4 X 3/4 गोटा		९९.००	९९.००	९९.००
	1-1/4 X 1 गोटा		९९.००	९९.००	९९.००
	1-1/2 X 1/2 गोटा		९५.००	९५.००	९५.००
	1-1/2 X 3/4 गोटा		९५.००	९५.००	९५.००
	1-1/2 X 1 गोटा		९५.००	९५.००	९५.००
	1-1/2 X 1-1/4 गोटा		९५.००	९५.००	९५.००
	2 X 1/2 गोटा		१७५.००	१७५.००	१७५.००
	2 X 3/4 गोटा		१७५.००	१७५.००	१७५.००
	2 X 1 गोटा		१७५.००	१७५.००	१७५.००
	2 X 1-1/4 गोटा		१७५.००	१७५.००	१७५.००

पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क. माहिरको दररेट		
			आ.व.०८०८८९	आ.व.०८११८२	आ.व.०८२०८३
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2 X 1-1/2	मीटर	१७४.००	१७४.००	१७४.००
	2-1/2 X 1-1/4	मीटर	२४७.००	२४७.००	२४७.००
	2-1/2 X 1-1/2	मीटर	२४७.००	२४७.००	२४७.००
	2-1/2 X 2	मीटर	२४७.००	२४७.००	२४७.००
	3 X 1-1/2	मीटर	३६६.००	३६६.००	३६६.००
	3 X 2	मीटर	३६६.००	३६६.००	३६६.००
	3 X 2-1/2	मीटर	३६६.००	३६६.००	३६६.००
	4 X 2	मीटर	७२०.००	७२०.००	७२०.००
	4 X 3	मीटर	७२०.००	७२०.००	७२०.००
	6 X 2	मीटर	२२८४.००	२२८४.००	२२८४.००
	6 X 3	मीटर	२२८४.००	२२८४.००	२२८४.००
	6 X 4	मीटर	२२८४.००	२२८४.००	२२८४.००
	PVC Cap - Soc				
	1/2"	मीटर	२४.००	२४.००	२४.००
	3/4"	मीटर	२९.००	२९.००	२९.००
	1"	मीटर	४४.००	४४.००	४४.००
	1-1/4"	मीटर	६३.००	६३.००	६३.००
	1-1/2"	मीटर	७०.००	७०.००	७०.००
	2"	मीटर	८४.००	८४.००	८४.००
	2-1/2"	मीटर	२३०.००	२३०.००	२३०.००
	3"	मीटर	२९६.००	२९६.००	२९६.००
	4"	मीटर	६७४.००	६७४.००	६७४.००
	6"	मीटर	२६२२.००	२६२२.००	२६२२.००
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	मीटर	२७०.००	२७०.००	२७०.००
	3/4"	मीटर	३१०.००	३१०.००	३१०.००
	1"	मीटर	३९७.००	३९७.००	३९७.००
	1-1/4"	मीटर	१०२३.००	१०२३.००	१०२३.००
	1-1/2"	मीटर	१०४१.००	१०४१.००	१०४१.००
	2"	मीटर	१४१३.००	१४१३.००	१४१३.००
	2-1/2"	मीटर	१९८३.००	१९८३.००	१९८३.००
	3"	मीटर	३९६८.००	३९६८.००	३९६८.००
	4"	मीटर	४३८६.००	४३८६.००	४३८६.००
	PVC Male Adaptor - Soc x MBSP				
	1/2"	मीटर	४९.००	४९.००	४९.००
	3/4"	मीटर	४७.००	४७.००	४७.००
	1"	मीटर	७४.००	७४.००	७४.००
	1-1/4"	मीटर	९२.००	९२.००	९२.००
	1-1/2"	मीटर	१२९.००	१२९.००	१२९.००
	2"	मीटर	१६६.००	१६६.००	१६६.००

पि.मि.सि. पाईप तथा फिटिङहरू

श्र.नं.	सामग्रीहरूको विवरण	एकाई	मु.न.क. बाहिरीको दररेट		
			मा.न. ०८०/८१	मा.न. ०८१/८२	मा.न. ०८२/८३
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2"	मीटर	४८१.००	४८१.००	४८१.००
	3"	मीटर	६१०.००	६१०.००	६१०.००
	4"	मीटर	१०७६.००	१०७६.००	१०७६.००
	6"	मीटर	२४७६.००	२४७६.००	२४७६.००
	PVC Brass Male Adapter - Soc x Mipt SCH 80				
	1/2"	मीटर	२७१.००	२७१.००	२७१.००
	3/4"	मीटर	३७३.००	३७३.००	३७३.००
	1"	मीटर	४६१.००	४६१.००	४६१.००
	PVC Female Adaptor - Soc x FBSP				
	1/2"	मीटर	६२.००	६२.००	६२.००
	3/4"	मीटर	६३.००	६३.००	६३.००
	1"	मीटर	६८.००	६८.००	६८.००
	1-1/4"	मीटर	१७८.००	१७८.००	१७८.००
	1-1/2"	मीटर	२६१.००	२६१.००	२६१.००
	2"	मीटर	२४३.००	२४३.००	२४३.००
	PVC Brass Female Adapter - Soc x Fipt SCH 80				
	1/2"	मीटर	२३४.००	२३४.००	२३४.००
	3/4"	मीटर	३३९.००	३३९.००	३३९.००
	1"	मीटर	४२४.००	४२४.००	४२४.००
	PVC Ball Valve - Soc				
	1/2"	मीटर	१२२.००	१२२.००	१२२.००
	3/4"	मीटर	११००.००	११००.००	११००.००
	1"	मीटर	१४३९.००	१४३९.००	१४३९.००
	1-1/4"	मीटर	२०८४.००	२०८४.००	२०८४.००
	1-1/2"	मीटर	३१७८.००	३१७८.००	३१७८.००
	2"	मीटर	४०१९.००	४०१९.००	४०१९.००
	2-1/2"	मीटर	६६३९.००	६६३९.००	६६३९.००
	3"	मीटर	१०४१८.००	१०४१८.००	१०४१८.००
	4"	मीटर	१०२९८.००	१०२९८.००	१०२९८.००
	6"	मीटर	३०३९९.००	३०३९९.००	३०३९९.००
	PVC Adhesive Solution (Med. Bonded 705)				
	116ML	मीटर	३२१.००	३२१.००	३२१.००
	237ML	मीटर	४६०.००	४६०.००	४६०.००
	473ML	मीटर	८३४.००	८३४.००	८३४.००
	945ML	मीटर	१३७३.००	१३७३.००	१३७३.००
	PVC Adhesive Solution (Heavy Bonded 717)				
	116ML	मीटर	४१६.००	४१६.००	४१६.००
	237ML	मीटर	६८१.००	६८१.००	६८१.००
	473ML	मीटर	११९४.००	११९४.००	११९४.००
	945ML	मीटर	२०६३.००	२०६३.००	२०६३.००

पि.भि.सि.ओ. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.भ.स. मातेको दररेट		
			मा.भ.०८०/८१	मा.भ.०८१/८२	मा.भ.०८२/८३
1	Class 500 PVC-O pipes-PN 12.5				
	90 mm	र.मि	७३०.००	७३०.००	५८३.००
	110 mm	र.मि	१०२०.००	१०५०.००	८३५.००
	125 mm	र.मि	१४२०.००	१४२०.००	११२०.००
	140 mm	र.मि	१७२०.००	१७२०.००	१४६२.००
	160 mm	र.मि	२२००.००	२२००.००	२०९०.००
	200 mm	र.मि	३४००.००	३४००.००	३३२२.००
	225 mm	र.मि	४४००.००	४४००.००	४१८०.००
	250 mm	र.मि	५२००.००	५२००.००	४९४०.००
	315 mm	र.मि	८५००.००	८५००.००	८०७५.००
	355 mm	र.मि	९०८००.००	१०८००.००	१०२६०.००
	400 mm	र.मि	१३७९०.००	१३७९०.००	१३०८९.००
	450 mm	र.मि	१९०००.००	१९०००.००	१९०००.००
	500 mm	र.मि	२२७००.००	२२७००.००	२२७००.००
	630 mm	र.मि	३६०००.००	३६०००.००	३६०००.००
	800 mm	र.मि	४८०००.००	४८०००.००	४८०००.००
	1000 mm	र.मि	९९००००.००	९९००००.००	९९००००.००
	1200 mm	र.मि	१४००००.००	१४००००.००	१४००००.००
2.	Class 500 PVC-O pipes-PN 16				
	90 mm	र.मि	८४४.४०	८४४.४०	७३८.००
	110 mm	र.मि	१२६०.००	१२६०.००	११९७.००
	125 mm	र.मि	१४४०.००	१४४०.००	१२७२.००
	140 mm	र.मि	१९४०.००	१९४०.००	१८४२.००
	160 mm	र.मि	२६००.००	२६००.००	२४७०.००
	180 mm	र.मि		२९००.००	२८४०.००
	200 mm	र.मि	४०००.००	४०००.००	३८००.००
	225 mm	र.मि	४९५०.००	४९५०.००	४८०५.००
	250 mm	र.मि	६३००.००	६३००.००	६१८५.००
	315 mm	र.मि	९६००.००	९६००.००	८८००.००
	355 mm	र.मि	१२०००.००	१२०००.००	१२०५३.००
	400 mm	र.मि	१५९४७.००	१५९४७.००	१३०८९.००
	450 mm	र.मि	२०९३९.००	२०९३९.००	२०९३९.००
	500 mm	र.मि	२४४९९.००	२४४९९.००	२४४९९.००
	630 mm	र.मि	३८४९२.००	३८४९२.००	३८४९२.००
	800 mm	र.मि	४९३८२.००	४९३८२.००	४९३८२.००
	1000 mm	र.मि	९६०००.००	९६०००.००	९६०००.००
	1200 mm	र.मि	१४००००.००	१४००००.००	१४००००.००
3.	Class 500 PVC-O pipes-PN 25				
	90 mm	र.मि	१३००.००	१३००.००	१३००.००
	110 mm	र.मि	२४००.००	२४००.००	२४००.००
	125 mm	र.मि	२३००.००	२३००.००	२३००.००
	140 mm	र.मि	३१००.००	३१००.००	३१००.००
	160 mm	र.मि	३८००.००	३८००.००	३८००.००
	200 mm	र.मि	४३९३.००	४३९३.००	४३९३.००

पि.भि.सि.ओ. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु. व. क. बाहेकको दररेट		
			आ. व. ०८०/८१	आ. व. ०८१/८२	आ. व. ०८२/८३
	225 mm	र.मि	६४६३.००	६४६३.००	६४६३.००
	250 mm	र.मि	७६८८.००	७६८८.००	७६८८.००
	315 mm	र.मि	१०८९४.०४	१०८९४.०४	१०८९४.०४
	355 mm	र.मि	१४०४०.००	१४०४०.००	१४०४०.००
	400 mm	र.मि	१९४२०.१३	१९४२०.१३	१९४२०.१३
	450 mm	र.मि	२४७०४.५०	२४७०४.५०	२४७०४.५०
	500 mm	र.मि	३१२४४.६८	३१२४४.६८	३१२४४.६८
	630 mm	र.मि	४८९७९.१४	४८९७९.१४	४८९७९.१४
	PVC-O Fittings				
	Elbow 11.25° (PN 16)				
	110	मीटर	६९६९.००	६९६९.००	६९६९.००
	160	मीटर	१४९९६.८४	१४९९६.८४	१४९९६.८४
	200	मीटर	२७४४४.२८	२७४४४.२८	२७४४४.२८
	250	मीटर	४१९४३.१६	४१९४३.१६	४१९४३.१६
	315	मीटर	७९६२४.००	७९६२४.००	७९६२४.००
	400	मीटर	१४७९८४.००	१४७९८४.००	१४७९८४.००
	Elbow 22.5° (PN 16)				
	110	मीटर	७२४८.००	७२४८.००	७२४८.००
	160	मीटर	१४८३०.३४	१४८३०.३४	१४८३०.३४
	200	मीटर	२८६४७.०९	२८६४७.०९	२८६४७.०९
	250	मीटर	४३६२०.८९	४३६२०.८९	४३६२०.८९
	315	मीटर	८२८७९.००	८२८७९.००	८२८७९.००
	400	मीटर	१४३०७३.००	१४३०७३.००	१४३०७३.००
	Elbow 45° (PN 16)				
	110	मीटर	८०१८.००	८०१८.००	८०१८.००
	160	मीटर	१७६८१.९८	१७६८१.९८	१७६८१.९८
	200	मीटर	३१२०३.७३	३१२०३.७३	३१२०३.७३
	250	मीटर	४९६७०.६०	४९६७०.६०	४९६७०.६०
	315	मीटर	९०७९९.००	९०७९९.००	९०७९९.००
	400	मीटर	१७४९८४.००	१७४९८४.००	१७४९८४.००
	Elbow 90° (PN 16)				
	110	मीटर	११२७८.४६	११२७८.४६	११२७८.४६
	160	मीटर	२२४९७.४८	२२४९७.४८	२२४९७.४८
	200	मीटर	४०६३८.६९	४०६३८.६९	४०६३८.६९
	250	मीटर	६७०३८.००	६७०३८.००	६७०३८.००
	315	मीटर	१०३४०३.००	१०३४०३.००	१०३४०३.००
	400	मीटर	२०७२८१.००	२०७२८१.००	२०७२८१.००
	COUPLER (PN 16)				
	110	मीटर	६९४४.००	६९४४.००	६९४४.००
	160	मीटर	१२२८३.०९	१२२८३.०९	१२२८३.०९
	200	मीटर	१७७४४.२०	१७७४४.२०	१७७४४.२०
	250	मीटर	२३२३०.२३	२३२३०.२३	२३२३०.२३
	315	मीटर	६२६८३.००	६२६८३.००	६२६८३.००
	400	मीटर	१३६९२७.००	१३६९२७.००	१३६९२७.००

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०५०५५१	आ.व.०५११८२	आ.व.०५२३८३
	SLIDING COUPLER (PN 16)				
	110	मीटर	६९५४.००	६९५४.००	५९३५.००
	160	मीटर	१२२८३.०९	१२२८३.०९	८९९३.००
	200	मीटर	१७७२४.२७	१७७२४.२७	१२८९१.००
	250	मीटर	२३२३०.२७	२३२३०.२७	१९०११.००
	315	मीटर	३९३८३.००	३९३८३.००	३९३८३.००
	400	मीटर	१३५९२३.००	१३५९२३.००	६८९२३.००
	REDUCING COUPLER (PN 16)				
	110 to 90	मीटर	८६८८.००	८६८८.००	५४९९.००
	160 to 110	मीटर	१४१२६.२३	१४१२६.२३	९९९७.००
	200 to 160	मीटर	१४१६६.४८	१४१६६.४८	१३९५८.००
	250 to 200	मीटर	२४४३६.१३	२४४३६.१३	२०२९१.००
	315 to 250	मीटर	४४०२६.००	४४०२६.००	३४६२७.००
	400 to 315	मीटर	१११९१८.००	१११९१८.००	६९९४१.००





पुनर्स जिल्ला समितिको

CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. बाहिरीको दररेट		
			मा.व. ०८०८८१	मा.व. ०८०९०२	मा.व. ०८०९०३
	Chrome plated Accessories				
१	C.P. Toilet Paper Holder	गोटा	१२१.००	१२१.००	१२१.००
२	C.P. Soap Dish (Polyurethane)	गोटा	१०४२.००	१०४२.००	१०४२.००
३	Towel rod १/२" x १८" size	गोटा	२१०.००	२१०.००	२१०.००
४	C.P. Towel Rod १८"	गोटा	१४०८.००	१४०८.००	१४०८.००
५	C.P. Towel Rod २४"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf २२"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	३२ mm=६०cm long C.P. flush pipe	गोटा	४१०.००	४१०.००	४१०.००
१०	१५ mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	१५ mm dia. C.P. shower arm	गोटा	१०५.००	१०५.००	१०५.००
१२	१५ mm dia. C.P. spreader	गोटा	१४०.००	१४०.००	१४०.००
१३	१५ mm dia. C.P. wall mixture	गोटा	४४३५.००	४४३५.००	४४३५.००
१४	३" dia. Shower rose, revolving type	गोटा	१०५.००	१०५.००	१०५.००
१५	४" dia. Shower rose, revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	४६३.००	४६३.००	४६३.००
१७	Shower rod १२" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. १५ mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. १५ mm dia. Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P. १५mm Bib Cock	गोटा	१३६९.००	१३६९.००	१३६९.००
२१	C.P. १५ mm dia. swan neck Pillar Cock	गोटा	१३३९.००	१३३९.००	१३३९.००
२२	C.P. १५ mm dia Stop Cock	गोटा	१३३९.००	१३३९.००	१३३९.००
२३	C.P. १५ mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. १५ mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. ३२ mm dia Flush Valve	गोटा	४४०४.००	४४०४.००	४४०४.००
२६	C.P. ३२ mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. ३२ mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	गोटा	४६४०.००	४६४०.००	४६४०.००
२९	१५ mm dia Bath Tub Spout with Wall Hinge	गोटा	१०३१.००	१०३१.००	१०३१.००
३०	C.P. Exclusive Shower Arm with Hinge	गोटा	२०१४.००	२०१४.००	२०१४.००
३१	१५ mm bath tub with bottom attachment of telephonic shower	गोटा	४१६९.००	४१६९.००	४१६९.००
३२	१५ mm wall mixture lever type telephonic shower of flexible type heavy	गोटा	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - ४" dia.	गोटा	४०.००	४०.००	४०.००
३५	C.P. Grating - ६" dia.	गोटा	६२.००	६२.००	६२.००
३६	Self Cleaning Rainfall Showers ९"	गोटा	२९९०.००	२९९०.००	२९९०.००
३७	C.P. Angle Cock				
	15mm C.P. Angle Cock	गोटा	१२७.००	१२७.००	१२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	१८६.००	१८६.००	१८६.००
३८	C.P. Conceal Stop Cock				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	१४२.००	१४२.००	१४२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०४४.००	१०४४.००	१०४४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२४२३.००	२४२३.००	२४२३.००

CP Accessories

वि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. मातेको दररेट		
			मा. व. ०८०८६१	मा. व. ०८११८२	मा. व. ०८२८८३
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४४६.००	३४४६.००	३४४६.००
	C.P. Bottle Trap 22mm	गोटा	१८४२.००	१८४२.००	१८४२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२४९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६६.००	४४६६.००	४४६६.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६६.००	४४६६.००	४४६६.००
३९	C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९१.००	३८९१.००	३८९१.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२१.००	२०२१.००	२०२१.००
	15 mm CP Casted Shower Arm Light	गोटा	६०३.००	६०३.००	६०३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand Shower With 1.50 m. PVC Tube	गोटा	१७९१.००	१७९१.००	१७९१.००
	15 mm Telephonic Hand Shower With 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
४०	Deep Scrub Sink	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१४१४.००	१४१४.००	१४१४.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१४१८.००	१४१८.००	१४१८.००
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	४९४६.००	४९४६.००	४९४६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	४७७६.००	४७७६.००	४७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२१.००	१६२२१.००	१६२२१.००
	Sensor valve for Urinal	गोटा	१०६४१.००	१०६४१.००	१०६४१.००
	Basin cock- Sensor	गोटा	१४४१८.००	१४४१८.००	१४४१८.००
	15mm U shaped sink cock	गोटा	१७१२.००	१७१२.००	१७१२.००
	Sink Mixture with U shape swinging spout	गोटा	३३४८.००	३३४८.००	३३४८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२१७१.००	२१७१.००	२१७१.००
४१	European Pattern C.P. Grab Bar for disable				
	a) 30cm long bend type	गोटा	४३६०.००	४३६०.००	४३६०.००
	b) 45 cm long bend type	गोटा	४६१३.००	४६१३.००	४६१३.००
	c) 60 cm long bend type	गोटा	७१८८.००	७१८८.००	७१८८.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	म.व.क बाहेकको दररेट		
			आ.व. ०८०८८१	आ.व. ०८११८२	आ.व. ०८२३८३
	CPVC Pipe SDR 13.5 (22.5 Kg/cm ²)-ASTM F-493 2846				
	1/2" dia	र.मि	१२२.००	१२२.००	१२२.००
	3/4" dia	र.मि	१७०.००	१७०.००	१७०.००
	1" dia	र.मि	२२३.००	२२३.००	२२३.००
	1-1/4" dia	र.मि	२७८.००	२७८.००	२७८.००
	1-1/2" dia	र.मि	३५०.००	३५०.००	३५०.००
	2" dia	र.मि	४९३.००	४९३.००	४९३.००
	CPVC Pipe SDR 11 (28.1 Kg/cm ²)-ASTM F-493 2846				
	1/2" dia	र.मि	१३९.००	१३९.००	१३९.००
	3/4" dia	र.मि	१८९.००	१८९.००	१८९.००
	1" dia	र.मि	२५४.००	२५४.००	२५४.००
	1-1/4" dia	र.मि	३१९.००	३१९.००	३१९.००
	1-1/2" dia	र.मि	४०५.००	४०५.००	४०५.००
	2" dia	र.मि	५२९.००	५२९.००	५२९.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	र.मि	२३५.००	२३५.००	२३५.००
	3/4"	र.मि	३६३.००	३६३.००	३६३.००
	1"	र.मि	४९७.००	४९७.००	४९७.००
	1-1/4"	र.मि	१०५९.००	१०५९.००	१०५९.००
	1-1/2"	र.मि	१०५९.००	१०५९.००	१०५९.००
	2"	र.मि	२२२७.००	२२२७.००	२२२७.००
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	गोटा	९४७.००	९४७.००	९४७.००
	1" X 1/2"	गोटा	१९२.००	१९२.००	१९२.००
	CPVC Tee				
	1/2"	गोटा	३८.००	३८.००	३८.००
	3/4"	गोटा	६२.००	६२.००	६२.००
	1"	गोटा	१२४.००	१२४.००	१२४.००
	1-1/4"	गोटा	२३४.००	२३४.००	२३४.००
	1-1/2"	गोटा	३४९.००	३४९.००	३४९.००
	2"	गोटा	७३२.००	७३२.००	७३२.००
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	गोटा	७४.००	७४.००	७४.००
	3/4" x 3/4" x 1/2"	गोटा	११४.००	११४.००	११४.००
	3/4" x 1/2" x 3/4"	गोटा	१४२.००	१४२.००	१४२.००
	3/4" x 1/2" x 1/2"	गोटा	१६३.००	१६३.००	१६३.००
	1" x 1" x 3/4"	गोटा	२७९.००	२७९.००	२७९.००
	1-1/2" x 1-1/2" x 1"	गोटा	२९७.००	२९७.००	२९७.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क बाहेकको दररेट		
			आ.व. ०८०१८१	आ.व. ०८११८२	आ.व. ०८२१८३
	2" x 2" x 1"	गोटा	४६४.००	४६४.००	४६४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१२१.००	१२१.००	१२१.००
	1-1/4" x 1-1/4" x 1"	गोटा	१६३.००	१६३.००	१६३.००
	2" x 2" x 1/2"	गोटा	४२६.००	४२६.००	४२६.००
	1" x 1" x 1/2"	गोटा	१०६.००	१०६.००	१०६.००
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	गोटा	१२७.००	१२७.००	१२७.००
	3/4" x 3/4" x 1/2"	गोटा	१३३.००	१३३.००	१३३.००
	1" x 1" x 1/2"	गोटा	१४८.००	१४८.००	१४८.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	४३४.००	४३४.००	४३४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२९०.००	२९०.००	२९०.००
	CPVC Elbow 90°				
	1/2"	गोटा	१८.००	१८.००	१८.००
	3/4"	गोटा	३३.००	३३.००	३३.००
	1"	गोटा	६१.००	६१.००	६१.००
	1-1/4"	गोटा	१२४.००	१२४.००	१२४.००
	1-1/2"	गोटा	१८०.००	१८०.००	१८०.००
	2"	गोटा	३९६.००	३९६.००	३९६.००
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	गोटा	४६.००	४६.००	४६.००
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	गोटा	२३९.००	२३९.००	२३९.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२८७.००	२८७.००	२८७.००
	1" X 1/2"	गोटा	४२४.००	४२४.००	४२४.००
	1" X 1"	गोटा	४०२.००	४०२.००	४०२.००
	1-1/4" x 1-1/4"	गोटा	९१९.००	९१९.००	९१९.००
	CPVC Elbow 45°				
	1/2"	गोटा	३१.००	३१.००	३१.००
	3/4"	गोटा	४७.००	४७.००	४७.००
	1"	गोटा	८२.००	८२.००	८२.००
	1-1/4"	गोटा	१४४.००	१४४.००	१४४.००
	1-1/2"	गोटा	२१०.००	२१०.००	२१०.००
	2"	गोटा	४३४.००	४३४.००	४३४.००
	CPVC Male Adapter (CPVC Threads)				
	1/2"	गोटा	२३.००	२३.००	२३.००
	3/4"	गोटा	४९.००	४९.००	४९.००
	1"	गोटा	६२.००	६२.००	६२.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. माहिरको दररेट		
			आ.स. ०८०१८१	आ.स. ०८११८२	आ.स. ०८२१८३
	1-1/4" गोटा		११३.००	११३.००	११३.००
	1-1/2" गोटा		१४८.००	१४८.००	१४८.००
	2" गोटा		३०९.००	३०९.००	३०९.००
	CPVC Reducing Male Adapter (CPVC Threads)				
	3/4" x 1/2" गोटा		४३.००	४३.००	४३.००
	CPVC Male Adapters (Brass Threads)				
	1/2" गोटा		२१९.००	२१९.००	२१९.००
	3/4" गोटा		२८४.००	२८४.००	२८४.००
	1" गोटा		४४८.००	४४८.००	४४८.००
	1-1/4" गोटा		९८३.००	९८३.००	९८३.००
	1-1/2" गोटा		११४१.००	११४१.००	११४१.००
	2" गोटा		२३५१.००	२३५१.००	२३५१.००
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2" गोटा		२४४.००	२४४.००	२४४.००
	CPVC Female Adapter (CPVC Threads)				
	1/2" गोटा		३३.००	३३.००	३३.००
	3/4" गोटा		५४.००	५४.००	५४.००
	1" गोटा		८२.००	८२.००	८२.००
	CPVC Female Adapters Brass Threads				
	1/2" गोटा		२१९.००	२१९.००	२१९.००
	3/4" गोटा		२८५.००	२८५.००	२८५.००
	1" गोटा		५७९.००	५७९.००	५७९.००
	1-1/4" गोटा		९३७.००	९३७.००	९३७.००
	1-1/2" गोटा		१०८७.००	१०८७.००	१०८७.००
	2" गोटा		२०९३.००	२०९३.००	२०९३.००
	CPVC Caps:				
	1/2" गोटा		१३.००	१३.००	१३.००
	3/4" गोटा		२६.००	२६.००	२६.००
	1" गोटा		४९.००	४९.००	४९.००
	1-1/4" गोटा		७५.००	७५.००	७५.००
	1-1/2" गोटा		११३.००	११३.००	११३.००
	2" गोटा		२३९.००	२३९.००	२३९.००
	CPVC Union				
	1/2" गोटा		२८७.००	२८७.००	२८७.००
	3/4" गोटा		४२४.००	४२४.००	४२४.००
	1" गोटा		५०२.००	५०२.००	५०२.००
	1-1/4" गोटा		९१९.००	९१९.००	९१९.००
	1-1/2" गोटा		१००४.००	१००४.००	१००४.००

सि.पि.भि.सि. पाईप तथा फिटिङहरू


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. माहेको दररेट		
			आ.व. ०८०/८१	आ.व. ०८१/८२	आ.व. ०८२/८३
	2" गोटा		१४४१.००	१४१९.००	१४१९.००
	CPVC Cross Tee				
	1/2" गोटा		४२.००	४२.००	४२.००
	3/4" गोटा		११३.००	११३.००	११३.००
	CPVC Step Over Bend	गोटा			
	1/2" गोटा		६७.००	६७.००	६७.००
	3/4" गोटा		११०.००	११०.००	११०.००
	CPVC Ball Valve (CTS Sockets)				
	1/2" गोटा		७०४.००	७०४.००	७०४.००
	3/4" गोटा		८४८.००	८४८.००	८४८.००
	1" गोटा		९८१.००	९८१.००	९८१.००
	1-1/4" गोटा		२००३.००	१९७३.००	१९७३.००
	1-1/2" गोटा		२४४९.००	२४१०.००	२४१०.००
	2" गोटा		३२७८.००	३२२८.००	३२२८.००
	CPVC Solvent Cement				
	50ML गोटा		२१२.००	२१२.००	२१२.००
	118ML गोटा		३४०.००	३४०.००	३४०.००
	237ML गोटा		५६८.००	५६८.००	५६८.००
	473ML गोटा		८९३.००	८९३.००	८९३.००
	946ML गोटा		१४३८.००	१४४४.००	१४४४.००
	Plastic Strap				
	1/2" गोटा		४.००	४.००	४.००
	3/4" गोटा		४.००	४.००	४.००
	1" गोटा		८.००	८.००	८.००
	1-1/4" गोटा		११.००	११.००	११.००
	1-1/2" गोटा		१४.००	१४.००	१४.००
	2" गोटा		१९.००	१९.००	१९.००
	Metal Strap				
	1/2" गोटा		१३.००	१३.००	१३.००
	3/4" गोटा		१७.००	१७.००	१७.००
	1" गोटा		२२.००	२२.००	२२.००
	1-1/4" गोटा		२६.००	२६.००	२६.००
	1-1/2" गोटा		२८.००	२८.००	२८.००
	2" गोटा		३०.००	३०.००	३०.००
	Tee Holder				
	1/2" X 1/2" X 1/2" गोटा		४.००	४.००	४.००
	3/4" X 3/4" X 1/2" गोटा		८.००	८.००	८.००
	Elbow Holder				

सि.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			मा.व. ०८०१८१	मा.व. ०८११८२	मा.व. ०८२१८३
	1/2" X 1/2"	गोटा	१.००	१.००	१.००
	1/2" X 3/4"	गोटा	३.००	३.००	३.००
	Snap Fix Repair Coupling				
	1/2"	गोटा	२४४.००	२४४.००	२४४.००
	3/4"	गोटा	२६४.००	२६४.००	२६४.००
	End plug threaded 1/2"	गोटा	११.००	११.००	११.००






पुनः जिल्ला अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.न.क साहेकको दररेट		
			आ.न. ०८०८८१	आ.न. ०८०९०२	आ.न. ०८०९०३
1. GRP PIPES AS PER IS:12709:1994					
A)	PN-3, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	४३९३.००	४३९३.००	४३९३.००
	350 mm dia	मिटर	६१२४.००	६१२४.००	६१२४.००
	400 mm dia	मिटर	८२६१.००	८२६१.००	८२६१.००
	450 mm dia	मिटर	९७९३.००	९७९३.००	९७९३.००
	500 mm dia	मिटर	११९११.००	११९११.००	११९११.००
	600 mm dia	मिटर	१४००७०.००	१४००७०.००	१४००७०.००
	700 mm dia	मिटर	२०४८२.००	२०४८२.००	२०४८२.००
	800 mm dia	मिटर	२६३०५.००	२६३०५.००	२६३०५.००
	900 mm dia	मिटर	३८४६५.००	३८४६५.००	३८४६५.००
	1000 mm dia	मिटर	४४३४३.००	४४३४३.००	४४३४३.००
	1100 mm dia	मिटर	४६४४०.००	४६४४०.००	४६४४०.००
	1200 mm dia	मिटर	४८०१९.००	४८०१९.००	४८०१९.००
	1300 mm dia	मिटर	६६३०७.००	६६३०७.००	६६३०७.००
	1400 mm dia	मिटर	७१३२४.००	७१३२४.००	७१३२४.००
	1500 mm dia	मिटर	८१०६३.००	८१०६३.००	८१०६३.००
	1600 mm dia	मिटर	८७९६५.००	८७९६५.००	८७९६५.००
	1700 mm dia	मिटर	९९१७२.००	९९१७२.००	९९१७२.००
	1800 mm dia	मिटर	१०९१९२.००	१०९१९२.००	१०९१९२.००
	1900 mm dia	मिटर	१२०२८९.००	१२०२८९.००	१२०२८९.००
	2000 mm dia	मिटर	१३१३८६.००	१३१३८६.००	१३१३८६.००
	2100 mm dia	मिटर	१४६५४२.००	१४६५४२.००	१४६५४२.००
	2200 mm dia	मिटर	१६१६९४.००	१६१६९४.००	१६१६९४.००
	2300 mm dia	मिटर	१७६९१६.००	१७६९१६.००	१७६९१६.००
	2400 mm dia	मिटर	१९२१३७.००	१९२१३७.००	१९२१३७.००
B)	PN-5, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	४७१७.००	४७१७.००	४७१७.००
	350 mm dia	मिटर	६४८४.००	६४८४.००	६४८४.००
	400 mm dia	मिटर	८८८४.००	८८८४.००	८८८४.००
	450 mm dia	मिटर	१०४३०.००	१०४३०.००	१०४३०.००
	500 mm dia	मिटर	१२८०७.००	१२८०७.००	१२८०७.००
	600 mm dia	मिटर	१४१३७.००	१४१३७.००	१४१३७.००
	700 mm dia	मिटर	२२०२४.००	२२०२४.००	२२०२४.००
	800 mm dia	मिटर	२८७१४.००	२८७१४.००	२८७१४.००
	900 mm dia	मिटर	३०६०९.००	३०६०९.००	३०६०९.००
	1000 mm dia	मिटर	३६२२९.००	३६२२९.००	३६२२९.००
	1100 mm dia	मिटर	४९९३४.००	४९९३४.००	४९९३४.००
	1200 mm dia	मिटर	५८०८४.००	५८०८४.००	५८०८४.००
	1300 mm dia	मिटर	७१२९७.००	७१२९७.००	७१२९७.००
	1400 mm dia	मिटर	७६९९२.००	७६९९२.००	७६९९२.००
	1500 mm dia	मिटर	८७९६४.००	८७९६४.००	८७९६४.००
	1600 mm dia	मिटर	९४५८६.००	९४५८६.००	९४५८६.००
	1700 mm dia	मिटर	१०४६०९.००	१०४६०९.००	१०४६०९.००

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क बाहेकको दररेट		
			आ. व. ०८/०८/०९	आ. व. ०८/०९/१०	आ. व. ०८/१०/११
1. GRP PIPES AS PER IS:12709:1994					
	1800 mm dia	मिटर	११७४१०.००	११७४१०.००	११७४१०.००
	1900 mm dia	मिटर	१२२३४४.००	१२२३४४.००	१२२३४४.००
	2000 mm dia	मिटर	१२७२७७.००	१२७२७७.००	१२७२७७.००
	2100 mm dia	मिटर	१३२२१०.००	१३२२१०.००	१३२२१०.००
	2200 mm dia	मिटर	१३७१४३.००	१३७१४३.००	१३७१४३.००
	2300 mm dia	मिटर	१४२०७६.००	१४२०७६.००	१४२०७६.००
	2400 mm dia	मिटर	२०६४९९.००	२०६४९९.००	२०६४९९.००
	PN-9, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	६१७५.००	६१७५.००	६१७५.००
	350 mm dia	मिटर	७११२.००	७११२.००	७११२.००
	400 mm dia	मिटर	९४९४.००	९४९४.००	९४९४.००
	450 mm dia	मिटर	११२६४.००	११२६४.००	११२६४.००
	500 mm dia	मिटर	१३६३२.००	१३६३२.००	१३६३२.००
	600 mm dia	मिटर	१६३४७.००	१६३४७.००	१६३४७.००
	700 mm dia	मिटर	२३७८६.००	२३७८६.००	२३७८६.००
	800 mm dia	मिटर	३००१२.००	३००१२.००	३००१२.००
	900 mm dia	मिटर	३३०४७.००	३३०४७.००	३३०४७.००
	1000 mm dia	मिटर	३९६८२.००	३९६८२.००	३९६८२.००
	1100 mm dia	मिटर	४३३९१.००	४३३९१.००	४३३९१.००
	1200 mm dia	मिटर	४२७३२.००	४२७३२.००	४२७३२.००
	1300 mm dia	मिटर	७७००१.००	७७००१.००	७७००१.००
	1400 mm dia	मिटर	८२८२६.००	८२८२६.००	८२८२६.००
	1500 mm dia	मिटर	९४१३७.००	९४१३७.००	९४१३७.००
	1600 mm dia	मिटर	१०२१४३.००	१०२१४३.००	१०२१४३.००
	1700 mm dia	मिटर	११४०४९.००	११४०४९.००	११४०४९.००
	1800 mm dia	मिटर	१२६८०३.००	१२६८०३.००	१२६८०३.००
	1900 mm dia	मिटर	१३९६९१.००	१३९६९१.००	१३९६९१.००
	2000 mm dia	मिटर	१४९४७९.००	१४९४७९.००	१४९४७९.००
	2100 mm dia	मिटर	१७०१७७.००	१७०१७७.००	१७०१७७.००
	2200 mm dia	मिटर	१८७७७४.००	१८७७७४.००	१८७७७४.००
	2300 mm dia	मिटर	२०४४४१.००	२०४४४१.००	२०४४४१.००
	2400 mm dia	मिटर	२२३१२८.००	२२३१२८.००	२२३१२८.००
D)	PN-12, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	६७३०.००	६७३०.००	६७३०.००
	350 mm dia	मिटर	७७४३.००	७७४३.००	७७४३.००
	400 mm dia	मिटर	१०४४८.००	१०४४८.००	१०४४८.००
	450 mm dia	मिटर	१२२७८.००	१२२७८.००	१२२७८.००
	500 mm dia	मिटर	१४०७९.००	१४०७९.००	१४०७९.००
	600 mm dia	मिटर	१७८१९.००	१७८१९.००	१७८१९.००
	700 mm dia	मिटर	२४९२७.००	२४९२७.००	२४९२७.००
	800 mm dia	मिटर	३३८०३.००	३३८०३.००	३३८०३.००
	900 mm dia	मिटर	३६०३४.००	३६०३४.००	३६०३४.००

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०८०१८१	आ.व. ०८११८२	आ.व. ०८२१८३
1. GRP PIPES AS PER IS:12709:1994					
	1000 mm dia	मिटर	४६४७३.००	४६४७३.००	४६४७३.००
	1100 mm dia	मिटर	४८२९९.००	४८२९९.००	४८२९९.००
	1200 mm dia	मिटर	५०३७८.००	५०३७८.००	५०३७८.००
	1300 mm dia	मिटर	५३९३२.००	५३९३२.००	५३९३२.००
	1400 mm dia	मिटर	५८२८२.००	५८२८२.००	५८२८२.००
	1500 mm dia	मिटर	५०२५१०.००	५०२५१०.००	५०२५१०.००
	1600 mm dia	मिटर	५१०२६६.००	५१०२६६.००	५१०२६६.००
	1700 mm dia	मिटर	५२४३१४.००	५२४३१४.००	५२४३१४.००
	1800 mm dia	मिटर	५३८२९६.००	५३८२९६.००	५३८२९६.००
	1900 mm dia	मिटर	५४२२६३.००	५४२२६३.००	५४२२६३.००
	2000 mm dia	मिटर	५६३३९२.००	५६३३९२.००	५६३३९२.००
	2100 mm dia	मिटर	५८४४९४.००	५८४४९४.००	५८४४९४.००
	2200 mm dia	मिटर	६०४६५४.००	६०४६५४.००	६०४६५४.००
	2300 mm dia	मिटर	६२३९४२.००	६२३९४२.००	६२३९४२.००
	2400 mm dia	मिटर	६४३२०८.००	६४३२०८.००	६४३२०८.००
E)	PN-15, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	७४०३.००	७४०३.००	७४०३.००
	350 mm dia	मिटर	८४२८.००	८४२८.००	८४२८.००
	400 mm dia	मिटर	११३९४.००	११३९४.००	११३९४.००
	450 mm dia	मिटर	१३३०६.००	१३३०६.००	१३३०६.००
	500 mm dia	मिटर	१५४०४.००	१५४०४.००	१५४०४.००
	600 mm dia	मिटर	१९६०१.००	१९६०१.००	१९६०१.००
	700 mm dia	मिटर	२८४१९.००	२८४१९.००	२८४१९.००
	800 mm dia	मिटर	३७९८४.००	३७९८४.००	३७९८४.००
	900 mm dia	मिटर	३९६३६.००	३९६३६.००	३९६३६.००
	1000 mm dia	मिटर	४७८२०.००	४७८२०.००	४७८२०.००
	1100 mm dia	मिटर	६४०४१.००	६४०४१.००	६४०४१.००
	1200 mm dia	मिटर	७४२९६.००	७४२९६.००	७४२९६.००
	1300 mm dia	मिटर	९२३२४.००	९२३२४.००	९२३२४.००
	1400 mm dia	मिटर	९९३१०.००	९९३१०.००	९९३१०.००
	1500 mm dia	मिटर	१११७७४.००	१११७७४.००	१११७७४.००
	1600 mm dia	मिटर	१२१२९३.००	१२१२९३.००	१२१२९३.००
	1700 mm dia	मिटर	१३६७४४.००	१३६७४४.००	१३६७४४.००
	1800 mm dia	मिटर	१४२०३३.००	१४२०३३.००	१४२०३३.००
	1900 mm dia	मिटर	१६७४९०.००	१६७४९०.००	१६७४९०.००
	2000 mm dia	मिटर	१८२९४३.००	१८२९४३.००	१८२९४३.००
	2100 mm dia	मिटर	२०४०४२.००	२०४०४२.००	२०४०४२.००
	2200 mm dia	मिटर	२२५१४३.००	२२५१४३.००	२२५१४३.००
	2300 mm dia	मिटर	२४६३३३.००	२४६३३३.००	२४६३३३.००
	2400 mm dia	मिटर	२६७४३०.००	२६७४३०.००	२६७४३०.००
F)	PN-3, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	६९२२.००	६९२२.००	६९२२.००

मुनिसिपल अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. ०६/०१/८१	आ.व.०६/०१/८२	आ.व.०६/०१/८३
1. GRP PIPES AS PER IS:12709:1994					
	350 mm dia	मिटर	७९७४.००	७९७४.००	७९७४.००
	400 mm dia	मिटर	१०६४४.००	१०६४४.००	१०६४४.००
	450 mm dia	मिटर	१२६२८.००	१२६२८.००	१२६२८.००
	500 mm dia	मिटर	१४४०८.००	१४४०८.००	१४४०८.००
	600 mm dia	मिटर	१८३२८.००	१८३२८.००	१८३२८.००
	700 mm dia	मिटर	२६६६८.००	२६६६८.००	२६६६८.००
	800 mm dia	मिटर	३४४३०.००	३४४३०.००	३४४३०.००
	900 mm dia	मिटर	३७०६३.००	३७०६३.००	३७०६३.००
	1000 mm dia	मिटर	४४७१४.००	४४७१४.००	४४७१४.००
	1100 mm dia	मिटर	४९८८४.००	४९८८४.००	४९८८४.००
	1200 mm dia	मिटर	७०३३३.००	७०३३३.००	७०३३३.००
	1300 mm dia	मिटर	८६३३३.००	८६३३३.००	८६३३३.००
	1400 mm dia	मिटर	९२८६३.००	९२८६३.००	९२८६३.००
	1500 mm dia	मिटर	१०४४१९.००	१०४४१९.००	१०४४१९.००
	1600 mm dia	मिटर	११३८१८.००	११३८१८.००	११३४१८.००
	1700 mm dia	मिटर	१२७८६८.००	१२७८६८.००	१२७८६८.००
	1800 mm dia	मिटर	१४२१६७.००	१४२१६७.००	१४२१६७.००
	1900 mm dia	मिटर	१४६६१६.००	१४६६१६.००	१४६६१६.००
	2000 mm dia	मिटर	१७१०६७.००	१७१०६७.००	१७१०६७.००
	2100 mm dia	मिटर	१९०७९४.००	१९०७९४.००	१९०७९४.००
	2200 mm dia	मिटर	२१०४२८.००	२१०४२८.००	२१०४२८.००
	2300 mm dia	मिटर	२३०३४४.००	२३०३४४.००	२३०३४४.००
	2400 mm dia	मिटर	२४०१६३.००	२४०१६३.००	२४०१६३.००
G)	PN-6, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	८००४.००	८००४.००	८००४.००
	350 mm dia	मिटर	९२२०.००	९२२०.००	९२२०.००
	400 mm dia	मिटर	१२३१८.००	१२३१८.००	१२३१८.००
	450 mm dia	मिटर	१४६०९.००	१४६०९.००	१४६०९.००
	500 mm dia	मिटर	१७९३०.००	१७९३०.००	१७९३०.००
	600 mm dia	मिटर	२११९२.००	२११९२.००	२११९२.००
	700 mm dia	मिटर	३०८३४.००	३०८३४.००	३०८३४.००
	800 mm dia	मिटर	४०३०१.००	४०३०१.००	४०३०१.००
	900 mm dia	मिटर	४२८४२.००	४२८४२.००	४२८४२.००
	1000 mm dia	मिटर	४९७००.००	४९७००.००	४९७००.००
	1100 mm dia	मिटर	६९२३७.००	६९२३७.००	६९२३७.००
	1200 mm dia	मिटर	८१३१९.००	८१३१९.००	८१३१९.००
	1300 mm dia	मिटर	९९८९७.००	९९८९७.००	९९८९७.००
	1400 mm dia	मिटर	१०६३२७.००	१०६३२७.००	१०६३२७.००
	1500 mm dia	मिटर	१२०८४६.००	१२०८४६.००	१२०८४६.००
	1600 mm dia	मिटर	१३११३४.००	१३११३४.००	१३११३४.००
	1700 mm dia	मिटर	१४७८४१.००	१४७८४१.००	१४७८४१.००
	1800 mm dia	मिटर	१६४३७४.००	१६४३७४.००	१६४३७४.००

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.का बाहेकको दररेट		
			मा.व. ०८०/८१	मा.व ०८१/८२	मा.व.०८२/८३
1. GRP PIPES AS PER IS:12709:1994					
	1900 mm dia	मिटर	१८१०८१.००	१८१०८१.००	१८१०८१.००
	2000 mm dia	मिटर	१९७७८८.००	१९७७८८.००	१९७७८८.००
	2100 mm dia	मिटर	२२०६००.००	२२०६००.००	२२०६००.००
	2200 mm dia	मिटर	२४३४१२.००	२४३४१२.००	२४३४१२.००
	2300 mm dia	मिटर	२६६३२५.००	२६६३२५.००	२६६३२५.००
	2400 mm dia	मिटर	२८९२३९.००	२८९२३९.००	२८९२३९.००
H)	PN-9, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	९३३६.००	९३३६.००	९३३६.००
	350 mm dia	मिटर	१०६३१.००	१०६३१.००	१०६३१.००
	400 mm dia	मिटर	१४३६८.००	१४३६८.००	१४३६८.००
	450 mm dia	मिटर	१७३३२.००	१७३३२.००	१७३३२.००
	500 mm dia	मिटर	२०९१४.००	२०९१४.००	२०९१४.००
	600 mm dia	मिटर	२४७१८.००	२४७१८.००	२४७१८.००
	700 mm dia	मिटर	३४९६४.००	३४९६४.००	३४९६४.००
	800 mm dia	मिटर	४६८९०.००	४६८९०.००	४६८९०.००
	900 mm dia	मिटर	४९९८३.००	४९९८३.००	४९९८३.००
	1000 mm dia	मिटर	५९७२३.००	५९७२३.००	५९७२३.००
	1100 mm dia	मिटर	६०७४९.००	६०७४९.००	६०७४९.००
	1200 mm dia	मिटर	९४८२१.००	९४८२१.००	९४८२१.००
	1300 mm dia	मिटर	११५२९६.००	११५२९६.००	११५२९६.००
	1400 mm dia	मिटर	१२४०१९.००	१२४०१९.००	१२४०१९.००
	1500 mm dia	मिटर	१४०९५४.००	१४०९५४.००	१४०९५४.००
	1600 mm dia	मिटर	१५२९५६.००	१५२९५६.००	१५२९५६.००
	1700 mm dia	मिटर	१७२४४३.००	१७२४४३.००	१७२४४३.००
	1800 mm dia	मिटर	१९१७२६.००	१९१७२६.००	१९१७२६.००
	1900 mm dia	मिटर	२११२१३.००	२११२१३.००	२११२१३.००
	2000 mm dia	मिटर	२३०७००.००	२३०७००.००	२३०७००.००
	2100 mm dia	मिटर	२४७३०८.००	२४७३०८.००	२४७३०८.००
	2200 mm dia	मिटर	२८३९५७.००	२८३९५७.००	२८३९५७.००
	2300 mm dia	मिटर	३१०६४३.००	३१०६४३.००	३१०६४३.००
	2400 mm dia	मिटर	३३७३६९.००	३३७३६९.००	३३७३६९.००
I)	PN-12, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	१०१७६.००	१०१७६.००	१०१७६.००
	350 mm dia	मिटर	११६१०.००	११६१०.००	११६१०.००
	400 mm dia	मिटर	१५६६९.००	१५६६९.००	१५६६९.००
	450 mm dia	मिटर	१८५९४.००	१८५९४.००	१८५९४.००
	500 mm dia	मिटर	२२७९६.००	२२७९६.००	२२७९६.००
	600 mm dia	मिटर	२६९४३.००	२६९४३.००	२६९४३.००
	700 mm dia	मिटर	३६२०२.००	३६२०२.००	३६२०२.००
	800 mm dia	मिटर	४१११०.००	४१११०.००	४१११०.००
	900 mm dia	मिटर	४३९४३.००	४३९४३.००	४३९४३.००
	1000 mm dia	मिटर	६४०९९.००	६४०९९.००	६४०९९.००

GRP and HDPE/DWC Pipes

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. ०८१/८२	आ.व. ०८२/८३
1. GRP PIPES AS PER IS:12709:1994					
	1100 mm dia मिटर		८८०२७.००	८८०२७.००	८८०२७.००
	1200 mm dia मिटर		९०२३८.४०	९०२३८.४०	९०२३८.४०
	1300 mm dia मिटर		९२४५७.००	९२४५७.००	९२४५७.००
	1400 mm dia मिटर		९३९१८.००	९३९१८.००	९३९१८.००
	1500 mm dia मिटर		९५३५४.००	९५३५४.००	९५३५४.००
	1600 mm dia मिटर		९६६७२.००	९६६७२.००	९६६७२.००
	1700 mm dia मिटर		९८०९६.००	९८०९६.००	९८०९६.००
	1800 mm dia मिटर		१००१८२.००	१००१८२.००	१००१८२.००
	1900 mm dia मिटर		१०१२२२.००	१०१२२२.००	१०१२२२.००
	2000 mm dia मिटर		१०२४६२.००	१०२४६२.००	१०२४६२.००
	2100 mm dia मिटर		१०३७०२.००	१०३७०२.००	१०३७०२.००
	2200 mm dia मिटर		१०४९४२.००	१०४९४२.००	१०४९४२.००
	2300 mm dia मिटर		१०६१८२.००	१०६१८२.००	१०६१८२.००
	2400 mm dia मिटर		१०७४२२.००	१०७४२२.००	१०७४२२.००
J) PN-15; SN-5000 (248 Kpa)					
	300 mm dia मिटर		११०८३.००	११०८३.००	११०८३.००
	350 mm dia मिटर		१२३७२.००	१२३७२.००	१२३७२.००
	400 mm dia मिटर		१३६६१.००	१३६६१.००	१३६६१.००
	450 mm dia मिटर		१४९५०.००	१४९५०.००	१४९५०.००
	500 mm dia मिटर		१६२३९.००	१६२३९.००	१६२३९.००
	600 mm dia मिटर		१९५२८.००	१९५२८.००	१९५२८.००
	700 mm dia मिटर		२२८१७.००	२२८१७.००	२२८१७.००
	800 mm dia मिटर		२६१०६.००	२६१०६.००	२६१०६.००
	900 mm dia मिटर		२९३९५.००	२९३९५.००	२९३९५.००
	1000 mm dia मिटर		३२६८४.००	३२६८४.००	३२६८४.००
	1100 mm dia मिटर		३५९७३.००	३५९७३.००	३५९७३.००
	1200 mm dia मिटर		३९२६२.००	३९२६२.००	३९२६२.००
	1300 mm dia मिटर		४२५५१.००	४२५५१.००	४२५५१.००
	1400 mm dia मिटर		४५८४०.००	४५८४०.००	४५८४०.००
	1500 mm dia मिटर		४९१२९.००	४९१२९.००	४९१२९.००
	1600 mm dia मिटर		५२४१८.००	५२४१८.००	५२४१८.००
	1700 mm dia मिटर		५५७०७.००	५५७०७.००	५५७०७.००
	1800 mm dia मिटर		५८९९६.००	५८९९६.००	५८९९६.००
	1900 mm dia मिटर		६२२८५.००	६२२८५.००	६२२८५.००
	2000 mm dia मिटर		६५५७४.००	६५५७४.००	६५५७४.००
	2100 mm dia मिटर		६८८६३.००	६८८६३.००	६८८६३.००
	2200 mm dia मिटर		७२१५२.००	७२१५२.००	७२१५२.००
	2300 mm dia मिटर		७५४४१.००	७५४४१.००	७५४४१.००
	2400 mm dia मिटर		७८७३०.००	७८७३०.००	७८७३०.००
HDPE DOUBLE -WALL CORRUGATED PIPE					
	100mm dia मिटर		४४६.००	४४६.००	४४६.००

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			मा.नं. ०८०१८१	मा.नं. ०८११८२	मा.नं. ०८२१८३
1. GRP PIPES AS PER IS:12709:1994					
	150mm dia.	मिटर	१११२.००	१११२.००	१११२.००
	200mm dia.	मिटर	१६५८.००	१६५८.००	१६५८.००
	250mm dia.	मिटर	२११३.००	२११३.००	२११३.००
	300mm dia.	मिटर	२४१४.००	२४१४.००	२४१४.००
	400mm dia.	मिटर	३४२७.००	३४२७.००	३४२७.००
	500mm dia.	मिटर	४४०६.००	४४०६.००	४४०६.००
	600mm dia.	मिटर	५३९०.००	५३९०.००	५३९०.००
	800mm dia.	मिटर	७४२३१.२४	७४२३१.००	७४२३१.००
	1000mm dia.	मिटर	१९७८०.००	२२४७२.००	२२४७२.००









प्रमुख जिल्ला अधिकारी

किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			मा.नं. ०८०१६१	मा.नं. ०८११६२	मा.नं. ०८२१६३
	Porcelain Clay Sanitaryware				
१	White glazed porcelain pan				
	500mm size white glazed without siphon	सेट	२४२४.००	२४२४.००	२४२४.००
	500 mm size white glazed without siphon	सेट	२४४१.००	२४४१.००	२४४१.००
	580 mm size onisa Pan	सेट	३३७१.००	३३७१.००	३३७१.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	४९०.००	४९०.००	४९०.००
	Asian Pan 51x40 Rectangular	सेट	२४२४.००	२४२४.००	२४२४.००
२	Porcelain Clay Cistern				
	White glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	सेट	३४४९.००	३४४९.००	३४४९.००
	White glazed porcelain clay 10 lit Cistern cover only	सेट	६६३.००	६६३.००	६६३.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	Commode				
	White glaze porcelain clay regular commode with 'p' trap	सेट	१२८७.००	१२८७.००	१२८७.००
	White glazed porcelain clay EWC regular commode with 's' & 'p' trap	सेट	१८२४.००	१८२४.००	१८२४.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set	सेट	२८८७४.००	२८८७४.००	२८८७४.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set	सेट	४२४२.००	४२४२.००	४२४२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set	सेट	८६४६.००	८६४६.००	८६४६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover, Size (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट	२४८००.००	२४८००.००	२४८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover, Size: (365x560x352mm) with concealed cistern	सेट	२७७००.००	२७७००.००	२७७००.००
	Supplying of white vitreous Compact Code Washdown rimless wall hung commode with soft closing seat cover, Size: (365x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट	२६१४०.००	२६१४०.००	२६१४०.००
४	Bidet set				
	Porcelain clay white glaze Bidet	सेट	३४८४.००	३४८४.००	३४८४.००
	Urinal set				
	Porcelain clay white glaze large flat back urinal ४1x41x38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००
	Porcelain clay small Urinal (46.5x35.5x26.5) cm size)	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set	सेट	१००२९१.००	१००२९१.००	१००२९१.००

किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			सा.व. ०८०८८९	सा.व. ०८११८२	सा.व. ०८१३८३
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, Size: (L355xP320xH15mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	३९८६०.००	३९८६०.००	३९८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal, Size (373X404X540mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	६०४३०.००	६०४३०.००	६०४३०.००
	Porcelain clay white glaze large flat back urinal 385*320*615 mm size	सेट		४३२०.००	४३२०.००
	Porcelain clay Small Urinal 315*280*485 size	सेट		२४४०.००	२४४०.००
	Wall mounted Urinal with sensor complete set(280*250*500)MM	सेट		१६४००.००	१६४३०.००
	Porcelain clay white glaze large flat back with spreader urinal 400*380*810 mm size	सेट		५०७०.००	५०७०.००
	Porcelain clay flat back medium Urinal 300*250*500 size	सेट		३४८०.००	३४८०.००
४	Porcelain Clay Urinal Squatting Plate				
	white glaze squatting plate Small Size (45*35)cm	सेट	१२९२.००	१२९२.००	१२९२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४४४.००	१४४४.००	१४४४.००
	Porcelain clay super color squatting plate large size	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९९४.००	९९४.००	९९४.००
५	Wash basin				
	Porcelain clay white glaze wash basin (500*400) cm size regular	सेट	१०९४.००	१०९०.००	१०९०.००
	Porcelain clay white glaze wash basin (50*40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45*32)cm	सेट	१०३४.००	१०३४.००	१०३४.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay C-counter wash basin (63*50)cm	सेट	१३३३६.००	१३३३६.००	१३३३६.००
	White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set	सेट	९७८४.००	९७८४.००	९७८४.००
	White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०४४९.००	२०४४९.००	२०४४९.००
	Supplying of white vitreous Cacer Undercounter Basin, Size (380x550x175mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	१७२७४.००	१७२७४.००	१७२७४.००
	Supplying of white vitreous Winston Wall hung Basin, Size: (505x460x194mm) with full basin pedestal made of sanitary ceramics with simplicity square single lever basin mixer pipe connector, bottle trap and waste coupling	सेट	२०६७४.००	२०६७४.००	२०६७४.००
	Supplying of white vitreous Flexio Counter Top Basin, Size: (490x449x121mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap and waste coupling	सेट	१९२४४.००	१९२४४.००	१९२४४.००

किचन र वाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.वा.क. माहेकको दररेट		
			आ.व. ०८०/८१	आ.व. ०८१/८२	आ.व. ०८२/८३
	Supplying of white vitreous Acacia E semi recessed Basin, . Size: (W400xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२३१२०.००	२३१२०.००	२३१२०.००
७	Pedestal:				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००
	White glazed Porcelain clay half pedestal complete set	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
८	Urinal Partition				
	White glaze porcelain clay (58x30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
९	Lab sink				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००
	Porcelain clay white glaze small size	सेट	१६४३.००	१६४३.००	१६४३.००
	Porcelain clay janitor sink 58x71x43.5 size	सेट	२३४४३.००	२३४४३.००	२३४४३.००
१०	Super lab sink	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
११	Kitchen sink				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Scrap dish	सेट	६६१.००	६६१.००	६६१.००
	iv) White glaze foot rest	सेट	४१९.००	४१९.००	४१९.००
	v) White glaze Toilet paper holder	सेट	११२३.००	११२३.००	११२३.००
१२	Super kitchen sink				
	super kitchen sink large size	गोटा	७४६४.००	७४६४.००	७४६४.००
	super kitchen sink small size	गोटा	६७४६.००	६७४६.००	६७४६.००
१३	PVC Cistern Set				
	single flush	सेट	१९७३.००	१९७३.००	१९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००
	Dual flush ६x3 lt. cistern complete set	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set	सेट	१६८६२.००	१६८६२.००	१६८६२.००
	32 mm pvc bottle trap set	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector set	पिस	१४३.००	१४३.००	१४३.००
	Bakelite toilet seat cover set	पिस	२७६.००	२७६.००	२७६.००

प्रमुख जिल्ला अधिकारी

किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.व. बाहेकको दररेट		
			आ.व. ०८०८८१	आ.व. ०८११८२	आ.व. ०८२१८३
१४	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate refilling possibility after big flush. Inlet connection switchable from left to right.Suitable for mechanical actuation technology, flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट	१००००.००	१००००.००	१००००.००
१५	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate refilling possibility after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galvanitised Steel Frame .comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,hPS-flam revision frame,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern,Cutting and making good the walls wherever required.	सेट	१६०००.००	१६०००.००	१६०००.००
१६	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation height 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate refilling possibility after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,hPS-flam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden frame construction,without actuator plate and assembly , providing protection cover over cistern,Cutting and making good the walls wherever required.	सेट	१६०००.००	१६०००.००	१६०००.००
१७	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChromo Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	३२००.००	३२००.००	३२००.००

किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.ब.क. माहिरको दररेट		
			मा.ब. ०६/०८/११	मा.ब. ०६/११/१२	मा.ब. ०६/२१/१३
१८	Proving, fixing, testing & commissioning of Actuator Plate for top and foot actuation (For Dual Flush) made of Plastic Chrome Man Alpine White and Assembly including fixing frame, fixing set (complete) for concealed type cistern	सेट	२४००.००	२४००.००	२४००.००
१९	Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.				
	Stainless steel Deep sink 45*45*30 size	पिस	१८१८४.००	१८१८४.००	१८१८४.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२३५.००	१०२३५.००	१०२३५.००
	Stainless steel commode S trap with self closing complete set	पिस	१७२४४.००	१७२४४.००	१७२४४.००
	Wall mixer (single lever) bath faucet with hand shower	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever) with hand shower	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	२४७६४.००	२४७६४.००	२४७६४.००
	Wall mixer (single control) bath faucet with hand shower (conceal system)	पिस	१४९४२.००	१४९४२.००	१४९४२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet	पिस	३४३४.००	३४३४.००	३४३४.००
	Stainless steel Angle valve	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११४७.००	११४७.००	११४७.००
	Stainless steel bowl 18"x16" diamond board 37" long	पिस	२६७७.००	२६७७.००	२६७७.००
	Stainless steel bowl with diamond board 37" long	पिस	३६३०.००	३६३०.००	३६३०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 35" * 16" size	पिस	१३६१७.००	१३६१७.००	१३६१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	४७८६.००	४७८६.००	४७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet	पिस	४४३४.००	४४३४.००	४४३४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe (connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ring 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe	पिस	१७६८.००	१७६८.००	१७६८.००
	Stainless steel basin mixer (single control)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin	पिस	४४२४.००	४४२४.००	४४२४.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top 1200*600*300	पिस	३३४०४.००	३३४०४.००	३३४०४.००
	Steel Split clamp with washer all complete	पिस	३३४०४.००	३३४०४.००	३३४०४.००
	75 mm dia	पिस	३३९.००	३३९.००	३३९.००
	110 mm dia	पिस	४४९.००	४४९.००	४४९.००
	160 mm dia	पिस	७४९.००	७४९.००	७४९.००
	Stainless steel telephonic shower	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar	गोटा	९७८४.००	९७८४.००	९७८४.००
	Stainless steel bottle trap	गोटा	६४७.००	६४७.००	६४७.००

किचन र बाथरूममा प्रयोग हुने सामानहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	म. व. क. बाहेकको दररेट		
			आ. व. ०८०/८१	आ. व. ०८१/८२	आ. व. ०८२/८३
	Stainless steel towel bar 450 mm.	मोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer with concealed body and Shower Head with arm and Bath Spout	मोटा	१८०२३.००	१८०२३.००	१८०२३.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer with iColor Chrome Hand Shower & Hose, complete as required	मोटा	२०२३०.००	२०२३०.००	२०२३०.००
२०	Modern Sanitaryware:				
	Hand dryer, Germany	मोटा	१९३९७.००	१९३९७.००	१९३९७.००
	Hand Dryer Chinese	मोटा	७९४४.००	७९४४.००	७९४४.००
	Indian Mark Brand Flush valve	मोटा	४७२९.००	४७२९.००	४७२९.००
	Auto sensor for basin	मोटा	३४२६७.००	३४२६७.००	३४२६७.००
	European pattern liquid soap container stainless steel	मोटा	६०६२.००	६०६२.००	६०६२.००
	Locking Mirror Mod guard 450x800mm (18"x 24")	मोटा	१४५९.००	१४५९.००	१४५९.००
	Supplying of C.P. brass Angle valve connection 1/2" plastic handle marking complete as required with easy clean, eco start, twist free and Water Saving features.	मोटा	७४.००	७४.००	७४.००
	Supplying of Hygiene Spray with hose and flexible pipe, complete as required, with easy clean, eco start, twist free and Water Saving features.	मोटा	२१२४.००	२१२४.००	२१२४.००
	Supplying of Winston Wall Bio Tap (Cross Handle), complete as required with easy clean, eco start, twist free and Water Saving features.	मोटा	२४८०.००	२४८०.००	२४८०.००
	Supplying of High Speed automatic Hand Dryer, complete as required, ready for operation.	मोटा	३७१००.००	३७१००.००	३७१००.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap, complete as required, ready for operation.	मोटा	३४००.००	३४००.००	३४००.००
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	मोटा	२८३०.००	२८३०.००	२८३०.००
	Supplying of Chrome plated Seva Robe Hook, complete as required, ready for operation.	मोटा	२९२४.००	२९२४.००	२९२४.००
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	मोटा	३०००.००	३०००.००	३०००.००
	Supplying of Chrome plated Seva Glass Holder, complete as required, ready for operation.	मोटा	२६२०.००	२६२०.००	२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Wing type Grab bar size (580x220mm), OD: 32mm	मोटा	८६००.००	८६००.००	८६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	मोटा	३०००.००	३०००.००	३०००.००
	Supplying of Stainless Bucket (Container) 5lts with all necessary accessories and complete set.	मोटा	४०००.००	४०००.००	४०००.००
२१	Electric & Solar Geyser				
	i) 10 lit. cap. electric water heater	मोटा	१०९१४.००	१०९१४.००	१०९१४.००
	ii) 25 lit. cap. electric water heater	मोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit. cap. electric water heater	मोटा	२०९१९.००	२०९१९.००	२०९१९.००
	iv) 50 lit. cap. electric water heater	मोटा	२४०११.००	२४०११.००	२४०११.००

किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.स. बाहेकको दररेट		
			आ.व. ०८०।८१	आ.व. ०८१।८२	आ.व. ०८२।८३
	iv) Gas water heater with cylinder	रोट	८२००.००	८२००.००	८२००.००
	v) Supplying of 25hp Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	रोट	१३०००.००	१३०००.००	१३०००.००
३२	15.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete American.	रोट	११७३०.००	११७३०.००	११७३०.००

2

Handwritten signatures and initials.

मु.अ.स. जिल्ला अधिकारी

विभिन्न प्रकारका वाटर टैंक र पम्पहरू

क्र.सं.	सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. ०८/०८/११	आ.व. ०८/११/१२	आ.व. ०८/१२/१३
1	G.I. Water Tank (17 Gauge)				
	100 gls	गोटा	८४३८.००	८४३८.००	८४३८.००
	200 gls	गोटा	१३१९२.००	१३१९२.००	१३१९२.००
	300 gls	गोटा	१३५९३.००	१३५९३.००	१३५९३.००
	400 gls	गोटा	१९९२९.००	१९९२९.००	१९९२९.००
	500 gls	गोटा	२२२४९.००	२२२४९.००	२२२४९.००
2	Roof Top PVC Water Tank				
	200 lit - 5000 lit cap.	सीटर	१०.००	१०.००	१०.००
	5000 lit - 10,000 lit cap	सीटर	११.००	११.००	११.००
	Horizontal PVC water tank	सीटर	१२.००	१२.००	१२.००
3	Stainless steel water tank with accessories				
	Capacity 500 ltr	गोटा	१३११४.००	१३११४.००	१३११४.००
	Capacity 1000 ltr	गोटा	१९३२३.००	१९३२३.००	१९३२३.००
	Capacity 1500 ltr	गोटा	२९६८१.००	२९६८१.००	२९६८१.००
	Capacity 2000 ltr	गोटा	३४८९०.००	३४८९०.००	३४८९०.००
	Capacity 3000 ltr	गोटा	४३३२३.००	४३३२३.००	४३३२३.००
	Capacity 4000 ltr	गोटा	५११००.००	५११००.००	५११००.००
	Capacity 5000 ltr	गोटा	६३४३९.००	६३४३९.००	६३४३९.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 55.5", Diameter: 25", Manhole Diameter: 18")	गोटा	११७२३.००	११७२३.००	११७२३.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 18")	गोटा	१३०८०.००	१३०८०.००	१३०८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 68", Diameter: 38.5", Manhole Diameter: 18")	गोटा	२२८८०.००	२२८८०.००	२२८८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 18")	गोटा	३४८४०.००	३४८४०.००	३४८४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 18")	गोटा	४२६४०.००	४२६४०.००	४२६४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा	६१०१०.००	६१०१०.००	६१०१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा	१०६०२०.००	१०६०२०.००	१०६०२०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा	२७०४०.००	२७०४०.००	२७०४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा	३९०००.००	३९०००.००	३९०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 61", Height: 61.5")	गोटा	४७८४०.००	४७८४०.००	४७८४०.००

विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.व.अ. बाहेरको दररेट		
			आ.व. ०८०८९	आ.व. ०८११८२	आ.व. ०८१०८३
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा	२९९९०.००	२९९९०.००	२९९९०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा	११६२८०.००	११६२८०.००	११६२८०.००
	Plastic Water Tank प्लास्टिक वाटर ट्यांक				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा	१३०००.००	१३०००.००	१३०००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres). Brand: Hiltake	गोटा	१९२४०.००	१९२४०.००	१९२४०.००
11	Water Pumps/Hand Pumps				
	Indian Mark-III, Deep Well Hand Pump	गोटा	१२८४४.००	१२८४४.००	१२८४४.००
	6 No. hand pump	गोटा	१६६१.००	१६६१.००	१६६१.००
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	११३२०.००	११३२०.००	११३२०.००
	ii) ½ H.P. Water Pump mono block type	सेट	६४००.००	६४००.००	६४००.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४८२८.००	१४८२८.००	१४८२८.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९९३८.००	९९३८.००	९९३८.००
	v) 2.0 H.P. water pump	सेट	२३४९०.००	२३४९०.००	२३४९०.००
	vi) 2.0 H.P 3 phase water pump	सेट	२४८००.००	२४८००.००	२४८००.००
	vii) 5.0 HP 3 phase water pump	सेट	२९८०२.००	२९८०२.००	२९८०२.००

विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकता	मु.व.क. बाहिरीको दररेट		
			आ.व. ०८०८१	आ.व. ०८११८२	आ.व. ०८२०८३
	Jet Water Pump				
	i) 1.10 H.P.	सेट	२२४९४.००	२२४९४.००	२२४९४.००
	ii) Double Stage Jet 1.10 H.P.	सेट	२६९९४.००	२६९९४.००	२६९९४.००
	iii) 1.5 H.P.	सेट	३०३६९.००	३०३६९.००	३०३६९.००
	Super Sunction				
	i) 0.50 H.P.	सेट	९३६८.००	९३६८.००	९३६८.००
	ii) 0.75 H.P.	सेट	८७४४.००	८७४४.००	८७४४.००
	iii) 1.0 H.P.	सेट	१४८४७.००	१४८४७.००	१४८४७.००
	Water Pump (Grundfoss, pentair, Pedrollo or equiv)				
	1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८९३०.००	१८९३०.००	१८९३०.००
	2 H.P. single pump set single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	३०४०२.००	३०४०२.००	३०४०२.००
	Submersible Pump (Italian)				
	i) 1.0 H.P.	सेट	२७१३२.००	२७१३२.००	२७१३२.००
	ii) 2.0 H.P.	सेट	४०३३२.००	४०३३२.००	४०३३२.००
	Electric Water Pump (Chinese)				
	i) ½ H.P.	सेट	१७८८.००	१७८८.००	१७८८.००
	ii) ¾ H.P.	सेट	२३२९.००	२३२९.००	२३२९.००
	iii) 1.0 H.P.	सेट	३४३३.००	३४३३.००	३४३३.००
	Submersible Pump Indian				
	i) ½ H.P open well type	सेट	१७३२१.००	१७३२१.००	१७३२१.००
	ii) 1.1 H.P open well type	सेट	२४३६३.००	२४३६३.००	२४३६३.००
	iii) 1.5 H.P open well type	सेट	३०९३०.००	३०९३०.००	३०९३०.००
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P.	सेट	२८३४४.००	२८३४४.००	२८३४४.००
	iii) 1.5 H.P.	सेट	३४२४९.००	३४२४९.००	३४२४९.००

प्रमुख जिल्ला अधिकारी

साधारण हाते औजारहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाई	मु.भ.क. माहेकोको दररेट		
			मा.व. ०८०८८१	मा.व. ०८१८८२	मा.व. ०८२८८३
1	Adjustable spanner				
	10"	गोटा	२५५.००	२५५.००	२५५.००
	12"	गोटा	३०१.००	३०१.००	३०१.००
	15"	गोटा	१४४३.००	१४४३.००	१४४३.००
	18"	गोटा	१३०८.००	१३०८.००	१३०८.००
2	Blow Torch				
	1/2 pint	गोटा	१४९१.००	१४९१.००	१४९१.००
	1 pint	गोटा	१८३७.००	१८३७.००	१८३७.००
3	Building Trowel	गोटा	८२.००	८२.००	८२.००
4	Chain Pipe wrench				
	50mm	गोटा	१३०८.००	१३०८.००	१३०८.००
	75mm	गोटा	२०३३.००	२०३३.००	२०३३.००
	100mm	गोटा	२३८६.००	२३८६.००	२३८६.००
	150mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	200mm	गोटा	४५१४.००	४५१४.००	४५१४.००
5	Chain Pulley in Ton				
	3 ton	गोटा	१८२६४.००	१८२६४.००	१८२६४.००
	5 ton	गोटा	३०१६४.००	३०१६४.००	३०१६४.००
6	Stone Chisel 1"x12"	गोटा	३८३.००	३८३.००	३८३.००
7	Die teeth oil with cane (250 ml size)	गोटा	२९४.००	२९४.००	२९४.००
8	Smooth steel file half round				
	8"	गोटा	४६०.००	४६०.००	४६०.००
	10"	गोटा	१०७२.००	१०७२.००	१०७२.००
	Flat file 10"	गोटा	४६०.००	४६०.००	४६०.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 8mm	गोटा	२००.००	२००.००	२००.००
11	Handle die set				
	25 mm	गोटा	३३२९.००	३३२९.००	३३२९.००
	50 mm	गोटा	३३५१.००	३३५१.००	३३५१.००
	80 mm	गोटा	१००१६.००	१००१६.००	१००१६.००
12	Heating Plate				
	80 mm	गोटा	१००१.००	१००१.००	१००१.००
	100 mm	गोटा	११४९.००	११४९.००	११४९.००
	125 mm	गोटा	१४७२.००	१४७२.००	१४७२.००
	150 mm	गोटा	१७५४.००	१७५४.००	१७५४.००
	200 mm	गोटा	२८४०.००	२८४०.००	२८४०.००
	250 mm	गोटा	३४४०.००	३४४०.००	३४४०.००
	300 mm	गोटा	४०१८.००	४०१८.००	४०१८.००
13	Iron Brush 12"	गोटा	७६.००	७६.००	७६.००
14	Iron Pan (medium)	गोटा	२५१.००	२५१.००	२५१.००
15	Pick Axe 1.7 Kg	गोटा	४४८.००	४४८.००	४४८.००
16	Pipe Cutter				
	15-50 mm	गोटा	२१२०.००	२१२०.००	२१२०.००
	65-80 mm	गोटा	३२९८.००	३२९८.००	३२९८.००
	100 mm	गोटा	४३०२.००	४३०२.००	४३०२.००

साधारण हाते औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको बर्रेट		
			आ.व. ०८०३८१	आ.व. ०८०३८२	आ.व. ०८०३८३
	125 mm	गोटा	५८९१.००	५८९१.००	५८९१.००
	150 mm	गोटा	१०४८७.००	१०४८७.००	१०४८७.००
17	Pipe Jack Machine (Heavy)	गोटा	३३४८२.००	३३४८२.००	३३४८२.००
18	Pipe Vice				
	2"	गोटा	२५९२.००	२५९२.००	२५९२.००
	3"	गोटा	३७७१.००	३७७१.००	३७७१.००
	4"	गोटा	४६८५.००	४६८५.००	४६८५.००
	5"	गोटा	१०४४५.००	१०४४५.००	१०४४५.००
19	Pipe Wrench				
	10"	गोटा	४२९.००	४२९.००	४२९.००
	12"	गोटा	५१२.००	५१२.००	५१२.००
	14"	गोटा	७३०.००	७३०.००	७३०.००
	18"	गोटा	११६१.००	११६१.००	११६१.००
	24"	गोटा	१६०२.००	१६०२.००	१६०२.००
	36"	गोटा	४६५४.००	४६५४.००	४६५४.००
	48"	गोटा	१००१६.००	१००१६.००	१००१६.००
20	Plumb Bob Line	गोटा	९४.००	९४.००	९४.००
21	Ratchet Die Set				
	1/2"-1"	गोटा	४४७३.००	४४७३.००	४४७३.००
	1 1/4"-2"	गोटा	८३६५.००	८३६५.००	८३६५.००
	2 1/2"-3"	गोटा	१८२६४.००	१८२६४.००	१८२६४.००
22	Round File 10"	गोटा	३८३.००	३८३.००	३८३.००
23	Screw Driver 12"	गोटा	२१२.००	२१२.००	२१२.००
24	Shovel 1.5 Kg	गोटा	३८३.००	३८३.००	३८३.००
25	Slide wrench				
	10"	गोटा	३७३.००	३७३.००	३७३.००
	12"	गोटा	४०६.००	४०६.००	४०६.००
	15"	गोटा	१४७८.००	१४७८.००	१४७८.००
26	Spade	गोटा	४४९.००	४४९.००	४४९.००
27	Spare Die Teeth				
	15 mm	गोटा	६१२.००	६१२.००	६१२.००
	20 mm	गोटा	६१२.००	६१२.००	६१२.००
	25 mm	गोटा	६१२.००	६१२.००	६१२.००
	32 mm	गोटा	९७२.००	९७२.००	९७२.००
	40 mm	गोटा	१६६१.००	१६६१.००	१६६१.००
	50 mm	गोटा	१६७९.००	१६७९.००	१६७९.००
	65 mm	गोटा	१९४३.००	१९४३.००	१९४३.००
	80 mm	गोटा	२१७९.००	२१७९.००	२१७९.००
28	Telflon Cover				
	5'x5'	गोटा	३२४.००	३२४.००	३२४.००
	7'x7'	गोटा	४४२.००	४४२.००	४४२.००
29	Telflon Cloth	र.मि	३६६१.००	३६६१.००	३६६१.००
30	Telflon Tape 10 mm	रोल	१८.००	१८.००	१८.००
31	Thermochrome Crayon				
	Indian	गोटा	७९५.००	७९५.००	७९५.००
32	Tool Box (14"x8"x22")	गोटा	२१८६.००	२१८६.००	२१८६.००

सुनितपुर जिल्ला अधिकारी

RCC Ring and Boring Work

क्र.सं.	सामग्रीहरूको विवरण	एकाइ	मु.अ.स. बाहेकको दररेट		
			मा.न. ०८०/०८१	मा.न. ०८१/०८२	मा.न. ०८२/०८३
१	RCC Ring for well and Toilets				
	i) 28" dia. R.C.C. ring 20 cm ht, 5 cm thick	गोटा	६४५.००	६४५.००	६४५.००
	ii) 36" dia. R.C.C. ring 20 cm ht, 5 cm thick	गोटा	८००.००	८००.००	८००.००
	iii) 42" dia. R.C.C. ring 20 cm ht, 5 cm thick	गोटा	९३०.००	९३०.००	९३०.००
	iv) 48" dia. R.C.C. ring 20 cm ht, 5 cm thick	गोटा	१२३९.००	१२३९.००	१२३९.००
२	RCC cover				
	i) 28" dia. 60cm thick R.C.C. ring cover with metal frame	गोटा	१९४०.००	१९४०.००	१९४०.००
	ii) 36" dia. 60cm thick R.C.C. ring cover with metal frame	गोटा	२४८३.००	२४८३.००	२४८३.००
	iii) 42" dia. 60cm thick R.C.C. ring cover with metal frame	गोटा	२८३३.००	२८३३.००	२८३३.००
	iv) 48" dia. 60cm thick R.C.C. ring cover with metal frame	गोटा	३३८४.००	३३८४.००	३३८४.००
४	Drilling of tube well by DTH Method				
	Drilling of hole in all formation (6 inch)	मी.	४९०४.००	४९०४.००	४९०४.००
	Drilling of hole in all formation (8 inch)	मी.	६२०६.००	६२०६.००	६२०६.००

मुख्य जिल्ला अधिकारी

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क बाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. ०८१/८२	आ.व. ०८२/८३
१	Cold Water Pipe (White)				
	12-16 mm 1/2"	र.मि	१०६.००	१०६.००	१०६.००
	14-18 mm 3/4"	र.मि	११६.००	११६.००	११६.००
	16-20 mm 1"	र.मि	१२४.००	१२४.००	१२४.००
	20-25 mm 1 1/4"	र.मि	१८९.००	१८९.००	१८९.००
	26-32 mm 1 1/2"	र.मि	२९४.००	२९४.००	२९४.००
	32-40 mm 1 3/4"	र.मि	४६८.००	४६८.००	४६८.००
	41-50 mm 2"	र.मि	६८४.००	६८४.००	६८४.००
२	Hot Water Pipe (Orange)				
	12-16 mm 1/2"	र.मि	११६.००	११६.००	११६.००
	14-18 mm 3/4"	र.मि	१२९.००	१२९.००	१२९.००
	16-20 mm 1"	र.मि	१४८.००	१४८.००	१४८.००
	20-25 mm 1 1/4"	र.मि	२९८.००	२९८.००	२९८.००
	26-32 mm 1 1/2"	र.मि	३९३.००	३९३.००	३९३.००
	32-40 mm 1 3/4"	र.मि	४८८.००	४८८.००	४८८.००
३	Gas Lines Pipe (Yellow)				
	12-16 mm 1/2"	र.मि	९९.००	९९.००	९९.००
	14-18 mm 3/4"	र.मि	९९.००	९९.००	९९.००
४	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	1/2" x (16mm ø)	गोटा	१३९.००	१३९.००	१३९.००
	3/4" x (18mm ø)	गोटा	१४३.००	१४३.००	१४३.००
	1" x (20mm ø)	गोटा	१६१.००	१६१.००	१६१.००
	1 1/4" x (25mm ø)	गोटा	२३६.००	२३६.००	२३६.००
	1 1/2" x (32mm ø)	गोटा	३६८.००	३६८.००	३६८.००
	1 3/4" x (40mm ø)	गोटा	१३६०.००	१३६०.००	१३६०.००
	2" x (50mm ø)	गोटा	२०४४.००	२०४४.००	२०४४.००
	b. Unequal Straight Union				
	25 - 16 mm ø	गोटा	२६४.००	२६४.००	२६४.००
	25 - 18 mm ø	गोटा	२७४.००	२७४.००	२७४.००
	25 - 20 mm ø	गोटा	२८८.००	२८८.००	२८८.००
	32 - 16 mm ø	गोटा	३४४.००	३४४.००	३४४.००
	32 - 18 mm ø	गोटा	३७३.००	३७३.००	३७३.००
	32 - 20 mm ø	गोटा	४०२.००	४०२.००	४०२.००
	32 - 25 mm ø	गोटा	४३०.००	४३०.००	४३०.००
	40 - 32 mm ø	गोटा	११७०.००	११७०.००	११७०.००
	50 - 20 mm ø	गोटा	१७१२.००	१७१२.००	१७१२.००
	50 - 32 mm ø	गोटा	२०४४.००	२०४४.००	२०४४.००
	50 - 40 mm ø	गोटा	१९३३.००	१९३३.००	१९३३.००
	c. Male Union				
	16mm x 1/2"M	गोटा	९९.००	९९.००	९९.००
	18mm x 3/4"M	गोटा	११२.००	११२.००	११२.००

सन्तिपुर जिल्ला अधिकारी

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८०८९	आ.व. ०८११८२	आ.व. ०८१८२३
	20mm x 3/4"M	मोटा	१३२.००	१३२.००	१३२.००
	25mm x 3/4"M	मोटा	१६०.००	१६०.००	१६०.००
	25mm x 1/2"M	मोटा	२०३.००	२०३.००	२०३.००
	25mm x 1"M	मोटा	२६०.००	२६०.००	२६०.००
	32mm x 3/4"M	मोटा	२९८.००	२९८.००	२९८.००
	32mm x 1"M	मोटा	३२६.००	३२६.००	३२६.००
	32mm x 1 1/2"M	मोटा	३३०.००	३३०.००	३३०.००
	40mm x 1"M	मोटा	१०४४.००	१०४४.००	१०४४.००
	40mm x 1 1/2"M	मोटा	१०८१.००	१०८१.००	१०८१.००
	50mm x 1"M	मोटा	१६४१.००	१६४१.००	१६४१.००
	50mm x 1 1/2"M	मोटा	१६६९.००	१६६९.००	१६६९.००
	50mm x 1 3/4"M	मोटा	२२६८.००	२२६८.००	२२६८.००
	50mm x 2"M	मोटा	१७०४.००	१७०४.००	१७०४.००
d. Female Straight Union					
	18mm x 3/4"F	मोटा	१०९.००	१०९.००	१०९.००
	18mm x 1/2"F	मोटा	११८.००	११८.००	११८.००
	20mm x 3/4"F	मोटा	१२८.००	१२८.००	१२८.००
	25mm x 3/4"F	मोटा	१७०.००	१७०.००	१७०.००
	25mm x 1/2"F	मोटा	२०३.००	२०३.००	२०३.००
	25mm x 1"F	मोटा	२०७.००	२०७.००	२०७.००
	32mm x 3/4"F	मोटा	२१३.००	२१३.००	२१३.००
	32mm x 1/2"F	मोटा	२१७.००	२१७.००	२१७.००
	32mm x 1"F	मोटा	३०७.००	३०७.००	३०७.००
	40mm x 1 1/2"F	मोटा	१२२६.००	१२२६.००	१२२६.००
	50mm x 1 1/2"F	मोटा	१६४३.००	१६४३.००	१६४३.००
	50mm x 1 3/4"F	मोटा	२२६८.००	२२६८.००	२२६८.००
	50mm x 2"F	मोटा	१७१९.००	१७१९.००	१७१९.००
e. Equal Elbow					
	3/8" (18mm e)	मोटा	१३२.००	१३२.००	१३२.००
	1/2" (20mm e)	मोटा	१६०.००	१६०.००	१६०.००
	3/4" (25mm e)	मोटा	२१७.००	२१७.००	२१७.००
	1" (32mm e)	मोटा	३३०.००	३३०.००	३३०.००
	1 1/4" (40mm e)	मोटा	४३४.००	४३४.००	४३४.००
	1 3/4" (50mm e)	मोटा	१०३८.००	१०३८.००	१०३८.००
	2" (50mm e)	मोटा	२६९३.००	२६९३.००	२६९३.००
f. Unequal Elbow					
	40 - 32 mm e	मोटा	१९२७.००	१९२७.००	१९२७.००
	50 - 20 mm e	मोटा	२२२०.००	२२२०.००	२२२०.००
	50 - 40 mm e	मोटा	२२६३.००	२२६३.००	२२६३.००
g. Female Elbow					
	18mm x 1/2"F	मोटा	१७४.००	१७४.००	१७४.००
	18mm x 3/4"F	मोटा	१९४.००	१९४.००	१९४.००
	20mm x 1/2"F	मोटा	२१३.००	२१३.००	२१३.००
	25mm x 1/2"F	मोटा	२३६.००	२३६.००	२३६.००

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मूल्यको बाहेकको दररेट		
			मा.व. ०८०८८१	मा.व. ०८११८२	मा.व. ०८२१८३
	25mm x 1/2"F	मीटर	२९२.००	२९२.००	२९२.००
	25mm x 1"F	मीटर	३२१.००	३२१.००	३२१.००
	32mm x 3/4"F	मीटर	३४३.००	३४३.००	३४३.००
	32mm x 1"F	मीटर	४३०.००	४३०.००	४३०.००
	50mm x 1 1/4"F	मीटर	२२२०.००	२२२०.००	२२२०.००
h. Male Elbow					
	25mm x 1/4"M	मीटर	२३६.००	२३६.००	२३६.००
	25mm x 1"M	मीटर	३०७.००	३०७.००	३०७.००
	32mm x 1/2"M	मीटर	२३२.००	२३२.००	२३२.००
	32mm x 1"M	मीटर	३९२.००	३९२.००	३९२.००
	40mm x 1"M	मीटर	१२७५.००	१२७५.००	१२७५.००
	50mm x 1"M	मीटर	१८१८.००	१८१८.००	१८१८.००
	i. Equal Tee		०.००		
	1/2" (16mm ø)	मीटर	२३६.००	२३६.००	२३६.००
	3/4" (18mm ø)	मीटर	२६४.००	२६४.००	२६४.००
	1/2" (20mm ø)	मीटर	३३०.००	३३०.००	३३०.००
	1/2" (25mm ø)	मीटर	४७३.००	४७३.००	४७३.००
	1" (32mm ø)	मीटर	७४६.००	७४६.००	७४६.००
	1 1/2" (40mm ø)	मीटर	२७९०.००	२७९०.००	२७९०.००
	1 1/2" (50mm ø)	मीटर	४०७८.००	४०७८.००	४०७८.००
j. Unequal Tee					
	20 mm x 16 mm x 20 mm	मीटर	२९३.००	२९३.००	२९३.००
	20 mm x 18 mm x 20 mm	मीटर	२३६.००	२३६.००	२३६.००
	25 mm x 16 mm x 25 mm	मीटर	३४४.००	३४४.००	३४४.००
	25 mm x 18 mm x 25 mm	मीटर	४०२.००	४०२.००	४०२.००
	25 mm x 20 mm x 25 mm	मीटर	४९४.००	४९४.००	४९४.००
	32 mm x 16 mm x 32 mm	मीटर	६८४.००	६८४.००	६८४.००
	32 mm x 18 mm x 32 mm	मीटर	७०८.००	७०८.००	७०८.००
	32 mm x 20 mm x 32 mm	मीटर	७३७.००	७३७.००	७३७.००
	32 mm x 25 mm x 32 mm	मीटर	७७६.००	७७६.००	७७६.००
	40 mm x 32 mm x 32 mm	मीटर	२०६४.००	२०६४.००	२०६४.००
	40 mm x 32 mm x 40 mm	मीटर	२३९१.००	२३९१.००	२३९१.००
	50 mm x 20 mm x 50 mm	मीटर	३२६०.००	३२६०.००	३२६०.००
	50 mm x 32 mm x 32 mm	मीटर	२१४९.००	२१४९.००	२१४९.००
	50 mm x 32 mm x 50 mm	मीटर	३२९३.००	३२९३.००	३२९३.००
	50 mm x 40 mm x 40 mm	मीटर	३३०४.००	३३०४.००	३३०४.००
	50 mm x 40 mm x 50 mm	मीटर	३७३४.००	३७३४.००	३७३४.००
k. Female Tee					
	16mm x 1/2"F x 16mm	मीटर	२३६.००	२३६.००	२३६.००
	18mm x 1/2"F x 18mm	मीटर	२४४.००	२४४.००	२४४.००
	20mm x 1/2"F x 20mm	मीटर	२६४.००	२६४.००	२६४.००
	25mm x 1/2"F x 25mm	मीटर	२४८.००	२४८.००	२४८.००

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.ब. ०८०/८१	आ.ब. ०८१/८२	आ.ब. ०८२/८३
	25mm x 1/4" x 25mm	मीटर	२७६.००	२७६.००	२७६.००
	25mm x 1" x 25mm	मीटर	३४४.००	३४४.००	३४४.००
	32mm x 1/4" x 32mm	मीटर	३८३.००	३८३.००	३८३.००
	32mm x 1/2" x 32mm	मीटर	४२२.००	४२२.००	४२२.००
	32mm x 1" x 32mm	मीटर	४३२.००	४३२.००	४३२.००
	40mm x 1/2" x 32mm	मीटर	५१३०.००	५१३०.००	५१३०.००
	50mm x 3/4" x 40mm	मीटर	२३२९.००	२३२९.००	२३२९.००
l. Equal Ball Valve Union					
	1/2" (15mm Ø)	मीटर	२७४.००	२७४.००	२७४.००
	3/4" (18mm Ø)	मीटर	३०४.००	३०४.००	३०४.००
	1" (20mm Ø)	मीटर	४०३.००	४०३.००	४०३.००
	1 1/2" (25 mm Ø)	मीटर	६६६.००	६६६.००	६६६.००
	1" (32 mm Ø)	मीटर	९२६.००	९२६.००	९२६.००
	1 1/4" (40 mm Ø)	मीटर	३०२६.००	३०२६.००	३०२६.००
	1 1/2" (50 mm Ø)	मीटर	४३६६.००	४३६६.००	४३६६.००
m. Female Ball Valve Union					
	15mm x 1/2" F	मीटर	२४६.००	२४६.००	२४६.००
	18mm x 1/2" F	मीटर	२९४.००	२९४.००	२९४.००
	20mm x 1/2" F	मीटर	३२६.००	३२६.००	३२६.००
	25mm x 1/2" F	मीटर	३६६.००	३६६.००	३६६.००
	25mm x 3/4" F	मीटर	६८२.००	६८२.००	६८२.००
	25mm x 1" F	मीटर	६९९.००	६९९.००	६९९.००
	32mm x 1" F	मीटर	७३७.००	७३७.००	७३७.००
n. Plug					
	1 1/2" (40 mm Ø)	मीटर	१२१२.००	१२१२.००	१२१२.००
	1 1/4" (50 mm Ø)	मीटर	२०७९.००	२०७९.००	२०७९.००
p. Wall Plated Female Elbow					
	15mm x 1/2" F	मीटर	१९८.००	१९८.००	१९८.००
	18mm x 1/2" F	मीटर	२१७.००	२१७.००	२१७.००
	20mm x 1/2" F	मीटर	२३६.००	२३६.००	२३६.००
Nipple					
	N 1/2F*1/2F	मीटर	४१.००	४१.००	४१.००
	N 1/2M*1/2M	मीटर	४१.००	४१.००	४१.००
	N 3/4F*1/2F	मीटर	७१.००	७१.००	७१.००
	N 1F*1/2F	मीटर	८०.००	८०.००	८०.००
	N 1F*3/4F	मीटर	९१.००	९१.००	९१.००
	N 3/4M*1/2M	मीटर	७१.००	७१.००	७१.००
	N 1M*1/2M	मीटर	८०.००	८०.००	८०.००
	N 1M*3/4M	मीटर	९१.००	९१.००	९१.००
	N 1/2F*1/2M	मीटर	६१.००	६१.००	६१.००
	N 1/2F*3/4M	मीटर	७१.००	७१.००	७१.००
	N 1/2F*1M	मीटर	११२.००	११२.००	११२.००
	N 1/2M*3/4F	मीटर	७१.००	७१.००	७१.००

Multilayer Composite Pipe

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क बाहेकको दररेट		
			आ.व. ०८०८८१	आ.व. ०८११८२	आ.व. ०८२१८३
	N 1/2M*1F	मोटा	११२.००	११२.००	११२.००
	N 3/4F*3/4M	मोटा	९९.००	९९.००	९९.००
	N 3/4F*1M	मोटा	१००.००	१००.००	१००.००
	N 3/4M*1F	मोटा	१३३.००	१३३.००	१३३.००

2/12

[Handwritten signatures and marks]

प्रमुख जिल्ला अधिकारी

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क बाहेकको दररेट		
			आ.न.०६०२०१	आ.न.०६०२०२	आ.न.०६०२०३
१	140 mm Dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	ट मि	१६६.००	१६६.००	१६६.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२१९.००	२१९.००	२१९.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	२६९.००	२६९.००	२६९.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90° normally at the corners.	गोटा	४२३.००	४२३.००	४२३.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	४२३.००	४२३.००	४२३.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	९९.००	९९.००	९९.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	३२०.००	३२०.००	३२०.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	६०.००	६०.००	६०.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	१२.००	१२.००	१२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	३३.००	३३.००	३३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	६०.००	६०.००	६०.००
	RUBBER GASKET To provide leak proof joints.	गोटा	३१.००	३१.००	३१.००
२	75 mm dia.		०.००		
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६६.००	६६.००	६६.००
	RUBBER SEALS To ensure leak proof joint of single socket elbow.	गोटा	३९.००	३९.००	३९.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१३२.००	१३२.००	१३२.००
	180 mm dia.		०.००		
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	२१७.००	२१७.००	२१७.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२३४.००	२३४.००	२३४.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	४४३.००	४४३.००	४४३.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	६२१.००	६२१.००	६२१.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	६२१.००	६२१.००	६२१.००

Rainwater Collection System

सि.नं.	निर्माण सामग्री/वस्तुको विवरण	एकक	मु.ब.क. बाहेको दररेट		
			आ. नं. ०००००००१	आ. नं. ०००००००२	आ. नं. ०००००००३
	SHORT STOP END To close the end of roof water pipe line.	मीटर	१४३.००	१४३.००	१४३.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	मीटर	४४४.००	४४४.००	४४४.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	मीटर	११३.००	११३.००	११३.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	मीटर	९४.००	९४.००	९४.००
	CLAMP To ensure perfect fixing between pipe and fittings.	मीटर	२३.००	२३.००	२३.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	मीटर	११४.००	११४.००	११४.००
	RUBBER GASKET To provide leak proof joints.	मीटर	४३.००	४३.००	४३.००
३	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	मीटर	७१.००	७१.००	७१.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	मीटर	४६.००	४६.००	४६.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	मीटर	२२४.००	२२४.००	२२४.००
४	250 mm dia.		०.००		
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	मीटर	६१४.००	६१४.००	६१४.००
	JOINT-BRACKET To connect two lengths of roof water	मीटर	६४४.००	६४४.००	६४४.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	मीटर	१०१३.००	१०१३.००	१०१३.००
	९०° ELBOW (without outlet) To change the direction of roof water pipe line through ९०°, normally at the corners.	मीटर	१४२६.००	१४२६.००	१४२६.००
	९०° ELBOW (with outlet) To change the direction of roof water pipe line through ९०°, and also provide an outlet for water which is connected with down line pipe.	मीटर	१४२६.००	१४२६.००	१४२६.००
	SHORT STOP END To close the end of roof water pipe line.	मीटर	३१२.००	३१२.००	३१२.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	मीटर	८४२.००	८४२.००	८४२.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	मीटर	३१४.००	३१४.००	३१४.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	मीटर	१०२.००	१०२.००	१०२.००
	CLAMP To ensure perfect fixing between pipe and fittings.	मीटर	१२८.००	१२८.००	१२८.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	मीटर	३३३.००	३३३.००	३३३.००

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मु.व.क बाहेकको दररेट		
			आ.व.०८०८१	आ.व.०८१८२	आ.व.०८२८३
	RUBBER GASKET To provide leak proof joints.	गोटा	१३३.००	१३३.००	१३३.००
४	160 mm dia.		०.००		
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	८६.००	८६.००	८६.००
	RUBBER SEALS To ensure leak proof joint of single socket elbow.	गोटा	२००.००	२००.००	२००.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१४८.००	१४८.००	१४८.००
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	२४९.००	२४९.००	२४९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४४९.००	४४९.००	४४९.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	२७६.००	२७६.००	२७६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४९३.००	४९३.००	४९३.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	४६९.००	४६९.००	४६९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	७०६.००	७०६.००	७०६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	४९६.००	४९६.००	४९६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	७३०.००	७३०.००	७३०.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia.	र.मि	१००६.००	१००६.००	१००६.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१२४४.००	१२४४.००	१२४४.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	१०७६.००	१०७६.००	१०७६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१४१३.००	१४१३.००	१४१३.००
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	१४३.००	१४३.००	१४३.००
	DWV Bend 87.5 Degree	गोटा	१८४.००	१८४.००	१८४.००
	DWV Bend 87.5 Degree with Door	गोटा	८४.००	८४.००	८४.००
	DWV Socket Plug	गोटा	१९८.००	१९८.००	१९८.००
	DWV Cleansing Pipe	गोटा	११९.००	११९.००	११९.००
	DWV Coupler	गोटा	२१२.००	२१२.००	२१२.००
	DWV Single Tee	गोटा	२३३.००	२३३.००	२३३.००
	DWV Single Tee with Door	गोटा	३६६.००	३६६.००	३६६.००
	DWV Cross Tee	गोटा	४१४.००	४१४.००	४१४.००
	DWV Cross Tee with Door	गोटा	३०९.००	३०९.००	३०९.००
	DWV Double 'Y'	गोटा	४०४.००	४०४.००	४०४.००
	DWV Double 'Y' with Door	गोटा	२३३.००	२३३.००	२३३.००
	DWV Single 'Y'	गोटा	३०२.००	३०२.००	३०२.००
	DWV Single 'Y' with Door	गोटा	१२.००	१२.००	१२.००
	DWV Pipe Clip	गोटा	२५.००	२५.००	२५.००

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाईकको दररेट		
			आ.म.०८०८८१	आ.म.०८११८२	आ.म.०८२०८३
	DWV Vent Cowel	गोटा	२८१.००	२८१.००	२८१.००
	DWV Bend 45 Degree 110mm size	गोटा	२९६.००	२९६.००	२९६.००
	DWV Bend 87.5 Degree	गोटा	३३९.००	३३९.००	३३९.००
	DWV Bend 87.5 Degree with Door	गोटा	१०८.००	१०८.००	१०८.००
	DWV Socket Plug	गोटा	३८८.००	३८८.००	३८८.००
	DWV Cleansing Pipe	गोटा	२१६.००	२१६.००	२१६.००
	DWV Coupler	गोटा	५८.००	५८.००	५८.००
	DWV Double 'Y'	गोटा	८४८.००	८४८.००	८४८.००
	DWV Double 'Y' with Door	गोटा	५२४.००	५२४.००	५२४.००
	DWV Cross Tee	गोटा	६७४.००	६७४.००	६७४.००
	DWV Cross Tee with Door	गोटा	३८८.००	३८८.००	३८८.००
	DWV Single Tee	गोटा	४३८.००	४३८.००	४३८.००
	DWV Single Tee with Door	गोटा	४३८.००	४३८.००	४३८.००
	DWV Single 'Y'	गोटा	४९८.००	४९८.००	४९८.००
	DWV Single 'Y' with Door	गोटा	४९.००	४९.००	४९.००
	DWV Vent Cowel	गोटा	१६९.००	१६९.००	१६९.००
	DWV Reducer 110/75 mm	गोटा	३३.००	३३.००	३३.००
	DWV Pipe Clip 110mm size	गोटा	४४.३.००	४४.३.००	४४.३.००
	DWV W.C. Connectors (Straight type)	गोटा	३६४.००	३६४.००	३६४.००
	DWV W.C. Connectors (Bend type)	गोटा	१८२.००	१८२.००	१८२.००
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	२४.००	२४.००	२४.००
	DWV Nahani Trap Jali	गोटा	४६४.००	४६४.००	४६४.००
	DWV P-Trap with Leap Ring 10" 110 mm	गोटा	८११.००	८११.००	८११.००
	DWV P-Trap with Leap Ring 25" 110 mm	गोटा	२४३.००	२४३.००	२४३.००
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	४९३.००	४९३.००	४९३.००
	DWV Reducer 60" 110 mm	गोटा	४७१.००	४७१.००	४७१.००
	DWV Coupler 150mm size	गोटा	११३०.००	११३०.००	११३०.००
	DWV Single Tee	गोटा	१२१४.००	१२१४.००	१२१४.००
	DWV Single Tee with Door	गोटा	२११६.००	२११६.००	२११६.००
	DWV Single 'Y'	गोटा	२२३३.००	२२३३.००	२२३३.००
	DWV Single 'Y' with Door	गोटा	७७९.००	७७९.००	७७९.००
	DWV Bend 87.5 Degree	गोटा	१०३७.००	१०३७.००	१०३७.००
	DWV Bend 87.5 Degree with Door	गोटा	९०७.००	९०७.००	९०७.००
६	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-5 110 mm	२ मि	६१३.००	६१३.००	६१३.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-5	२ मि	६३६.००	६३६.००	६३६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-5	२ मि	६६१.००	६६१.००	६६१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-5	२ मि	६२२.००	६२२.००	६२२.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-5	२ मि	६३४.००	६३४.००	६३४.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	२ मि	११३१.००	११३१.००	११३१.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	२ मि	११७६.००	११७६.००	११७६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	२ मि	१२२१.००	१२२१.००	१२२१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	२ मि	११४०.००	११४०.००	११४०.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	२ मि	११७१.००	११७१.००	११७१.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	२ मि	१७७२.००	१७७२.००	१७७२.००

पञ्चसिद्धि आधिकारी

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. भाहेकको दररेट		
			आ.व. ०८०/८१	आ.व. ०८१/८२	आ.व. ०८२/८३
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१८०३.००	१८०३.००	१८०३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१८३३.००	१८३३.००	१८३३.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	२९.४१.००	२९.४१.००	२९.४१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	२९.९१.००	२९.९१.००	२९.९१.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	३०.४३.००	३०.४३.००	३०.४३.००
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	३८९.४.००	३८९.४.००	३८९.४.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	३९३१.००	३९३१.००	३९३१.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	४०२९.००	४०२९.००	४०२९.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	४८९२.००	४८९२.००	४८९२.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	४८९६.००	४८९६.००	४८९६.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	४९८०.००	४९८०.००	४९८०.००
	FOAMCORE Plain Both End (5mtrs length) SN-8	र.मि	६१२.००	६१२.००	६१२.००
	FOAMCORE Single Socket (R/R) (5mtrs length) SN-8	र.मि	६२३.००	६२३.००	६२३.००
	FOAMCORE Double Socket (R/R) (5mtrs length) SN-8	र.मि	६४३.००	६४३.००	६४३.००
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-8	र.मि	६२३.००	६२३.००	६२३.००
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-8	र.मि	६३४.००	६३४.००	६३४.००
	FOAMCORE Plain Both End (5mtrs length) SN-4	र.मि	९९३०.००	९९३०.००	९९३०.००
	FOAMCORE Single Socket (R/R) (5mtrs length) SN-4	र.मि	९९४३.००	९९४३.००	९९४३.००
	FOAMCORE Double Socket (R/R) (5mtrs length) SN-4	र.मि	९९५४.००	९९५४.००	९९५४.००
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-4	र.मि	९९२१.००	९९२१.००	९९२१.००
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-4	र.मि	९९७१.००	९९७१.००	९९७१.००
	FOAMCORE Plain Both End (5mtrs length) SN-4	र.मि	९९३२.००	९९३२.००	९९३२.००
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-4	र.मि	९९०३.००	९९०३.००	९९०३.००
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-4	र.मि	९९३४.००	९९३४.००	९९३४.००
	FOAMCORE Plain Both End (5mtrs length) SN-4	र.मि	२९.४१.००	२९.४१.००	२९.४१.००
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-4	र.मि	२९.९१.००	२९.९१.००	२९.९१.००
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-4	र.मि	३०.४२.००	३०.४२.००	३०.४२.००
	FOAMCORE Plain Both End (5mtrs length) SN-2	र.मि	३८९.४.००	३८९.४.००	३८९.४.००
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-2	र.मि	३९६१.००	३९६१.००	३९६१.००
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-2	र.मि	४०२९.००	४०२९.००	४०२९.००
	FOAMCORE Plain Both End (5mtrs length) SN-4	र.मि	४८९२.००	४८९२.००	४८९२.००
	FOAMCORE Single Socket Self Fit (5mtrs length) SN-4	र.मि	४८९६.००	४८९६.००	४८९६.००
	FOAMCORE Double Socket Self Fit (5mtrs length) SN-4	र.मि	४९८०.००	४९८०.००	४९८०.००
	DWV Coupler SN-8 110mm	गोटा	३०८.००	३०८.००	३०८.००
	DWV Coupler SN-4 160mm	गोटा	३४३.००	३४३.००	३४३.००
	DWV Coupler SN-4 200mm	गोटा	९४९९.००	९४९९.००	९४९९.००
	DWV Coupler SN-4 250mm	गोटा	२८३१.००	२८३१.००	२८३१.००
	DWV Coupler SN-2 315mm	गोटा	४४३४.००	४४३४.००	४४३४.००
	DWV Coupler SN-4 315mm	गोटा	४९३२.००	४९३२.००	४९३२.००
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	१०४१.००	१०४१.००	१०४१.००
	DWV Long Radius Bend - 90 Degree SN-4 160mm	गोटा	२९२६.००	२९२६.००	२९२६.००
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	४४६४.००	४४६४.००	४४६४.००
	DWV Long Radius Bend - 90 Degree SN-4 250mm	गोटा	१२२४१.००	१२२४१.००	१२२४१.००
	DWV Long Radius Bend - 90 Degree SN-4 315mm	गोटा	२९०९०.००	२९०९०.००	२९०९०.००

सिचाई संबन्धि कार्य

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			सा.व. ०८०८८१	बा.व. ०८११८२	आ.व. ०८२०८३
१	Supply flexible kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.8GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१४७.००	१४७.००	१४७.००
२	Supply of Xert bug emitter pressure compensating with selfpiercing barbs flow rates 1.8BLPH to 7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	मीटर	३९.००	३९.००	३९.००
३	SPRINKLERS & ACCESSORIES				
	Unispray	मीटर	३९३.००	३९३.००	३९३.००
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*5.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps. The Spray Head body, stem, nozzle, ratchet and screen shall be constructed of heavy-duty ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SSST	मीटर	१२६०.००	१२६०.००	१२६०.००
	Providing of Strub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps. The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover FA series	मीटर	१२६०.००	१२६०.००	१२६०.००
	Gear rotors 5504	मीटर	३२४५.००	३२४५.००	३२४५.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 15.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic SA Series	मीटर	४०९.००	४०९.००	४०९.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm, a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 15.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic SA	मीटर	४०४.००	४०४.००	४०४.००
	Providing and fixing of HDPE service saddle of varying size		८९२.००	८९२.००	८९२.००
४	VALVES & ACCESSORIES				
	Providing and fixing PVC Ball Valve security prest to maintain lever in space double water tight joint, direct injection stem, non mechanical, with a base which permits maximum penetration into the valve of size 83mm.	मीटर	३९९०.००	३९९०.००	३९९०.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced. The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	मीटर	२२०५.००	२२०५.००	२२०५.००
	12" Rectangular Valve Box with green lid and corrugated structure with unique shovel access slot and bolt hole knockout	मीटर	७८७५.००	७८७५.००	७८७५.००
	6" Round box	मीटर	१३१२.००	१३१२.००	१३१२.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	मीटर	१४०४०.००	१४०४०.००	१४०४०.००
	Key threads into top of QCV to provide water access 32DK	मीटर	१०२३३.००	१०२३३.००	१०२३३.००

Plastic Dustbin, Compost-Bin, Planter & Road Divider

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.म.क. माहौलको दररेट		
			मा.व. ०८०८/१	मा.व. ०८११/२	मा.व. ०८२०/३
१	LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT. WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	३१२०.००	३१२०.००	३१२०.००
२	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT. WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	४९६०.००	४९६०.००	४९६०.००
३	LLDPE PLASTIC LARGE WHEEL DUSTBIN (थपानाला सानो डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 16" * 14.5", TOP LID 25.5" * 21", HEIGHT 35", AND 10 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा	७२८०.००	७२८०.००	७२८०.००
४	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (थपानाला एमएल सानो डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 18 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा	८३२०.००	८३२०.००	८३२०.००
५	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा	६२४०.००	६२४०.००	६२४०.००
६	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा	८३२०.००	८३२०.००	८३२०.००
७	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन किट सहित) BIN DIMENSIONS: TOTAL HEIGHT: 685MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 365MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING: SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा	४९६०.००	४९६०.००	४९६०.००
८	LLDPE ROAD-DIVIDER - SMALL (रोड डिभाइडर, सानो साइज) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 8.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32" ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा	३१२०.००	३१२०.००	३१२०.००
९	LLDPE ROAD-DIVIDER - LARGE (रोड डिभाइडर, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1080MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; WITH INLET & OUTLET FITTING, AND EMBOSSED "WATER LEVEL" MARK.	गोटा	१७९६०.००	१७९६०.००	१७९६०.००
१०	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा	५७२०.००	५७२०.००	५७२०.००

Sewage Treatment Plant

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०८०८८१	आ.व. ०८११८२	आ.व. ०८२१८३
१	Sewage Treatment Plant PWTs Series (1300 mm Dia X 1500 mm Height or 1.2 KLD) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	मीटर	१२०७३६.०	१२०७३६.०	१२०७३६.०
२	Sewage Treatment Plant PWTs Series (1440 mm Dia X 1550 mm Height or 1.6 KLD) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO	मीटर	१६१३९२.०	१६१३९२.०	१६१३९२.०
३	Sewage Treatment Plant PWTs Series (1490 mm Dia X 1615 mm Height or 1.8 KLD) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified.	मीटर	२११६००.०	२११६००.०	२११६००.०
४	Sewage Treatment Plant PWTs Series (1540 mm Dia X 1640 mm Height or 2 KLD) inlet/outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	मीटर	२७२२७२.०	२७२२७२.०	२७२२७२.०
५	Sewage Treatment Plant PWTs Series (1830 mm Dia X 1880 mm Height or 3 KLD) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.	मीटर	३२११४२.०	३२११४२.०	३२११४२.०
६	Sewage Treatment Plant PWTs series (1900 mm Dia X 2020 mm Height or 4 KLD) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.	मीटर	३७४७६०.०	३७४७६०.०	३७४७६०.०
७	Sewage Treatment Plant PWTs Series (1970 mm Dia X 2280 mm Height or 5 KLD) inlet/ outlet pipe 100mm X vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	मीटर	४४९६८०.०	४४९६८०.०	४४९६८०.०
८	Sewage Treatment Plant PWTs series (2070 mm Dia X 2510 mm Height or 6 KLD) inlet/outlet pipe 100mm X Vent 50 mm , with BOD reduction upto 70%. ISO Certified.	मीटर	४८६६४०.०	४८६६४०.०	४८६६४०.०





प्रमुख निवेदन अधिकारी

मेनहोल कभरहरु

सि.नं	सामग्रीहरुको विवरण	एकाइ	मु. नं.क बाहेकको दररेट		
			आ.व. ०८०८८१	आ.व. ०८११८२	आ.व. ०८२४८३
	C.I. Manhole Cover including frame.				
१	Square Frame Medium Duty				
	i) 10" x 10" (4 Kg.)	सेट	६७५.००	६७५.००	६७५.००
	ii) 12" x 12" (5 Kg.)	सेट	८३५.००	८३५.००	८३५.००
	iii) 14" x 14" (7 Kg.)	सेट	१२४३.००	१२४३.००	१२४३.००
	iv) 16" x 16" (10 Kg.)	सेट	१६५१.००	१६५१.००	१६५१.००
	v) 18" x 18" (14 Kg.)	सेट	२४९८.००	२४९८.००	२४९८.००
	vi) 20" x 20" (15 Kg.)	सेट	२९३०.००	२९३०.००	२९३०.००
	vii) 22" x 22" (20 Kg.)	सेट	३३५३.००	३३५३.००	३३५३.००
	viii) 24" x 24" (24 Kg.)	सेट	४६५९.००	४६५९.००	४६५९.००
	ix) 27" x 27" (31 Kg.)	सेट	४८५१.००	४८५१.००	४८५१.००
२	Square Frame Heavy Duty				
	iii) 14" x 14" (14 Kg.)	सेट	२४४९.००	२४४९.००	२४४९.००
	viii) 20" x 20" (16 Kg.)	सेट	४१४३.००	४१४३.००	४१४३.००
	ix) 22" x 22" (22 Kg.)	सेट	४६६४.००	४६६४.००	४६६४.००
	xi) 27" x 27" (45 Kg.)	सेट	८१०४.००	८१०४.००	८१०४.००
३	Rounded Manhole Cover				
	Round Manhole cover medium 450mm(22")	सेट	४४८३.००	४४८३.००	४४८३.००
	Round Manhole cover Heavy 450mm(22")	सेट	८८४८.००	८८४८.००	८८४८.००
	Round Manhole cover medium 500 mm(24")	सेट	७०६३.००	७०६३.००	७०६३.००
	Round Manhole cover Heavy 500 mm(24")	सेट	१०२६५.००	१०२६५.००	१०२६५.००
	Rounded Manhole Cover with square frame				
	i) 18" dia. with square frame (50 Kg.)	सेट	१००५८.००	१००५८.००	१००५८.००
	ii) 20" dia. with square frame (70 Kg.)	"	११७२२.००	११७२२.००	११७२२.००
	iii) 20" dia. with square frame (100 Kg.)	"	१६७४७.००	१६७४७.००	१६७४७.००
	iv) 22" dia. Medium class. (125 Kg.)	"	२१०३९.००	२१०३९.००	२१०३९.००
	v) 22" dia. Heavy class. (208Kg.)	"	३४९०२.००	३४९०२.००	३४९०२.००
	vi) 24" dia. Medium class. (70 Kg.)	"	१२०४३.००	१२०४३.००	१२०४३.००
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	"	१४४४९.००	१४४४९.००	१४४४९.००
	viii) 24" with square frame (IS:1726) (70 Kg.)	"	११७७९.००	११७७९.००	११७७९.००
	ix) 28" with square frame (IS:1726) (85 Kg.)	"	१४३०८.००	१४३०८.००	१४३०८.००
	x) 28" with square frame (IS:1726) (116 Kg.)	"	१९७४६.००	१९७४६.००	१९७४६.००
	xi) 30" with square frame (IS:1726) (100 Kg.)	"	१६८२७.००	१६८२७.००	१६८२७.००
	xii) 30" with square frame (IS:1726) (116 Kg.)	"	१९७४६.००	१९७४६.००	१९७४६.००
	xiii) 32" with square frame (IS:1726) (208Kg.)	"	३४९०२.००	३४९०२.००	३४९०२.००
४	C.I. Tank Cover Locking Types- Round				
	18" (8 Kg.)	सेट	१९३४.००	१९३४.००	१९३४.००

मेनहोल कभरहरु

सि.नं.	सामग्रीहरुको विवरण	एकाइ	मु.म.प्र. बाहेकको दररेट		
			आ.व. ०८०१८१	आ.व. ०८११८२	आ.व. ०८२१८३
	20" (12 Kg.)	"	२८३५.००	२८३५.००	२८३५.००
	22" (14 Kg.)	"	३२२२.००	३२२२.००	३२२२.००
	24" (16 Kg.)	"	३८६८.००	३८६८.००	३८६८.००
	26" (24 Kg.)	"	४८०२.००	४८०२.००	४८०२.००
४	C.I. Tank Cover Locking Types- Rectangular				
	18" x 18" (13 Kg.)	सेट	३२२२.००	३२२२.००	३२२२.००
	24" x 24" (50 Kg.)	सेट	११६०४.००	११६०४.००	११६०४.००
	18" x 24" (27 Kg.)	सेट	६४४८.००	६४४८.००	६४४८.००
५	C.I. Gully Gratings & Jali-strip-Medium Duty				
	4"	सेट	११४.००	११४.००	११४.००
	5"	सेट	१४४.००	१४४.००	१४४.००
	6"	सेट	२०६.००	२०६.००	२०६.००
	10"	सेट	७०८.००	७०८.००	७०८.००
७	C.I. Gully Gratings & Jali Strip- Medium Duty				
	4" x 4"	सेट	१०२.००	१०२.००	१०२.००
	5" x 5"	सेट	१२९.००	१२९.००	१२९.००
	6" x 6"	सेट	१४४.००	१४४.००	१४४.००
	9" x 9"	सेट	४२९.००	४२९.००	४२९.००
	10" x 10"	सेट	४८०.००	४८०.००	४८०.००
	12" x 12"	सेट	८३८.००	८३८.००	८३८.००
८	C.I. Gully Gratings				
	1) 15" x 18" Medium (18 Kg.)	सेट	४२४४.००	४२४४.००	४२४४.००
	2) 15" x 18" Heavy (25 Kg.)	सेट	४८०२.००	४८०२.००	४८०२.००
९	Grill Cover - फलामे ग्रिलको फ्रेममा फलामे पेशिको जाली बनाई पोलिशिंग कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१८७.००	१८७.००	१८७.००
१०	Aluminum Grating 4" dia.	गोटा	४८.००	४८.००	४८.००
११	SMC Manhole Cover				
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity)	गोटा	२८२९३.००	२८२९३.००	२८२९३.००
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity)	गोटा	१९३६९.००	२०३६९.००	२०३६९.००
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity)	गोटा	१८३००.००	१८३००.००	१८३००.००
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा	१०४२४.००	११४२४.००	११४२४.००

पुनर्स जिल्ला प्रशासन

मेनहोल कभरहरु

सि.नं	सामग्रीहरुको विवरण	एकाई	मु. न. फ. बाहेकको दररेट		
			आ. व. ०८०८९	आ. व. ०८११८२	आ. व. ०८२३८३
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	१३४९.७००	१३२७२.००	१२२७२.००
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	गोटा	२००००.००	२००००.००	२००००.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	७८४८.००	७८४८.००	७८४८.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा	६४९९.००	६४९९.००	६४९९.००
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	गोटा	१२०००.००	१२०००.००	१२०००.००
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा	७६४०.००	४३६१.००	३३६३.००
	Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	३३२०.००	२७७९.००	२७७९.००
	Frame Size 400mm*400mm - Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा	७८००.००	७८००.००	७८००.००
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट	७४००.००	७४००.००	७४००.००
	SMC water tank shield and footpath cover 610 mm x 510 mm-rectangular black cover.	गोटा	६२४४.००	६२४४.००	६२४४.००
	Manhole Cover Lock Set	सेट	१४००.००	१४००.००	१३००.००
	Plastic Prefab Manholes				
	LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2.5 mtr	गोटा	११४६००.००	११४६००.००	११४६००.००
	Height 3 mtr	गोटा	१२४४३०.००	१२४४३०.००	१२४४३०.००
	LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा	७९९००.००	७९९००.००	७९९००.००
	LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा	४०८००.००	४०८००.००	४०८००.००
	Height 4 mtr	गोटा	३९३००.००	३९३००.००	३९३००.००
	LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 4 mtr	गोटा	४२३००.००	४२३००.००	४२३००.००

विद्युतिय सामग्रीहरु



सि.न	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. मापिकको दररेट		
			मा.स. २०६०/६१	मा.स. २०६१/६२	मा.स. २०६२/६३
A	SWITCH & OUTLETS				
१	SWITCH SOCKET (संयोजित अत्यावक राष्ट्रको गुणस्तर चिह्न प्राप्त)				
	One Gang one way switch	सेट	58.00	58.00	58.00
	One Gang two way switch	सेट	69.00	69.00	69.00
	One way bell switch	सेट	72.00	72.00	72.00
	Two gang one way switch	सेट	96.00	96.00	96.00
	Two gang one way switch with one bell push	सेट	105.00	105.00	105.00
	Two gang Pull two way switch	सेट	107.00	107.00	107.00
	Three Gang one way switch	सेट	127.00	127.00	127.00
	Four gang one way switch	सेट	161.00	161.00	161.00
	Six gang one way switch (3ct.)	सेट	253.00	253.00	253.00
	Eight gang one way switch	सेट	304.00	304.00	304.00
	Dimmer single 300 watt	सेट	309.00	309.00	309.00
	Dimmer single 750 watt	सेट	459.00	459.00	459.00
	5 Step humming 100 dimmer	सेट	407.00	407.00	407.00
	16Amp 3 Pin Plug Top	सेट	121.00	121.00	121.00
	1 switch with dimmer	सेट	368.00	368.00	368.00
	6/16 Amp, 2/3 Pin Power sockets with switch & indicator	सेट	151.00	151.00	151.00
	6/16 Amp, Power sockets with switch, indicator & safety shutter	सेट	169.00	169.00	169.00
	30/25 A Single phase A.C. motor Starter with 6/16 Amp safety shutter power socket	सेट	371.00	371.00	371.00
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	206.00	206.00	206.00
	6 Gang (46 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming fuse 5 steps fan dimmer with indicator	सेट	611.00	611.00	611.00
	Blanking plate single	सेट	40.00	40.00	40.00
	Telephone socket single	सेट	118.00	118.00	118.00
	Telephone socket Double	सेट	169.00	169.00	169.00
	Angle / boxes holder	सेट	35.00	35.00	35.00
	Ceiling Rose	सेट	35.00	35.00	35.00
	Buzzer	सेट	97.00	97.00	97.00
	Maxwell bell	सेट	222.00	222.00	222.00
	T.V antenna single Socket	सेट	82.00	82.00	82.00
	6A 2/3 Pin unswitched multi switch socket	सेट	128.00	128.00	128.00
	RJ 45 Coaxial Socket for modem	सेट	234.00	234.00	234.00
	Flush Mounting metallic Box for Plate Series switch / socket (78mm x 78mm x 30mm)	सेट	35.00	35.00	35.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 30	सेट	63.00	63.00	63.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 30	सेट	98.00	98.00	98.00
२	Switch / socket outlet, Plate series having round switch buttons & when surrounding plate, suitable to fix on box size 3"x3" (संयोजित अत्यावक राष्ट्रको गुणस्तर चिह्न प्राप्त)				
	10A 1gang 1way Switch	सेट	83.00	83.00	83.00
	10A 2gang 1way Switch	सेट	163.00	163.00	163.00
	10A 3gang 1way Switch	सेट	216.00	216.00	216.00
	10A 4gang 1way Switch	सेट	350.00	350.00	350.00
	10A 5gang 1way Switch	सेट	371.00	371.00	371.00
	10A 6gang 1way Switch	सेट	617.00	617.00	617.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			आ.स. २०८२/८३	आ.स. २०८१/८२	आ.स. २०८०/८१
	10A 1gang 2way Switch	सेट	144.00	144.00	144.00
	10A 2gang 2way Switch	सेट	278.00	278.00	278.00
	10A 3gang 2way Switch	सेट	407.00	407.00	407.00
	10A 4gang 2way Switch	सेट	613.00	613.00	613.00
	T.V Socket outlet	सेट	299.00	299.00	299.00
	Telephone Socket	सेट	268.00	268.00	268.00
	13A Universal socket outlet	सेट	464.00	464.00	464.00
	13A Socket	सेट	273.00	273.00	273.00
	15A switched Socket outlet	सेट	443.00	443.00	443.00
	5A Socket	सेट	340.00	340.00	340.00
	21-45 3way Computer Socket	सेट	824.00	824.00	824.00
	TV and Telephone Socket	सेट	592.00	592.00	592.00
	7+2 PIN SOCKET OUTLET	सेट	927.00	927.00	927.00
	3+2 PIN SOCKET OUTLET	सेट	577.00	577.00	577.00
	A3 2+2 - 2 PIN SOCKET OUTLET	सेट	783.00	783.00	783.00
	SCHUKO SOCKET WITH ONE SWITCH	सेट	505.00	505.00	505.00
	Bell Press	सेट	237.00	237.00	237.00
	Blank Plate	सेट	93.00	93.00	93.00
	400W Light Dimmer W/ Switch	सेट	906.00	906.00	906.00
	400W Fan Controller / Multi Step Dimmer	सेट	917.00	917.00	917.00
	5 Step Fan Controller	सेट	896.00	896.00	896.00
	2 Pin Socket W/ Switch	सेट	453.00	453.00	453.00
	13A Twin Socket	सेट	680.00	680.00	680.00
३	MODULAR SWITCH PLATES (सर्बनिच डेलायक एपुको गुणस्तर निकै राम्रो)				
	1 MODULAR PLATE	सेट	148.00	148.00	148.00
	2 MODULAR PLATE	सेट	148.00	148.00	148.00
	3 MODULAR PLATE	सेट	192.00	192.00	192.00
	4 MODULAR PLATE	सेट	221.00	221.00	221.00
	6 MODULAR PLATE	सेट	301.00	301.00	301.00
	8 MODULAR PLATE	सेट	354.00	354.00	354.00
	12 MODULAR PLATE	सेट	482.00	482.00	482.00
	16 MODULAR PLATE	सेट	562.00	562.00	562.00
	18 MODULAR PLATE	सेट	593.00	593.00	593.00
४	SWITCHES (सर्बनिच डेलायक एपुको गुणस्तर निकै राम्रो)				
	10A 1 WAY SWITCH	सेट	130.00	130.00	130.00
	10A 2 WAY SWITCH	सेट	239.00	239.00	239.00
	16A 1 WAY SWITCH WITH INDICATOR	सेट	283.00	283.00	283.00
	16A 1 WAY SWITCH	सेट	252.00	252.00	252.00
	20A DP SWITCH WITH INDICATOR	सेट	546.00	546.00	546.00
	32A DP SWITCH WITH INDICATOR	सेट	655.00	655.00	655.00
	10A BELL PUSH	सेट	232.00	232.00	232.00
	10A 2 MODULAR BELL PUSH	सेट	372.00	372.00	372.00
	25A MOTOR STATER	सेट	1162.00	1162.00	1162.00
	400W 1 MODULAR DIMMER	सेट	673.00	673.00	673.00
	100W 2 MODULAR DIMMER	सेट	1313.00	1313.00	1313.00

विद्युतीय सामग्रीहरु

क्र.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.म.क. माहौलको दररेट		
			मा.स. २०८०/८१	मा.स. २०८१/८२	मा.स. २०८२/८३
	STEP REGULATOR 4 STEP DIMMER	सेट	690.00	690.00	690.00
	20A 2 WAY SWITCH 1M	सेट	396.00	396.00	396.00
	20A 1 WAY SWITCH WITH IND 1M	सेट	480.00	480.00	480.00
४	SOCKETS (कन्भर्सल, योपाक, एचडी मुपलार विन्ड ग्रोडा)				
	6A 2 PIN SOCKET	सेट	212.00	212.00	212.00
	13A UNIVERSAL SOCKET	सेट	279.00	279.00	279.00
	6/16A 3 PIN SOCKET	सेट	429.00	429.00	429.00
	R11 SOCKET	सेट	282.00	282.00	282.00
	TV SOCKET	सेट	226.00	226.00	226.00
	USB CHARGER	सेट	2155.00	2155.00	2155.00
	BUZZER OFF	सेट	536.00	536.00	536.00
	BLANK OFF	सेट	50.00	50.00	50.00
	LED FOOT LIGHT 2M	सेट	1085.00	1085.00	1085.00
	LED PHASE INDICATOR	सेट	285.00	285.00	285.00
	RJ 45 SOCKET	सेट	819.00	819.00	819.00
	CALL BELL INDICATOR	सेट	2031.00	2031.00	2031.00
	MOVEMENT SENSOR	सेट	7230.00	7230.00	7230.00
५	HOSPITALITY				
	5A VEX SOCKET 4M	सेट	6296.00	6296.00	6296.00
	MECHANICAL KEY 7TA0 32A - KEY FOB	सेट	1500.00	1500.00	1500.00
	DND MMR INSIDE ROOM UNIT	सेट	1301.00	1301.00	1301.00
	DND MMR OUTSIDE ROOM UNIT	सेट	925.00	925.00	925.00
६	MODULAR SWITCH IN GANG MODULE WHITE				
	1 GANG ONE WAY SWITCH	सेट	278.00	278.00	278.00
	2 GANG ONE WAY SWITCH	सेट	408.00	408.00	408.00
	3 GANG ONE WAY SWITCH	सेट	582.00	582.00	582.00
	4 GANG ONE WAY SWITCH	सेट	741.00	741.00	741.00
	6 GANG ONE WAY SWITCH	सेट	1081.00	1081.00	1081.00
	8 GANG ONE WAY SWITCH	सेट	1394.00	1394.00	1394.00
	12 GANG ONE WAY SWITCH	सेट	2042.00	2042.00	2042.00
	16 GANG ONE WAY SWITCH	सेट	2642.00	2642.00	2642.00
	18 GANG ONE WAY SWITCH	सेट	2951.00	2951.00	2951.00
	1 GANG TWO WAY SWITCH	सेट	387.00	387.00	387.00
	15A POWER SOCKET SET	सेट	873.00	873.00	873.00
	13A UNIVERSAL SOCKET SET	सेट	723.00	723.00	723.00
	100W DIMMER SET	सेट	821.00	821.00	821.00
	1000W DIMMER SET	सेट	1464.00	1464.00	1464.00
	R11 SOCKET SET	सेट	967.00	967.00	967.00
	R11 SOCKET SET	सेट	430.00	430.00	430.00
	BLANK PLATE	सेट	50.00	50.00	50.00
	TV SOCKET SET	सेट	374.00	374.00	374.00
	BELL PUSH SET	सेट	400.00	400.00	400.00
	20A DP SWITCH WITH INDICATOR SET	सेट	694.00	694.00	694.00
	32A DP SWITCH WITH INDICATOR SET	सेट	803.00	803.00	803.00
c	GI METAL BOX RATES				

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.सं.क. बाहेकको दररेड		
			आ.स. २०८२/८३	आ.स. २०८३/८४	आ.स. २०८४/८५
	GI METAL BOX 1/2 MODULE 3*3	सेट	103.00	103.00	103.00
	GI METAL BOX 3 MODULE 3*2	सेट	128.00	128.00	128.00
	GI METAL BOX 4 MODULE 3*2	सेट	141.00	141.00	141.00
	GI METAL BOX 6 MODULE 3*2	सेट	210.00	210.00	210.00
	GI METAL BOX 8 MODULE HORIZONTAL 3*2	सेट	267.00	267.00	267.00
	GI METAL BOX 8 MODULE SQUARE 3*3	सेट	267.00	267.00	267.00
	GI METAL BOX 12/6 MODULE 6*6	सेट	405.00	405.00	405.00
	GI METAL BOX 18 MODULE 8*8	सेट	462.00	462.00	462.00
१.	NON MODULAR SWITCHES LOCAL BRAND				
	16A MULTI POWER SOCKET	सेट	325.00	325.00	325.00
	16A POWER MULTI SOCKET + USB	सेट	800.00	800.00	800.00
	16A DOUBLE MULTI POWER SOCKET	सेट	665.00	665.00	665.00
	2 GANG + SOCKET SWITCH	सेट	320.00	320.00	320.00
	4 GANG + SOCKET SWITCH	सेट	525.00	525.00	525.00
	6 GANG + SOCKET SWITCH	सेट	640.00	640.00	640.00
	1 GANG SWITCH	सेट	135.00	135.00	135.00
	2 GANG SWITCH	सेट	200.00	200.00	200.00
	3 GANG SWITCH	सेट	267.00	267.00	267.00
	6 GANG SWITCH	सेट	350.00	350.00	350.00
	8 GANG SWITCH	सेट	525.00	525.00	525.00
	10 GANG SWITCH	सेट	655.00	655.00	655.00
	DIMMER KNOB	सेट	800.00	800.00	800.00
	2 PIN SOCKET KNOB	सेट	445.00	445.00	445.00
	2 WAY SWITCH KNOB	सेट	100.00	100.00	100.00
	DOOR BELL KNOB	सेट	94.00	94.00	94.00
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट	94.00	94.00	94.00
	20A D.P. SWITCH	सेट	175.00	175.00	175.00
	45A D.P. SWITCH	सेट	445.00	445.00	445.00
	TV SOCKET	सेट	660.00	660.00	660.00
	TELEPHONE SOCKET	सेट	206.00	206.00	206.00
	RJ45 SOCKET KNOB	सेट	206.00	206.00	206.00
	TV+ TELEPHONE SOCKET	सेट	290.00	290.00	290.00
	1 GANG PLATE	सेट	275.00	275.00	275.00
	2 GANG PLATE	सेट	94.00	94.00	94.00
	1X3 WOODEN PLATE	सेट	94.00	94.00	94.00
	3X3 WOODEN PLATE	सेट	125.00	125.00	125.00
१०	White Plate series modular type(polycarbonate) SWITCH SOCKET (सबैभन्दा उपयुक्त रंगको गुणस्तर बिन्दु प्राप्त)				
	One Gang one way switch	सेट	103.00	103.00	103.00
	One Gang two way switch	सेट	112.00	112.00	112.00
	One way bell switch	सेट	112.00	112.00	112.00
	Two gang one way switch	सेट	133.00	133.00	133.00
	Two gang one way switch with one bell push	सेट	146.00	146.00	146.00
	Two gang Full two way switch	सेट	158.00	158.00	158.00
	Three Gang one way switch	सेट	167.00	167.00	167.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	Four gang one way switch	सेट	302.00	282.00	
	Six gang one way switch	सेट	307.00	307.00	
	Eight gang one way switch	सेट	374.00	374.00	
	Dimmer single 400 watt	सेट	486.00	486.00	
	1 switch with dimmer	सेट	499.00	499.00	
	6/16 Amp, 2/1 Pin Power sockets with switch & indicator	सेट	260.00	260.00	
	6/16 Amp, Power sockets with switch, indicator	सेट	263.00	263.00	
	20 A, D.P. switch with fuse & indicator Surface Mounting	सेट	354.00	354.00	
	4 Gang (86 mm x 229 mm) switch 2/3 pin switch socket with indicator	सेट	391.00	391.00	
	6 Gang (86 mm x 229 mm) switch 2/3 pin switch socket with indicator	सेट	474.00	474.00	
	Blanking plate single	सेट	62.00	62.00	
	Telephone socket single	सेट	152.00	152.00	
	Telephone socket Double	सेट	249.00	249.00	
	T.V antenna single Socket	सेट	142.00	142.00	
	RJ 45 Computer Socket for modem	सेट	206.00	206.00	
	CAT-6 Computer Socket for modem	सेट	321.00	321.00	
११	Modular Type Switch Socket set (सर्बनिष्ठ कन्फाक गन्टको गृहभित्र फिरेको VPO)				
	1P - 6A/10A 1 way switch	गोटा	139.00	139.00	139.00
	1P - 16A/20A 1 way switch	गोटा	223.00	223.00	223.00
	1P - 25A 1 way switch	गोटा	326.00	326.00	326.00
	1P - 6A/10A 2 way switch	गोटा	167.00	167.00	167.00
	1P - 16A/20A 2 way switch	गोटा	253.00	253.00	253.00
	1P - 6A push button	गोटा	184.00	184.00	184.00
	1 gang blanking module	गोटा	43.00	43.00	43.00
	2 gang blanking module	गोटा	86.00	86.00	86.00
१२	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	638.00	638.00	638.00
	60 - 500 W dimmer	गोटा	797.00	797.00	797.00
	1000 W dimmer	गोटा	1524.00	1524.00	1524.00
१३	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A - multi socket 3 pin	गोटा	240.00	240.00	240.00
	6/16A twin socket 3 pin (flushed)	गोटा	332.00	332.00	332.00
	6/16A (wim socket 3 pin (projected)	गोटा	332.00	332.00	332.00
	33A 3 pin socket	गोटा	401.00	401.00	401.00
	13A 3 pin socket	गोटा	270.00	270.00	270.00
	RJ 11 telephone jack	गोटा	159.00	159.00	159.00
	RJ 45 cat 6e computer socket	गोटा	557.00	557.00	557.00
	TV socket	गोटा	161.00	161.00	161.00
	HOSPITALITY RANGE				
	250V/110V shaver socket	गोटा	4355.00	4355.00	4355.00
	Indicator (DO NOT DESTROY)	गोटा	180.00	180.00	180.00
	LED yellow night lamp	गोटा	560.00	560.00	560.00
	LED blue night lamp	गोटा	560.00	560.00	560.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाइ	सं.व.नं. बाहेकको दररेट		
			सा.व. २०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
१५	FRONT PLATE (COMPATIBLE TO MARKET BOXES)				
	1 module front plate	गोटा			
	2 module front plate	गोटा	72.00	72.00	72.00
	3 module front plate	गोटा	77.00	77.00	77.00
	4 module front plate	गोटा	84.00	84.00	84.00
	6 module front plate	गोटा	89.00	89.00	89.00
	8 module front plate (4+4)	गोटा	162.00	162.00	162.00
	8 module front plate (Horizontal)	गोटा	217.00	217.00	217.00
	12 module front plate	गोटा	174.00	174.00	174.00
	18 module front plate	गोटा	260.00	260.00	260.00
	350.60	गोटा	350.00	350.00	350.00
१६	Modular Type Switch Socket (संयन्त्रित उत्पादक राइटको गुणस्तर बिन्दु ११५९)				
	Seperate Module for Modular Switch & Socket				
	1P - 6A/10A 1 way switch	गोटा	90.00	90.00	90.00
	1P - 16A/20A 1 way switch	गोटा	150.00	150.00	150.00
	1P - 6A/10A 2 way switch	गोटा	139.00	139.00	139.00
	1P - 16A/20A 2 way switch	गोटा	182.00	182.00	182.00
	1P - 5A push button	गोटा	139.00	139.00	139.00
	1 gang blanking module	गोटा	42.00	42.00	42.00
	2 gang blanking module	गोटा	81.00	81.00	81.00
	Modular Switch, Sockets, Plates				
	6A SWITCH 1W 1 MODULE	गोटा	137.60	137.60	137.60
	6A SWITCH 2W 1 MODULE	गोटा	265.60	265.60	265.60
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा	265.60	265.60	265.60
	10A SWITCH 1W 2 MODULE	गोटा	323.20	323.20	323.20
	10A SWITCH 2W 2 MODULE	गोटा	380.80	380.80	380.80
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा	2153.60	2153.60	2153.60
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	412.80	412.80	412.80
	16A SWITCH 1W 1 MODULE	गोटा	300.80	300.80	300.80
	16A SWITCH 2W 1 MODULE	गोटा	377.60	377.60	377.60
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा	390.40	390.40	390.40
	20A SWITCH 1W 1 MODULE	गोटा	441.60	441.60	441.60
	20A DP SWITCH 1W 2 MODULE	गोटा	649.60	649.60	649.60
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	662.40	662.40	662.40
	20A SWITCH 2W 2 MODULE	गोटा	742.40	742.40	742.40
	25 A SP 1W SWITCH WITH INDICATOR 3 MODULE	गोटा	460.80	460.80	460.80
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा	896.00	896.00	896.00
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा	483.20	483.20	483.20
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा	950.40	950.40	950.40
	MULTISTANDARD SOCKET 6/16/3 A 3/1 PIN FOR 250 VAC 15A 2PIN 3 M	गोटा	505.60	505.60	505.60
	6A 3 PIN UNIVERSAL SOCKET 2 MODULE	गोटा	390.40	390.40	390.40
	5/16 A SOCKET 3 MODULE	गोटा	598.40	598.40	598.40
	6/16 A SOCKET 3 MODULE	गोटा	505.60	505.60	505.60
	6/16A EURO SOCKET 3 MODULE	गोटा	524.80	524.80	524.80
	25A SOCKET 3 MODULE	गोटा	505.60	505.60	505.60

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकक	मु.अ.क. माहेको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	6A 3 PIN ISI SOCKET 2M	गोटा	252.80	252.80	252.80
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा	899.20	899.20	899.20
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा	1148.80	1148.80	1148.80
	REMOVABLE LED LAMP 2 MODULE	गोटा	3696.00	3696.00	3696.00
	LED SKIRTING LIGHT 3 MODULE	गोटा	771.00	771.00	771.00
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLOURED LABELS	गोटा	816.00	816.00	816.00
	BELL CALL INDICATOR 240V 1 MODULE	गोटा	1329.60	1329.60	1329.60
	BUZZER 250 V 1 MODULE	गोटा	1027.20	1027.20	1027.20
	INFRARED SENSOR 400W 2 MODULE	गोटा	2444.80	2444.80	2444.80
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा	5869.00	5869.00	5869.00
	REMOTE CONTROL HAND UNIT	गोटा	908.00	908.00	908.00
	16A KEY CARD SWITCH 3 MODULE	गोटा	4950.40	4950.40	4950.40
	CREDIT CARD SIZE KEY FOB	गोटा	166.40	166.40	166.40
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा	544.00	544.00	544.00
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा	441.60	441.60	441.60
	SHAYER SOCKET 125/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा	3804.80	3804.80	3804.80
	RJ45 UTP CAT 5 TOOLLESS WITH SHUTTER 1 M GREY	गोटा	761.60	761.60	761.60
	RJ45 UTP CAT 6 TOOLLESS WITH SHUTTER 1 M GREY	गोटा	1068.80	1068.80	1068.80
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा	2057.60	2057.60	2057.60
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा	2528.00	2528.00	2528.00
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा	2528.00	2528.00	2528.00
	VOLUME CONTROLLER 2 MODULE	गोटा	1625.60	1625.60	1625.60
	16A MOTOR STARTER 2 MODULE	गोटा	976.00	976.00	976.00
	25A MOTOR STARTER 2 MODULE	गोटा	976.00	976.00	976.00
	VOLTAGE SURGE PROTECTOR 230V 1 MODULE	गोटा	3084.80	3084.80	3084.80
	16A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	20A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	32A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	USB CHARGER 1000 mA 1 MODULAR TYPE A	गोटा	1616.00	1616.00	1616.00
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा	1551.00	1551.00	1551.00
	DOUBLE USB CHARGER 3000 mA 2 MODULE	गोटा	3744.00	3744.00	3744.00
	USB CHARGER 1500 mA 1 MODULAR TYPE C	गोटा	1798.40	1798.40	1798.40
	COMBI TWIN USB 2400 mA MULTISTANDARD SOCKET TYPE A	गोटा	4316.80	4316.80	4316.80
	COMBI TWIN USB 2400 mA MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा	4752.00	4752.00	4752.00
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	गोटा	2825.60	2825.60	2825.60
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	गोटा	3763.20	3763.20	3763.20
	WIRELESS CHARGER TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W	गोटा	10256.00	10256.00	10256.00
	LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W	गोटा	3260.80	3260.80	3260.80
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा	7190.40	7190.40	7190.40
	ROTARY LED DIMMER 50 W	गोटा	3324.80	3324.80	3324.80
	6A TOUCH SWITCH 1W 2 MODULE	गोटा	4956.80	4956.80	4956.80

विद्युतिय सामाग्रीहरु

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकक	मु.अ.सं. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	6A TOUCH SWITCH 1W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	16A TOUCH SWITCH 1W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	6A TOUCH BELL PUSH 2 MODULE	गोटा	4956.80	4956.80	4956.80
	TOUCH FAN REGULATOR 100W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE	गोटा	5728.00	5728.00	5728.00
	READING LIGHT BHD	गोटा	2873.60	2873.60	2873.60
	CABLE OUTLET 3 core 1 MODULE	गोटा	246.40	246.40	246.40
	BLANKING PLATE 1 MODULE	गोटा	63.00	63.00	63.00
	BLANKING PLATE 2 MODULE	गोटा	86.40	86.40	86.40
	CLASSIC WHITE PLATE+ FRAME 1 M	गोटा	201.60	201.60	
	CLASSIC WHITE PLATE+ FRAME 2 M	गोटा	201.60	201.60	
	CLASSIC WHITE PLATE+ FRAME 3 M	गोटा	259.20	259.20	
	CLASSIC WHITE PLATE+ FRAME 4 M	गोटा	291.20	291.20	
	CLASSIC WHITE PLATE+ FRAME 6M	गोटा	361.60	361.60	
	CLASSIC WHITE PLATE+ FRAME 8 M (H)	गोटा	464.00	464.00	
	CLASSIC WHITE PLATE+ FRAME 2 X 4M	गोटा	489.60	489.60	
	CLASSIC WHITE PLATE+ FRAME 9M	गोटा	518.40	518.40	
	CLASSIC WHITE PLATE+ FRAME 12 M	गोटा	675.20	675.20	
	CLASSIC WHITE PLATE+ FRAME 16M	गोटा	784.00	784.00	
	CLASSIC WHITE PLATE+ FRAME 18 M	गोटा	1062.40	1062.40	
	BRUSHED SILVER PLATE+ FRAME 1M	गोटा	265.60	265.60	
	BRUSHED SILVER PLATE+ FRAME 2M	गोटा	265.60	265.60	
	BRUSHED SILVER PLATE+ FRAME 3M	गोटा	371.20	371.20	
	BRUSHED SILVER PLATE+ FRAME 4M	गोटा	384.00	384.00	
	BRUSHED SILVER PLATE+ FRAME 6M	गोटा	496.00	496.00	
	BRUSHED SILVER PLATE+ FRAME 8M(H)	गोटा	646.40	646.40	
	BRUSHED SILVER PLATE+ FRAME 2X 4M	गोटा	646.40	646.40	
	BRUSHED SILVER PLATE+ FRAME 9M	गोटा	700.80	700.80	
	BRUSHED SILVER PLATE+ FRAME 12M	गोटा	928.00	928.00	
	BRUSHED SILVER PLATE+ FRAME 16M	गोटा	1068.80	1068.80	
	BRUSHED SILVER PLATE+ FRAME 18M	गोटा	1446.40	1446.40	
	ALU SUN SET PLATE+ FRAME 1M	गोटा	259.20	259.20	
	ALU SUN SET PLATE+ FRAME 2M	गोटा	259.20	259.20	
	ALU SUN SET PLATE+ FRAME 3M	गोटा	355.20	355.20	
	ALU SUN SET PLATE+ FRAME 4M	गोटा	380.80	380.80	
	ALU SUN SET PLATE+ FRAME 6M	गोटा	488.60	488.60	
	ALU SUN SET PLATE+ FRAME 8M(H)	गोटा	627.20	627.20	
	ALU SUN SET PLATE+ FRAME 2 X 4 M	गोटा	630.40	630.40	
	ALU SUN SET PLATE+ FRAME 9M	गोटा	678.40	678.40	
	ALU SUN SET PLATE+ FRAME 12M	गोटा	896.00	896.00	
	ALU SUN SET PLATE+ FRAME 16M	गोटा	1027.20	1027.20	
	ALU SUN SET PLATE+ FRAME 18M	गोटा	1420.80	1420.80	
	CHAMPAGNE PLATE+ FRAME 1M	गोटा	259.20	259.20	
	CHAMPAGNE PLATE+ FRAME 2M	गोटा	259.20	259.20	
	CHAMPAGNE PLATE+ FRAME 3M	गोटा	355.20	355.20	

प्रमुख निर्माण अधिकारी

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाई	मु.म.क. बाहेकको दररेट		
			आ.न. २०८०/८१	आ.न. २०८१/८२	आ.न. २०८२/८३
	CHAMPAGNE PLATE + FRAME 4M	गोटा	380.80	380.80	
	CHAMPAGNE PLATE + FRAME 6M	गोटा	489.60	489.60	
	CHAMPAGNE PLATE + FRAME 8M(H)	गोटा	627.20	627.20	
	CHAMPAGNE PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	
	CHAMPAGNE PLATE + FRAME 9M	गोटा	678.40	678.40	
	CHAMPAGNE PLATE + FRAME 12M	गोटा	896.00	896.00	
	CHAMPAGNE PLATE + FRAME 16M	गोटा	1027.20	1027.20	
	CHAMPAGNE PLATE + FRAME 18M	गोटा	1420.80	1420.80	
	MATT SILVER PLATE + FRAME 1M	गोटा	259.20	259.20	
	MATT SILVER PLATE + FRAME 2M	गोटा	259.20	259.20	
	MATT SILVER PLATE + FRAME 3M	गोटा	355.20	355.20	
	MATT SILVER PLATE + FRAME 4M	गोटा	380.80	380.80	
	MATT SILVER PLATE + FRAME 6M	गोटा	489.60	489.60	
	MATT SILVER PLATE + FRAME 8M(H)	गोटा	627.20	627.20	
	MATT SILVER PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	
	MATT SILVER PLATE + FRAME 9M	गोटा	678.40	678.40	
	MATT SILVER PLATE + FRAME 12M	गोटा	896.00	896.00	
	MATT SILVER PLATE + FRAME 16M	गोटा	1027.20	1027.20	
	MATT SILVER PLATE + FRAME 18M	गोटा	1420.80	1420.80	
१६	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	731.00	731.00	731.00
	60-300 W dimmer	गोटा	623.00	623.00	623.00
	FAN STEP REGULATOR 100W 1 MODULE	गोटा	822.40	822.40	822.40
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा	1017.60	1017.60	1017.60
	FAN STEP REGULATOR 120W 360 DEGREE 2 MODULE	गोटा	1164.80	1164.80	1164.80
	FAN STEP REGULATOR 70W 2 MODULE	गोटा	1113.60	1113.60	1113.60
	FAN REGULATOR 100W 8 STEP 2M	गोटा	915.20	915.20	915.20
१७	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	5A - mini socket 5 pin	गोटा	193.00	193.00	193.00
	6/16A twin socket 3 pin (flushed)	गोटा	300.00	300.00	300.00
	6/16A twin socket 3 pin (projected)	गोटा	300.00	300.00	300.00
	13A 3 pin socket	गोटा	193.00	193.00	193.00
	RJ 11 telephone jack	गोटा	150.00	150.00	150.00
	RJ 45 cat 5e computer socket	गोटा	242.00	242.00	242.00
	TV COAXIAL SOCKET 1 MODULE	गोटा	290.00	290.00	290.00
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा	277.00	277.00	277.00
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा	474.00	474.00	474.00
१८	TV socket	गोटा	150.00	150.00	150.00
	1 module front plate	गोटा	118.00	118.00	118.00
	2 module front plate	गोटा	118.00	118.00	118.00
	3 module front plate	गोटा	154.00	154.00	154.00
	4 module front plate	गोटा	172.00	172.00	172.00
	5 module front plate	गोटा	237.00	237.00	237.00
	6 module front plate (4+4)	गोटा	318.00	318.00	318.00
	8 module front plate (Horizontal)	गोटा	326.00	326.00	326.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	12 module front plate	पेट्टा	379.00	379.00	379.00
	18 module front plate	पेट्टा	473.00	473.00	473.00
१९	BELL INDICATOR				
	4 way bell indicator with plate	सेट	1255.00	1255.00	1255.00
	6 way " " " "	सेट	2049.00	2049.00	2049.00
	8 way " " " "	सेट	2851.00	2851.00	2851.00
	12 way " " " "	सेट	4395.00	4395.00	4395.00
	5A PUSH BUTTON SP 1 MODULE	सेट	214.00	214.00	214.00
	5A PUSH-BUTTON SP WITH INDICATOR 1 MODULE	सेट	314.00	314.00	314.00
	6A BELL PUSH 1 MODULE	सेट	281.00	281.00	281.00
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट	332.00	332.00	332.00
	6A BELL PUSH 2 MODULE	सेट	377.00	377.00	377.00
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट	556.00	556.00	556.00
	BELL CALL INDICATOR 240V 1 MODULE	सेट	1530.00	1530.00	1530.00
२०	Flush mounting galvanized Metal box for modular type switch & socket-(संयोजित उत्पादक सफ्टको गुणस्तर भित्र प्राप्त)				
	1 module metal box having L x B x Depth = (78x78x45)mm	सेट	54.00	54.00	54.00
	2 module " " " " = (78x78x45)mm	सेट	54.00	54.00	54.00
	3 gang " " " " = (78x100x45)mm	सेट	58.00	58.00	58.00
	4 gang " " " " = (78x140x50)mm	सेट	71.00	71.00	71.00
	5 gang " " " " = (78x202x50)mm	सेट	139.00	139.00	139.00
	6 gang " " " " = (78x205x50)mm	सेट	142.00	142.00	142.00
	6 module metal box (4+4) = (78x230x60)mm	सेट	189.00	189.00	189.00
	8 module metal box (Horizontal) = (133x120x60)mm	सेट	189.00	189.00	189.00
	12 module metal box = (135x120x60)mm	सेट	241.00	241.00	241.00
	TV socket metal box	सेट	54.00	54.00	54.00
	Telephone socket metal box	सेट	54.00	54.00	54.00
२१	METAL Junction BOX				
	4"x4"	सेट	104.00	104.00	104.00
	4"x6"	सेट	156.00	156.00	156.00
	6"x8"	सेट	247.00	247.00	247.00
	8"x10"	सेट	364.00	364.00	364.00
	8"x12"	सेट	364.00	364.00	364.00
२२	PVC Junction Box				
	4"x6"	सेट	35.00	35.00	35.00
	6"x8"	सेट	32.00	32.00	32.00
	6"x8"	सेट	48.00	48.00	48.00
	8"x10"	सेट	69.00	69.00	69.00
	8"x12"	सेट	134.00	134.00	134.00
	PVC Junction box cover	सेट	150.00	150.00	150.00
२३	PVC Box for MCB				
	1 pole PVC box GFS	सेट	84.00	84.00	84.00
	2- pole PVC " " "	सेट	84.00	84.00	84.00
	3 and 4- pole PVC " " "	सेट	135.00	135.00	135.00
२४	Industrial Plug & Sockets				
	Industrial type Plug & Socket with required IP protection				

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकई	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	16/20 Amp 3 Pin Socket with required IP protection	गोटा	3848.00	3848.00	3848.00
	16/20 Amp 4 Pin Socket with required IP protection	गोटा	4223.00	4223.00	4223.00
	16/20 Amp 5 Pin Socket with required IP protection	गोटा	4223.00	4223.00	4223.00
	32 Amp 3 Pin Socket with required IP protection	गोटा	4375.00	4375.00	4375.00
	32 Amp 4 Pin Socket with required IP protection	गोटा	4913.00	4913.00	4913.00
	32 Amp 5 Pin Socket with required IP protection	गोटा	4913.00	4913.00	4913.00
	63 Amp 3 Pin Socket with required IP protection	गोटा	11182.00	11182.00	11182.00
	63 Amp 4 Pin Socket with required IP protection	गोटा	10192.00	10192.00	10192.00
	63 Amp 5 Pin Socket with required IP protection	गोटा	10192.00	10192.00	10192.00
	16/20 Amp 3 Pin Plug with required IP protection	गोटा	1941.00	1941.00	1941.00
	16/20 Amp 4 Pin Plug with required IP protection	गोटा	2714.00	2714.00	2714.00
	16/20 Amp 5 Pin Plug with required IP protection	गोटा	2269.00	2269.00	2269.00
	32 Amp 3 Pin Plug with required IP protection	गोटा	3345.00	3345.00	3345.00
	32 Amp 4 Pin Plug with required IP protection	गोटा	3415.00	3415.00	3415.00
	32 Amp 5 Pin Plug with required IP protection	गोटा	2795.00	2795.00	2795.00
	63 Amp 3 Pin Plug with required IP protection	गोटा	10095.00	10095.00	10095.00
	63 Amp 4 Pin Plug with required IP protection	गोटा	8095.00	8095.00	8095.00
	63 Amp 5 Pin Plug with required IP protection	गोटा	7089.00	7089.00	7089.00
२५	Outdoor Junction Box: IP 66/IP67/IP69 with IK 08/10 in accordance with IEC 60529 and EN 50298-98, made out of PC-GF5 Polycarbonate/Polypropylene including the required number of cable glands with following standards: • VDE approved, DIN V GL-certificate No-TA20000323, and certified in accordance with the new international standard IEC 60670-22 • Fire retention & self-extinguishing in accordance with IEC 60695-2-11, DIN VDE 0204 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent.				
	93 x 93 x 62, Dimensions(mm)	गोटा	1427.00	1427.00	1427.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1684.00	1684.00	1684.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1754.00	1754.00	1754.00
	130 x 130 x 77, Dimensions(mm)	गोटा	2292.00	2292.00	2292.00
	130 x 130 x 77, Dimensions(mm)	गोटा	3193.00	3193.00	3193.00
	130 x 180 x 77, Dimensions(mm)	गोटा	3731.00	3731.00	3731.00
	130 x 180 x 77, Dimensions(mm)	गोटा	4094.00	4094.00	4094.00
	175 x 210 x 92, Dimensions(mm)	गोटा	4761.00	4761.00	4761.00
	175 x 210 x 92, Dimensions(mm)	गोटा	5334.00	5334.00	5334.00
	205 x 255 x 112, Dimensions(mm)	गोटा	28649.00	28649.00	28649.00
	225 x 295 x 122, Dimensions(mm)	गोटा	30099.00	30099.00	30099.00
	255 x 355 x 122, Dimensions(mm)	गोटा	8376.00	8376.00	8376.00
२६	Junction Box for Underground/Underwater Application: IP 68 with IK 08/10 in accordance with IEC 60529 and EN 50298-98. Thermoplastic PC-GF5 Polycarbonate Junction box shall be suitable for installation in the ground (underground - buried application) without traffic loads. The junction box shall fulfil the following standards: IEC 60670-22: Particular requirements for connecting boxes and enclosures. IEC 60695-2-11: Flame - retention & Self-extinguishing. (Glow Wire test at minimum 960 deg C. DIN VDE V 0806-22-100: Cable junction boxes for encapsulating				

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.नं.क. बाहेकको दररेट		
			मा.नं. २०८०/८१	मा.नं. २०८१/८२	मा.नं. २०८२/८३
	93 x 93 x 62, Dimensions(mm)	गोटा	10028.00	10028.00	10028.00
	104 x 104 x 79, Dimensions(mm)	गोटा	12044.00	12044.00	12044.00
	104 x 104 x 79, Dimensions(mm)	गोटा	12160.00	12160.00	12160.00
	130 x 130 x 77, Dimensions(mm)	गोटा	15608.00	15608.00	15608.00
	130 x 130 x 77, Dimensions(mm)	गोटा	16074.00	16074.00	16074.00
	130 x 180 x 77, Dimensions(mm)	गोटा	19126.00	19126.00	19126.00
	130 x 180 x 77, Dimensions(mm)	गोटा	20407.00	20407.00	20407.00
२७	Excellulating/Whisperproofing Oil Compound: Oil, suitable for Low voltage, free from halogen & silicon content, with set-life of 2 years, dielectric strength of 10kV/cm and should withstand temperatures of 130°C long times-140°C (short time).				
	350 ml, Packet	गोटा	9073.00	9073.00	9073.00
	500 ml, Packet	गोटा	10925.00	10925.00	10925.00
	850 ml, Packet	गोटा	14490.00	14490.00	14490.00
	1200 ml, Drum	गोटा	16726.00	16726.00	16726.00
	2000 ml, Drum	गोटा	14979.00	14979.00	14979.00
	5000 ml, Drum	गोटा	33849.00	33849.00	33849.00
	10000 ml, Drum	गोटा	66183.00	66183.00	66183.00
२८	DB Box Condensation Protection Passive Measure: for preventing condensation in panels and DB's, having performance range temperature range of -30 deg C to +90 deg C. The Condensation Bag/Pouch shall be Environment friendly and can be disposed of in regular trash.				
	50 x 75, Dimensions(mm)	गोटा	605.00	605.00	605.00
	75 x 100, Dimensions(mm)	गोटा	1118.00	1118.00	1118.00
	100 x 150, Dimensions(mm)	गोटा	2154.00	2154.00	2154.00
	150 x 150, Dimensions(mm)	गोटा	3203.00	3203.00	3203.00
२९	Polycarbonate Thermoplastic Box: IP 64/IP55/IP66 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 featured with UV resistance in accordance with IEC 61439-1, Conforming to IEC 60695-2-1, with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	300 x 150 x 170, Dimensions(mm)	गोटा	7008.00	7008.00	7008.00
	300 x 300 x 170, Dimensions(mm)	गोटा	10113.00	10113.00	10113.00
	380 x 450 x 170, Dimensions(mm)	गोटा	13185.00	13185.00	13185.00
	500 x 600 x 170, Dimensions(mm)	गोटा	16353.00	16353.00	16353.00
	450 x 600 x 170, Dimensions(mm)	गोटा	28700.00	28700.00	28700.00
	600 x 600 x 170, Dimensions(mm)	गोटा	36201.00	36201.00	36201.00
	300 x 300 x 214, Dimensions(mm)	गोटा	10762.00	10762.00	10762.00
	380 x 450 x 214, Dimensions(mm)	गोटा	14327.00	14327.00	14327.00
	500 x 600 x 214, Dimensions(mm)	गोटा	17879.00	17879.00	17879.00
	300 x 300 x 180, Dimensions(mm)	गोटा	11624.00	11624.00	11624.00
३०	Cable Glands and Locknuts: IP 68 Cable Glands and Locknuts made from Polyamide Material.				
	M 12 x 1.5	गोटा	77.00	77.00	77.00
	M 16 x 1.5	गोटा	79.00	79.00	79.00
	M 20 x 1.5	गोटा	107.00	107.00	107.00
	M 23 x 1.5	गोटा	187.00	187.00	187.00
	M 32 x 1.5	गोटा	255.00	255.00	255.00

विद्युतिय सामग्रीहरु

क्र.सं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाटोको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	M 40 x 1.5	मीटर	531.00	531.00	531.00
	M 50 x 1.5	मीटर	821.00	823.00	823.00
	M 63 x 1.5	मीटर	1280.00	1280.00	1280.00
B	LT- PANELS & Distribution Board				
	General & Mid Segment				
२१	Distribution board (DB) : factory fabricated and factory assembled, sheet steel clad powder coated, wall/roofs mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/lock type copper bushers with interconnections and neutral bar assembly, earthing terminals etc.				
	4 way SPN DB (Double Cover)	सेट	1130.00	1130.00	1130.00
	6 way SPN DB	सेट	1185.00	1185.00	1185.00
	8 way SPN DB	सेट	1479.00	1479.00	1479.00
	12 way SPN DB	सेट	1753.00	1753.00	1753.00
	16 way SPN DB	सेट	1874.00	1874.00	1874.00
	3-4 way TPN DB Double Cover	सेट	2786.00	2786.00	2786.00
	6 way TPN	सेट	3131.00	3131.00	3131.00
	8 way TPN * * * Vertical	सेट	6057.00	6057.00	6057.00
	12 way TPN * * * Vertical	सेट	8070.00	8070.00	8070.00
	Standard Segment				
२२	Distribution Box : factory fabricated and factory assembled, sheet steel clad powder coated, wall/roofs mounting dust and vermin proof (IP 45 & IP 69 ingress protection) double door vertical/horizontal type Distribution Boards conforming IEC 61439-3, fabricated from 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/lock type copper bushers with interconnections and neutral bar assembly, earthing terminals etc.				
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3135.00	3135.00	3135.00
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3870.00	3870.00	3870.00
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट	4652.00	4652.00	4652.00
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट	5902.00	5902.00	5902.00
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट	6036.00	6036.00	6036.00
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट	7322.00	7322.00	7322.00
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट	2356.00	2356.00	2356.00
	8 WAY SPN DB BOX (SINGLE DOOR)	सेट	2874.00	2874.00	2874.00
	12 WAY SPN DB BOX (SINGLE DOOR)	सेट	3398.00	3398.00	3398.00
	16 WAY SPN DB BOX (SINGLE DOOR)	सेट	4150.00	4150.00	4150.00
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट	7660.00	7660.00	7660.00
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट	9539.00	9539.00	9539.00
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट	11392.00	11392.00	11392.00
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट	17062.00	17062.00	17062.00
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट	21152.00	21152.00	21152.00
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट	29612.00	29612.00	29612.00

विद्युतिय सामग्रीहरु

सि.न.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बढेकोको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	2 ROW OF 14M DB (DOUBLE DOOR)	सेट	9816.00	9816.00	9816.00
	3 ROW OF 14M DB (DOUBLE DOOR)	सेट	11737.00	11737.00	11737.00
	4 ROW OF 14M DB (DOUBLE DOOR)	सेट	12783.60	12783.60	12783.60
	3 ROW OF 14M DB (MOCH) (DOUBLE DOOR)	सेट	12782.00	12782.00	12782.00
	4WAY +12 TPN DB'S (DOUBLE DOOR)	सेट	22883.00	22883.00	22883.00
	5WAY +18 TPN DB'S (DOUBLE DOOR)	सेट	25997.00	25997.00	25997.00
	8WAY +24 TPN DB'S (DOUBLE DOOR)	सेट	28614.00	28614.00	28614.00
	12WAY +36 TPN DB'S (DOUBLE DOOR)	सेट	39010.00	39010.00	39010.00
	4WAY +12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	27469.00	27469.00	27469.00
	4WAY +12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	31443.00	31443.00	31443.00
	4WAY +12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	36355.00	36355.00	36355.00
	4WAY +12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	41004.00	41004.00	41004.00
	13A-150 MCH BOX 3&4P ENCLUSER (DOUBLE DOOR)	सेट	6818.00	6818.00	6818.00
	250 MCH BOX 3&4P ENCLUSER (DOUBLE DOOR)	सेट	12057.00	12057.00	12057.00
	160 MCH-1P 3&4P ENCLUSER (DOUBLE DOOR)	सेट	3643.00	3643.00	3643.00
	DWTP ENCLUSER FOR MCH (SINGLE DOOR)	सेट	1213.00	1213.00	1213.00
	FP ENCLUSER FOR MCH (SINGLE DOOR)	सेट	1213.00	1213.00	1213.00
	Panel Board Thermoplastic Polycarbonate				
२३	Distribution Board Thermoplastic Polycarbonate: IP-65 with DC BREAK in accordance with IEC 60529 and EN 30296-98 made of Thermoplastics PS Polystyrene Outdoor MCB Distribution Boards suitable for 1-54 MCB modules with fixed plug-in terminal for PHVN, Conforming to IEC 60 695-2-11 with 700-1000°C glow wire test with flame resistant, self-extinguishing property				
	1 Modules	गोटा	3986.00	3986.00	3986.00
	4 Modules	गोटा	5033.00	5033.00	5033.00
	6 Modules	गोटा	5762.00	5762.00	5762.00
	8 Modules	गोटा	7197.00	7197.00	7197.00
	12 Modules	गोटा	11811.00	11811.00	11811.00
	18 Modules	गोटा	14105.00	14105.00	14105.00
	24 Modules	गोटा	16773.00	16773.00	16773.00
	2 row 36 Modules	गोटा	21665.00	21665.00	21665.00
	3 row 36 Modules	गोटा	21047.00	21047.00	21047.00
	4 row 48 Modules	गोटा	27396.00	27396.00	27396.00
	3 row 54 Modules	गोटा	30366.00	30366.00	30366.00
२४	Panel Board:- Floor/Wall Mounted, double door, powder coated enclosure (50-80microns), treated with seven (7) tank processes with push-button lock, safety Arc-Flash Sheet Cover with a warning sign at exposed portion, O/S name embossed in Metal tag, fuses, spreaders, roller handle in all incoming and made of 1.6x2 mm metal sheet including Copper neutral bar, phase bar and earth bus bar with color-coded heat shrinkable insulating sleeves) with adequate space for incoming and outgoing cables, complete internal wiring with as per the drawing, specification and instruction, all complete. The panel shall conform to IS 8623 (Part 1 & 2) and IS 13947, having a degree of protection of enclosure as per IS/IEC 60529.				

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकक	मु.ब.क. बाटोको दररेट		
			आ.ब. २०८०/८१	आ.ब. २०८१/८२	आ.ब. २०८२/८३
	60/75/100 AMP, 8"×36"×48" size	सेट	22566.00	22366.00	22366.00
	60/75/100 AMP, 12"×36"×48" size	सेट	26627.00	26627.00	26627.00
	60/75/100 AMP, 9"×48"×60" size	सेट	37278.00	37278.00	37278.00
	60/75/100 AMP, 12"×48"×60" size	सेट	44378.00	44378.00	44378.00
	150/200 AMP, 9"×36"×32" size	सेट	24851.00	24851.00	24851.00
	150/200 AMP, 12"×36"×32" size	सेट	24851.00	24851.00	24851.00
	150/200 AMP, 9"×42"×36" size	सेट	27675.00	27675.00	27675.00
	150/200 AMP, 12"×42"×36" size	सेट	29432.00	29432.00	29432.00
	250/300 AMP, 12"×48"×60" size	सेट	36040.00	36040.00	36040.00
	250/300 AMP, 12"×52"×62" size	सेट	40344.00	40344.00	40344.00
	400 AMP, 12"×52"×66" size	सेट	42947.00	42947.00	42947.00
३५	Manual Change over Panel Type - सतम्भित उत्पादक राष्ट्रको गुणस्तर विन्दु प्राप्त				
	85 Amp TP	रोटा	12135.00	12135.00	12135.00
	90 Amp TP	रोटा	13426.00	13426.00	13426.00
	100 Amp TP	रोटा	19020.00	19020.00	19020.00
	125 Amp TP	रोटा	20053.00	20053.00	20053.00
	160 Amp TP	रोटा	26336.00	26336.00	26336.00
	200 Amp TP	रोटा	27196.00	27196.00	27196.00
	250 Amp TP	रोटा	28918.00	28918.00	28918.00
	315 Amp TP	रोटा	36578.00	36578.00	36578.00
	OPEN EXECUTION				
	CHANGEOVER SD FR1 63A WITH EXTENDED HANDLE	रोटा	10027.00	10027.00	10027.00
	CHANGEOVER SD FR1 100A WITH EXTENDED HANDLE	रोटा	13218.00	13218.00	13218.00
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	रोटा	20101.00	20101.00	20101.00
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	रोटा	21725.00	21725.00	21725.00
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	रोटा	26384.00	26384.00	26384.00
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	रोटा	38818.00	38818.00	38818.00
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	रोटा	40881.00	40881.00	40881.00
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	रोटा	60257.00	60257.00	60257.00
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	रोटा	71026.00	71026.00	71026.00
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	रोटा	102883.00	102883.00	102883.00
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	रोटा	184354.00	184354.00	184354.00
	CHANGEOVER SD WITH CENTER OPERATION 125A	रोटा	244935.00	244935.00	244935.00
	CHANGEOVER SD WITH CENTER OPERATION 1600A	रोटा	289848.00	289848.00	289848.00
	CHANGEOVER SD WITH CENTER OPERATION 2000A	रोटा	394716.00	394716.00	394716.00
	Sheet Steel Enclosure				
	CHANGEOVER SD FR1 63A IN SS ENCL ENT HANDLE	रोटा	14555.00	14555.00	14555.00
	CHANGEOVER SD FR1 100A IN SS ENCL ENT HANDLE	रोटा	18565.00	18565.00	18565.00
	CHANGEOVER SD CO FR2 125A IN SS ENCL	रोटा	27052.00	27052.00	27052.00
	CHANGEOVER SD CO FR2 160A IN SS ENCL	रोटा	30196.00	30196.00	30196.00
	CHANGEOVER SD CO FR2 200A IN SS ENCL	रोटा	34917.00	34917.00	34917.00
	CHANGEOVER SD CO FR2 250A IN SS ENCL	रोटा	49357.00	49357.00	49357.00
	CHANGEOVER SD CO FR2 315A IN SS ENCL	रोटा	51734.00	51734.00	51734.00
	CHANGEOVER SD CO FR2 400A IN SS ENCL	रोटा	73392.00	73392.00	73392.00
	CHANGEOVER SD CO FR2 630A IN SS ENCL	रोटा	89827.00	89827.00	89827.00
	CHANGEOVER SD FR2 800A IN SS ENCL	रोटा	135774.00	135774.00	135774.00
	CHANGEOVER SD FR2 1000A IN SS ENCL	रोटा	238668.00	238668.00	238668.00
	Panel Board Thermoplastic Polycarbonate				

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
३६	Panel Board Thermoplastic Polycarbonate : IP 65/54 rated Panel Boards in accordance with IEC 60 439-1 (EN625) and IEC 60 439-2 for power switching and control gear assembly, made of high quality Polycarbonate PC-GFS, Shock Proof, Polyurethane gaskets, ferrulines, nut free, corrosion free, add and chemical resistant, fire retardant, self-extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC. The panel boards must include TPVE copper bus bar including necessary accessories for internal wiring in the board excluding cost of MCCB/MCB & measuring instrument.				
	60/75/100 Amp, 9"x36"x48" size	सेट	163836.00	163836.00	163836.00
	60/75/100 AMP, 12"x36"x48" size	सेट	163836.00	163836.00	163836.00
	60/75/100 AMP, 9"x48"x60" size	सेट	274932.00	274932.00	274932.00
	60/75/100 AMP, 12"x48"x60" size	सेट	274932.00	274932.00	274932.00
	150/200 AMP, 9"x36"x52" size	सेट	174468.00	174468.00	174468.00
	150/200 AMP, 12"x36"x52" size	सेट	174468.00	174468.00	174468.00
	150/200 AMP, 9"x42"x56" size	सेट	210120.00	210120.00	210120.00
	150/200 AMP, 12"x42"x56" size	सेट	210120.00	210120.00	210120.00
	250/300 AMP, 12"x48"x60" size	सेट	274932.00	274932.00	274932.00
	250/300 AMP, 12"x52"x60" size	सेट	296004.00	296004.00	296004.00
	300 AMP, 12"x52"x60" size	सेट	317124.00	317124.00	317124.00
३७	Panel Board measurement instrument				
	0-500 volt meter	पिस	1068.00	1068.00	1068.00
	60/100 Amp meter	पिस	1022.00	1022.00	1022.00
	Panel Indicator	पिस	247.00	247.00	247.00
	2 Amp glass fuse with holder 1/2 inch size	पिस	139.00	139.00	139.00
	AMP meter selector switch	पिस	677.00	677.00	677.00
	volt range selector switch	पिस	742.00	742.00	742.00
	60/100 Amp C.T. coil per set 3 Pns	पिस	1495.00	1495.00	1495.00
	150-200AMP C.T. coil 3 PC / Set	गोटा	1861.00	1861.00	1861.00
	250-300 AMP " "	गोटा	2528.00	2528.00	2528.00
	400/500/600AMP " "	गोटा	3712.00	3712.00	3712.00
	Kilo watt hour energy meter single phase	पिस	2372.00	2372.00	2372.00
	Kilo watt hour energy meter 3 phase direct	पिस	10683.00	10683.00	10683.00
C	SWITCH GEARS				
३८	Miniature Circuit Breaker (MCB), (समन्वित उल्लापक राधुको कुनस्तार दिनु पर्छ)				
	Single Pole				
	6-32 amp MCB 5P (single pole)	गोटा	215.00	215.00	215.00
	63A 5P 10 KA MCB	गोटा	782.00	782.00	782.00
	63A 5P 10 KA MCB	गोटा	853.00	853.00	853.00
	Double Pole				
	6-32 amp MCB DP (Double pole)	गोटा	1065.00	1065.00	1065.00
	40A DP 10 KA MCB	गोटा	1671.00	1671.00	1671.00
	63A DP 10 KA MCB	गोटा	1880.00	1880.00	1880.00
	Three Pole				

विद्युतिय सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाढेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	६-३२ amp MCB TP (Triple pole)	गोटा	1744.00	1744.00	1744.00
	40A TP 10 KA MCB	गोटा	2559.00	2559.00	2559.00
	63A TP 10 KA MCB	गोटा	2705.00	2705.00	2705.00
	Four Pole				
	10-32 amp MCB TP (Four pole)	गोटा	2235.00	2235.00	2235.00
	40A TP 10 KA MCB	गोटा	3269.00	3269.00	3269.00
	63A TP 10 KA MCB	गोटा	3342.00	3342.00	3342.00
३९	Miniature Circuits Breaker (MCB) (संबन्धित उत्पादक राटुको गुणस्तर चिन्ह प्राप्त)				
	0.5-1 amp MCB SP (single pole)	गोटा	269.00	269.00	269.00
	६-३२ amp MCB SP (single pole)	गोटा	172.00	172.00	172.00
	६-३२ amp MCB DP (Double pole)	गोटा	645.00	645.00	645.00
	६-३२ amp MCB TP (Triple pole)	गोटा	1291.00	1291.00	1291.00
	12 amp MCB TPN	गोटा	1560.00	1560.00	1560.00
	40-63 amp MCB DP	गोटा	1022.00	1022.00	1022.00
	40-63 amp MCB TP	गोटा	1452.00	1452.00	1452.00
	40-63 amp MCB TPN	गोटा	1936.00	1936.00	1936.00
४०	Residual Current Circuit Breaker (RCCB) (संबन्धित उत्पादक राटुको गुणस्तर चिन्ह प्राप्त)				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	2873.00	2873.00	2873.00
	25A 100mA 2 POLE RCCB	गोटा	3890.00	3890.00	3890.00
	25A 300mA DP RCCB	गोटा	3890.00	3890.00	3890.00
	40A 30mA DP RCCB	गोटा	4204.00	4204.00	4204.00
	40A 100mA DP RCCB	गोटा	4449.00	4449.00	4449.00
	40A 300mA DP RCCB	गोटा	4449.00	4449.00	4449.00
	63A 30mA DP RCCB	गोटा	5238.00	5238.00	5238.00
	63A 300mA DP RCCB	गोटा	5368.00	5368.00	5368.00
	Four Pole				
	25A 30mA Four Pole RCCB	गोटा	4919.00	4919.00	4919.00
	25A 100mA Four Pole RCCB	गोटा	5097.00	5097.00	5097.00
	25A 300mA Four Pole RCCB	गोटा	5097.00	5097.00	5097.00
	40A 30mA Four Pole RCCB	गोटा	4940.00	4940.00	4940.00
	40A 100mA Four Pole RCCB	गोटा	5175.00	5175.00	5175.00
	40A 300mA Four Pole RCCB	गोटा	5175.00	5175.00	5175.00
	63A 30mA Four Pole RCCB	गोटा	5666.00	5666.00	5666.00
	63A 100mA Four Pole RCCB	गोटा	5948.00	5948.00	5948.00
	63A 300mA Four Pole RCCB	गोटा	5948.00	5948.00	5948.00
	100A 300mA Four Pole RCCB	गोटा	9974.00	9974.00	9974.00
४१	Moulded Case Circuit Breaker (संबन्धित उत्पादक राटुको गुणस्तर चिन्ह प्राप्त)				
	15 A-100 A 3 POLE 10 KA	गोटा	4132.00	4132.00	4132.00
	15 A-100 A 4 POLE 10 KA	गोटा	6067.00	6067.00	6067.00
	16A-63A 3P MOCB 10 KA FTSM	गोटा	3723.00	3723.00	3723.00
	40A 3P MOCB 10 KA FTSM - SPD	गोटा	4334.00	4334.00	4334.00

विद्युतिय सामग्रीहरु

क्र.न	निर्माण सामग्रीहरुको विवरण	एकाइ	मु. व. क. बाहेकको दररेट		
			मा. व. २०८०/८१	मा. व. २०८१/८२	मा. व. २०८२/८३
	100A 3P MCCB 10 KA FIRM - 8PRD	गोटा	4334.00	4334.00	4334.00
	125A 3P MCCB 10 KA FIRM - 8PRD	गोटा	6143.00	6143.00	6143.00
	15 A-100 A 3 POLE 10 KA	गोटा	8500.00	8500.00	8500.00
	133 A 3 POLE 10 KA	गोटा	9196.00	9196.00	9196.00
	160 A 3 POLE 10 KA	गोटा	11858.00	11858.00	11858.00
	15 A-100 A 4 POLE 10 KA	गोटा	11330.00	11330.00	11330.00
	125 A 4 POLE 10 KA	गोटा	11402.00	11402.00	11402.00
	160 A 4 POLE 10 KA	गोटा	14928.00	14928.00	14928.00
	125A 3P MCCB 10 KA TMO 9 PIN	गोटा	13420.00	13420.00	13420.00
X२	Moulded Case Circuit Breaker (As per IEC 60947-2 and Utilization Catalogue -B, Icu=Ics=100% with appender)				
	16A 3P MCCB 16/25 KA	गोटा	9936.00	9936.00	9936.00
	20A 43A 3P MCCB 16/25 KA	गोटा	10153.00	10153.00	10153.00
	40A 3P MCCB 16/25 KA	गोटा	10648.00	10648.00	10648.00
	100A 3P MCCB 16/25 KA	गोटा	10648.00	10648.00	10648.00
	125A 3P MCCB 16/25 KA	गोटा	14454.00	14454.00	14454.00
	160A 3P MCCB 16/25 KA	गोटा	22220.00	22220.00	22220.00
	200A 3P MCCB 25 KA	गोटा	30250.00	30250.00	30250.00
	250A 3P MCCB 25 KA	गोटा	32318.00	32318.00	32318.00
	16A - 100 A 3P MCCB 36 KA	गोटा	12592.00	12592.00	12592.00
	125A 3P MCCB 36 KA	गोटा	19981.00	19981.00	19981.00
	160A 3P MCCB 36 KA	गोटा	26559.00	26559.00	26559.00
	200A 3P MCCB 36 KA	गोटा	31581.00	31581.00	31581.00
	250A 3P MCCB 36 KA	गोटा	35541.00	35541.00	35541.00
	320A 3P MCCB 36 KA	गोटा	41222.00	41222.00	41222.00
	400A 3P MCCB 36 KA	गोटा	41258.00	41258.00	41258.00
	500A 3P MCCB 36 KA	गोटा	47641.00	47641.00	47641.00
	630A 3P MCCB 36 KA	गोटा	54010.00	54010.00	54010.00
	800A 3P MCCB 36 KA	गोटा	79653.00	79653.00	79653.00
	1000A 3P MCCB 36 KA	गोटा	103968.00	103968.00	103968.00
	1250A 3P MCCB 36 KA	गोटा	148555.00	148555.00	148555.00
	125A 3P MCCB 50 KA	गोटा	25927.00	25927.00	25927.00
	160A 3P MCCB 50 KA	गोटा	32642.00	32642.00	32642.00
	200A 3P MCCB 50 KA	गोटा	30723.00	30723.00	30723.00
	250A 3P MCCB 50 KA	गोटा	33805.00	33805.00	33805.00
	320A 3P MCCB 50 KA	गोटा	39557.00	39557.00	39557.00
	400A 3P MCCB 50 KA	गोटा	39688.00	39688.00	39688.00
	500A 3P MCCB 50 KA	गोटा	47146.00	47146.00	47146.00
	630A 3P MCCB 50 KA	गोटा	61050.00	61050.00	61050.00
	800A 3P MCCB 50 KA	गोटा	94743.00	94743.00	94743.00
	1000A 3P MCCB 50 KA	गोटा	150300.00	150300.00	150300.00
	1250A 3P MCCB 50 KA	गोटा	183903.00	183903.00	183903.00
	800 A 3 POLE 70 KA	गोटा	142236.00	142236.00	142236.00
	1000 A 3 POLE 70 KA	गोटा	215390.00	215390.00	215390.00
	1250A 3 POLE 70 KA	गोटा	220656.00	220656.00	220656.00
	16A 4P MCCB 16/25 KA	गोटा	13812.00	13812.00	13812.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ग.क. बाहेकको दररेट		
			आ.न. २०८०/८१	आ.न. २०८१/८२	आ.न. २०८२/८३
	30A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	25A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	32A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	40A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	50A 4P MCCB 16/25 KA	गोटा	16978.00	16978.00	16978.00
	63A 3P MCCB 16/25 KA	गोटा	13812.00	13812.00	13812.00
	80A 4P MCCB 16/25 KA	गोटा	16978.00	16978.00	16978.00
	100A 4P MCCB 16/25 KA	गोटा	17308.00	17308.00	17308.00
	125A 4P MCCB 16/25 KA	गोटा	21472.00	21472.00	21472.00
	160A 4P MCCB 16/25 KA	गोटा	27555.00	27555.00	27555.00
	200A 4P MCCB 25 KA	गोटा	38445.00	38445.00	38445.00
	250A 4P MCCB 25 KA	गोटा	40529.00	40529.00	40529.00
	16A - 100 A 4P MCCB 36 KA	गोटा	15712.00	15712.00	15712.00
	125A 4P MCCB 36 KA	गोटा	24810.00	24810.00	24810.00
	160A 4P MCCB 36 KA	गोटा	31548.00	31548.00	31548.00
	200A 4P MCCB 36 KA	गोटा	38852.00	38852.00	38852.00
	250A 4P MCCB 36 KA	गोटा	43417.00	43417.00	43417.00
	320A 4P MCCB 36 KA	गोटा	51480.00	51480.00	51480.00
	400A 4P MCCB 36 KA	गोटा	52332.00	52332.00	52332.00
	500A 4P MCCB 36 KA	गोटा	64916.00	64916.00	64916.00
	630A 4P MCCB 36 KA	गोटा	71940.00	71940.00	71940.00
	800A 4P MCCB 36 KA	गोटा	89616.00	89616.00	89616.00
	1000A 4P MCCB 36 KA	गोटा	131436.00	131436.00	131436.00
	1250A 4P MCCB 36 KA	गोटा	158119.00	158119.00	158119.00
	125A 4P MCCB 50 KA	गोटा	29073.00	29073.00	29073.00
	200A 4P MCCB 50 KA	गोटा	38406.00	38406.00	38406.00
	250A 4P MCCB 50 KA	गोटा	41474.00	41474.00	41474.00
	320A 4P MCCB 50 KA	गोटा	48886.00	48886.00	48886.00
	400A 4P MCCB 50 KA	गोटा	49562.00	49562.00	49562.00
	500A 4P MCCB 50 KA	गोटा	59536.00	59536.00	59536.00
	630A 4P MCCB 50 KA	गोटा	63467.00	63467.00	63467.00
	800A 4P MCCB 50 KA	गोटा	108020.00	108020.00	108020.00
	1000A 4P MCCB 50 KA	गोटा	209456.00	209456.00	209456.00
	1250A 4P MCCB 50 KA	गोटा	264550.00	264550.00	264550.00
	800 A 4 POLE, 70 KA	गोटा	164896.00	164896.00	164896.00
	1000 A 4 POLE, 70 KA	गोटा	304968.00	304968.00	304968.00
	1250A 4 POLE, 70 KA	गोटा	351662.00	351662.00	351662.00
४३	MCB/ISOLATOR सर्वाधिक चलायक रक्षकको गुणस्तर भित्र पर्छ				
	B CURVE MCB SP 6A-32A	गोटा	249.00	249.00	249.00
	B CURVE MCB SP 40A	गोटा	293.00	293.00	293.00
	B CURVE MCB SP 50A-63A	गोटा	293.00	293.00	293.00
	C CURVE MCB SP 0.5-4A	गोटा	293.00	293.00	293.00
	C CURVE MCB SP 6-32A	गोटा	249.00	249.00	249.00
	C CURVE MCB SP 40A	गोटा	465.00	465.00	465.00
	C CURVE MCB SP 50-63A	गोटा	465.00	465.00	465.00

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाइ	मु. व. क. माहिनको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	C CURVE MCB 5PN 0.5-4A	गोटा	500.00	500.00	500.00
	C CURVE MCB 5PN 6-32A	गोटा	535.00	535.00	535.00
	C CURVE MCB 5PN 40A	गोटा	585.00	585.00	585.00
	C CURVE MCB 5PN 50-63A	गोटा	585.00	585.00	585.00
	C CURVE MCB DP 0.5-4A	गोटा	644.00	644.00	644.00
	C CURVE MCB DP 6-32A	गोटा	589.00	589.00	589.00
	C CURVE MCB DP 40A	गोटा	644.00	644.00	644.00
	C CURVE MCB DP 50-63A	गोटा	644.00	644.00	644.00
	C CURVE MCB TP 0.5-4A	गोटा	966.00	966.00	966.00
	C CURVE MCB TP 6-32A	गोटा	884.00	884.00	884.00
	C CURVE MCB TP 40A	गोटा	966.00	966.00	966.00
	C CURVE MCB TP 50-63A	गोटा	966.00	966.00	966.00
	C CURVE MCB TPN 0.5-4A	गोटा	1259.00	1259.00	1259.00
	C CURVE MCB TPN 6-32A	गोटा	1152.00	1152.00	1152.00
	C CURVE MCB TPN 40A	गोटा	1259.00	1259.00	1259.00
	C CURVE MCB TPN 50-63A	गोटा	1259.00	1259.00	1259.00
	C CURVE MCB FP 0.5-4A	गोटा	1347.00	1347.00	1347.00
	C CURVE MCB FP 6-32A	गोटा	1232.00	1232.00	1232.00
	C CURVE MCB FP 40A	गोटा	1347.00	1347.00	1347.00
	C CURVE MCB FP 50-63A	गोटा	1347.00	1347.00	1347.00
	ISOLATOR DP 40A	गोटा	575.00	575.00	575.00
	ISOLATOR DP 63A	गोटा	575.00	575.00	575.00
	ISOLATOR DP 100A	गोटा	601.00	601.00	601.00
	ISOLATOR DP 125A	गोटा	638.00	638.00	638.00
	ISOLATOR FP 40A	गोटा	942.00	942.00	942.00
	ISOLATOR FP 63A	गोटा	942.00	942.00	942.00
	ISOLATOR FP 100A	गोटा	1042.00	1042.00	1042.00
	ISOLATOR FP 125A	गोटा	1042.00	1042.00	1042.00
	RCCB DP 25A 30mA	गोटा	3704.00	3704.00	3704.00
	RCCB DP 40A 30mA	गोटा	3704.00	3704.00	3704.00
	RCCB DP 63A 30mA	गोटा	3704.00	3704.00	3704.00
	RCCB DP 75A 100mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 40A 100mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 63A 100mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 25A 300mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 40A 300mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 63A 300mA	गोटा	3493.00	3493.00	3493.00
	RCCB FP 25A 30mA	गोटा	4339.00	4339.00	4339.00
	RCCB FP 40A 30mA	गोटा	4339.00	4339.00	4339.00
	RCCB FP 63A 30mA	गोटा	4339.00	4339.00	4339.00
	RCCB FP 25A 100mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 40A 100mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 63A 100mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 25A 300mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 40A 300mA	गोटा	4182.00	4182.00	4182.00

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	RCCB 63A 300mA	गोटा	4182.00	4182.00	4182.00
४४	MCB/ISOLATOR/HCCB (As per IS/IEC 60898-1:2002) for MCB; IEC 60947-3 for Isolator, IS 12640-1 for RCCB, Icu-Ics=100%, 10kA)				
	B-Curve, MCB 6-32A (SINGLE POLE)	गोटा	323.00	323.00	323.00
	C-Curve, MCB 6-32A (SINGLE POLE)	गोटा	337.00	337.00	337.00
	C-Curve, MCB 40A (SINGLE POLE)	गोटा	1189.00	1189.00	1189.00
	C-Curve, MCB 63A (SINGLE POLE)	गोटा	1189.00	1189.00	1189.00
	MCB 6-32A (DOUBLE POLE)	गोटा	1654.00	1654.00	1654.00
	MCB 40A (DOUBLE POLE)	गोटा	2663.00	2663.00	2663.00
	MCB 63A (DOUBLE POLE)	गोटा	2663.00	2663.00	2663.00
	MCB 6-32A (TRIPPLE POLE)	गोटा	2701.00	2701.00	2701.00
	MCB 40A (TRIPPLE POLE)	गोटा	4124.00	4124.00	4124.00
	MCB 63A (TRIPPLE POLE)	गोटा	4124.00	4124.00	4124.00
	MCB 6-32A (FOUR POLE)	गोटा	3646.00	3646.00	3646.00
	MCB 40A (FOUR POLE)	गोटा	5258.00	5258.00	5258.00
	MCB 63A (FOUR POLE)	गोटा	5258.00	5258.00	5258.00
	ISOLATOR 32A 240V (DOUBLE POLE)	गोटा	899.00	899.00	899.00
	ISOLATOR 40A 240V (DOUBLE POLE)	गोटा	992.00	992.00	992.00
	ISOLATOR 63A 240V (DOUBLE POLE)	गोटा	1309.00	1309.00	1309.00
	ISOLATOR 32A 415V (TRIPPLE POLE)	गोटा	1610.00	1610.00	1610.00
	ISOLATOR 40A 415V (TRIPPLE POLE)	गोटा	1724.00	1724.00	1724.00
	ISOLATOR 63A 415V (TRIPPLE POLE)	गोटा	2041.00	2041.00	2041.00
	ISOLATOR 32A 415V (FOUR POLE)	गोटा	1768.00	1768.00	1768.00
	ISOLATOR 40A 415V (FOUR POLE)	गोटा	2195.00	2195.00	2195.00
	ISOLATOR 63A 415V (FOUR POLE)	गोटा	2406.00	2406.00	2406.00
	RCHO 10A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCHO 16A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCHO 25A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCHO 32A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCHO 40A 30MA-2M SPN (DOUBLE POLE)	गोटा	8757.00	8757.00	8757.00
	RCHO 16A 30MA 4M (DOUBLE POLE)	गोटा	6868.00	6868.00	6868.00
	RCHO 25A 30MA 4M (DOUBLE POLE)	गोटा	6868.00	6868.00	6868.00
	RCHO 32A 30MA 4M (DOUBLE POLE)	गोटा	7520.00	7520.00	7520.00
	RCHO 40A 30MA 4M (DOUBLE POLE)	गोटा	8944.00	8944.00	8944.00
	RCHO 16A 30MA 7M (FOUR POLE)	गोटा	9682.00	9682.00	9682.00
	RCHO 25A 30MA 7M (FOUR POLE)	गोटा	9682.00	9682.00	9682.00
	RCHO 32A 30MA 7M (FOUR POLE)	गोटा	9987.00	9987.00	9987.00
	RCHO 40A 30MA 7M (FOUR POLE)	गोटा	10137.00	10137.00	10137.00
	RCHO 63A 30MA 7M (FOUR POLE)	गोटा	12095.00	12095.00	12095.00
	RCCB 25A 30MA 2M (DOUBLE POLE)	गोटा	5852.00	5852.00	5852.00
	RCCB 40A 30MA 2M (DOUBLE POLE)	गोटा	6851.00	6851.00	6851.00
	RCCB 63A 30MA 2M (DOUBLE POLE)	गोटा	8188.00	8188.00	8188.00
	RCCB 25A 30MA 240V 4M (FOUR POLE)	गोटा	8061.00	8061.00	8061.00
	RCCB 40A 30MA 240V 4M (FOUR POLE)	गोटा	7961.00	7961.00	7961.00
	RCCB 63A 30MA 240V 4M (FOUR POLE)	गोटा	9238.00	9238.00	9238.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.सं.क. माहेको दररेट		
			मा.सं. २०८०/८१	मा.सं. २०८१/८२	मा.सं. २०८२/८३
D	WIRES, CABLE & ACCESSORIES				
Y2	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	66.00	66.00	66.00
	25 sq.mm	गोटा	86.00	86.00	86.00
	35 sq.mm	गोटा	66.00	66.00	66.00
	50 sq.mm	गोटा	78.00	78.00	78.00
	70 sq.mm	गोटा	96.00	96.00	96.00
	95 sq.mm	गोटा	149.00	149.00	149.00
	150 sq.mm	गोटा	224.00	224.00	224.00
	185 sq.mm	गोटा	318.00	318.00	318.00
	250 sq.mm	गोटा	506.00	506.00	506.00
Y5	COPPER CONDUCTOR /WIRE /CABLE (PER COIL-(90 MM) N/S marked				
	1/18 size p.v.c. insulated copper wire/ cable	क्यापल	990.00	990.00	990.00
	3/22	क्यापल	1183.00	1183.00	1183.00
	3/20	क्यापल	1883.00	1883.00	1883.00
	7/22	क्यापल	2636.00	2636.00	2636.00
	3/20	क्यापल	4303.00	4303.00	4303.00
	7/18	क्यापल	6777.00	6777.00	6777.00
	7/16	क्यापल	13985.00	13985.00	13985.00
	19/18	क्यापल	18827.00	18827.00	18827.00
	39/16	क्यापल	37634.00	37634.00	37634.00
	2/20	क्यापल	1430.00	1430.00	1430.00
	2/22	क्यापल	968.00	968.00	968.00
Y9	FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Annealed Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी.	32.00	32.00	32.00
	Size 1 C *1 SQMM	र.मी.	31.00	31.00	31.00
	Size 1 C *1.5 SQMM	र.मी.	45.00	45.00	45.00
	Size 1 C *2.5 SQMM	र.मी.	75.00	75.00	75.00
	Size 1 C *4 SQMM	र.मी.	109.00	109.00	109.00
	Size 1 C *6 SQMM	र.मी.	166.00	166.00	166.00

विद्युतिय सामग्रीहरु

क्र.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.नं.क. माहिरको दररेट		
			आ.प. २०८०/८१	आ.न. २०८१/८२	आ.व. २०८२/८३
४८	FRLS PVC Insulated Wires 1100 V Conductor Composed of Multi Stranded Annealed Plain Copper and FRLS PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	25.00	25.00	25.00
	Size 1 C *1 SQMM	र.मी	33.00	33.00	33.00
	Size 1 C *1.5 SQMM	र.मी	49.00	49.00	49.00
	Size 1 C *2.5 SQMM	र.मी	79.00	79.00	79.00
	Size 1 C *4 SQMM	र.मी	116.00	116.00	116.00
	Size 1 C *6 SQMM	र.मी	175.00	175.00	175.00
४९	Multistrand Flexible wires for house wiring (9/10meter per coil) NS marked Eqp.				
	1.0 mm PVC insulated Copper wire	क्यापल	1075.00	1075.00	1075.00
	1.3 mm PVC insulated Copper wire	क्यापल	1721.00	1721.00	1721.00
	2.5 mm PVC insulated Copper wire	क्यापल	2528.00	2528.00	2528.00
	4.0 mm PVC insulated Copper wire	क्यापल	4088.00	4088.00	4088.00
	6.0 mm PVC insulated Copper wire	क्यापल	6455.00	6455.00	6455.00
	10.0 mm PVC insulated Copper wire	क्यापल	10758.00	10758.00	10758.00
५०	Concentric Cable NS marked Eqp.				
	4mm size concentric cable	र.मी	24.00	24.00	24.00
	6mm size " "	र.मी	27.00	27.00	27.00
	10mm size concentric cable	र.मी	40.00	40.00	40.00
	15mm size " "	र.मी	69.00	69.00	69.00
	25mm size " "	र.मी	92.00	92.00	92.00
५१	Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
५२	3/2 Core Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	112.00	112.00	112.00
	2.5 mm ²	र.मी	152.00	152.00	152.00
	4.0 mm ²	र.मी	211.00	211.00	211.00
	6.0 mm ²	र.मी	273.00	273.00	273.00
	10.0 mm ²	र.मी	413.00	413.00	413.00
	16.0 mm ²	र.मी	574.00	574.00	574.00
	25.0 mm ²	र.मी	852.00	852.00	852.00
	35.0 mm ²	र.मी	1141.00	1141.00	1141.00
	50.0 mm ²	र.मी	1534.00	1534.00	1534.00
	70.0 mm ²	र.मी	2163.00	2163.00	2163.00
	95.0 mm ²	र.मी	2956.00	2956.00	2956.00
	120.0 mm ²	र.मी	3713.00	3713.00	3713.00

विद्युतिय सामग्रीहरु



क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाहिरीको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	150.0 mm ²	र.मी	4613.00	4613.00	4613.00
	185.0 mm ²	र.मी	5675.00	5675.00	5675.00
	240.0 mm ²	र.मी	7378.00	7378.00	7378.00
	300.0 mm ²	र.मी	9259.00	9259.00	9259.00
	400.0 mm ²	र.मी	12384.00	12384.00	12384.00
५९.२	b) 3 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	140.00	140.00	140.00
	2.5 mm ²	र.मी	196.00	196.00	196.00
	4.0 mm ²	र.मी	280.00	280.00	280.00
	6.0 mm ²	र.मी	372.00	372.00	372.00
	10.0 mm ²	र.मी	577.00	577.00	577.00
	16.0 mm ²	र.मी	806.00	806.00	806.00
	25.0 mm ²	र.मी	1237.00	1237.00	1237.00
	35.0 mm ²	र.मी	1673.00	1673.00	1673.00
	50.0 mm ²	र.मी	2259.00	2259.00	2259.00
	70.0 mm ²	र.मी	3197.00	3197.00	3197.00
	95.0 mm ²	र.मी	4393.00	4393.00	4393.00
	120.0 mm ²	र.मी	5554.00	5554.00	5554.00
	150.0 mm ²	र.मी	6846.00	6846.00	6846.00
	185.0 mm ²	र.मी	8450.00	8450.00	8450.00
	240.0 mm ²	र.मी	11009.00	11009.00	11009.00
	300.0 mm ²	र.मी	13809.00	13809.00	13809.00
	400.0 mm ²	र.मी	18489.00	18489.00	18489.00
५९.३	c) 3.5 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	1484.00	1484.00	1484.00
	35.0 mm ²	र.मी	1934.00	1934.00	1934.00
	50.0 mm ²	र.मी	2667.00	2667.00	2667.00
	70.0 mm ²	र.मी	3761.00	3761.00	3761.00
	95.0 mm ²	र.मी	5145.00	5145.00	5145.00
	120.0 mm ²	र.मी	6629.00	6629.00	6629.00
	150.0 mm ²	र.मी	7933.00	7933.00	7933.00
	185.0 mm ²	र.मी	9934.00	9934.00	9934.00
	240.0 mm ²	र.मी	12883.00	12883.00	12883.00
	300.0 mm ²	र.मी	16119.00	16119.00	16119.00
	400.0 mm ²	र.मी	21493.00	21493.00	21493.00
५९.४	d) 4 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				

सजितपुर जिल्ला अधिकाारी

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दरदर		
			मा.ब. २०८२/८३	मा.ब. २०८३/८४	मा.ब. २०८४/८५
	1.5 mm ²	र.मी	168.00	168.00	168.00
	2.5 mm ²	र.मी	243.00	243.00	243.00
	4.0 mm ²	र.मी	354.00	354.00	354.00
	6.0 mm ²	र.मी	484.00	484.00	484.00
	10.0 mm ²	र.मी	728.00	728.00	728.00
	16.0 mm ²	र.मी	1054.00	1054.00	1054.00
	25.0 mm ²	र.मी	1627.00	1627.00	1627.00
	35.0 mm ²	र.मी	2212.00	2212.00	2212.00
	50.0 mm ²	र.मी	3092.00	3092.00	3092.00
	70.0 mm ²	र.मी	4247.00	4247.00	4247.00
	95.0 mm ²	र.मी	5830.00	5830.00	5830.00
	120.0 mm ²	र.मी	7388.00	7388.00	7388.00
	150.0 mm ²	र.मी	9119.00	9119.00	9119.00
	185.0 mm ²	र.मी	11250.00	11250.00	11250.00
	240.0 mm ²	र.मी	14661.00	14661.00	14661.00
	300.0 mm ²	र.मी	18399.00	18399.00	18399.00
	400.0 mm ²	र.मी	24637.00	24637.00	24637.00
१२	Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
१२.१	a) 1 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	10.0 mm ²	र.मी	174.00	174.00	174.00
	16.0 mm ²	र.मी	258.00	258.00	258.00
	25.0 mm ²	र.मी	397.00	397.00	397.00
	35.0 mm ²	र.मी	543.00	543.00	543.00
	50.0 mm ²	र.मी	738.00	738.00	738.00
	70.0 mm ²	र.मी	1039.00	1039.00	1039.00
	95.0 mm ²	र.मी	1444.00	1444.00	1444.00
	120.0 mm ²	र.मी	1828.00	1828.00	1828.00
	150.0 mm ²	र.मी	2256.00	2256.00	2256.00
	185.0 mm ²	र.मी	2782.00	2782.00	2782.00
	240.0 mm ²	र.मी	3628.00	3628.00	3628.00
	300.0 mm ²	र.मी	4560.00	4560.00	4560.00
	400.0 mm ²	र.मी	6161.00	6161.00	6161.00
१२.२	b) 2 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	82.00	82.00	82.00
	2.5 mm ²	र.मी	115.00	115.00	115.00
	4.0 mm ²	र.मी	171.00	171.00	171.00
	6.0 mm ²	र.मी	233.00	233.00	233.00
	10.0 mm ²	र.मी	367.00	367.00	367.00
	16.0 mm ²	र.मी	515.00	515.00	515.00
	25.0 mm ²	र.मी	797.00	797.00	797.00

प्रमुख प्रशासकीय अधिकारी

विद्युतीय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.को माहौलको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	३५.० mm ²	र.मी	1082.00	1082.00	1082.00
	५०.० mm ²	र.मी	1475.00	1475.00	1475.00
	७०.० mm ²	र.मी	2092.00	2092.00	2092.00
	९५.० mm ²	र.मी	2878.00	2878.00	2878.00
	120.० mm ²	र.मी	3646.00	3646.00	3646.00
	150.० mm ²	र.मी	4513.00	4513.00	4513.00
	185.० mm ²	र.मी	5370.00	5370.00	5370.00
	240.० mm ²	र.मी	7261.00	7261.00	7261.00
	300.० mm ²	र.मी	9128.00	9128.00	9128.00
	400.० mm ²	र.मी	12235.00	12235.00	12235.00
५२.३	c) ३ Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	109.00	109.00	109.00
	2.5 mm ²	र.मी	159.00	159.00	159.00
	4.0 mm ²	र.मी	233.00	233.00	233.00
	6.0 mm ²	र.मी	326.00	326.00	326.00
	10.0 mm ²	र.मी	521.00	521.00	521.00
	16.0 mm ²	र.मी	756.00	756.00	756.00
	25.0 mm ²	र.मी	1187.00	1187.00	1187.00
	35.0 mm ²	र.मी	1621.00	1621.00	1621.00
	50.0 mm ²	र.मी	2200.00	2200.00	2200.00
	70.0 mm ²	र.मी	3132.00	3132.00	3132.00
	95.0 mm ²	र.मी	4324.00	4324.00	4324.00
	120.0 mm ²	र.मी	5483.00	5483.00	5483.00
	150.0 mm ²	र.मी	6772.00	6772.00	6772.00
	185.0 mm ²	र.मी	8370.00	8370.00	8370.00
	240.0 mm ²	र.मी	10932.00	10932.00	10932.00
	300.0 mm ²	र.मी	13732.00	13732.00	13732.00
	400.0 mm ²	र.मी	18411.00	18411.00	18411.00
५२.४	d) ३.५ Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	1447.00	1447.00	1447.00
	35.0 mm ²	र.मी	1884.00	1884.00	1884.00
	50.0 mm ²	र.मी	2615.00	2615.00	2615.00
	70.0 mm ²	र.मी	3708.00	3708.00	3708.00
	95.0 mm ²	र.मी	5096.00	5096.00	5096.00
	120.0 mm ²	र.मी	6592.00	6592.00	6592.00
	150.0 mm ²	र.मी	7884.00	7884.00	7884.00
	185.0 mm ²	र.मी	9897.00	9897.00	9897.00
	240.0 mm ²	र.मी	12870.00	12870.00	12870.00
	300.0 mm ²	र.मी	16615.00	16615.00	16615.00
	400.0 mm ²	र.मी	21530.00	21530.00	21530.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. माहिरको दररेट		
			आ.नं. २०८०/८१	आ.नं. २०८१/८२	आ.नं. २०८२/८३
५२.५	e) 4 Core, Copper Conductor, Vn-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	134.00	134.00	134.00
	2.5 mm ²	र.मी	199.00	199.00	199.00
	4.0 mm ²	र.मी	298.00	298.00	298.00
	6.0 mm ²	र.मी	419.00	419.00	419.00
	10.0 mm ²	र.मी	679.00	679.00	679.00
	16.0 mm ²	र.मी	1017.00	1017.00	1017.00
	25.0 mm ²	र.मी	1589.00	1589.00	1589.00
	35.0 mm ²	र.मी	2172.00	2172.00	2172.00
	50.0 mm ²	र.मी	2962.00	2962.00	2962.00
	70.0 mm ²	र.मी	4219.00	4219.00	4219.00
	95.0 mm ²	र.मी	5808.00	5808.00	5808.00
	120.0 mm ²	र.मी	7378.00	7378.00	7378.00
	150.0 mm ²	र.मी	9128.00	9128.00	9128.00
	185.0 mm ²	र.मी	11282.00	11282.00	11282.00
	240.0 mm ²	र.मी	14719.00	14719.00	14719.00
	300.0 mm ²	र.मी	18495.00	18495.00	18495.00
	400.0 mm ²	र.मी	24795.00	24795.00	24795.00
५३	Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
५३.१	a) 2 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	96.00	96.00	96.00
	4.0 mm ²	र.मी	114.00	114.00	114.00
	6.0 mm ²	र.मी	132.00	132.00	132.00
	10.0 mm ²	र.मी	160.00	160.00	160.00
	16.0 mm ²	र.मी	181.00	181.00	181.00
	25.0 mm ²	र.मी	220.00	220.00	220.00
	35.0 mm ²	र.मी	248.00	248.00	248.00
	50.0 mm ²	र.मी	305.00	305.00	305.00
	70.0 mm ²	र.मी	397.00	397.00	397.00
	95.0 mm ²	र.मी	493.00	493.00	493.00
	120.0 mm ²	र.मी	592.00	592.00	592.00
	150.0 mm ²	र.मी	723.00	723.00	723.00
	185.0 mm ²	र.मी	882.00	882.00	882.00
	240.0 mm ²	र.मी	1070.00	1070.00	1070.00
	300.0 mm ²	र.मी	1314.00	1314.00	1314.00
	400.0 mm ²	र.मी	1661.00	1661.00	1661.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
४३.२	b) 3 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी		0.00	
	2.5 mm ²	र.मी	111.00	111.00	111.00
	4.0 mm ²	र.मी	132.00	132.00	132.00
	6.0 mm ²	र.मी	153.00	153.00	153.00
	10.0 mm ²	र.मी	192.00	192.00	192.00
	16.0 mm ²	र.मी	210.00	210.00	210.00
	25.0 mm ²	र.मी	284.00	284.00	284.00
	35.0 mm ²	र.मी	310.00	310.00	310.00
	50.0 mm ²	र.मी	412.00	412.00	412.00
	70.0 mm ²	र.मी	539.00	539.00	539.00
	95.0 mm ²	र.मी	695.00	695.00	695.00
	120.0 mm ²	र.मी	836.00	836.00	836.00
	150.0 mm ²	र.मी	1006.00	1006.00	1006.00
	185.0 mm ²	र.मी	1244.00	1244.00	1244.00
	240.0 mm ²	र.मी	1544.00	1544.00	1544.00
	300.0 mm ²	र.मी	1877.00	1877.00	1877.00
	400.0 mm ²	र.मी	2390.00	2390.00	2390.00
४३.३	c) 2.5 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	330.00	330.00	330.00
	35.0 mm ²	र.मी	387.00	387.00	387.00
	50.0 mm ²	र.मी	496.00	496.00	496.00
	70.0 mm ²	र.मी	656.00	656.00	656.00
	95.0 mm ²	र.मी	829.00	829.00	829.00
	120.0 mm ²	र.मी	1031.00	1031.00	1031.00
	150.0 mm ²	र.मी	1315.00	1315.00	1315.00
	185.0 mm ²	र.मी	1495.00	1495.00	1495.00
	240.0 mm ²	र.मी	1860.00	1860.00	1860.00
	300.0 mm ²	र.मी	2260.00	2260.00	2260.00
	400.0 mm ²	र.मी	2790.00	2790.00	2790.00
४३.४	d) 4 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	128.00	128.00	128.00
	4.0 mm ²	र.मी	153.00	153.00	153.00
	6.0 mm ²	र.मी	189.00	188.00	188.00
	10.0 mm ²	र.मी	206.00	206.00	206.00
	16.0 mm ²	र.मी	260.00	260.00	260.00
	25.0 mm ²	र.मी	335.00	355.00	355.00
	35.0 mm ²	र.मी	415.00	415.00	415.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	50.0 mm ²	र.मी	346.00	346.00	346.00
	70.0 mm ²	र.मी	708.00	708.00	708.00
	95.0 mm ²	र.मी	889.00	889.00	889.00
	120.0 mm ²	र.मी	1105.00	1105.00	1105.00
	150.0 mm ²	र.मी	1346.00	1346.00	1346.00
	185.0 mm ²	र.मी	1629.00	1629.00	1629.00
	240.0 mm ²	र.मी	2040.00	2040.00	2040.00
	300.0 mm ²	र.मी	2472.00	2472.00	2472.00
	400.0 mm ²	र.मी	3165.00	3165.00	3165.00
५.१	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
५.१.१	a) 1 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	16.0 mm ²	र.मी	54.00	54.00	54.00
	25.0 mm ²	र.मी	75.00	75.00	75.00
	35.0 mm ²	र.मी	93.00	93.00	93.00
	50.0 mm ²	र.मी	118.00	118.00	118.00
	70.0 mm ²	र.मी	153.00	153.00	153.00
	95.0 mm ²	र.मी	203.00	203.00	203.00
	120.0 mm ²	र.मी	248.00	248.00	248.00
	150.0 mm ²	र.मी	308.00	308.00	308.00
	185.0 mm ²	र.मी	383.00	383.00	383.00
	240.0 mm ²	र.मी	468.00	468.00	468.00
	300.0 mm ²	र.मी	581.00	581.00	581.00
	400.0 mm ²	र.मी	737.00	737.00	737.00
	630.0 mm ²	र.मी	1215.00	1215.00	1215.00
५.१.२	b) 2 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	50.00	50.00	50.00
	4.0 mm ²	र.मी	64.00	64.00	64.00
	6.0 mm ²	र.मी	82.00	82.00	82.00
	10.0 mm ²	र.मी	104.00	104.00	104.00
	16.0 mm ²	र.मी	139.00	139.00	139.00
	25.0 mm ²	र.मी	156.00	156.00	156.00
	35.0 mm ²	र.मी	185.00	185.00	185.00
	50.0 mm ²	र.मी	238.00	238.00	238.00
	70.0 mm ²	र.मी	316.00	316.00	316.00
	95.0 mm ²	र.मी	409.00	409.00	409.00
	120.0 mm ²	र.मी	493.00	493.00	493.00
	150.0 mm ²	र.मी	613.00	613.00	613.00
	185.0 mm ²	र.मी	758.00	758.00	758.00
	240.0 mm ²	र.मी	936.00	936.00	936.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाहेकको दररेड		
			मा.स. २०८०/८१	मा.स. २०८१/८२	मा.स. २०८२/८३
	300.0 mm2	र.मी	1162.00	1162.00	1162.00
	400.0 mm2	र.मी	1491.00	1491.00	1491.00
५५.३	c) 3 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm2	र.मी	57.00	57.00	57.00
	4.0 mm2	र.मी	75.00	75.00	75.00
	6.0 mm2	र.मी	93.00	93.00	93.00
	10.0 mm2	र.मी	124.00	124.00	124.00
	16.0 mm2	र.मी	167.00	167.00	167.00
	25.0 mm2	र.मी	252.00	252.00	252.00
	35.0 mm2	र.मी	270.00	270.00	270.00
	50.0 mm2	र.मी	344.00	344.00	344.00
	70.0 mm2	र.मी	461.00	461.00	461.00
	95.0 mm2	र.मी	613.00	613.00	613.00
	120.0 mm2	र.मी	752.00	752.00	752.00
	150.0 mm2	र.मी	921.00	921.00	921.00
	185.0 mm2	र.मी	1155.00	1155.00	1155.00
	240.0 mm2	र.मी	1452.00	1452.00	1452.00
	300.0 mm2	र.मी	1785.00	1785.00	1785.00
	400.0 mm2	र.मी	2302.00	2302.00	2302.00
५५.४	d) 3.5 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm2	र.मी	273.00	273.00	273.00
	35.0 mm2	र.मी	330.00	330.00	330.00
	50.0 mm2	र.मी	436.00	436.00	436.00
	70.0 mm2	र.मी	596.00	596.00	596.00
	95.0 mm2	र.मी	772.00	772.00	772.00
	120.0 mm2	र.मी	988.00	988.00	988.00
	150.0 mm2	र.मी	1138.00	1138.00	1138.00
	185.0 mm2	र.मी	1452.00	1452.00	1452.00
	240.0 mm2	र.मी	1848.00	1848.00	1848.00
	300.0 mm2	र.मी	2266.00	2266.00	2266.00
	400.0 mm2	र.मी	2914.00	2914.00	2914.00
५५.५	e) 4 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी			
	2.5 mm2	र.मी	64.00	64.00	64.00
	4.0 mm2	र.मी	89.00	89.00	89.00
	6.0 mm2	र.मी	107.00	107.00	107.00
	10.0 mm2	र.मी	160.00	160.00	160.00
	16.0 mm2	र.मी	216.00	216.00	216.00

विद्युत सामग्री

क्र.सं.	निर्माण सामग्री का विवरण	एकक	म. अ. क. बाहरी दर		
			मा. अ. २०२०/२१	मा. अ. २०२१/२२	मा. अ. २०२२/२३
	25.0 mm ² र. मी.	र. मी.	102.00	302.00	302.00
	35.0 mm ² र. मी.	र. मी.	172.00	372.00	372.00
	50.0 mm ² र. मी.	र. मी.	204.00	304.00	304.00
	70.0 mm ² र. मी.	र. मी.	666.00	666.00	666.00
	95.0 mm ² र. मी.	र. मी.	864.00	864.00	864.00
	120.0 mm ² र. मी.	र. मी.	1095.00	1095.00	1095.00
	150.0 mm ² र. मी.	र. मी.	1356.00	1356.00	1356.00
	185.0 mm ² र. मी.	र. मी.	1661.00	1661.00	1661.00
	240.0 mm ² र. मी.	र. मी.	2107.00	2107.00	2107.00
	300.0 mm ² र. मी.	र. मी.	2581.00	2581.00	2581.00
	400.0 mm ² र. मी.	र. मी.	3342.00	3342.00	3342.00
E	CABLE MANAGEMENT				
	Pregalvanized Cable Tray & Raceways				
ख.	LADDER CABLE TRAY Pre Galvanized				
	Pre Galvanized (275Gsm) Bolted Rungs Type 100mm ladder Cable Tray	र. मी.	3368.00	3368.00	1514.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 150mm ladder Cable Tray	र. मी.	2611.00	2611.00	1723.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 200mm ladder Cable Tray	र. मी.	1932.00	1932.00	1592.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 300mm ladder Cable Tray	र. मी.	1723.00	1723.00	2611.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 400mm ladder Cable Tray	र. मी.	1514.00	1514.00	3368.00
ख.	Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र. मी.	2689.00	3689.00	2689.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र. मी.	3394.00	3394.00	3394.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र. मी.	3655.00	3655.00	3655.00
ख.	Perforated Cable Tray 1.6mm Thick, Pre Galvanized				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र. मी.	1350.00	1350.00	1350.00
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र. मी.	1680.00	1680.00	1680.00
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र. मी.	2040.00	2040.00	2040.00
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र. मी.	2400.00	3400.00	2400.00
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र. मी.	3660.00	3660.00	3660.00
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र. मी.	4680.00	4680.00	4680.00
ख.	Perforated Cable Tray 2mm Thick, Pre Galvanized (275 Gsm)				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र. मी.	1222.00	1222.00	1222.00
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र. मी.	1508.00	1508.00	1508.00
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र. मी.	1846.00	1846.00	1846.00
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र. मी.	2132.00	2132.00	2132.00
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र. मी.	3286.00	3286.00	3286.00
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र. मी.	4191.00	4191.00	4191.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. माहेश्वरी दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
२९	Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	१ मी	2055.00	2055.00	2055.00
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	१ मी	4212.00	4212.00	4212.00
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	१ मी	6500.00	6500.00	6500.00
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C,durable and impact resistant.				
३०	CABLE SUPPORT SYSTEM - FINISH - (275GSM)				
	Slotted Z Section - (250X10MM LONG) Pre Galvanized (PG 275)	१ मी	835.00	835.00	835.00
	Rung slotted "C CHANNEL" - Pre Galvanized (PG 275)	१ मी	548.00	548.00	548.00
	Punched White 30x3mm THK HDG 65 Micron (PG 275GSM)	१ मी	783.00	783.00	783.00
	Splice plate 35x200x2.00 (PG 120) Coupler plate 38x110mm	प्रति	574.00	574.00	574.00
	Splice plate 62x90x2.00 (PG 120) Coupler plate 62x110mm	प्रति	600.00	600.00	600.00
	M8-Threaded rod Electroplated,1000 mm long	१ मी	198.00	198.00	198.00
	M10-Threaded rod Electroplated,1000 mm long	१ मी	302.00	302.00	302.00
	Rod coupler, M-8,Electroplated	प्रति	99.00	99.00	99.00
	Rod coupler, M-10,Electroplated	प्रति	109.00	109.00	109.00
	WDJ Coupler 100,150 & 200 mm	प्रति	600.00	600.00	600.00
	275 gsm Pregalvanized Junction Box	प्रति	2611.00	2611.00	2611.00
	Coupler for BRT 900,750,450,300 & 150MM	प्रति	261.00	261.00	261.00
	Coupler for PCT 600,450,300,200,150 & 100MM	प्रति	287.00	287.00	287.00
	Buttle Bracket for BRT 100 X50MM	प्रति	261.00	261.00	261.00
	Buttle Bracket for BRT 150 X50MM	प्रति	417.00	417.00	417.00
	Buttle Bracket for PCT 200 X50MM	प्रति	574.00	574.00	574.00
	METAL GRIP/FASTNER	प्रति	94.00	94.00	94.00
	BRT Reducer Bend 450-150, 30 mm Height ,PG275GSM	प्रति	5222.00	5222.00	5222.00
	BRT Hardware/PCT Hardware	प्रति	31.00	31.00	31.00
	uPVC CONDUITS & ACCESSORIES				
३१	FRLS Conduit of MEDIUM/HEAVY MECHANICAL STRESS(MMS)				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/Blue/Green, FRLS Conduit (2.5 meters per piece)	प्रति	115.00	115.00	115.00
	25MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/ Blue/Green, FRLS Conduit (2.5 meters per piece)	प्रति	144.00	144.00	144.00
	32MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/ Blue/Green, FRLS Conduit (2.5 meters per piece)	प्रति	271.00	271.00	271.00
	Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 7Kgs at 60°C. Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant.				
	20mm 1 way/2way/3way/4way with cover/without cover	प्रति	93.00	93.00	93.00
	25mm 1 way/2way/3way/4way with cover/without cover	प्रति	104.00	104.00	104.00
	32mm 1 way/2way/3way/4way with cover/without cover	प्रति	222.00	222.00	222.00

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. माहिरको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
६२	DEEP TYPE				
	20mm 1 way/2way/3way/4way with cover/without cover	पीस	150.00	150.00	150.00
	25mm 1 way/2way/3way/4way with cover/without cover	पीस	178.00	178.00	178.00
	32mm 1 way/2way/3way/4way with cover/without cover	पीस	234.00	234.00	234.00
६३	SADDLE, COUPLER, BEND, ELBOW, TEE, BUSH ADAPTOR				
	20/25MM Round U Clip/Space Bar saddle	पीस	43.00	43.00	43.00
	20/25MM Coupler	पीस	26.00	26.00	26.00
	20/25mm nail clip type Bend	पीस	92.00	92.00	92.00
	20/25mm Round Elbow	पीस	45.00	45.00	45.00
	20/25mm Round Tee	पीस	63.00	63.00	63.00
	20/25mm Male/female Bush Adaptor	पीस	41.00	41.00	41.00
६४	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE				
	16/20/25 MM Flexible conduits pipe	र.मी	94.00	94.00	94.00
	32/40mm Flexible conduits pipe	र.मी	183.00	183.00	183.00
६५	FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS				
	16/20/25 MM FLEXIBLE CONDUITS PIPE	र.मी	124.00	124.00	124.00
	32/40 MM FLEXIBLE CONDUITS PIPE	र.मी	213.00	213.00	213.00
६६	FLEXIABLE PIPE GLAND				
	16/20/25MM PVC GLAND	पीस	78.00	78.00	78.00
	32/40MM PVC GLAND	पीस	111.00	111.00	111.00
६७	UPVC MINI/MAJI TRUNKING PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation, easy maintenance, secure and elegant look, durable and impact resistance, fire retardant, corrosion free, thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी	46.00	46.00	46.00
	25x15mm	र.मी	60.00	60.00	60.00
	50x50mm	र.मी	499.00	499.00	499.00
	50x100mm	र.मी	1934.00	1934.00	1934.00
६८	PVC Listy Double Lock				
	1/2" breadth	पीस	32.00	32.00	32.00
	3/4"	पीस	48.00	48.00	48.00
	1"	पीस	69.00	69.00	69.00
	1 1/2"	पीस	134.00	134.00	134.00
	2"	पीस	150.00	150.00	150.00
६९	Accessories				
	16"-27" size Saddle	र.मी	8.00	8.00	8.00
	Clips	पीस	6.00	6.00	6.00
	Steel screws	पीस	2.00	2.00	2.00
	PVC Tape	पीस	15.00	15.00	15.00
F	FANS				
७०	TABLE FAN, CEILING FANS & EXHAUST Fans, (संयोजित उपकरण)				
	36" size ceiling Fan	पीस	2259.00	2259.00	2259.00
	42" size " "	पीस	2366.00	2366.00	2366.00
	48" size " "	पीस	2151.00	2151.00	2151.00
	56" size " "	पीस	2689.00	2689.00	2689.00

विद्युतीय सामग्रीहरू

सि.न	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			मा.व. २०६०/६१	मा.व. २०६१/६२	मा.व. २०६२/६३
	६" Exhaust Fan	गोटा	1560.00	1560.00	
	६" EXHAUST FAN PLASTIC WHITE	गोटा	1984.00	1984.00	
	९" Exhaust Fan	गोटा	2365.00	2365.00	
	९" EXHAUST FAN PLASTIC WHITE	गोटा	2151.00	2151.00	
	१०" size wall fan	गोटा	2959.00	2959.00	
	१२" size exhaust fan	गोटा	2736.00	2736.00	
	१६" TABLE FAN	गोटा	2747.00	2747.00	
	१८" TABLE FAN GOLD	गोटा	3013.00	3013.00	
	१६" WALL FAN	गोटा	2334.00	2334.00	
	१८" STAND FAN GOLD	गोटा	3446.00	3446.00	
	१६" STAND FAN	गोटा	2778.00	2778.00	
	१६" STAND FAN 5 BLADES	गोटा	2376.00	2376.00	
	१८" WALL FAN REMOTE	गोटा	3300.00	3300.00	
५१	Decorative Fans				
	५०" Ceiling Fan	गोटा	3975.00	3975.00	
	४८" Ceiling Fan	गोटा	3425.00	3425.00	
५२	Ceiling Fans				
	५०" Ceiling Fan	गोटा	3700.00	3700.00	3700.00
	४८" Power/Silver Ceiling Fan - 50" W	गोटा	3800.00	3800.00	3800.00
	५०" Ceiling Fan	गोटा	2900.00	2900.00	2900.00
	२४" Ceiling Fan (High Speed)	गोटा	2800.00	2800.00	2800.00
५३	Table / Pedestal / Wall Fans				
	१८" Table/Pedestal/Wall Fan	गोटा	6900.00	6900.00	6900.00
	२०" Table/Pedestal/Wall Fan	गोटा	7480.00	7480.00	7480.00
	१६" Pedestal Fan	गोटा	5150.00	5150.00	5150.00
	१६" High Speed Table Fan	गोटा	4500.00	4500.00	4500.00
	१६" High Speed Wall Fan	गोटा	4500.00	4500.00	4500.00
५४	Ventilation / Exhaust Fans				
	६" Ventilation Exhaust Fan	गोटा	2000.00	2000.00	2000.00
	८" Ventilation Exhaust Fan	गोटा	2090.00	2090.00	2090.00
	१०" Ventilation Exhaust Fan	गोटा	2475.00	2475.00	2475.00
	६" Modular Ventilation Exhaust	गोटा	2200.00	2200.00	2200.00
	६" Modular Ventilation Exhaust	गोटा	2475.00	2475.00	2475.00
	९" Open Metal Exhaust	गोटा	2975.00	2975.00	2975.00
	१२" Open Metal Exhaust	गोटा	3475.00	3475.00	3475.00
G	Luminaires & Fixtures				
५५	LED BULB				
	0.5W , LED with E14/B22/E27 Base, Color/3000K/4000K/6500K	गोटा	63.00	63.00	63.00
	3W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	124.00	124.00	124.00
	5W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	139.00	139.00	139.00
	7W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	9W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	12W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	270.00	270.00	270.00
	14/15W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	342.00	342.00	342.00

विद्युतिय सामग्रीहरु

सि.न	निर्याण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			मा.व. २०६०/६१	मा.व. २०६१/६२	मा.व. २०६२/६३
	20/23W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	522.00	522.00	522.00
	30W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	783.00	783.00	783.00
	40W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1007.00	1007.00	1007.00
	50W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1262.00	1262.00	1262.00
	6W E14 TAIL WARM	गोटा	250.00	250.00	250.00
	4W E14 NON TAIL WARM	गोटा	230.00	230.00	230.00
	SMART LED BULB				
	3W/5W (≥100lm/watt) dimmable with 220° Beam Angle 2700K-6500K, IP44 E14 Aluminium+Thermoplastic LED Candle Bulb	गोटा	455.00	455.00	455.00
३६	Fluorescent Tube light (FTL) set including Tube, ballast, starter, lamp holder, channel/harness made with pre-coated & powder coated CRCA steel all complete accessories pre-wired upto a terminal block. (सम्बन्धित उत्पादकबाटको गुणस्तर भित्र प्रदान)				
	1-29 watt FTL (Fast fittings)	सेट	484.00	484.00	484.00
	1-40 watt FTL, Energy saving electronic ballast with electronic choke/ballast/ Surface mounting (Fast Fitting)	सेट	809.00	809.00	809.00
	1-20 watt FTL (Micro) W&P 20120	सेट	914.00	914.00	914.00
	1-40 watt FTL with attractive & functional decorative ballasts W&P20140	सेट	1065.00	1065.00	1065.00
	1-40 watt FTL box fittings	सेट	1210.00	1210.00	1210.00
	2-40 watt FTL box fittings	सेट	1828.00	1828.00	1828.00
	1-40 watt FTL industrial channel	सेट	1861.00	1861.00	1861.00
	2-40 watt FTL industrial channel	सेट	2388.00	2388.00	2388.00
	1-40 watt FTL, optics with opal Acrylic diffuser	सेट	1936.00	1936.00	1936.00
	2-40 watt FTL, optics with opal Acrylic diffuser	सेट	3227.00	3227.00	3227.00
	4-20 watt FTL, optics W&P 92414	सेट	5650.00	5650.00	5650.00
	4-20 watt FTL mirror optic, surface/recessed mounting	सेट	5650.00	5650.00	5650.00
	1-40 watt FTL mirror optic with electronic choke, Surface / recessed mounting	सेट	3712.00	3712.00	3712.00
	2-40 watt FTL mirror optic, surface/recessed mounting with electronic choke	सेट	4518.00	4518.00	4518.00
	4 x 14 watt FTL T5 with electronic ballast direct / indirect, surface / recessed with parabolic P5 lenser Complete set	सेट	9800.00	9800.00	9800.00
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic lenses & electronic ballast / surface/recessed Armstrong ceiling	सेट	8611.00	8611.00	8611.00
३७	Compact Fluorescent Lamp (CFL) based Luminaries set all complete (सम्बन्धित उत्पादकबाटको गुणस्तर भित्र प्रदान)				
	7 x 18 W CFL recessed/surface mounting mirror 1200L Complete Set	सेट	2678.00	2678.00	2678.00
	1 x 31 W CFL mirror Optic surface/recessed mounting, complete set	सेट	1914.00	1914.00	1914.00
	2 x 11 W CFL mirror Optic Surface mounting complete set	सेट	2366.00	2366.00	2366.00
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect, surface / recessed with lenser Complete set	सेट	6336.00	6336.00	6336.00
	3x36 W CFL 4 pin low glare fixture with P 5 lenses & electronic ballast complete set	सेट	7127.00	7127.00	7127.00
	Recess mounting Direct Indirect LED luminaire	सेट	11296.00	11296.00	11296.00
	Recess mounting Direct Indirect LED luminaire	सेट	14685.00	14685.00	14685.00
	Recess Surface mounted LED luminaire	सेट	13932.00	13932.00	13932.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			मा.स. २०८०/८१	मा.स. २०८१/८२	मा.स. २०८२/८३
	High efficiency recessed LED Down Lighter	सेट	3389.00	3389.00	3389.00
	Designer LED Straight light with pressure die cast housing suitable for secondary roads	सेट	15249.00	15249.00	15249.00
	IP29 and IP 65 non integral flexible LED Strip Light	सेट	1130.00	1130.00	1130.00
	Circular LED wall/Dome light suitable for true ceiling	सेट	3389.00	3389.00	3389.00
	Square LED Wall/Dome light suitable for true ceiling	सेट	3389.00	3389.00	3389.00
	Recess mounted indirect and direct luminaires	सेट	6401.00	6401.00	6401.00
	2x35 Watt CFL Surface Mount Optra	सेट	6401.00	6401.00	6401.00
५८	LUMINARIES Accessories -(सम्बन्धित उत्पादक संस्थाको गुणस्तर विवरण प्राप्त)				
	500 watt halogen rod	रोडा	242.00	242.00	242.00
	1000 watt halogen rod	रोडा	290.00	290.00	290.00
	70Watt SON Lamp (Sodium Vapour)	रोडा	871.00	871.00	871.00
	150 watt sodium vapour bulb	रोडा	1355.00	1355.00	1355.00
	250 watt sodium vapour bulb	रोडा	1775.00	1775.00	1775.00
	20-40 watt FTL rod	रोडा	83.00	83.00	83.00
	20-40 watt FTL Copper chowk	रोडा	269.00	269.00	269.00
	20-40W FTL Electronic Chock with high power factor & instant fluser free start	रोडा	430.00	430.00	430.00
	Acrylic cover for 8x30 FTL	रोडा	1033.00	1033.00	1033.00
	FTL starter	रोडा	19.00	19.00	19.00
	4 W to 1 W, CFL Direct fit	रोडा	242.00	242.00	242.00
	13 to 22W, CFL Direct fit	रोडा	312.00	312.00	312.00
	15-100 watt bulb (BFL)	रोडा	27.00	27.00	27.00
	9W/86 (CFL)	रोडा	172.00	172.00	172.00
	11W/86 (CFL)	रोडा	182.00	182.00	182.00
	36W/86 (CFL)	रोडा	435.00	435.00	435.00
	125W HPL-N (Mercury Vapour)	रोडा	387.00	387.00	387.00
	130W HPL-N	रोडा	914.00	914.00	914.00
	Solar LED bulb				
	12V/2W LED bulb	रोडा	377.00	377.00	377.00
	12V/2W LED bulb	रोडा	430.00	430.00	430.00
	12V/4W LED bulb	रोडा	484.00	484.00	484.00
५९	DOME/DOOM LIGHT				
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6300K	रोडा	2976.00	2976.00	2976.00
	12W DOOM LIGHT WITH SENSOR 2700K	रोडा	2976.00	2976.00	2976.00
	20W DOOM LIGHT LOPER RD 2700K	रोडा	1827.00	1827.00	1827.00
	20W DOOM LIGHT LOPER RD 6500K	रोडा	1827.00	1827.00	1827.00
	30W DOOM LIGHT LOPER RD 2700K	रोडा	2297.00	2297.00	2297.00
	30W DOOM LIGHT LOPER RD 6500K	रोडा	2297.00	2297.00	2297.00
	20W DALI KIT 6500K	रोडा	1932.00	1932.00	1932.00
	Dome light (सम्बन्धित उत्पादक संस्थाको गुणस्तर विवरण प्राप्त)				
	6" Milky type decorative dome light	सेट	188.00	188.00	188.00
	6" Brass base decorative dome light	सेट	768.00	768.00	768.00

विद्युतिय सामग्रीहरु

सि.न	विभाग सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेको दररेट		
			सा.स. २०७०/७१	सा.स. २०७१/७२	सा.स. २०७२/७३
	४" Milky type decorative dome light	सेट	237.00	237.00	237.00
	४" Brass base decorative dome light	सेट	914.00	914.00	914.00
	४" Silver cast Milky base Decorative Dome Light	सेट	1136.00	1136.00	1136.00
	६" ४" Silver cast Black Base base Decorative Dome Light	सेट	592.00	592.00	592.00
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W/13W/18W including CFL. (Surface Mounting Dome light)	सेट	1266.00	1266.00	1266.00
	PANEL DOWN LIGHTS				
	General Segment				
६०	RECESS PANEL DOWN LIGHT				
	LED light fixtures with Edge(a) Back(a) LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficiency: >70lm/w, IP>20 (or as Mentioned), Drive: Non-Dimmable, P.F.>0.9, CR>70, Burning Life>15,000 hours having manufacturer's warranted for minimum period of 1 year.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	372.00	372.00	372.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	464.00	464.00	464.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	649.00	649.00	649.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	700.00	700.00	700.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	756.00	756.00	756.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	800.00	800.00	800.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1008.00	1008.00	1008.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1056.00	1056.00	1056.00
६१	SURFACE PANEL DOWN LIGHT				
	LED light fixtures with Edge(a) Back(a) LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficiency: >70lm/w, IP>20 (or as Mentioned), Drive: Non-Dimmable, P.F.>0.9, CR>70, Burning Life>15,000 hours having manufacturer's warranted for minimum period of 1 year.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	612.00	612.00	612.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	775.20	775.20	775.20
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	880.00	880.00	880.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	943.00	943.00	943.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	996.00	996.00	996.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1080.00	1080.00	1080.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1248.00	1248.00	1248.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1296.00	1296.00	1296.00
	Mid Segment				
६२	RECESS PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edge(a) LED Fixture, Voltage Range: 140V-270V, Housing: Edge (Masked Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficiency: >70lm/w, IP>20 (or as Mentioned), Drive: Non-Dimmable, P.F.>0.9, THD <15%, CR>70, SPD: 2Kv, Burning Life>25,000-25000 hours having manufacturer's warranted for minimum period of 2 years				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	560.00	560.00	560.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	मूल्य, क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	१०W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	९२८.००	९२८.००	९२८.००
	४W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१२००.००	१२००.००	१२००.००
	१०W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१२००.००	१२००.००	१२००.००
	१२W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१२००.००	१२००.००	१२००.००
	१३W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१३६०.००	१३६०.००	१३६०.००
	१८W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१८४०.००	१८४०.००	१८४०.००
	२०/२२W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	२०४०.००	२०४०.००	२०४०.००
८३	SURFACE PANEL DOWN LIGHT, EDGE LIT				
	LED light fixtures with EdgeLit LED Fixture, Voltage Range: 140V-270V, Housing: Edge/Moulded Die-Cast Al with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: >75lm/w, IP>20 (or as Manufactured), Drive: Non-Dimmable, P.F.>0.9, THD<15%, CRI>70, SPD: 2K V, Burning Life>25,000-35000 hours having manufacturer's warranty for minimum period of 2 years				
	३W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	७२०.००	७२०.००	७२०.००
	३/६W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	९२८.००	९२८.००	९२८.००
	४W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१३६०.००	१३६०.००	१३६०.००
	१०W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१३६०.००	१३६०.००	१३६०.००
	१२W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१३६०.००	१३६०.००	१३६०.००
	१३W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१५२०.००	१५२०.००	१५२०.००
	१८W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	२०८०.००	२०८०.००	२०८०.००
	२०/२२W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	२४८०.००	२४८०.००	२४८०.००
८४	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: >75lm/w, IP>20 (or as Manufactured), Drive: Non-Dimmable, P.F.>0.9, THD<15%, CRI>70, SPD: 2K V, Burning Life>25,000-35000 hours having manufacturer's warranty for minimum period of 2 years				
	३W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	६९२.००	६९२.००	६९२.००
	३/६W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	६६०.००	६६०.००	६६०.००
	४W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१२००.००	१२००.००	१२००.००
	१०W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	९६८.००	९६८.००	९६८.००
	१२W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१२००.००	१२००.००	१२००.००
	१३W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१३६४.००	१३६४.००	१३६४.००
	१८W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१६८०.००	१६८०.००	१६८०.००
	२०/२२W, Recess Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	१६८०.००	१६८०.००	१६८०.००
८५	SURFACE PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: >75lm/w, IP>20 (or as Manufactured), Drive: Non-Dimmable, P.F.>0.9, THD<15%, CRI>70, SPD: 2K V, Burning Life>25,000-35000 hours having manufacturer's warranty for minimum period of 2 years				
	३W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	८८०.००	८८०.००	८८०.००
	३/६W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	११२०.००	११२०.००	११२०.००
	४W, Surface Panel Down Light, ३०००K/४०००K/६०००K/६५००K	सेट	७९२.००	७९२.००	७९२.००

विद्युतिय सामग्रीहरु

चि.न	निर्माण सामग्रीहरुको विवरण	एकक	मु.म.क. बालिकको दररेट		
			मा.स. २०६०/८१	मा.स. २०६१/८२	मा.स. २०६२/८३
	10W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1672.00	1672.00	1672.00
	12W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1796.00	1796.00	1796.00
	13W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1860.00	1860.00	1860.00
	18W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2300.00	2300.00	2300.00
	20/22W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2520.00	2520.00	2520.00
	Standard Segment				
८६	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: >100lm/w, IP>20 (or as Mentioned), Drive: Non-Dimmable, P.F. >0.9, Flicker Free Light, THD<10%, CRI>80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, complying to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-1, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years				
	50W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1160.00	1160.00	1160.00
	65W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1640.00	1640.00	1640.00
	12W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1760.00	1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1920.00	1920.00	1920.00
	18W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2224.00	2224.00	2224.00
	22/24W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2400.00	2400.00	2400.00
८७	SURFACE PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: >100lm/w, IP>20 (or as Mentioned), Drive: Non-Dimmable, P.F. >0.9, Flicker Free Light, THD<10%, CRI>80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, complying to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-1, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years				
	50W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1340.00	1340.00	1340.00
	60W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1584.00	1584.00	1584.00
	12W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1860.00	1860.00	1860.00
	15W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2072.00	2072.00	2072.00
	18W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2416.00	2416.00	2416.00
	20/22W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2668.00	2668.00	2668.00
८८	DEEP RECESSED DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/engraved, Trim/Frame: Deep Dip-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: >100lm/w, IP>20 (or as Mentioned), Drive: Non-Dimmable, P.F. >0.9, Flicker Free Light, THD<10%, CRI>80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, complying to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-1, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years				
	50W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1000.00	1000.00	1000.00

विद्युतिय सामग्रीहरू

सि.नं	विवरण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेको दररेट		
			मा.म. २०८०/८१	मा.म. २०८१/८२	मा.म. २०८२/८३
	६०W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1360.00	1360.00	1360.00
	12W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1632.00	1632.00	1632.00
	15W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1920.00	1920.00	1920.00
	18W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2224.00	2224.00	2224.00
	20/22W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2868.00	2868.00	2868.00
	COB DOWN LIGHTS				
	General Segment				
८९	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Fram: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Tiltless/Fixed, Luminous Efficacy: 290lm/w, IP20 (or as Mentioned), Drive: Non-Dimmable, P.F. > 0.9, CRI > 70, Burning Life: 25000-30000 hours, Beam Angle: Narrow/Medium/Wide, having manufacturer's warranted for minimum period of 1 year				
	1W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	301.60	301.60	301.60
	3W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	740.00	740.00	740.00
	7.8W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1188.00	1188.00	1188.00
	9/10W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1220.00	1220.00	1220.00
	12W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1064.00	1064.00	1064.00
	15W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1760.00	1760.00	1760.00
	18W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2400.00	2400.00	2400.00
	20-25W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	3024.00	3024.00	3024.00
	30-35W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	3392.00	3392.00	3392.00
९०	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Fram: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Tiltless/Fixed, Luminous Efficacy: 290lm/w, IP20 (or as Mentioned), Drive: Non-Dimmable, P.F. > 0.9, CRI > 70, Burning Life: 25000-30000 hours, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser, having manufacturer's warranted for minimum period of 1 year				
	3W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	720.00	720.00	720.00
	3.8W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1020.00	1020.00	1020.00
	8W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1292.00	1292.00	1292.00
	10W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1496.00	1496.00	1496.00
	17W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1688.00	1688.00	1688.00
	15W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2040.00	2040.00	2040.00
	18W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2480.00	2480.00	2480.00
	20-25W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2880.00	2880.00	2880.00
	30-35W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	3520.00	3520.00	3520.00
	Mid Segment				
९१	COB DOWN LIGHT, RECESSED MOUNTED				

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	COB DOWN LED light fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tiltable/Timless/Fixed, Luminous Efficacy: 100lm/w, IP:20 (or as Mentioned), Drive: Non-Dimmable, THD <10%, CRI>70, SPD: 2KV, CRI>80, Rating Life: 25000-36000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacturer's warranted for minimum period of 7 years.				
	3W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1000.00	1000.00	1000.00
	5.6W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1040.00	1040.00	1040.00
	7.8W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1432.00	1432.00	1432.00
	9.1W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1432.00	1432.00	1432.00
	12W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1760.00	1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2000.00	2000.00	2000.00

2

Handwritten signature: *[Signature]*

मास जिला अधिकारी

विद्युतिय सामाग्रीहरु

सि.न	निर्माण सामाग्रीहरुको विवरण	एकाइ	मु.स.म. बाहेको दरदर		
			भा.स. २०८०/८१	भा.स. २०८१/८२	भा.स. २०८२/८३
	10W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2760.00	2760.00	2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	3784.00	3784.00	3784.00
	30-50W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	4640.00	4640.00	4640.00
१२	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tubular/Trimless/Fixed, Luminous Efficacy: 290lm/w, IP:20 (or as Mentioned), Drive: Non-Dimmable, THD <10%, CRI>70, SPD: 2KV, CRI>90, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacturer's warranted for minimum period of 2 years				
	1W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	720.00	720.00	720.00
	5x6W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1200.00	1200.00	1200.00
	8W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1520.00	1520.00	1520.00
	10W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1760.00	1760.00	1760.00
	12W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1984.00	1984.00	1984.00
	15W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	2400.00	2400.00	2400.00
	18W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	3116.00	3116.00	3116.00
	20-25W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	3600.00	3600.00	3600.00
	30-50W, Surface Panel Down Light, 3000K/4000K/5000K/6500K	सेट	4400.00	4400.00	4400.00
	Standard Segment				
१३	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN light fixture, Voltage Range: 110V-200V, Housing: Mould Die-Cast Al with Company name engraved/ engraved/ Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tubular/Trimless/Fixed, Luminous Efficacy: >100lm/w, IP:20 (or as Mentioned), Drive: Non-Dimmable, P.F.>0.9, Flicker Free Light, THD<10%, CRI>80, SPD: 2.3KV, Burning Life>40,000-50000 hours, Diffuser: Thick/Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser complying to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16103 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	1W, Recess Panel Down Light, 3000K/4000K/5000K/6500K	सेट	1040.00	1040.00	1040.00

विद्युतीय सामग्रीहरू

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			मा.नं. २०८०/८३	मा.नं. २०८१/८३	मा.नं. २०८२/८३
	35W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1040.00	1040.00	1040.00
	50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1432.00	1432.00	1432.00
	90W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1432.00	1432.00	1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1760.00	1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2000.00	2000.00	2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2760.00	2760.00	2760.00
	26-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	4320.00	4320.00	4320.00
	33-30W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	4640.00	4640.00	4640.00
२४	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN light fixture, Voltage Range: 110V-380V, Housing: Mould Die-Cast Al with Company name embossed/engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Tiltless/Fixed, Luminous Efficiency: $\geq 100lm/w$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $\leq 10\%$, CR ≥ 80 , SPD: 2.5/4 K.V, Burning Life $\geq 40,000-60,000$ hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser complying to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16113 Part-2, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	7W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1200.00	1200.00	1200.00
	9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1440.00	1440.00	1440.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1760.00	1760.00	1760.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2000.00	2000.00	2000.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2524.00	2524.00	2524.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	3040.00	3040.00	3040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	3292.00	3292.00	3292.00
	23-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	3840.00	3840.00	3840.00
	30-30W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	5088.00	5088.00	5088.00
२५	Cylindrical COB DOWN light fixture, Voltage Range: 110V-380V, Housing: Mould Die-Cast Al with Company name embossed/engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Tiltless/Fixed, Luminous Efficiency: $\geq 70lm/w$, IP≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9, Flicker Free Light, THD$\leq 10\%$, CR≥ 80, SPD: 2.5/4 K.V, Burning Life$\geq 40,000-60,000$ hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser complying to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16113 Part-2, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	7W, Cylindrical Downlight, Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11152.00	11152.00	11152.00
	12W, Cylindrical Downlight, Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11696.00	11696.00	11696.00
	15W, Cylindrical Downlight, Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	12512.00	12512.00	12512.00
	18W, Cylindrical Downlight, Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	13056.00	13056.00	13056.00

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			आ.स. २०८२/८३	आ.स. २०८१/८२	आ.स. २०८०/८१
	COMMERCIAL LIGHTS				
	General & Mid Segment				
११	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixtures, Voltage Range: 140V-270V, Housing: Sheet Metal, Frame: Extruded aluminum, Trim Shape: Square/Rectangle, Luminous Efficacy: $\geq 100lm/w$, IP: 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 10\%$, CR ≥ 70 , SPD: 2.5 KV, Burning Life: $> 25,000$ hours, LED Source: LED PCB with PC Lense or without having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	18/20/22/24W, 18 X 18, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1268.00	1268.00	1268.00
	36W, 28 X 28, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2160.00	2160.00	2160.00
	40/45W, 28 X 28, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2880.00	2880.00	2880.00
	12/40W, 18 X 48, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट	5600.00	5600.00	5600.00
१२	SURFACE PANEL DOWN LIGHT, BACKLIT				
	18/20/22/24W, 18 X 18, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	1440.00	1440.00	1440.00
	36W, 28 X 28, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	2880.00	2880.00	2880.00
	40/45W, 28 X 28, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	3600.00	3600.00	3600.00
	32/40W, 18 X 48, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट	6400.00	6400.00	6400.00
	Standard Segment				
१३	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixtures, Voltage Range: 10V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP: 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CR ≥ 80 , SPD: 4 KV, Burning Life: $> 40,000$ - 50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Eckerle Type, Even and uniform light, No dark spots, complying to IS: 16101 Part 2 IS: 16103 Part - 1, IS: 16113 Part - 2, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	18/20/22/24W, 18 X 18, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 100lm/w$	सेट	1408.00	1408.00	1408.00
	36W, 28 X 28, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	सेट	2400.00	2400.00	2400.00
	40/45W, 28 X 28, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	सेट	3200.00	3200.00	3200.00
	32/40W, 18 X 48, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	सेट	5760.00	5760.00	5760.00
	40W, 28 X 48, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	सेट	9600.00	9600.00	
१४	SURFACE PANEL DOWN LIGHT, BACKLIT				

विद्युतिय सामग्रीहरु



क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10%, CRI>80, SPD: 4 KV, Burning Life>40,000-50,000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots. Note: Surface mounted Frame/Template is not allowed, complying to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	1820/22/24W, 18 X 18, Surface Panel Down Light, 3000K/4000K/5000K/6500K, Luminous Efficiency: ≥100lm/w	सेट	1600.00	1600.00	1600.00
	36W, 26 X 20, Surface Panel Down Light, 3000K/4000K/5000K/6500K, Luminous Efficiency: ≥120lm/w	सेट	3200.00	3200.00	3200.00
	40/45W, 28 X 28, Surface Panel Down Light, 3000K/4000K/5000K/6500K, Luminous Efficiency: ≥120lm/w	सेट	4000.00	4000.00	4000.00
	32/36W, 18 X 48, Surface Panel Down Light, 3000K/4000K/5000K/6500K, Luminous Efficiency: ≥120lm/w	सेट	6512.00	6512.00	6512.00
	60W, 28 X 48, Surface Panel Down Light, 3000K/4000K/5000K/6500K, Luminous Efficiency: ≥120lm/w	सेट	9680.00	9680.00	9680.00
१००	Clean Room LIGHT				
	Clean Room LED Light Fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10%, CRI>80, SPD: 4 KV, Burning Life>40,000-50,000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, with options for bottom opening, top opening complying to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacturer's warranted from Authorized Dealer/ Manufacturer for minimum period of 2 years.				
	36W, 28 X 28, Surface Panel Down Light, 3000K/4000K/5000K/6500K, Luminous Efficiency: ≥120lm/w	सेट	33882.00	33882.00	
	LINEAR LIGHTS				
१०१	DOWN LIGHTER LINEAR LIGHTS				
	Linear LED light fixture with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface/Suspension, Housing: CRCA Sheet or Aluminum Extruded Finish, Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10%, CRI>80, SPD: 2.5KV, Burning Life>40,000-50,000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Less loss in long term, complying to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacturer's warranted from Authorized Dealer/ Manufacturer for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट	3200.00	3200.00	3200.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट	3360.00	3360.00	3360.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट	4400.00	4400.00	4400.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट	5200.00	5200.00	5200.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट	6000.00	6000.00	6000.00
१०२	UP-DOWN LIGHTER LINEAR LIGHTS				

सभितपुर जिल्लाको आ.व. २०८२/८३ को दररेट

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकक	मु.म.क. बहिष्कृत दररेद		
			मा.म. २०८०/८१	मा.म. २०८१/८२	मा.म. २०८२/८३
	Linear LED light fixtures with Backlit LED Feature. Voltage Range: 110V-100V, Mounting: Suspended, Hecoming: CRCA Sheet or Aluminum Extruded, Finish: Color as per client, Tube Shape: Rectangle, IP>20 (or as mentioned), Drive: Ripple Free Non-Dimmable, PF >0.9, THD<10%, CRI>80, SPD: 2-5000K, Burning Life>40,000-100,000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Floures Free, Even and uniform light, No dark spots, Imm. Lens in long length, complying to the 16102 Part-2 IS, 16103 Part-1, IS, 16113 Part-2, IS, 1510K having manufacturer's warranted from Authorized Dealer/ Manufacturer for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट	3680.00	3680.00	3680.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट	4560.00	4560.00	4560.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट	5760.00	5760.00	5760.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट	6800.00	6800.00	6800.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट	7600.00	7600.00	7600.00
१०३	LED Trunking				
	LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaires snap fit mount on trunking system, available in two batten packs. Accessories need to be additionally ordered.				
	40W, 3000K/4000K/5700K/6000K/6500K	सेट	8470.00	8470.00	8470.00
	57W, 3000K/4000K/5700K/6000K/6500K	सेट	11670.00	11670.00	11670.00
	LED HANGING KIT	सेट	1882.00	1882.00	1882.00
१०४	LED TUBELIGHTS				
	4W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट	268.00	268.00	268.00
	4W, LED TUBE Box/Panel with reflector, T5, 3000K/4000K/6500K	सेट	304.00	304.00	304.00
	8W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट	304.00	304.00	304.00
	8W, LED TUBE Box/Panel with reflector, T5, 3000K/4000K/6500K	सेट	408.00	408.00	408.00
	18/20W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट	496.00	496.00	496.00
	18/20W, LED TUBE Box/Panel with reflector, T8, 3000K/4000K/6500K	सेट	498.00	498.00	498.00
	36/40W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट	2376.00	2376.00	2376.00
	36/40W, LED TUBE Box/Panel with reflector, T8, 3000K/4000K/6500K	सेट	2228.00	2228.00	2228.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 1X4 box type patti T-Led 1x20w	सेट	2956.00	2956.00	2956.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 2X4 box type patti T-Led 2x20w	सेट	3580.00	3580.00	3580.00
	Industrial Reflector 2X4 box type patti T-Led 1x20w	सेट	2956.00	2956.00	2956.00
१०५	BATTEN LIGHTS				
	18/20W, 4 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	496.00	496.00	496.00
	8/10W, 2 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	464.00	464.00	464.00
	4/5W, 1 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	360.00	360.00	360.00
	16/40/32W, 4 Feet Linear Batten, Aluminum Extruded, PC Diffuser, 35-40mm Width	सेट	2376.00	2376.00	2376.00

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकक	मु.म.क. बाहेकको दररेट		
			मा.स. २०८०/८१	मा.स. २०८१/८२	मा.स. २०८२/८३
	18/20W, 4 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	624.00	624.00	624.00
	8/10W, 2 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	544.00	544.00	544.00
	4/5W, 1 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	496.00	496.00	496.00
	36/40W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	7529.00	7529.00	7529.00
	18/20W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	5647.00	5647.00	5647.00
	18 Watt Batten 4 ft LED luminaire with PIR Sensors	सेट	8381.00	8381.00	
	34 Watt Batten 4 ft LED luminaire with PIR Sensors	सेट	11932.00	11932.00	
	47 Watt Batten 4 ft LED luminaire with PIR Sensors	सेट	15341.00	15341.00	
१०६	LED STRIP LIGHTS				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B, 60 LED/Meter 12v 2A long life, Eco-friendly, Energy saving LED strip light	मोटा	570.00	570.00	570.00
	Power adaptor 1A/5A	मोटा	2100.00	2100.00	2100.00
१०७	STRIP/COVE/ROPE LIGHT				
	LED cove lighting with 6W/mtr with high efficient led chips, warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options, with good colour rendering(CRI>80), No harmful UV/IR radiation.				
	34W/28W LED strip light(5Mtr coil) IP20	र.मी	538.00	538.00	538.00
	2A LED driver for strip light	मोटा	1275.00	1275.00	1275.00
	Rope light IP 66 400lm/watt LED Rope light	र.मी	480.00	480.00	480.00
	IP 66 driver for rope light	मोटा	675.00	675.00	675.00
१०८	LED TRACK LIGHTS				
	3W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	1450.00	1450.00	1450.00
	6W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	1950.00	1950.00	1950.00
	9W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	2650.00	2650.00	2650.00
	16W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	4400.00	4400.00	4400.00
	24W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	5350.00	5350.00	5350.00
	30W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	6350.00	6350.00	6350.00
	40W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	8650.00	8650.00	8650.00
	50W @100lm/watt IP20 24~36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	मोटा	9300.00	9300.00	9300.00
	Stick 1MTR for Track light	मोटा	1500.00	1500.00	
१०९	MAGNETIC TRACK LIGHTS				
	1 MTR TRIMLESS MAGNETIC TRACK LIGHT 25MMX45MM	मोटा	3808.00	3808.00	3808.00
	2 MTR TRIMLESS MAGNETIC TRACK LIGHT 25MMX45MM	मोटा	7616.00	7616.00	7616.00
	3 MTR TRIMLESS MAGNETIC TRACK LIGHT 25MMX45MM	मोटा	11520.00	11520.00	11520.00
	6W MAGNETIC LASER 96MMX22MMX25MM TUNABLE DIMMING	मोटा	4800.00	4800.00	4800.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
	12W MAGNETIC LASER 192MMX22MMX25MM TUNABLE DIMMING	गोटा	6376.00	6376.00	6376.00
	12W MAGNETIC WALL WASHER LASER TUNABLE DIMMING	गोटा	7040.00	7040.00	7040.00
	7W MAGNETIC HANGING 300MM	गोटा	6080.00	6080.00	6080.00
	10W MAGNETIC LINEAR 300MMX22MMX25MM TUNABLE DIMMING	गोटा	4800.00	4800.00	4800.00
	20W MAGNETIC LINEAR 600MMX22MMX25MM TUNABLE DIMMING	गोटा	6880.00	6880.00	6880.00
	12W MAGNETIC TRACK LIGHT 45MMX142MM TUNABLE DIMMING	गोटा	6880.00	6880.00	6880.00
	18W MAGNETIC TRACK LIGHT 55MMX142MM TUNABLE DIMMING	गोटा	8448.00	8448.00	8448.00
	L SHAPED RECESSED CONNECTOR	गोटा	2868.00	2868.00	2868.00
	POWER SUPPLY	गोटा	1216.00	1216.00	1216.00
	EXHIBLE CONNECTOR	गोटा	2044.00	2044.00	2044.00
	DIRECT CONDUCTIVE CONNECTOR SET	गोटा	2044.00	2044.00	2044.00
	75W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा	3920.80	3920.80	3920.80
	110W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा	5440.00	5440.00	5440.00
	150W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा	7040.00	7040.00	7040.00
११०	Exit/Directional/Information Signage				
	Exit/Directional/Information Signage with sign and lightweight, visible from 20 mtrs with integral battery capacity of 3 hrs and bicoloured LED status indicator with customize symbols/letter or as required	सेट	12910.00	12910.00	12910.00
	Self Contained Emergency Down Light Recessed/Surface Mounted, with integral battery capacity of 3 hrs	सेट	12910.00	12910.00	12910.00
	Self Contained emergency Twin Light, Wall Mounted with integral battery capacity of 3 hrs	सेट	12910.00	12910.00	12910.00
१११	Fixture Accessories				
	2x3 Surface/Recess Frame	सेट	1288.00	1288.00	1288.00
	1x1 Surface/Recess Frame	सेट	928.00	928.00	928.00
	Suspension Hanging/Clip Kit	सेट	1040.00	1040.00	1040.00
H	OUTDOOR LIGHTING				
	HIGH BAY LIGHT				
११२	High Bay Light with voltage Range 110V-270V, Housing: Aluminum Die Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. > 0.9, IP > 20 (as mentioned), Flicker Free Light, THD < 10%, CRI > 70, SPD: 4 KV, Burning Life > 50000 hrs, Luminous Efficacy: > 120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens, complying to BS 18692 Part 2 IS 16103 Part - 1, IS 16013 Part - 2, IS 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >120lm/w	गोटा	5088.00	5088.00	5088.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >120lm/w	गोटा	5364.00	5364.00	5364.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >120lm/w	गोटा	8000.00	8000.00	8000.00

विद्युतीय सामग्रीहरू

सि.न	निर्माण सामग्रीहरूको विवरण	एकाई	मु.न.क. बाटोको दररेट		
			मा.स. २०६०/६१	मा.स. २०६१/६२	मा.स. २०६२/६३
	110W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	मीटर	10208.00	10208.00	10208.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	रोट	11200.00	11200.00	11200.00
	240W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120lm/w$	मीटर	20480.00	20480.00	20480.00
११२	High Bay Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fin, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. ≥ 0.9 , IP ≥ 65 , IK 08, Flicker Free Light, THD $\leq 10\%$, CRI ≥ 70 , SPD: 4 K.V, Burning Life: 50000 hours, Luminous Efficacy: $\geq 130lm/w$, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens, complying to BS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacturer's warranty from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 130lm/w$	मीटर	7328.00	7328.00	7328.00
	60/70/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 130lm/w$	रोट	8928.00	8928.00	8928.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 150lm/w$	रोट	10208.00	10208.00	10208.00
	130W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 150lm/w$	मीटर	10848.00	10848.00	10848.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 150lm/w$	मीटर	11392.00	11392.00	11392.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 150lm/w$	रोट	22848.00	22848.00	22848.00
	FLOOD LIGHTS				
११४	General				
	10W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	मीटर	920.00	920.00	920.00
	20W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	रोट	1548.00	1548.00	1548.00
	30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	मीटर	2456.00	2456.00	2456.00
	30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	मीटर	2712.00	2712.00	2712.00
	100W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	मीटर	4608.00	4608.00	4608.00
	150W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	मीटर	4852.00	4852.00	4852.00
	168W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	मीटर	6376.00	6376.00	6376.00
	10W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	मीटर	2160.00	2160.00	2160.00
	20W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	मीटर	2760.00	2760.00	2760.00
	30W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	मीटर	3656.00	3656.00	3656.00
	50W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	मीटर	3920.00	3920.00	3920.00
	Mid Segment				
११५	Flood Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fin, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. ≥ 0.9 , IP ≥ 65 , IK 07, Flicker Free, THD $\leq 10\%$, CRI ≥ 70 , SPD: 4 K.V, Burning Life: 50000 hours, Luminous Efficacy: $\geq 100lm/w$, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens, Toughened glass cover complying to BS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacturer's warranty from Authorized Dealer/Manufacturer for minimum period of 2 years.				

विद्युतिय सामाग्रीहरु

सि.न	निर्माण सामाग्रीहरुको विवरण	एकक	मु.ब.क. बाहेकको दररेट		
			सा.व. २०८०/८१	सा.व. २०८१/८२	सा.व. २०८२/८३
	३०/३०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	३४९२.००	३४९२.००	३४९२.००
	१००W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	५७६०.००	५७६०.००	५७६०.००
	१२०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	४०४८.००	४०४८.००	४०४८.००
	१५०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	६०६४.००	६०६४.००	६०६४.००
	१८०/२००W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	७९६८.००	७९६८.००	७९६८.००
	२५०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	१०८००.००	१०८००.००	१०८००.००
	३००W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	१४४००.००	१४४००.००	१४४००.००
	४००W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 100lm/w$	पीटा	१७६००.००	१७६००.००	१७६००.००
	Standard Segment				
११३	Flood Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F ≥ 0.9 , IP65, IK 08, Flicker Free Light, THD $\leq 10\%$, CR ≥ 70 , SPD: 4/10 KV, Durability Life: 50000 hours, Luminous Efficacy: $\geq 120lm/w$, Beam Angle: Narrow/Medium/Wide, LED Source: Monolithic LED PCB Strip with PC Lens, Toughened glass cover, complying to IS: 16192 Part-2 IS: 16193 Part-1, IS: 15913 Part-2. IS: 16194 having manufacturer's warranty from Authorized Dealer/Manufacturer for minimum period of 2 years.				
	३०/३०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 120lm/w$	पीटा	३३९२.००	३३९२.००	३३९२.००
	१००W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 120lm/w$	पीटा	५७६०.००	५७६०.००	५७६०.००
	१२०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 120lm/w$	पीटा	७९६८.००	७९६८.००	७९६८.००
	१५०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 120lm/w$	पीटा	८८९२.००	८८९२.००	८८९२.००
	१८०/२००W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 120lm/w$	पीटा	११७६०.००	११७६०.००	११७६०.००
	२५०W, ३०००K/४०००K/५७००K/६०००K/६५००K, Luminous Efficacy: $\geq 120lm/w$	पीटा	१४४००.००	१४४००.००	१४४००.००
	Tunnel Lights				
११४	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08). It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees. Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	60W	पीटा	६६८०.००	६६८०.००	६६८०.००
	१२०W	पीटा	२२२४०.००	२२२४०.००	२२२४०.००
	१८०W	पीटा	३३३६०.००	३३३६०.००	३३३६०.००
	२४०W	पीटा	४४४८०.००	४४४८०.००	४४४८०.००
	Street Light				
११५	General Segment				

विद्युतिय सामाग्रीहरु

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	LED AC Street light 34 W with auto on-off switch and auto dimming option including all accessories and excluding installation	सेट	7000.00	7000.00	7000.00
	LED AC Street light 36/36 W with auto on-off switch and auto dimming option including all accessories and excluding installation	सेट	5744.00	5744.00	5744.00
	LED AC Street light 50W with auto on-off switch and auto dimming option including all accessories and excluding installation	सेट	9000.00	9000.00	9000.00
	LED AC Street light 100 W with auto on-off switch and auto dimming option including all accessories and excluding installation	सेट	16000.00	16000.00	16000.00
	300/500 watt halogen weather proof <u>FLANDELIGHT</u> with glass cover Complete set	सेट	1613.00	1613.00	1613.00
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	3227.00	3227.00	3227.00
	130 watt <u>HPSV</u> weather proof flood light with glass cover lamp Complete Set	सेट	9682.00	9682.00	9682.00
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	1129.00	1129.00	1129.00
	Single Piece deep groove aluminum POT option <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5486.00	5486.00	5486.00
	2X18W CFL-4 Pin street light Fixture with acrylic diffuser	सेट	2372.00	2372.00	2372.00
	1X125W HPSV <u>street light</u> Fixture with acrylic diffuser	सेट	5346.00	5346.00	5346.00
	2X60/100W CFL <u>avilation light</u> fixture all complete set	सेट	5939.00	5939.00	5939.00
		सेट	6789.00	6789.00	6789.00
११९	Smart Light with voltage Range: 110V-220V, Housing: Aluminum Die-Cast with good heat sink fan, Drive: Non-Dimmable, P.F. >0.9, IP66, IK 02, Flicker Free, THD<10 %, CRI>70, Durability Life>25000 hours, Luminous Efficacy: >100lm/w, Beam Angle: Narrow/Medium/Wide, having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 1 year.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	1360.00	1360.00	1360.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	2680.00	2680.00	2680.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	4768.00	4768.00	4768.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	4992.00	4992.00	4992.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	6088.00	6088.00	6088.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	7160.00	7160.00	7160.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	10760.00	10760.00	10760.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: >100lm/w	सेट	15240.00	15240.00	15240.00
	Mid Segment				

प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु

चि.नं	निर्माण सामाग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			सा.न. २०८०/८१	सा.न. २०८१/८२	सा.न. २०८२/८३
१२०	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. > 0.9, IP66, IK08, Flicker Free, THD < 10%, CRI > 70, SPD: 4 K.V, Burning Life > 20000 hours, Luminous Efficacy: > 120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens, complying to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	1760.00	1760.00	1760.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	2804.00	2804.00	2804.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	4820.00	4820.00	4820.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	5088.00	5088.00	5088.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	6240.00	6240.00	6240.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	8400.00	8400.00	8400.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	13440.00	13440.00	13440.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 120lm/w	सेट	17920.00	17920.00	17920.00
	Standard Segment				
१२१	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. > 0.9, IP66, IK08, Flicker Free, THD < 10%, CRI > 70, SPD: 10 K.V, Burning Life > 20000 hours, Luminous Efficacy: > 130lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens, cover complying to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacturer's warranted from Authorized Dealer/Manufacturer for minimum period of 2 years				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	2000.00	2000.00	2000.00
	40-60W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	4328.00	4328.00	4328.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	5088.00	5088.00	5088.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	6240.00	6240.00	6240.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	7168.00	7168.00	7168.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	11840.00	11840.00	11840.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	19200.00	19200.00	19200.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: > 130lm/w	सेट	25600.00	25600.00	25600.00
१२२	WALL LIGHT				
	Small Size wall Light	सेट	1176.00	1176.00	1176.00
	Medium Size wall Light	सेट	1480.00	1480.00	1480.00
	Large Size wall Light	सेट	2000.00	2000.00	2000.00
१२३	Wall bracket/spout light/mirror light bulk-head ordinary	सेट	242.00	242.00	242.00

विद्युतिय सामग्रीहरु

स.न	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेड		
			भा.व. २०८०/८१	भा.व. २०८१/८२	भा.व. २०८२/८३
	Wall bracket/spot light/mirror light /bulk head maximum decorative	सेट	377.00	377.00	377.00
	Wall bracket/spot light/mirror light / bulk head best quality with 11/12W CFL	सेट	860.00	860.00	860.00
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set	सेट	1011.00	1011.00	1011.00
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	सेट	1581.00	1581.00	1581.00
	Dining lamp	सेट	1775.00	1775.00	1775.00
	Chandelier 6-8 lamp Medium	सेट	15761.00	15761.00	15761.00
	Chandelier 3-5 lamp Medium	सेट	11242.00	11242.00	11242.00
	Mirror Light Euro Light	सेट	484.00	484.00	484.00
	Picture light Euro Light POC2	सेट	699.00	699.00	699.00
	Wall spot Light E27 60W Euro ar cup	सेट	377.00	377.00	377.00
	Exit Light safety sign(8.24)W	सेट	860.00	860.00	860.00
१२४	LED BULKHEAD				
	6W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: >80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	2000.00	2000.00	2000.00
	10W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: >80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	2240.00	2240.00	2240.00
	12-15W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: >80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	2320.00	2320.00	2320.00
	6/10/12/16W, IP-65, IK 09, Burning Life>50000 hours, Luminous Efficacy: >80lm/w, Milky/Clear diffuser, Plastic Housing, Full Glow/Half Glow	गोटा	1600.00	1600.00	1600.00
१२५	FOOT LIGHT/STEP LIGHT				
	LED step/foot light with long life LED driver, No harmful UV/IR radiation, Square/Circle/ Rectangle Shape, Luvared/NonLuvared, Die-cast Aluminium, with required IP protection from dust and water, 3000K/4000K/5700K/6000K/6500K				
	2/3W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	1584.00	1584.00	1584.00
	4/5W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	2850.00	2850.00	2850.00
	6/7W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	2420.00	2420.00	2420.00
	12/15W, Surface/Recessed, 3000K/4000K/5700K/6000K/6500K	गोटा	3225.00	3225.00	3225.00
१२६	GARDEN SPIKE LIGHT				
	CDB garden spike light with Aluminium Housing, Outdoor Ambient Lighting, omnidirectional protection from dust and water IP65				
	7W	गोटा	3790.00	3790.00	3790.00
	12W	गोटा	5780.00	5780.00	5780.00
१२७	Ground LED ground burial				
	Ground LED ground burial cage is compact, robust design IP67/IK10 with aluminium diecast housing and stainless-steel, IP67 waterproof connectors ensure easy installation & maintenance free				

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.ब.क. बाहेकको दररेट		
			भा.ब. २०८२/८३	भा.ब. २०८३/८४	भा.ब. २०८४/८५
	1W 12V 30D	गोटा	2258.00	2258.00	2258.00
	2W 12V 30D	गोटा	3011.00	3011.00	3011.00
	Driver & accessories price extra for 12 V.	गोटा	2258.00	2258.00	2258.00
१२६	LED Ground Guide				
	Multiple lighting emission windows to make space out.				
	3W 100-240V	गोटा	4141.00	4141.00	4141.00
	6W 100-240V	गोटा	6023.00	6023.00	6023.00
१२७	Ground Burial				
	Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	3W 20D 100-240V	गोटा	9411.00	9411.00	9411.00
	6W 20D 100-240V	गोटा	13552.00	13552.00	13552.00
	12W 20D 100-240V	गोटा	25411.00	25411.00	25411.00
	18W 20D 100-240V	गोटा	27294.00	27294.00	27294.00
	36W 20D 100-240V	गोटा	28235.00	28235.00	28235.00
	18W 20D 24V	गोटा	30117.00	30117.00	30117.00
	18W 20D 100-240V	गोटा	21647.00	21647.00	21647.00
१२८	Linear Ground Light				
	Linear Ground light makes space distinctive with more safety and convenience of installation				
	2W 24V, RGB	गोटा	13176.00	13176.00	13176.00
	9W 24V, RGB	गोटा	17882.00	17882.00	17882.00
	7W 24V, RGB	गोटा	25411.00	25411.00	25411.00
	36W 24V, RGB, RGB	गोटा	32941.00	32941.00	32941.00
	Bollard Light				
१२९	Bulb Bollard Lights				
	Bollard Garden light small Size with CFL, choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	2689.00	2689.00	2689.00
	Bollard Garden light medium Size with CFL, choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3227.00	3227.00	3227.00
	Bollard Garden light Full Size with CFL, choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3630.00	3630.00	3630.00
१३०	General Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light, IP 65, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	4240.00	4240.00	4240.00
	800-900mm height, 8W/9W/10W/12W/24W, LED BOLLARD Light IP 65, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	5280.00	5280.00	5280.00
	900-1200mm height, 8W/9W/10W/12W/24W, LED BOLLARD Light, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	6000.00	6000.00	6000.00
१३१	Mid Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light, IP 65, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	4416.00	4416.00	4416.00
	800-900mm height, 8W/9W/10W/12W/24W, LED BOLLARD Light IP 65, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	5504.00	5504.00	5504.00

विद्युतिय सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.भ.क. बाहेकको दररेट		
			सं.व. २०८०/८१	सं.व. २०८१/८२	सं.व. २०८२/८३
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	8480.00	8480.00	8480.00
१२४	Standard Segment				०.००
	2400-600mm height, 7W/8W/9W/10W, LED BOLLARD Light, IP 65, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	6288.00	6288.00	6288.00
	800-900mm height, 8W/9W/10W/12W/24W, LED BOLLARD Light, IP 65, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	7328.00	7328.00	7328.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light, 3000K/4000K/5700K/6000K/6500K (Fixture as per client)	सेट	15120.00	15120.00	15120.00
	TOP POST LIGHT				
१२५	Bulb Top Lanterns				
	8' Globe type Post top Lamp complete set	सेट	1479.00	1479.00	1479.00
	10' Globe type Post top Lamp complete set	सेट	2824.00	2824.00	2824.00
१२६	Top Post Poles				
	3M, top post pole made of Galvanized MS Pipe (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	9600.00	9600.00	9600.00
	3.5-4M, top post pole made of Galvanized MS Pipe (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	12000.00	12000.00	12000.00
	4M, top post pole made of Galvanized Steel with Cast Iron Corbel/Flange (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	11200.00	11200.00	11200.00
	3.5-4M, top post pole made of Galvanized Steel with Cast Iron Corbel/Flange (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	14040.00	14040.00	14040.00
	4M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	12400.00	12400.00	12400.00
	3.5-4M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट	15600.00	15600.00	15600.00
१२७	Top Post/ Gate Post Fixtures				
	Top Post/Gate Light made of Die Cast Base and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	2800.00	2800.00	2800.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and PMMA/ Reflector of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	5600.00	5600.00	5600.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	19200.00	19200.00	19200.00
	Top Post/Gate Light made of Die Cast Base, Die Cast Arm, Spun Die Cast of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	20000.00	20000.00	20000.00
	Classical/Vintage Type Top Post/Gate Light made of Die Cast Aluminium body of required wattage with IP 65 degree of protection (Fixture as per client)	सेट	22400.00	22400.00	22400.00
१२८	Smart Lighting Fixtures:				

विद्युतिय सामग्रीहरु

सि.न	निर्माण सामग्रीहरुको विवरण	एकाइ	मू.व.क. बाहेकको दररेट		
			मा.न. २०८०/८१	मा.न. २०८१/८२	मा.न. २०८२/८३
	Recessed Downlight: RCL, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: 1100*W1100*H108MM Cutout: Dia 80 mm, Beam Angle: 36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Trinder: White, With 0-10 Dimmable Driver	मोटा	4569.00	4569.00	4569.00
	Recessed Downlight: RC 2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	मोटा	3998.00	3998.00	3998.00
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	मोटा	2070.00	2070.00	2070.00
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 56 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	मोटा	4998.00	4998.00	4998.00
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	मोटा	2142.00	2142.00	2142.00
	Recessed Underground LED Light: RGL, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	मोटा	2499.00	2499.00	2499.00
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	मोटा	1999.00	1999.00	1999.00
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	785.00	785.00	785.00
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	मोटा	4212.00	4212.00	4212.00
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.	542.00	542.00	542.00
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	414.00	414.00	414.00
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	मोटा	1785.00	1785.00	1785.00
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	1106.00	1106.00	1106.00
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	मोटा	9900.00	9900.00	9900.00
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.	678.00	678.00	678.00
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	मोटा	135660.00	135660.00	135660.00
	Power Supply: DIN System Power Supply, as per the confirmed technical details	मोटा	18564.00	18564.00	18564.00
	Central Distribution Box: Suitable with modules	सेट	35700.00	35700.00	35700.00
	Central Control Panel: Touch screen, Android System Control Computer, 18.5 inches	सेट	257040.00	257040.00	257040.00
	Software: PPS Programming software, we can also program and customize as per client request	सेट	399840.00	399840.00	399840.00
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	मोटा	99960.00	99960.00	99960.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकक	मु.ब.क. बाहेकको दररेट		
			मा.ब. २०८०/८१	मा.ब. २०८१/८२	मा.ब. २०८२/८३
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switch, as per the confirmed technical details	गोटा	88536.00	88536.00	88536.00
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा	72828.00	72828.00	72828.00
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा	59976.00	59976.00	59976.00
	Bus-Cascade Module with power supply: AC 110-220V wide voltage power supply, as per the confirmed technical details	गोटा	32844.00	32844.00	32844.00
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा	25704.00	25704.00	25704.00
	Distribution Box 1: Suitable with modules	गेट	64260.00	64260.00	64260.00
	Ceiling Light: Suitable with modules	गोटा	121380.00	121380.00	121380.00
१३९	Smart Automation and Control System:				
	Dimmable Driver: 6W-50W	गोटा	4212.00	4212.00	4212.00
	Dimmable-Tunable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	Dali-Dimmable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	DALI-Dimmable-Tunable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	Smart PIR Sensor Ceiling Mount Type	गोटा	21307.00	21307.00	21307.00
	Smart PIR Sensor Surface Mount Type	गोटा	22444.00	22444.00	22444.00
	Smart PIR Sensors Recessed Mount Type	गोटा	4403.00	4403.00	4403.00
	6 Button Keypad	गोटा	63923.00	63923.00	63923.00
	4 Button Keypad	गोटा	52559.00	52559.00	52559.00
	3 Channel Relay Dali Controller	गोटा	183815.00	183815.00	183815.00
	4 Channel Relay Controller	गोटा	84662.00	84662.00	84662.00
	DMX Controller	गेट	710260.00	710260.00	710260.00
	DMX Amplifier	गेट	213078.00	213078.00	213078.00
	15 V DC 1.5 Amps regulated power supply	गोटा	62502.00	62502.00	62502.00
	TCP/IP Protocol network gateway	गोटा	134949.00	134949.00	134949.00
	POTS Networked Touch Screen intelligent control	गोटा	560537.00	560537.00	560537.00
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit, Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥4 GB, HDD ≥5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा	1832470.00	1832470.00	1832470.00
I	SURVEILLANCE SYSTEM				
१४०	ANALOG CCTV				
	2MP, Analog Turret Camera, 1080p, Smart IR, DWDR, DNR	गोटा	2327.08	2327.08	2327.08
	2MP, Analog Bullet Camera, 1080p, Smart IR, DWDR, 3D DNR	गोटा	2436.44	2436.44	2436.44
	3MP, Analog Turret Camera, Smart IR, DWDR, DNR, BLC	गोटा	3173.81	3173.81	3173.81
	3MP, Analog Bullet Camera, Smart IR, DWDR, DNR, BLC	गोटा	3173.81	3173.81	3173.81
	DVR 4 channel, H.265+/H.265, 2MP, 4 SATA interface	गोटा	5148.32	5148.32	5148.32
	DVR 8 channel, H.265+/H.265, 2MP, 4 SATA interface	गोटा	6614.51	6614.51	6614.51
	DVR 16 channel, H.265+/H.265, 2MP, 4 SATA interface	गोटा	11767.79	11767.79	11767.79
	DVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा	13759.29	13759.29	13759.29
	DVR 32 channel, H.265+/H.265, 4 SATA interface	गोटा			18965.00

विद्युतीय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेड		
			मा.व. २०८०/८१	मा.व. २०८१/८२	मा.व. २०८२/८३
१४१	Mid Segment CCTV				
	2MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	4574.16	4574.16	4574.16
	2MP, IP based Dome Camera, Smart IR, DWDR, 3D DNR, BLC, HLC, IK10	गोटा	5001.60	5001.60	5001.60
	2MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	4574.16	4574.16	4574.16
	2MP, IP based Turret Camera, Color, White Light, DWDR, 3D DNR, BLC, HLC	गोटा	6686.40	6686.40	6686.40
	2MP, IP based Dome Camera, Color, White Light, DWDR, 3D DNR, BLC, HLC, IK10	गोटा	9144.07	9144.07	9144.07
	2MP, IP based Bullet Camera, Color, White Light, DWDR, 3D DNR, BLC, HLC	गोटा	6686.40	6686.40	6686.40
	4/5MP, IP based Dome/Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	6921.06	6921.06	6921.06
	4/5MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	6983.36	6983.36	6983.36
	8MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	11680.00	11680.00	11680.00
	8MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा	15429.60	15429.60	15429.60
	NVR 8 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा	9391.20	9391.20	9391.20
	NVR 16 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा	11824.42	11824.42	11824.42
	NVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा	12533.81	12533.81	12533.81
	NVR 16 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा	14188.32	14188.32	14188.32
	NVR 16 channel, H.265+/H.265, 8MP, 4 SATA interface	गोटा			44571.00
		गोटा	19600.00	19600.00	
१४२	Standard Segment CCTV				
	4/5MP, AI based Dome Camera, Max Illumination 9/90K, Motorized VF, Smart IR, 3D DNR, BLC, HLC, Defog, Ambarella Chipset, 1 TB SD Card Support with Encryption, PIR	गोटा	46400.00	46400.00	46400.00
	4/5MP, AI based Bullet Camera, Max Illumination 9/90K, Motorized VF, Smart IR, 3D DNR, BLC, HLC, Defog, Ambarella Chipset, 1 TB SD Card Support with Encryption, PIR	गोटा	46400.00	46400.00	46400.00
	25MP, AI based PTZ Camera, 30x Optical Zoom, Smart IR, 3D DNR, BLC, HLC, Defog, Ambarella Chipset, 1 TB SD Card Support with Encryption	गोटा	238400.00	238400.00	238400.00
१४३	Accessories of CCTV				
	Unmanaged PoE switch 4 PoE port, 1 Uplink port	गोटा	2880.00	2880.00	2880.00
	Unmanaged PoE switch 8 PoE port, 1 Uplink port	गोटा	4160.00	4160.00	4160.00
	Unmanaged PoE switch 16 PoE port, 2 Gigabit Uplink ports	गोटा	10800.00	10800.00	10800.00
	KVM	गोटा	2240.00	2240.00	2240.00
	1TB Surveillance hard disk	गोटा	5040.00	5040.00	5040.00
	2TB Surveillance hard disk	गोटा	7360.00	7360.00	7360.00
	4TB Surveillance hard disk	गोटा	11200.00	11200.00	11200.00
	6TB Surveillance hard disk	गोटा	21200.00	21200.00	21200.00
	17/18.5/19" LCD Monitor	गोटा	6560.00	6560.00	6560.00
	21/22" LCD Monitor	गोटा	10240.00	10240.00	10240.00
	24" LCD Monitor	गोटा	11840.00	11840.00	11840.00
	27/28" LCD Monitor	गोटा	15040.00	15040.00	15040.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेको दररेट		
			आ.नं. २०८०/८१	आ.नं. २०८१/८२	आ.नं. २०८२/८३
	32" LED Monitor, FHD	गोटा	19600.00	19600.00	19600.00
	42/44/45" LED Monitor, FHD	गोटा	49600.00	49600.00	49600.00
	52/55" LED Monitor, FHD		92000.00	92000.00	92000.00
J	FIRE ALARM CONTROL PANEL				
२४४	Conventional Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel	सेट	11360.00	11360.00	11360.00
	4 Zone Fire Alarm Control Panel	सेट	14080.00	14080.00	14080.00
	6 Zone Fire Alarm Control Panel	सेट	23068.00	23068.00	23068.00
	8 Zone Fire Alarm Control Panel	सेट	27852.00	27852.00	27852.00
	Conventional smoke detector	गोटा	1600.00	1600.00	1600.00
	Conventional heat detector	गोटा	1600.00	1600.00	1600.00
	Conventional manual control point	गोटा	1520.00	1520.00	1520.00
	Conventional hooter cum strobe	गोटा	4800.00	4800.00	4800.00
२४५	Digital Addressable Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel, UL/FEN Certified	सेट	36960.00	36960.00	
	4 Zone Fire Alarm Control Panel, UL/FEN Certified	सेट	40080.00	40080.00	
	6 Zone Fire Alarm Control Panel, UL/FEN Certified	सेट	42978.40	42978.40	
	8 Zone Fire Alarm Control Panel, UL/FEN Certified	सेट	46140.80	46140.80	
	Digital addressable smoke detector	गोटा	2160.00	2160.00	
	Digital addressable heat detector	गोटा	2240.00	2240.00	
	Digital addressable manual control point	गोटा	1520.00	1520.00	
	Digital addressable hooter cum strobe	गोटा	4800.00	4800.00	
२४६	Addressable Type Fire Alarm Control Panel (PACP)				
	12 Loop Fire Alarm Control Panel with minimum 190 Detectors, UL/FEN Certified	सेट	171200.00	171200.00	171200.00
	24 Loop Fire Alarm Control Panel with minimum 380 Detectors, UL/FEN Certified	सेट	320000.00	320000.00	320000.00
	48 Loop Fire Alarm Control Panel with minimum 760 Detectors, UL/FEN Certified	सेट	480503.20	480503.20	480503.20
	Addressable Smoke detector with Standard Base	गोटा	3221.60	3221.60	3221.60
	Addressable Heat Detector with Standard Base	गोटा	3360.00	3360.00	3360.00
	Addressable Hooter Sounder	गोटा	7108.00	7108.00	7108.00
	Addressable Hooter with Strobe	गोटा	11364.80	11364.80	11364.80
	Addressable Manual Call Point	गोटा	4160.00	4160.00	4160.00
	Addressable Control Module	गोटा	5760.00	5760.00	5760.00
	Addressable Monitor Module	गोटा	5028.80	5028.80	5028.80
K	TELEPHONE SYSTEM				
	ANALOG PABX SYSTEM				
२४७	Telephone Drop wire/pair cable				
	1/2" Telephone drop wire	माप	1033.00	1033.00	1033.00

विद्युतिय सामग्रीहरु

सि.नं	विवरण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			मा.ब. २०७०/७१	मा.ब. २०७१/७२	मा.ब. २०७२/७३
		म्यापल	699.00	699.00	699.00
	2-pair cable wire (2x2x0.45) mm Heavy	र.मी	14.00	14.00	14.00
	3-pair cable wire (3x2x0.45) mm Heavy	र.मी	20.00	20.00	20.00
	5-pair cable wire (5x2x0.45) mm Heavy	र.मी	33.00	33.00	33.00
	10-pair cable wire (10x2x0.45) mm Heavy	र.मी	64.00	64.00	64.00
	15-pair cable wire (15x2x0.45) mm Heavy	र.मी	95.00	95.00	95.00
	20-pair cable wire (20x2x0.45) mm Heavy	र.मी	124.00	124.00	124.00
	1mm drop-wire	र.मी	10.00	10.00	10.00
	50 Pair Telephone DB with crutch tag	सेट	5688.00	5688.00	5688.00
११८	Analog PBX System				
	1-4 Line EPABX with 1 set programmable master telephone set of corresponding brand	सेट	7988.00	7988.00	7988.00
	2-6 Line EPABX	सेट	19230.00	19230.00	19230.00
	3-8 Line EPABX	सेट	21451.00	21451.00	21451.00
	4-12 Line EPABX	सेट	38461.00	38461.00	38461.00
	6-16 Line EPABX	सेट	51774.00	51774.00	51774.00
	8-24 Line EPABX	सेट	88756.00	88756.00	88756.00
	8-32 Line EPABX	सेट	94969.00	94969.00	94969.00
	8-72 Line EPABX	सेट	103017.00	103017.00	103017.00
1.	NETWORKING SYSEM				
११९	Cables				
	RG6 Coaxial cable	र.मी	24.00	24.00	24.00
	RG59 Coaxial cable	र.मी	27.00	27.00	27.00
	UTP cat-5 networking cable	र.मी	27.00	27.00	27.00
	Cat6A, 25 AWG, Pure Copper, 10G, U/UTP, 4P, LSZH	र.मी	80.00	80.00	80.00
	Cat6, 24 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी	34.19	34.19	34.19
	Cat6, 23 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी	41.97	41.97	41.97
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 1m	मीटर	460.00	460.00	460.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 2m	मीटर	544.00	544.00	544.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 3m	मीटर	608.00	608.00	608.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 0.5m	मीटर	192.00	192.00	192.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 1m	मीटर	240.00	240.00	240.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 2m	मीटर	280.00	280.00	280.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 3m	मीटर	336.00	336.00	336.00
१२०	Patch Panel [SMB Series (or Mid Segment)]				
	24 Port Patch Panel	सेट	2000.00	2000.00	2000.00
	48 Port Patch Panel	सेट	4160.00	4160.00	4160.00
	24 Port Patch with keystone Panel	सेट	5600.00	5600.00	5600.00
	48 Port Patch with keystone Panel	सेट	11200.00	11200.00	11200.00
१२१	Network Rack [SMB Series (or Mid Segment)]				
	60 Network Rack	सेट	6640.00	6640.00	6640.00
	90 Network Rack	सेट	7920.00	7920.00	7920.00
	120 Network Rack	सेट	9440.00	9440.00	9440.00

विद्युतिय सामग्रीहरु

सि.न	विवरण सामग्रीहरुको विवरण	एकक	मु.अ.क. बाहेकको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
	17.4U / 21 / 23U Network Rack	सेट			32000.00
	27U Network Rack	सेट	54400.00	54400.00	54400.00
	42U Network Rack	सेट	88000.00	88000.00	88000.00
	Power Distribution Unit (PDU)	सेट	3040.00	3040.00	3040.00
	Single/ Double Fan	सेट	1440.00	1440.00	1440.00
	1U Cable Manager	सेट	1120.00	1120.00	1120.00
१५२	Network Switch (SMB Series (or Mid Segment))				
	5/8 Port, Fast Ethernet, Unmanaged Switch	सेट	1600.00	1600.00	1600.00
	5/8 Port, Gigabit, Unmanaged Switch	सेट	2560.34	2560.34	2560.34
	16 Port, Fast Ethernet, Unmanaged Switch	सेट	3200.00	3200.00	3200.00
	16 Port, Gigabit, Unmanaged Switch	सेट	7200.00	7200.00	7200.00
	24 Port, Fast Ethernet, Unmanaged Switch	सेट	5200.00	5200.00	5200.00
	24 Port, Gigabit, Unmanaged Switch	सेट	14300.00	14400.00	14400.00
	5/8 Port, Fast Ethernet, managed Switch	सेट	5600.00	5600.00	5600.00
	5/8 Port, Gigabit, managed Switch	सेट	7200.00	7200.00	7200.00
	16 Port, Fast Ethernet, managed Switch	सेट	10400.00	10400.00	10400.00
	16 Port, Gigabit, managed Switch	सेट	12800.00	12800.00	12800.00
	24 Port, Fast Ethernet, managed Switch	सेट	16000.00	16000.00	16000.00
	24 Port, Gigabit, managed Switch	सेट	21600.00	21600.00	
M	SECURITY SYSTEM				
१५३	Steel Security Gate				
	Metal detector	मोटा	17674.00	17674.00	17674.00
	Access Controller (Standard Series)	मोटा	29993.00	29993.00	29993.00
	Access Controller (General Series)	मोटा	14461.00	14461.00	14461.00
१५४	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	च. मि.	9069.00	9069.00	9069.00
	Half leaf :- 50 mm, 70 mm, 100mm	च. मि.	10371.00	10371.00	10371.00
	Double leaf :- 50 mm, 70 mm, 100mm	च. मि.	10835.00	10835.00	10835.00
१५५	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller x2)	मोटा	35706.00	35706.00	35706.00
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	मोटा	21424.00	21424.00	21424.00
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	मोटा	13390.00	13290.00	13290.00
	v) Finger print access system with software	मोटा	37492.00	37492.00	37492.00
	vi) Security from Panic Alarm	मोटा	37492.00	37492.00	37492.00
१५६	Access Controller				
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000 events, responding distance 5 cm to 15 cm, dimension 120 x38 x18 mm built in two relay operating door	सेट	21516.00	21516.00	21516.00
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000 events, responding distance 5 cm to 15 cm, dimension 120 x38 x18 mm built in two relay operating door (Local)	सेट	14523.00	14523.00	14523.00
१५७	Intrusion Detection System				
	Main Controller-CONTROL FIRE/BURG	सेट	40579.00	40579.00	40579.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			भा.व. २०८०/८१	भा.व. २०८१/८२	भा.व. २०८२/८३
	Door Contact-Wireless Door Contact with transmitter	सेट	2797.00	2797.00	2797.00
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4363.00	4363.00	4363.00
	Panic Switch-Wireless Panic Transmitter	सेट	5139.00	5139.00	5139.00
	Key -Wireless Key to Arm and Disarm the System	सेट	4992.00	4992.00	4992.00
	Window Contact-Wired door Contact with transmitter-slim	सेट	2937.00	2937.00	2937.00
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	3761.00	3761.00	3761.00
N	AIR CONDITIONING SYSTEM				
	Single Split (H.T.) Wall mounted Ceiling Cassat type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent control, Filter Cleaning Indicator, PMV Control and power saving features included wireless remote controller. Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, should also be included with in the cost. Note: AC shall have its manufacturing plant.				
१५८	Wall Mounted Inverter type Split Units with Wireless remote Controller.				
	3.75 Ton	सेट	81900.00	81900.00	
	1.8 Ton	सेट	56900.00	56900.00	71800.00
	1.5Ton	सेट	76500.00	76500.00	87200.00
	2.0 Ton	सेट	99400.00	99400.00	106194.89
१५९	Ceiling Cassette Inverter type Split Units with Wireless remote Controller				
	1.0 Ton	सेट	118800.00	118800.00	118800.00
	1.5Ton	सेट	145800.00	145800.00	143800.00
	2.0 Ton	सेट	162000.00	162000.00	162000.00
	3.0 Ton (3Ph)	सेट	261950.00	261950.00	261950.00
	4 Ton(3Ph)	सेट	265500.00	265500.00	265500.00
१६०	Wall Mounted Non-Inverter Type Split Type AC with Wireless display remote Controller.				
	0.75 Ton	सेट	52200.00	52200.00	52200.00
	1.0 Ton	सेट	51550.44	51550.44	51550.44
	1.5Ton	सेट	68050.44	68050.44	68050.44
	2.0 Ton	सेट	84250.44	84250.44	84250.44
१६१	Ceiling Cassette Non- Inverter Type Split Type AC with Wireless display remote Controller.				
	1.0 Ton	सेट	86600.00	86600.00	86600.00
	1.5Ton	सेट	99300.00	99300.00	99300.00
	2.0 Ton	सेट	128600.00	128600.00	128600.00
	3.0 Ton	सेट	176000.00	176000.00	176000.00
O	TRANSFORMER and ALLIED MATERIALS				
१६२	Copper wound Distribution Outdoor Transformer with first filling of oil				
	15 KVA, 11/0.23kv, 3 phase, 50 Hz ONAN	रोटा	212500.00	212500.00	212500.00
	25 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	रोटा	250750.00	250750.00	250750.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.भ.क. बाहेकको दररेट		
			आ.न. २०८०/८१	आ.न. २०८१/८२	आ.न. २०८२/८३
	50 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	357000.00	357000.00	357000.00
	75 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	510000.00	510000.00	510000.00
	100 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	535500.00	535500.00	535500.00
	125 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	748000.00	748000.00	748000.00
	150 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	773500.00	773500.00	773500.00
	200 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	956250.00	956250.00	956250.00
	250 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	1041250.00	1041250.00	1041250.00
	300 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	1130500.00	1130500.00	1130500.00
	400 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	1275000.00	1275000.00	1275000.00
	500 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	1402500.00	1402500.00	1402500.00
	630 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	1530000.00	1530000.00	1530000.00
	750 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	2188750.00	2188750.00	2188750.00
	800 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	1827500.00	1827500.00	1827500.00
	1000 KVA, 11/0.4kv, 3 phase, 50 Hz ONAN	गोटा	2295000.00	2295000.00	2295000.00
१६३	Low Loss Transformer				
	No Load-75, Load loss 460(25 KVA)	गोटा	229790.00	229790.00	
	No Load-120, Load loss 750(50 KVA)	गोटा	334240.00	334240.00	
	No Load-220, Load loss 1210(100 KVA)	गोटा	438690.00	438690.00	
१६४	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	रुमी	161.00	161.00	161.00
	38 mm square 4 core ABC cable	रुमी	269.00	269.00	269.00
	95 mm square 4 core ABC cable	रुमी	527.00	527.00	527.00
१६५	Lightning Arrestor for 3 Phase				
	0.5 KV	सेट	1291.00	1291.00	1291.00
	11 KV	सेट	4518.00	4518.00	4518.00
	Cross Arm V Channel	गोटा	3227.00	3227.00	3227.00
	Stay set with accessories				
	GI wire	गोटा	1234.00	1234.00	1234.00
	GI Plate	गोटा	1237.00	1237.00	1237.00
	Gay Insulator	गोटा	58.00	58.00	58.00
	Elbow	गोटा	107.00	107.00	107.00
	Rod, Nut	गोटा	464.00	464.00	464.00
	Gap	गोटा	51.00	51.00	51.00
१६६	Overhead Insulators (0.4KV)	गोटा			
	Surface Insulator	गोटा	32.00	32.00	32.00
	D.Jins	गोटा	97.00	97.00	97.00
	Nut Bolt (3" with 8 mm 6)	गोटा	15.00	15.00	15.00
	Nut Bolt (6" with 8 mm 6) to clamp on Pole	गोटा	24.00	24.00	24.00
१६७	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	गोटा	193.00	193.00	193.00
	Disc Insulator	गोटा	1033.00	1033.00	1033.00
	Cross Arm V Channel	गोटा	2839.00	2839.00	2839.00
	Square ACSR conductor 25mm ²	रुमी	17.00	17.00	17.00
	square ACSR conductor 30 mm ²	रुमी	26.00	26.00	26.00
	Rabbit ACSR conductor 50 mm ²	रुमी	42.00	42.00	42.00
	Dog ACSR conductor 100 mm ²	रुमी	85.00	85.00	85.00

विद्युतिय सामग्रीहरु

क्र.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. नालेको दररेट		
			आ.व. २०८०/८१	आ.व. २०८१/८२	आ.व. २०८२/८३
१५८	LT/HT Accessories				
	11 kv Disc Insulator with gripper(3 Bolt)	सेट	1514.00	1514.00	1514.00
	11kv Pin Insulator with spindel	सेट	266.00	266.00	266.00
	11 KVA Drop out fuse	सेट	12612.00	12612.00	12612.00
	D-iron dot with shackle insulator	सेट	136.00	136.00	136.00
	Stay Assembly Complete Set	सेट	1314.00	1314.00	1314.00
	Stay wire (NS 7/12 gauge)	केजी	106.00	106.00	106.00
	Lighting Arrester	सेट	6606.00	6606.00	6606.00
	Earthing Set	सेट	2924.00	2924.00	2924.00
	H T Tape	भाग	177.00	177.00	177.00
	Stay Wire 7/12	केजी	125.00	125.00	125.00
	Stay Wire set 12x12, 6mm thick	सेट	1671.00	1671.00	1671.00
P	POLES				
१५९	Steel tubuler pole				
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	20419.00	20419.00	20419.00
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	18978.00	18978.00	18978.00
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	16936.00	16936.00	16936.00
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	12131.00	12131.00	12131.00
१६०	WOODEN POLE				
	7 mtr.length Wooden Pole	गोटी	5218.00	5218.00	5218.00
	9 mtr.length Wooden Pole	गोटी	7100.00	7100.00	7100.00
१६१	FRP/GRP Poles shall be ultraviolet resistance, corrosion proof, electrically insulated and shall have no reaction to direct contact with water, having FRP material > 35%, thickness shall be >5.5mm for all poles with the cost of single/double GRP arm				
	3 mtr with base plate	सेट	32625.82	32625.82	32625.82
	4 mtr with base plate	सेट	40120.83	40120.83	40120.83
	5 mtr with base plate	सेट	42948.27	42948.27	42948.27
	6 mtr with base plate	सेट	46079.38	46079.38	46079.38
	7 mtr with base plate	सेट	56519.72	56519.72	56519.72
	8 mtr with base plate	सेट	60725.83	60725.83	60725.83
	9 mtr with base plate	सेट	64470.36	64470.36	64470.36
	10 mtr with base plate	सेट	82185.98	82185.98	82185.98
	11 mtr with base plate	सेट	86290.18	86290.18	86290.18
	12 mtr with base plate	सेट	104131.49	104131.49	104131.49
Q	GENERATOR SYSTEM				

विद्युतिय सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.भ.क. माहेको दररेट		
			मा.नं. २०६०/८१	मा.नं. २०६१/८२	मा.नं. २०६२/८३
	Generator set conforming complies with current CPECI approval norms, Critical grade silencers, coupled and aligned with continuous rated KVA of D/G, industrial type brushless AC Alternator on a common base frame in factory foreward acoustic enclosure with all standard accessories such as MS painted day oil tank & valves, fully charged lead-acid batteries with angle iron stand, battery leads, engine protection unit, sensors for winding & bearing temp monitoring, anti-vibration mountings complete in all respects as per the manufacturer's drawing, specification, and instruction				
१६२	Diesel Generator, Single Phase				
	0.7	सेट	77853.98	77853.98	77853.98
	2	सेट	96283.19	96283.19	96283.19
	2.9	सेट	189933.63	189933.63	189933.63
	3.8	सेट	202345.13	202345.13	202345.13
	3.8	सेट	217389.38	217389.38	217389.38
	5	सेट	227168.14	227168.14	227168.14
	7.5	सेट	391000.00	391000.00	391000.00
	10	सेट	429250.00	429250.00	429250.00
१६३	Diesel Generator, Three Phase with ATS panel				
	10	सेट	539750.00	539750.00	539750.00
	15	सेट	539750.00	539750.00	539750.00
	20	सेट	62037.52	62037.52	62037.52
	30	सेट	701250.00	701250.00	701250.00
	40	सेट	831194.69	831194.69	831194.69
	50	सेट	990250.00	990250.00	990250.00
	62.5	सेट	1190000.00	1190000.00	1190000.00
	100	सेट	1372750.00	1372750.00	1372750.00
	125	सेट	1429203.54	1429203.54	1429203.54
	160	सेट	1904000.00	1904000.00	1904000.00
	200	सेट	2331858.41	2331858.41	2331858.41
	250	सेट	2783750.00	2783750.00	2783750.00
	320	सेट	3485000.00	3485000.00	3485000.00
	400	सेट	4258500.00	4258500.00	4258500.00
	500	सेट	5418750.00	5418750.00	5418750.00
R	EARTHING SYSTEM				
१६४	Earthing System				
	Copper plus per kg (approx. copper +8950kg/m ³)	के.जी	957.00	957.00	957.00
	6 mm thick 660mm x 500 mm C.I. Plate	मोटा	2954.00	2954.00	2954.00
	3.2 mm thick 660mm x 660 mm Copper Plate	मोटा	9940.00	9940.00	9940.00
	Copper Strip (25 x 3)mm (Approx 50% Dwg)	के.जी	1130.00	1130.00	1130.00
	Copper Strip (25mm breadth x 3mm thick)	के.जी	1130.00	1130.00	1130.00
	Copper Strip (12 x 3)mm	के.जी	1130.00	1130.00	1130.00
	Lightning rod copper conductor & termination set	मोटा	2851.00	2851.00	2851.00
	8 SWG bare copper wire	र.मी	150.00	150.00	150.00
	Copper wire (10 SWG)	र.मी	161.00	161.00	161.00
	29 mm Diameter GI Pipe of 1m length	र.मी	263.00	263.00	263.00

विद्युतिय सामग्रीहरु

क्र.सं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			मा.प्र. २०८०/८१	मा.प्र. २०८१/८२	मा.प्र. २०८२/८३
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	645.00	645.00	645.00
	5/16 nut & bolt with spring washer cadmium miter	गोटा	15.00	15.00	15.00
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	284.00	284.00	284.00
	Pumping Mechanism with pit cover (mild steel)	सेट	645.00	645.00	645.00
	Funnel with wire mesh	गोटा	377.00	377.00	377.00
	Charcoal	ग्राम	322.00	322.00	322.00
	Salt	के.डी	12.00	12.00	12.00
	Earthing System consisting of 1 Nos copper bonded steel electrode of 20/25/17/14 mm dia. with a min. coating thickness of 250 microns and length of 3 meters. 25 kg electrode of earth enhancing compound needs to be considered to fill the 100-125mm augured hole surrounding to the electrode. The rate shall include excavation of earth, filling with back fill compound, and earth pit refilling				
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 20/25 mm with copper coating thickness of 250micron tested as per IS: 62561-2	सेट	7772.00	7772.00	7772.00
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 17/14 mm with copper coating thickness of 250micron tested as per IS: 62561-2	सेट	4596.80	4596.80	4596.80
	Universal Clamp of Required Size 75X50X3 mm made of SS to connect rod with flat conductor	सेट	1039.20	1039.20	1039.20
	Earth enhancing compound tested as per IS: 62561-2	सेट	3118.40	3118.40	3118.40
	Heavy duty Pit cover tested	गोटा	2384.00	2384.00	2384.00
S	MISCELLANEOUS ITEMS				
१०५	WATER HEATER RATES				
	15 LTRS ABS WATER HEATER	सेट	20100.00	20100.00	20100.00
	21 LTRS ABS WATER HEATER	सेट	22300.00	22300.00	22300.00
	15 LTRS METAL WATER HEATER	सेट	17900.00	17900.00	17900.00
	21 LTRS METAL WATER HEATER	सेट	19700.00	19700.00	19700.00
	3 LTR ABS INSTANT	सेट	7525.00	7525.00	7525.00
	5 LTR GAS	सेट	11725.00	11725.00	11725.00
१०६	Automatic Water Level Pump Controller: housed in metal enclosure with MCBs, Contactor, Phase sequence protection, Overload Protection and service cut for single/three phase water pump; with all necessary work as per drawing, specification and instruction all complete. Equivalent Nepali Make				
	Up to 1/2 HP single phase motor	सेट	4303.00	4303.00	4303.00
	Up to 1-3 HP single phase motor	सेट	5917.00	5917.00	5917.00
	Up to 1-3 HP three phase motor	सेट	9682.00	9682.00	9682.00

Solar Power

सि.नं	विभिन्न सामग्रीहरूको विवरण	एकक	मु.य.क. माहोतको दररेट		
			भा.व. २०८०/८१	भा.व. २०८१/८२	भा.व. २०८२/८३
१	Solar PV Module	प्रति.वाट	१२.००	१२.००	१२.००
२	Solar Tubular Battery (200Ah@20,12v)	गोटा	३३०६३.००	३३०६३.००	३३०६३.००
३	Solar Tubular Battery (150 Ah@20,12v)	गोटा	२४२३४.००	२४२३४.००	२४२३४.००
४	Solar Tubular Battery (100 Ah@20,12v)	गोटा	१५४१०.००	१५४१०.००	१५४१०.००
५	Solar Tubular Battery (80 Ah@20,12v)	गोटा	१२४०३.००	१२४०३.००	१२४०३.००
६	Solar Tubular Battery (60 Ah@20,12v)	गोटा	९२४६६.००	९२४६६.००	९२४६६.००
७	Solar Tubular Battery (40 Ah@20,12v)	गोटा	६२४०.००	६२४०.००	६२४०.००
८	Solar Gel Battery (200 Ah@20,12v)	गोटा	६६००१.००	६६००१.००	६६००१.००
९	Solar Gel Battery (150 Ah@20,12v)	गोटा	४९३०६.००	४९३०६.००	४९३०६.००
१०	Solar Gel Battery (100 Ah@20,12v)	गोटा	३२९६३.००	३२९६३.००	३२९६३.००
११	Solar Gel Battery (80 Ah@20,12v)	गोटा	३२०३३.००	३२०३३.००	३२०३३.००
१२	Solar Gel Battery (75 Ah@20,12v)	गोटा	२८४२८.००	२८४२८.००	२८४२८.००
१३	Solar Gel Battery (40 Ah@20,12v)	गोटा	१६२७४.००	१६२७४.००	१६२७४.००
१४	Solar Lithium Ion Battery (100AH@10,12V)	गोटा	३७८०१.००	३७८०१.००	३७८०१.००
१५	Solar Lithium Ion Battery (80AH@10,12V)	गोटा	३३४७८.००	३३४७८.००	३३४७८.००
१६	Solar Lithium Ion Battery (50AH@10,12V)	गोटा	१९२६१.००	१९२६१.००	१९२६१.००
१७	Charge controller (60A/24-48V)	गोटा	३३४७४.००	३३४७४.००	३३४७४.००
१८	Charge controller (45A/12-24-48 V)	गोटा	२४६१३.००	२४६१३.००	२४६१३.००
१९	Charge controller (30A/12-24-48 V)	गोटा	२०३९४.००	२०३९४.००	२०३९४.००
२०	Charge controller (25A/12-24-48 V)	गोटा	१४२४४.००	१४२४४.००	१४२४४.००
२१	Charge controller 20a/12-24 V	गोटा	६१६०.००	६१६०.००	६१६०.००
२२	Charge controller 15a/12-24 V	गोटा	४०४७.००	४०४७.००	४०४७.००
२३	Charge controller 10a/12-24 V	गोटा	२७८१.००	२७८१.००	२७८१.००
२४	Charge controller 5a/12-24 V	गोटा	१६४८.००	१६४८.००	१६४८.००
२५	Solar dusk to down controller 20A/12V with driver circuit	गोटा	४६३४.००	४६३४.००	४६३४.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	१४००८.००	१४००९.००	१४००९.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	१२०२९.००	१२०२९.००	१२०२९.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१४०५९.००	१४०५९.००	१४०५९.००
२९	Solar street light 100W	गोटा	४३४६९.००	४३४६९.००	४३४६९.००
३०	Solar street light 80W	गोटा	३६८७४.००	३६८७४.००	३६८७४.००
३१	Solar street light 60W	गोटा	२७९०४.००	२७९०४.००	२७९०४.००
३२	Solar street light 40W	गोटा	१४४४३.००	१४४४३.००	१४४४३.००
३३	Solar street light 30W	गोटा	१२३६०.००	१२३६०.००	१२३६०.००
३४	Solar street light 20W	गोटा	८८४८.००	८८४८.००	८८४८.००
३५	Solar street light 12W	गोटा	४७६८.००	४७६८.००	४७६८.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	गोटा	१७२२२.००	१७२२२.००	१७२२२.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for bottom 4m 6" for top 3 m	गोटा	१९७७६.००	१९७७६.००	१९७७६.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for bottom 5m 6" for top 3 m	गोटा	२२०४२.००	२२०४२.००	२२०४२.००
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for bottom 6 m 6" for top 3 m	गोटा	२२३५९.००	२२३५९.००	२२३५९.००

Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. माहेकको दररेट		
			मा.प. २०८०/८१	मा.प. २०८१/८२	मा.प. २०८२/८३
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	मोटा	२२०४२.००	२२०४२.००	२२०४२.००
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and 3" for top 1.75 m	मोटा	२४४४१.००	२४४४१.००	२४४४१.००
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m	मोटा	२७७०३.००	२७७०३.००	२७७०३.००
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m	मोटा	२९९७३.००	२९९७३.००	२९९७३.००
४४	Pure sine wave inverter 250 VA /12 V	मोटा	७४१६.००	७४१६.००	७४१६.००
४५	Pure sine wave inverter 400 VA /12 V	मोटा	१३९०४.००	१३९०४.००	१३९०४.००
४६	Pure sine wave inverter 850 VA /12 V	मोटा	१६९९४.००	१६९९४.००	१६९९४.००
४७	Pure sine wave inverter 1000 VA /12 V	मोटा	२३३८७.००	२३३८७.००	२३३८७.००
४८	pure sine wave inverter 1400 VA	मोटा	२४०२९.००	२४०२९.००	२४०२९.००
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	मोटा	२०८०६.००	२०८०६.००	२०८०६.००
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	मोटा	२४९२६.००	२४९२६.००	२४९२६.००
५१	Pure sine wave Solar Hybrid inverter 3KVA with 50A inbuilt charge controller	मोटा	७३६४४.००	७३६४४.००	७३६४४.००
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	मोटा	१४४८६०.००	१४४८६०.००	१४४८६०.००
५३	Ms Sght Anns	मोटा	२२६६.००	२२६६.००	२२६६.००
५४	SPV mounting frame	मोटा	४९७४.००	४९७४.००	४९७४.००
५५	Battery box	मोटा	४६३६.००	४६३६.००	४६३६.००
५६	Battery stand	मोटा	४६३६.००	४६३६.००	४६३६.००
५७	12W SENSOR SOLAR POLE LIGHT	मोटा	१००७६.००	१००७६.००	१००७६.००
५८	18W SENSOR SOLAR POLE LIGHT	मोटा	२०३२१.००	२०३२१.००	२०३२१.००
५९	Solar Lights:				
	All in one solar street light - 2000 Lumens	मोटा	२३४८२४.००	२३४८२४.००	
	All in one solar street light - 3000 Lumens	मोटा	२६३२६८.००	२६३२६८.००	
	All in one solar street light - 4500 Lumens	मोटा	३९९०४६.००	३९९०४६.००	
	Solar Poles with Post Top Luminaries - 2500 Lumens	मोटा	४४१००८.००	४४१००८.००	
	Solar Poles with street lights luminaries 6000 Lumens	मोटा	६४१२८४.००	६४१२८४.००	
	All in One solar Street Light - 5000 Lumens	मोटा	३९९३१२.००	३९९३१२.००	
	All in one solar street light - 8500 Lumens	मोटा	३४४१२३.००	३४४१२३.००	
	All in one solar street light - 12000 lumens	मोटा	३९३९६४.००	३९३९६४.००	