



नेपाल राजपत्र

नेपाल सरकारद्वारा प्रकाशित

खण्ड ७१) काठमाडौं, फागुन २६ गते, २०७८ साल (संख्या ४८)

भाग ३

नेपाल सरकार

स्वास्थ्य तथा जनसङ्ख्या मन्त्रालयको

सूचना १

नेपाल मेडिकल काउन्सिल (पाँचौं संशोधन) नियमावली, २०७८

नेपाल मेडिकल काउन्सिल नियमावली, २०२४ लाई संशोधन गर्न वाञ्छनीय भएकोले,

नेपाल मेडिकल काउन्सिल ऐन, २०२० को दफा ३२ ले दिएको अधिकार प्रयोग गरी नेपाल सरकारले देहायका नियमहरू बनाएको छ।

१. संक्षिप्त नाम र प्रारम्भ: (१) यी नियमहरूको नाम "नेपाल मेडिकल काउन्सिल (पाँचौं संशोधन) नियमावली, २०७८" रहेको छ।

(२) यो नियमावली तुरुन्त प्रारम्भ हुनेछ।

आधिकारिकता मुद्रण विभागबाट प्रमाणित गरिएपछि मात्र लागु हुनेछ।

२. नेपाल मेडिकल काउन्सिल नियमावली, २०२४ को नियम ५ मा संशोधन: नेपाल मेडिकल काउन्सिल नियमावली, २०२४ (यसपछि "मूल नियमावली" भनिएको) को नियम ५ को,-
- (१) उपनियम (१) मा रहेका "इन्टर्नशीप वा हाउस जब" भन्ने शब्दहरूको सट्टा "इन्टर्नशीप वा रेजिडेण्ट तालीम" भन्ने शब्दहरू राखिएका छन्।
- (२) उपनियम (१) पछि देहायको उपनियम (१क) थपिएको छ:-
- "(१क) नियम ७ बमोजिमको योग्यता हासिल गरेको व्यक्तिले विशेषज्ञको रूपमा अस्थायी दर्ता गर्नको लागि काउन्सिल समक्ष निवेदन दिन सक्नेछ।"
३. मूल नियमावलीको नियम ६ मा संशोधन: मूल नियमावलीको नियम ६ को,-
- (१) उपनियम (१) मा रहेका "इन्टर्नशीप वा हाउस जब" भन्ने शब्दहरूको सट्टा "इन्टर्नशीप वा रेजिडेण्ट तालीम" भन्ने शब्दहरू राखिएका छन्।
- (२) उपनियम (१) पछि देहायको उपनियम (१क) थपिएको छ:-
- "(१क) उपनियम (१) मा जुनसुकै कुरा लेखिएको भए तापनि काउन्सिलले तोकेबमोजिमको योग्यता प्राप्त गरी इन्टर्नशीप तालीम, स्नातकोत्तर तहको रेजिडेण्ट तालीम वा विद्यार्थी आदानप्रदान कार्यक्रम अन्तर्गत विदेशबाट तालीममा आउने चिकित्सक वा छोटो अवधिका लागि इन्टर्नशीप गर्न नेपाल आएका इन्टर्नले चाहेमा काउन्सिलमा सूचीकरण गरी छुट्टै दर्ता किताबमा नाम दर्ता गराउनु पर्नेछ।"

(३) उपनियम (२) को सट्टा देहायको उपनियम (२) राखिएको छः-

“(२) उपनियम (१) र (१क) बमोजिम नाम दर्ता गर्दा लाग्ने दस्तुर अनुसूची-९ मा तोकिएबमोजिम हुनेछ।”

४. मूल नियमावलीको नियम ७ मा संशोधन: मूल नियमावलीको नियम ७ को उपनियम (१) मा रहेका "स्थायी दर्ता" भन्ने शब्दहरूको सट्टा "स्थायी वा अस्थायी दर्ता" भन्ने शब्दहरू राखिएका छन्।

५. मूल नियमावलीको नियम ८ मा संशोधन: मूल नियमावलीको नियम ८ को,-

(१) उपनियम (३) को सट्टा देहायको उपनियम (३) राखिएको छः-

“(३) रजिष्टरले बैठक बस्नुभन्दा कम्तीमा बहत्तर घण्टा अगावै कार्यसूची (एजेण्डा) सहितको सूचना काउन्सिलका सदस्यलाई पठाउनु पर्नेछ।”

(२) उपनियम (४) मा रहेका "सदस्यहरूको बहुमतले छानिएको व्यक्तिले" भन्ने शब्दहरूको सट्टा "सदस्यहरूमध्ये जेष्ठ सदस्यले" भन्ने शब्दहरू राखिएका छन्।

(३) उपनियम (७) मा रहेका "कमसेकम ३ दिन अगाडि" भन्ने शब्दहरूको सट्टा "कम्तीमा दुई दिन अगावै" भन्ने शब्दहरू राखिएका छन्।

(४) उपनियम (८) मा रहेका "२ दिन अगावै" भन्ने शब्दहरूको सट्टा "एक दिन अगावै" भन्ने शब्दहरू राखिएका छन्।

- (५) उपनियम (१५घ) मा रहेका "उपनियम १५" भन्ने शब्दहरूको सट्टा "उपनियम (१५)" भन्ने शब्दहरू राखिएका छन्।
- (६) उपनियम (१७) मा रहेको "सस्पेण्ड" भन्ने शब्दको सट्टा "निलम्बन" भन्ने शब्द राखिएको छ।
६. मूल नियमावलीको नियम १० मा संशोधन: मूल नियमावलीको नियम १० को उपनियम (१) को खण्ड (ख) र (घ) को सट्टा देहायका खण्ड (ख) र (घ) राखिएका छन्:-
- "(ख) परीक्षा समिति,
- (घ) शिक्षा तथा निरन्तर व्यावसायिक विकास समिति।"
७. मूल नियमावलीको नियम १५ मा संशोधन: मूल नियमावलीको नियम १५ को उपनियम (२) पछि देहायको उपनियम (३) थपिएको छ:-
- "(३) काउन्सिलमा हुने नाम दर्ता सम्बन्धी अभिलेख विद्युतीय प्रणालीमा राखी अद्यावधिक गरिनेछ।"
८. मूल नियमावलीको नियम २०ड. मा संशोधन: मूल नियमावलीको नियम २०ड. को उपनियम (३) पछि देहायको उपनियम (३क) थपिएको छ:-
- "(३क) नेपालमा चिकित्साशास्त्रका मेडिकल वा डेन्टल विषयमा स्नातक तह उत्तीर्ण गरेका विदेशी विद्यार्थीले समेत उपनियम (१) बमोजिमको दर्ता प्रमाणपत्र परीक्षामा भाग लिन पाउनेछन्।"
९. मूल नियमावलीको नियम २०च. मा संशोधन: मूल नियमावलीको नियम २०च. को उपनियम (३) पछि देहायको उपनियम (३क) थपिएको छ:-

"(३क) नेपालमा चिकित्साशास्त्रका मेडिकल वा डेन्टल विषयमा स्नातकोत्तर तह उत्तीर्ण गरेका विदेशी विद्यार्थीले समेत उपनियम (१) बमोजिमको विशेष परीक्षामा भाग लिन पाउनेछन्।"

१०. मूल नियमावलीको नियम २२ मा संशोधन: मूल नियमावलीको नियम २२ को,-

(१) उपनियम (१) को,-

(क) खण्ड (ड) को उपखण्ड (१) र (२) को सट्टा देहायका उपखण्ड (१) र (२) राखिएका छन्:-

"(१) सरकारले तोकेको पारिश्रमिक दिन अस्वीकार गरेमा,

(२) औषधी उपचार नगर्दा हुने हानी बताउँदा समेत आफूले सिफारिस गरेको औषधि उपचार नगरेमा,"

(ख) खण्ड (ड) को उपखण्ड (४) पछि देहायका उपखण्ड (५) र (६) थपिएका छन्:-

"(५) आफ्नो क्षमताभन्दा बाहिरको रोगको उपचार गराउन खोजेमा,

(६) चिकित्सक आफैं अस्वस्थ भएमा।"

(ग) खण्ड (ट) पछि देहायको खण्ड (ट१) थपिएको छ:-

"(ट१) काउन्सिलले तोकेबमोजिमको निरन्तर व्यवसायिक प्रक्रिया पूरा गर्नुपर्ने,"

(घ) खण्ड (ठ) को प्रारम्भमा "मादक पदार्थ वा" भन्ने शब्दहरू थपिएका छन्।

(२) उपनियम (२) को खण्ड (घ) पछि देहायको खण्ड (घ१) थपिएको छः-

“(घ१) आफ्ना सहकारीले आचार संहिता विपरीत हुने कुनै काम गरेमा सोको सूचना काउन्सिललाई दिने,”

सूचना २

औषधि दर्ता (चौथो संशोधन) नियमावली, २०७८

औषधि दर्ता नियमावली, २०३८ लाई संशोधन गर्न वाञ्छनीय भएकोले,

औषधि ऐन, २०३५ को दफा ४० ले दिएको अधिकार प्रयोग गरी नेपाल सरकारले देहायका नियमहरू बनाएको छ।

१. संक्षिप्त नाम र प्रारम्भ: (१) यी नियमहरूको नाम “औषधि दर्ता (चौथो संशोधन) नियमावली, २०७८” रहेको छ।

(२) यो नियमावली तुरुन्त प्रारम्भ हुनेछ।

२. औषधि दर्ता नियमावली, २०३८ को नियम ४ख. मा संशोधन:
औषधि दर्ता नियमावली, २०३८ (यस पछि “मूल नियमावली” भनिएको) को नियम ४ख. को उपनियम (३) मा रहेका “अत्यावश्यक औषधि र आकस्मिक तथा जीवन रक्षक औषधिमध्ये अनुसूची-४घ१. मा उल्लेख भएका औषधि” भन्ने शब्दहरूको सट्टा “आकस्मिक, जीवन रक्षक र सघन उपचारमा प्रयोग हुने औषधिमध्ये अनुसूची-४घ१. मा उल्लेख भएका औषधि, अफान र बेवास्ता गरिएका रोगको उपचारमा प्रयोग हुने औषधिमध्ये अनुसूची-४घ२. मा उल्लेख भएका औषधि” भन्ने शब्दहरू राखिएका छन्।

३. मूल नियमावलीको अनुसूचीमा संशोधन: मूल नियमावलीको,-
- (१) अनुसूची-४घ१. को सट्टा संलग्न अनुसूची-४घ१. राखिएको छ।
- (२) अनुसूची-४घ१. पछि संलग्न अनुसूची-४घ२. थपिएको छ।
- (३) अनुसूची-१४ को सि.नं. ४.को,-
- (क) खण्ड (क) को सट्टा देहायको खण्ड (क) राखिएको छ:-

"(क) आकस्मिक, जीवन रक्षक र सघन उपचारमा प्रयोग हुने औषधिमध्ये अनुसूची-४घ१. मा उल्लिखित औषधिको लागि	२,०००।-	१,०००।-"
---	---------	----------

- (ख) खण्ड (क) पछि देहायको खण्ड (क१) थपिएको छ:-

"(क१) अफनि र बेवास्ता गरिएका रोगका उपचारमा प्रयोग हुने औषधिमध्ये अनुसूची-४घ२. मा उल्लिखित औषधिको लागि	२,०००।-	१,०००।-"
---	---------	----------

"अनुसूची-४घ१.

(नियम ४ख. को उपनियम (३) सँग सम्बन्धित)

आकस्मिक, जीवन रक्षक र सघन उपचारमा प्रयोग हुने औषधिमध्येका

सूचीकृत औषधि

S.No.	Name of Medicine	Dosage form and strength
1.	Acetazolamide	Powder for injection: 500 mg
		Tablet: 250 mg
2.	Acetylcysteine	Injection: 200 mg/ ml in 10 ml ampoule
		Tablet (effervescent): 600 mg
3.	Acetylsalicylic Acid (aspirin)	Tablet: 50 mg, 75 mg, 150 mg, 300 mg
4.	Aciclovir	Powder for injection: 250 mg (as sodium salt) in vial, Tablet: 400mg, 800 mg, 500 mg
5.	Adenosine	Injection: 3 mg/ml in 2 ml vial
6.	Albumin, human	Injectable solution: 5%, 20%
7.	Alteplase (tissue plasminogen activator)	Injection: 20 mg, 50 mg in vial
8.	Amikacin	Injection: 250 mg (as sulfate)/ ml in 2 ml vial
9.	Aminophylline	Injection: 25 mg/ ml
10.	Amiodarone	Injection: 50 mg (hydrochloride)/ ml in 3 ml ampoule
11.	Amlodipine	Tablet: 2.5 mg, 5 mg (as maleate, mesylate or besylate)
12.	Amoxicillin	Powder for injection: 250 mg, 500 mg, 1 g (as sodium) in vial
13.	Amoxicillin + Clavulanic Acid	Powder for injection: mg (as sodium) + 200 mg (as potassium salt) in vial

S.No.	Name of Medicine	Dosage form and strength
14.	Amphotericin B	Powder for injection: 50 mg in vial (liposomal complex)
15.	Anti-D immunoglobulin	Injection: 250 mcg in single dose vial
16.	Anti-Rabies Hyperimmune Serum	Injection: 1000 IU in 5 ml ampoule
17.	Anti-Tetanus Immunoglobulin	Injection: 500 IU, 1000 IU/ ml, 3000 IU/ ml in vial
18.	Atorvastatin	Tablet: 80 mg
19.	Atropine	Eye drop: 1.00%
		Injection: 0.6 mg (as sulfate)/ ml in 1 ml ampoule, 30 ml vial.
20.	Benzathine Benzylpenicillin	Powder for injection: 60 000 IU, 1200 000 IU, 2400 000 IU
21.	Benzylpenicillin (penicillin G)	Powder for injection: 300 mg (= 0.5 million IU), 600 mg (=1 million IU) (as sodium or potassium salt) in vial
22.	Budesonide	Metered dose inhaler (aerosol): 200mcg per dose
23.	Bupivacaine	Injection: 0.25%; 0.5% (hydrochloride) in vial.
		Injection for spinal anesthesia: 0.5% (hydrochloride) in 4- ml ampoule, mixed with 7.5% glucose solution.
24.	Calcium Chloride	Injection: 100mg/ml
25.	Calcium Gluconate	Injection: 100 mg/ ml in 10 ml ampoule
26.	Carboprost	Injection: 250 mcg
27.	Cefepime	Injection: 1 gm/ml
28.	Cefotaxime	Powder for injection: 500 mg, 1g (as sodium salt) per vial
29.	Ceftazidime	Injection: 500 mg/ml

खण्ड ७१) संख्या ४८ नेपाल राजपत्र भाग ३ मिति २०७८।११।२६

S.No.	Name of Medicine	Dosage form and strength
30.	Ceftriaxone	Powder for injection: 250 mg, 1 g (as sodium salt) in vial
31.	Charcoal, Activated	Powder: 10 g in sachet (oral liquid as sorbitol-base slurry)
32.	Chloramphenicol	Powder for injection: 1g (as sodium succinate) in vial
33.	Chlorpromazine	Injection: 25 mg (hydrochloride)/ ml in 2 ml ampoule
34.	Ciprofloxacin	Injection: 200 mg per vial of 100ml
		Topical: 0.30%
35.	Clonidine	Tablet (Immediate release): 100 mcg
36.	Clopidogrel	Tablet: 75 mg
37.	Compound solution of sodium lactate (ringer's lactate)	Injectable solution, in Plastic Bottle, Pouch
38.	Dantrolene	Powder for injection: 20 mg in vial
39.	Deferoxamine	Powder for injection: 500 mg (mesilate) in vial
40.	Desmopressin	Injection: 4 mcg/ml in ampoule
		Nasal spray: 10 mcg /metered spray
41.	Dexamethasone	Injection: 4 mg (as disodium phosphate salt)/ ml in 1 ml ampoule
		Tablet: 500 mcg, 4 mg
42.	Dexmedetomidine	Injection: 100 mcg / ml
43.	Diazepam	Injection: 5mg/ml in 2 ml ampoule (intravenous or rectal)
44.	Diclofenac sodium	Injection: 75 mg/ ml
45.	Digoxin	Injection: 250 mcg/ ml in 2 ml ampoule
		Oral liquid: 50 mcg/ ml
		Tablet: 62.5 mcg, 250 mcg

S.No.	Name of Medicine	Dosage form and strength
46.	Digoxin immune fab	Powder for injection: 40 mg/ vial (each 40 mg binds with 0.5 ml of digoxin)
47.	Diltiazem	Injection: 5 mg/ ml
48.	Dimercaprol (BAL)	Injection in oil: 50 mg/ ml in 2 ml ampoule
49.	Dinoprostone (prostaglandin E2)	Topical: 2 mg
50.	Dobutamine	Injection: 12.5 mg (as hydrochloride) / ml in 20 ml ampoule .
51.	Dolutegravir	Tablet: 50 mg
52.	Dopamine	Injection: 40 mg (hydrochloride)/ ml in 5 ml vial
53.	Doxycycline	Powder for injection: 100 mg in vial
54.	Dried Aluminum Hydroxide + Magnesium Hydroxide	Oral liquid: 250 mg/ 5 ml + 250 mg/ 5 ml
55.	Drotaverine	Injection: 2% in vials
56.	Enalapril	Injection: 1.25 mg/ml
		Tablet: 2.5mg
57.	Dnoxaparin	Injection: 20 mg/ 0.2 ml, 60 mg/ 0.6 ml, 80 mg/ 0.8 ml
58.	Dphedrine	Injection: 30 mg (hydrochloride)/ ml in 1- ml ampoule.
59.	Dpinephrine (adrenaline)	Injection: 1 mg (as hydrochloride or hydrogen tartrate) in 1 ml ampoule (1:1000)
		Injection (pre-filled auto-injector): 1 mg/ml, 0.3 mg per dose (0.3 ml)
60.	Dpinephrine Racemic (adrenaline)	Injection: 2 mg (as hydrochloride or hydrogen tartrate) in 1 ml ampoule (1:1000)

S.No.	Name of Medicine	Dosage form and strength
61.	Erythropoiesis-Stimulating Agents	Injection (pre-filled syringe): 1000IU/ 0.5 ml; 2000IU/ 0.5 ml; 3000IU/ 0.3 ml; 4000IU/ 0.4 ml; 5000IU/ 0.5 ml; 6000IU/ 0.6 ml; 8000IU/ 0.8ml; 10 000IU/ 1 ml; 20 000IU/ 0.5 ml; 40 000IU/ 1 ml
62.	Esmolol	Injection: 10 mg/ ml
63.	Etophylline +Theophylline	Injection: 84.7 mg + 25.3 mg /ml in 2 ml ampoule
64.	Eentanyl	Injection: 50 mcg/ ml 2 ml ampoule/10ml vial
65.	Filgrastim	Injection: 300 mcg/ 0.5 ml in prefilled syringe, 300 mcg/ ml in 1 ml vial
66.	Fludrocortisone	Tablet: 100 mcg (acetate)
67.	Flumazenil	Injection: 100 micrograms/ml solution in 5 ml, 10 ml ampoule
68.	Fluticasone	Metered dose inhaler (aerosol): 125 mcg and 250 mcg per dose
69.	Folinic Acid (leucovorin)	Injection: 10 mg/ 5 ml
70.	Fomipezole	Injection: 5 mg (sulfate)/ ml in 20 ml ampoule
71.	Formoterol	Metered dose inhaler (aerosol): 12 / 20 mcg per dose
72.	Furosemide	Injection: 10 mg/ ml in 2 ml ampoule
73.	Ganciclovir	Powder for injection: 500 mg in vial
74.	Gentamicin	Injection: 10 mg, 40 mg (as sulfate)/ ml in 2 ml vial
75.	Glucagon	Injection: 1 mg/ ml
76.	Glucose with sodium chloride	Injectable solution: 5% glucose + 0.9% sodium chloride

S.No.	Name of Medicine	Dosage form and strength
77.	Glucose/dextrose	Injectable solution: 5% w/v isotonic, 25% w/v hypertonic, 50% w/v hypertonic
78.	Glyceryl trinitrate	Injection: 5 mg/ml
79.	Glycopyrrolate	Injection: 0.2 mg/ ml in ampoule.
80.	Hhaloperidol	Injection: 5 mg in 1 ml ampoule
81.	Heparin sodium (unfractionated)	Injection: 1000 IU/ ml, 5000 IU/ ml, 20 000 IU/ ml in 1 ml ampoule
82.	Hepatitis B	Vaccine
83.	Hepatitis B Immunoglobulin	Injection: 100 IU/ml
84.	Human Rabies Immunoglobulin	Injection: 1000 IU in 5 ml ampoule
85.	Hydralazine	Powder for injection: 20 mg (hydrochloride) in ampoule
86.	Hydrocortisone	Powder for injection: 100 mg (as sodium succinate) in vial with water for injection
		Tablet: 10 mg, 20 mg
		Injection (sodium succinate): 40 mg/ml in 5 ml vial
87.	Hyoscine Butylbromide	Injection: 20 mg/ ml in 1 ml ampoule
88.	Insulin (soluble)	Injection: 40 IU/ ml in 10- ml vial; 100 IU/ ml in 10- ml vial
89.	Intralipid	Injectable solution: 20%
90.	Intraperitoneal Dialysis Solution	Parenteral solution
91.	Ipratropium Bromide	Metered dose inhalation (aerosol): 20 mcg/ dose
		Solution (inhalation) or respules: 250 mcg/ml
92.	Isoflurane	Inhalation

S.No.	Name of Medicine	Dosage form and strength
93.	Isoprenaline (isoproterenol)	Injection: 1 mg (hydrochloride)/ ml in vial
94.	Isosorbide Dinitrate	Tablet (sublingual): 5 mg, 10 mg
95.	Isosorbide Mononitrate	Tablet: 20 mg
96.	Ketamine	Injection: 50 mg (as hydrochloride)/ ml in 10 ml vial.
97.	Ketorolac	Injection: 15 mg/ml
98.	Labetalol	Injection: 5 mg/ ml in 20 ml
		Tablet: 50 mg
99.	Lactulose	Oral liquid: 10 gm/ 15 ml
100.	Lamivudine	Tablet: 300 mg
101.	Levetiracetam	Injection: 100 mg/ ml in 5 ml ampoule
102.	Levothyroxine	Tablet: 25 mcg, 50 mcg, 100 mcg (sodium salt)
		Injection: 100 mcg per 5 mL (20 mcg per mL)
103.	Lidocaine (lignocaine preservative free)	Injection: 20 mg (hydrochloride)/ ml in vial
104.	Lidocaine (lignocaine)	Injection: 1%; 2% (hydrochloride) in vial.
		Topical (sterile): 2% (hydrochloride).
105.	Lidocaine (lignocaine) + epinephrine (adrenaline)	Injection: 1%; 2% (hydrochloride or sulfate) + epinephrine 1:200 000 in vial.
106.	Lithium Carbonate	Solid oral dosage form: 300 mg (sustained release)
107.	Lorazepam	Injection: 2 mg/ ml in 1- ml ampoule

S.No.	Name of Medicine	Dosage form and strength
108.	Magnesium Sulfate	Injection: 500 mg/ ml in 2 ml ampoule, in 10 ml ampoule
109.	Mannitol	Injectable solution: 20%
110.	Methyldopa	Tablet: 250 mg
111.	Methylergometrine (methargine)	Injection: 200 mcg (maleate)/ ml in ampoule
112.	Methylprednisolone	Injection: 40 mg (as sodium succinate)/ ml in 1 ml single vial; 80 mg (as sodium succinate)/ ml in 1 ml single dose; Methylprednisolone 1000 mg powder
113.	Methylthioninium chloride (methylene blue)	Injection: 10 mg/ ml in 10 ml ampoule
114.	Metoclopramide	Injection: 5 mg (hydrochloride)/ ml in 2 ml ampoule
115.	Metoprolol	Injection: 1 mg/ml ; Tablet 12.5, 25, 50mg Regular and Extended Release
116.	Metronidazole	Injection: 500 mg per vial of 100ml
117.	Midazolam	Injection: 1 ml/mg in 5 ml multidose vials
118.	Mifepristone - misoprostol	Tablet (copackage)*: 200 mg – tablet: 200 mcg
119.	Misoprostol	Tablet: 200 mcg, 600 mcg
		Tablet (vaginal): 25 mcg
120.	Morphine	Injection: 10 mg (sulfate or hydrochloride) in 1 ml ampoule.
121.	Multiple Electrolyte Solution / Balanced Electrolyte Solution	Multiple Electrolytes Injection: 140 mEq sodium, 5 mEq potassium, 3 mEq magnesium, 98 mEq chloride, 27 mEq acetate, and 23 mEq gluconate in 1 Liter.

S.No.	Name of Medicine	Dosage form and strength
122.	Naloxone	Injection: 400 mcg (hydrochloride) in 1 ml ampoule
123.	Neostigmine	Injection: 500 micrograms in 1 ml ampoule; 2.5 mg (metilsulfate) in 1 ml ampoule
124.	Nifedipine	Capsule (immediate release): 10 mg
125.	Nimodipine	Tablet: 30 mg
126.	Norepinephrine (noradrenaline)	Injection: 1 mg/ ml in 2 ml ampoule
127.	Normal Immunoglobulin (IvIg)	Intramuscular administration: 16% protein solution.
		Intravenous administration: 5%; 10% protein solution.
		Subcutaneous administration: 15%; 16% protein solution.
128.	Octreotide	Injectable solution: 100 mcg/ml
129.	Ondansetron	Injection: 2 mg (as hydrochloride)/ ml in 2 ml, 4 ml vial
130.	Oral Rehydration Salts	ORS Powder for dilution in 1 L (as per WHO recommended formula)
131.	Oseltamivir	Capsule: 30 mg, 45 mg, 75 mg (as phosphate)
132.	Oxygen	Inhalation
133.	Oxytocin	Injection: 5 IU/ ml, 10 IU/ ml in 1 ml ampoule
134.	Pantoprazole	Powder for Injection: 40 mg in vial
135.	Paracetamol	Injection: 150 mg/ ml in 2 ml ampoule, 10 mg/ ml in 100 ml bottle (1gm/100 ml)
		Suppository: 125 mg, 250 mg
136.	Pethidine	Injection: 50 mg (hydrochloride) in 1 ml ampoule

S.No.	Name of Medicine	Dosage form and strength
137.	Pheniramine	Injection: 22.75 mg (maleate)/ ml
138.	Phenobarbital	Injection: 200mg (sodium)/ ml
139.	Phenylephrine	Injection: 10 mg/ ml
140.	Phenytoin	Injection: 50 mg (sodium salt)/ ml in 5 ml vial
141.	Physostigmine	Injection: 1 mg/ml
142.	Phytomenadione	Injection: 10mg/ml
143.	Polygeline	Injectable solution: 3.5%
144.	Polyvenom Anti-Snake Serum	Injection in vial
145.	Potassium Chloride	Injection: 15% in 20 ml ampoule
146.	Potassium Ferric Hexacyanoferrate (ii).2h ₂ o (prussian blue)	Powder: For oral administration
147.	Pralidoxime	Injection: 500 mg , 1 g (mesilate, chloride or iodide) in ampoule
148.	Proacainamide	Injection :100 mg/ml in 10ml ampoule
149.	Procaine Benzylpenicillin	Powder for injection: 300 000 IU in vial
150.	Prochlorperazine	Injection: 12.5 mg/ml
151.	Promethazine	Injection: 25 mg (hydrochloride)/ ml in 2 ml ampoule
152.	Propofol	Injection: 10 mg/ ml, 20 mg/ ml
153.	Propranolol	Injection: 1 mg/ ml
154.	Propylthiouracil	Tablet: 50 mg
155.	Protamine Sulfate	Injection: 10 mg/ ml in 5 ml ampoule
156.	Pyridoxine	Tablet: 25 mg (hydrochloride)
157.	Rabies Vaccine	Vaccine

S.No.	Name of Medicine	Dosage form and strength
158.	Ranitidine	Injection: 25 mg (as hydrochloride)/ ml in 2 ml ampoule
159.	Rasburicase	Powder and solvent for concentrate for solution for injection: 1.5 mg/ml
160.	Rocuronium	Injection: 10 mg/ml in 5ml vial
161.	Salbutamol	Inhalation: 100 mcg/dose
		Injection: 50 mcg / ml in 5 ml ampoule
		Metered dose inhaler (aerosol)/ Rotahaler: 200 mcg (as sulfate) per dose
162.	Sodium Bicarbonate (sodium hydrogen carbonate)	Injectable solution: 7.5 % solution in 10 ml ampoule
163.	Sodium Chloride	Injectable solution: 0.9% (normal saline), 3% in 100 ml.
164.	Sodium Nitrite	Injection: 30 mg/ ml in 10 ml ampoule
165.	Sodium Nitroprusside	Powder for infusion: 50 mg in ampoule
166.	Sodium Phosphate	Injection: 45 mmol/ 15 ml
167.	Sodium Polystyrene Sulfonate	Powder for oral solution: 15 g sachet
168.	Sodium Tetradecyl Sulfate	Injection: 3%, 1%, 0.5%
169.	Sotalol	Injection: 15 mg/ ml
170.	Streptokinase	Injection: 750 000 IU, 1 500 000 IU in vial
171.	Surfactant (as beractant)	Suspension for intratracheal instillation: 25 mg/ml
172.	Suxamethonium (succinylcholine)	Injection: 50 mg (chloride)/ ml in 10 vial

S.No.	Name of Medicine	Dosage form and strength
173.	Tenecteplase	Powder for injection: 40 mg (8,000 units) in a vial
174.	Tenofovir	Tablet: 300 mg
175.	Terbutaline	Injection: 1 mg/ml
176.	Terlipressin	Injection: 100 mcg/ml
177.	Tetanus Antitoxin	Injection: 1000 IU/ ml, 3000 IU/ ml in vial
178.	Tetanus Toxoid	Vaccine
179.	Thiamine	Injection: 100 mg/ml in 2 ml ampoule
180.	Thiopentone	Powder for Injection: 500 mg
181.	Timolol	Eye drop: 0.50%
182.	Torsemide	Injection: 10 mg/ml in 2 ml
183.	Tramadol	Injection: 50 mg/ml
184.	Tranexamic Acid	Injection: 100 mg/ ml in 5 ml ampoule
185.	Valproic acid (sodium valproate)	Injection: 100 mg/ ml in 4- ml ampoule; 100 mg/ ml in 10- ml ampoule.
186.	Vasopressin	Injection: 20 IU /ml in ampoule
187.	Vecuronium	Powder for injection: 4 mg, 10 mg (bromide) in vial
188.	Verapamil	Injection: 2.5 mg/ ml in 2 ml ampoule
189.	Voriconazole	Powder for injection: 200 mg in vial
190.	Warfarin	Tablet: 1mg, 2 mg, 5 mg (sodium salt)
191.	Water for Injection	Injection: 5 ml, 10 ml ampoule"

"अनुसूची-४घ२.

(नियम ४ख. को उपनियम (३) सँग सम्बन्धित)

अर्फान र बेवास्ता गरिएका रोगको उपचारमा प्रयोग हुने

औषधिमध्येका सूचीकृत औषधि

(क) अर्फान रोगको उपचारमा प्रयोग हुने औषधि:-

S.No.	Name of Medicine	Dosage form and Strength
1.	Adrenocorticotrophic Hormone	Powder for injection 0.25mg/vial
2.	Vigabatrine	Tablet 500 mg Powder for oral solution 500 mg/packet
3.	Pyridoxine	Tablet: 25 mg (hydrochloride)
4.	Immunoglobulins	Intramuscular administration: 16% protein solution Intravenous administration: 5%; 10% protein solution Subcutaneous administration: 15%; 16% protein solution Indicated for primary immune deficiency. Indicated for primary immune deficiency and Kawasaki disease
5.	Botulinum Toxins	Injectable powder for reconstitution 50 units/vial 100units/vial 200units/vial
6.	Tetrabenazine	Tablet 12.5mg, 25mg
7.	Pyridoxal Phosphate	Tablet 25, 50, 100, 250, 500 mg Extended release 200mg Capsule 250mg
8.	Folinic Acid	Tablets 5mg, 10mg, 15mg, 25mg Injection powder for reconstitution

S.No.	Name of Medicine	Dosage form and Strength
		50mg,100mg,200mg,350mg,500mg Injectable solution 10mg/mL
9.	Deferasirox	Tablet for oral suspension 125mg,250mg,500mg Oral Tablet 90mg,180mg,360mg Oral granule 90mg,180mg,360mg
10.	Deferoxamine	Powder for injection: 500 mg (mesilate) in vial
11.	6-Thioguanine	Tablet 40mg
12.	Testosterone	Oral Capsule 158mg,198mg,237mg Injectable solution Cypionate
		100mg/ml (Depo-Testosterone) 200mg/ml (Depo-Testosterone) Injectable solution Enanthate 50mg/0.5ml 75mg/0.5ml 100mg/0.5ml 200mg/ml
13.	Dihydrotestosterone gel	2.5% gel for topical application
14.	Hydrocortisone	Powder for injection: 100 mg (as sodium succinate) in vial Tablet: 10 mg, 20 mg
15.	Growth Hormone	Injection 0.2mg,0.4,0.6,0.8,1,1.2,1.4,1.6,1.8,2 mg
16.	Anakinra	Prefilled Syringes 100mg/0.67mL
17.	Tocilizumab	Injectable solution 20mg/mL
18.	Methotrexate	Powder for injection 1g/vial(25mg/mL)

S.No.	Name of Medicine	Dosage form and Strength
19.	Methylphenidate	Oral Tablets 5,10,20mg
20.	Atomoxetine	Oral Capsule 5,10,18,25,40,60,80, 100mg
21.	Caffeine Citrate	10mg/ml(Each 1ml solution contains 10mg Caffeine citrate)
22.	Prostaglandin	5-10 nanogram/kg/min
23.	Surfactants (Beractant)	Intratracheal suspension 25mg/mL
24.	Concentrated RL	3 meq of sodium per mL
25.	Semaglutide	Injection prefilled single dose pen 2mg/1.5mL:Delivers doses of 0.25mg,0.5mg or 1mg per injection
26.	Testosterone Patch Gel	2mg/24hr 4mg/24hr
27.	Desmopressin Nasal Spray	5ml bottle with spray pump delivering 50 sprays of 10mcg
28.	Hydrocortisone	Oral Tablets 5,10,20 mg
29.	Fludrocortisone	0.1mg tablets
30.	Testosterone	100mg/ml, 200mg/ml
31.	Octreotide Acetate	1ml single dose vials in 3 strengths containing 50,100 or 500 mcg Octreotide
32.	Pegvisomant	Powder for injection 10,15,20mg 40mg SC
33.	Teriparatide	Prefilled Injection Pen 250mcg/mL
34.	Cabergoline	0.5mg tablets
35.	Crizanlizumab	Injectable solution 10mg/mL
36.	Voxelotor	500mg tablets

S.No.	Name of Medicine	Dosage form and Strength
37.	Recombinant Human Thyrotropin	Powder for injection 1.1mg/vial
38.	Riluzole	50mg tablet Oral suspension 5mg/ml(300ml multidose bottle)
39.	Pyridostigmine	Injection Solution 5mg/ML Tablet controlled release 180mg Tablet 60mg Syrup 60mg/5ml(250ml)
40.	Interferon Beta	Prefilled IM syringe 30mcg/0.5ml Prefilled IM autoinjector pen 30mcg/0.5ml Powder for injection 30mcg/vial Prefilled SC syringes titration pack 8.8mcg/0.2ml(6 syringes)
41.	Glatiramer acetate	Solution for injection 20mg/ml, 40mg/ml
42.	Intranasal Triptans	5mg/actuation 10mg/actuation 20mg/actuation
43.	D-penicillamine	Tablet 250mg Capsule 125mg,250mg
44.	Trientine	Capsule 250mg
45.	Antihemophilic factor VIII	250IU (AlphanateHumateP) 450IU FVIII/450VWF:RCO(Wilate)
46.	Imiglucerase	Powder for injection 200 units 400 units
47.	Anti Thymocyte Globulin	Injectable solution 50mg/mL
48.	FEIBA	Powder for reconstitution 500units 1000units

S.No.	Name of Medicine	Dosage form and Strength
		2500units
49.	Buprenorphine Sublingual Tablets	Sublingual tablets 2mg/8mg
50.	Pomalidomide	Capsule 1mg,2mg,3mg,4mg
51.	Ibrutinib	Capsule 70 mg,140mg Tablet 140 mg, 280mg, 420mg, 560mg
52.	Tolvaptan	Tablet 15mg,30mg
53.	Melatonin	1-5 mg tablet
54.	Pilocarpine	Tablet 5mg,7.5mg
55.	Panhematin	Lyophilized Powder for injection 301mg/vial 7mg/mL

(ख) बेवास्ता गरिएका रोगको उपचारमा प्रयोग हुने औषधि:-

S.No.	Name of Medicine	Dosage form and strength
1.	Amphotericin B	Powder for Injection: 50 mg in vial (as sodium deoxyxholate or liposomal complex)
2.	Miltefosine	Capsule: 50 mg
3.	Pramomycin	Injection: 375 mg (base as sulfate)/ ml in 2 ml ampoule
4.	Albendazole	Tablet: (chewable) 400 mg Oral liquid: 400 mg/ 10 ml
5.	Ivermectin	Tablet: 3 mg
6.	Mebendazole	Tablet: 100 mg
7.	Praziquantel	Tablet: 150 mg, 600 mg

S.No.	Name of Medicine	Dosage form and strength
8.	Dapsone	Tablet: 50 mg, 100 mg
9.	Clofazimine	Capsule: 50 mg, 100 mg
10.	Rifampicin	Solid oral dosage form: 150 mg, 300 mg
11.	Minocycline	Tablet/capsule 50mg, 75mg, 100mg
12.	Ofloxacin	Tablet 200mg, 400mg, 300mg
13.	Polyvalent anti-snake venom	Injection in vial
14.	Diethylcarbamazine	Tablet: 50 mg, 100 mg, 150 mg (dihydrogen citrate)
15.	Gammabenzene Hexachloride	Lotion/Shampoo 1%
16.	Permethrin	Cream 5% Liquid 1%
17.	Azithromycin	Tablet 250mg, 500mg
18.	Tetracycline Ointment	Ointment (eye): 1% (hydrochloride)
19.	Anti-rabies hyperimmune serum	Injection: 1000 IU in 5 ml ampoule
20.	Equine Immunoglobulin	1000 IU/5mL"

आज्ञाले,
देव कुमारी गुरागाईं
नेपाल सरकारको सचिव ।