

Province Government Ministry of Physical Infrastructure Development Koshi Province, Biratnagar

OUTLINE FOR STRUCTURAL ANALYSIS AND DESIGN REPORT

- A. General Features of the Building
 - A.1 General Information of the Project
- B. Modeling of the Building
 - B.1 Material Properties (Concrete, Re-bar, Structural Steel)
 - B.2 Stiffness Modifiers
 - B.3 Slab and Diaphragm
 - B.4 Accidental Eccentricity
 - B.5 Support Condition
 - B.6 Structural Analysis Software Used

• C. Adequacy of Actions to the Buildings

- C.1 Load Patterns Considered
- C.2 Load Cases Considered
- C.3 Mass Source Considered for Seismic Weight
- C.4 Detailed Load Calculations
- C.5 Seismic Load Calculation
- C.6 Load Combinations

• D. Analysis of Building

- D.1 Modal Analysis Results
- E. Design of Structural members
 - E.1 Check for All Members Passed (for Element Design through Software)
 - E.2 Check for Column-Beam (C/B) Capacity Ratio
 - E.3 Check for Max. & Min. Percentage of Reinforcement Provided
 - E.4 Reinforcement Design of Slabs
 - E.5 Reinforcement Design of Beams
 - E.6 Reinforcement Design of Columns
 - E.7 Reinforcement Design of Foundations
 - E.8 Reinforcement Design of Staircases
 - E.9 Reinforcement Design of Other Members (Shear Wall etc.)

• F. Performance of Building

- F.1 Storey Drift Ratio, Storey Displacement
- F.2 Check for Structural Irregularity
 - F.2.1 Torsional Irregularity
 - F.2.2 Soft Storey



Province Government Ministry of Physical Infrastructure Development Koshi Province, Biratnagar

- F.2.3 In-Plane Discontinuity
- F.2.4 Mass Irregularity
- F.2.5 Re-entrant Corner
- F.2.6 Diaphragm Discontinuity
- F.2.7 Out-of-Plane Offset

LIST OF FIGURES

- Figure 1: Plan of Building
- Figure 2: Section of Building
- Figure 3: Material Property (Concrete)
- Figure 4: Material Property (Rebar)
- Figure 5: Accidental Eccentricity
- Figure 6: Wall Load (Each Floor)
- Figure 7: Floor Finish (Each Floor)
- Figure 8: Live Load (Each Floor)
- Figure 9: Load Cases Considered in the Software
- Figure 10: Mass Sources Considered
- Figure 11: Load Case for MRSM (ULS)
- Figure 12: Load Case for MRSM (SLS)
- Figure 13: Model Analysis Error Check
- Figure 14: All members Passed the Design Check
- Figure 15: Foundation Reaction (1.5DL + 1.5LL)
- Figure 16: Maximum Drift of ULS due to EQX and EQY
- Figure 17: Maximum Drift of ULS due to EQX and EQY
- Figure 18: Torsional Irregularity
- Figure 19: Soft Storey Check
- Figure 20: Center of Mass and Rigidity
- Figure 21: Model Participating Mass Ratio
- Figure 22: Beam Area of Steel Plan (Each Floor)
- Figure 23: Column Area of Steel Elevations (All Grids)

LIST OF TABLES



Province Government Ministry of Physical Infrastructure Development Koshi Province, Biratnagar

- -----
- Table 1: General Information of the Building
- Table 2: General Information on Structural Elements of the Building
- Table 3: Structural System & Foundation
- Table 4: Effective Stiffness of Different Components
- Table 5: Live Load Intensity in Different Rooms
- Table 6: Mass Source
- Table 7: Time Period and Mass Participation Ratio
- Table 8: Beam Reinforcement Details
- Table 9: Column Reinforcement Details
- Table 10: Slab Reinforcement Details
- Table 11: Foundation Reinforcement Details
- Table 12: Shear Wall Reinforcement Details